

Hong M Moulton

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6269222/publications.pdf>

Version: 2024-02-01

28
papers

2,660
citations

516710

16
h-index

501196

28
g-index

28
all docs

28
docs citations

28
times ranked

6229
citing authors

#	ARTICLE	IF	CITATIONS
1	Meta- and Orthogonal Integration of Influenza α OMICs Data Defines a Role for UBR4 in Virus Budding. <i>Cell Host and Microbe</i> , 2015, 18, 723-735.	11.0	868
2	TMPRSS2 and furin are both essential for proteolytic activation of SARS-CoV-2 in human airway cells. <i>Life Science Alliance</i> , 2020, 3, e202000786.	2.8	597
3	Anchor peptide captures, targets, and loads exosomes of diverse origins for diagnostics and therapy. <i>Science Translational Medicine</i> , 2018, 10, .	12.4	248
4	Morpholinos and their peptide conjugates: Therapeutic promise and challenge for Duchenne muscular dystrophy. <i>Biochimica Et Biophysica Acta - Biomembranes</i> , 2010, 1798, 2296-2303.	2.6	183
5	Unanchored K48-Linked Polyubiquitin Synthesized by the E3-Ubiquitin Ligase TRIM6 Stimulates the Interferon- γ Kinase-Mediated Antiviral Response. <i>Immunity</i> , 2014, 40, 880-895.	14.3	135
6	TMPRSS2 Is the Major Activating Protease of Influenza A Virus in Primary Human Airway Cells and Influenza B Virus in Human Type II Pneumocytes. <i>Journal of Virology</i> , 2019, 93, .	3.4	116
7	Effects of systemic multiexon skipping with peptide-conjugated morpholinos in the heart of a dog model of Duchenne muscular dystrophy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2017, 114, 4213-4218.	7.1	94
8	The ETS transcription factor ELF1 regulates a broadly antiviral program distinct from the type I interferon response. <i>PLoS Pathogens</i> , 2019, 15, e1007634.	4.7	67
9	Effective Dystrophin Restoration by a Novel Muscle-Homing Peptide-Morpholino Conjugate in Dystrophin-Deficient mdx Mice. <i>Molecular Therapy</i> , 2014, 22, 1333-1341.	8.2	58
10	Effect of Combined Systemic and Local Morpholino Treatment on the Spinal Muscular Atrophy β 7 Mouse Model Phenotype. <i>Clinical Therapeutics</i> , 2014, 36, 340-356.e5.	2.5	44
11	In Vivo Delivery of Morpholino Oligos by Cell-Penetrating Peptides. <i>Current Pharmaceutical Design</i> , 2013, 19, 2963-2969.	1.9	30
12	Systems-based analysis of RIG-I-dependent signalling identifies KHSRP as an inhibitor of RIG-I receptor activation. <i>Nature Microbiology</i> , 2017, 2, 17022.	13.3	25
13	Restriction factor compendium for influenza A virus reveals a mechanism for evasion of autophagy. <i>Nature Microbiology</i> , 2021, 6, 1319-1333.	13.3	23
14	Development of DG9 peptide-conjugated single- and multi-exon skipping therapies for the treatment of Duchenne muscular dystrophy. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, .	7.1	21
15	Cell-Penetrating Peptides Enhance Systemic Delivery of Antisense Morpholino Oligomers. <i>Methods in Molecular Biology</i> , 2012, 867, 407-414.	0.9	17
16	Fructose Promotes Uptake and Activity of Oligonucleotides With Different Chemistries in a Context-dependent Manner in mdx Mice. <i>Molecular Therapy - Nucleic Acids</i> , 2016, 5, e329.	5.1	17
17	Inhibition of SARS-CoV-2 in Vero cell cultures by peptide-conjugated morpholino oligomers. <i>Journal of Antimicrobial Chemotherapy</i> , 2021, 76, 413-417.	3.0	16
18	The RNA helicase DHX16 recognizes specific viral RNA to trigger RIG-I-dependent innate antiviral immunity. <i>Cell Reports</i> , 2022, 38, 110434.	6.4	16

#	ARTICLE	IF	CITATIONS
19	CSGID Solves Structures and Identifies Phenotypes for Five Enzymes in <i>Toxoplasma gondii</i> . <i>Frontiers in Cellular and Infection Microbiology</i> , 2018, 8, 352.	3.9	14
20	Enhanced delivery of peptide-morpholino oligonucleotides with a small molecule to correct splicing defects in the lung. <i>Nucleic Acids Research</i> , 2021, 49, 6100-6113.	14.5	13
21	CX3CR1 Is a Receptor for Human Respiratory Syncytial Virus in Cotton Rats. <i>Journal of Virology</i> , 2021, 95, e0001021.	3.4	13
22	Cell-penetrating peptide-conjugated Morpholino rescues SMA in a symptomatic preclinical model. <i>Molecular Therapy</i> , 2022, 30, 1288-1299.	8.2	12
23	A Dystrophin Exon-52 Deleted Miniature Pig Model of Duchenne Muscular Dystrophy and Evaluation of Exon Skipping. <i>International Journal of Molecular Sciences</i> , 2021, 22, 13065.	4.1	9
24	MOTSâ€ promotes phosphorodiamidate morpholino oligomer uptake and efficacy in dystrophic mice. <i>EMBO Molecular Medicine</i> , 2021, 13, e12993.	6.9	8
25	Hexose Potentiates Peptide-Conjugated Morpholino Oligomer Efficacy in Cardiac Muscles of Dystrophic Mice in an Age-Dependent Manner. <i>Molecular Therapy - Nucleic Acids</i> , 2019, 18, 341-350.	5.1	6
26	Aggregation and Disaggregation of Morpholino Oligomers in Solution. <i>Methods in Molecular Biology</i> , 2017, 1565, 31-38.	0.9	4
27	A Novel Zebrafish Model for Assessing In Vivo Delivery of Morpholino Oligomers. <i>Methods in Molecular Biology</i> , 2018, 1828, 293-306.	0.9	4
28	Surface Plasmon Resonance-Based Concentration Determination Assay: Label-Free and Antibody-Free Quantification of Morpholinos. <i>Methods in Molecular Biology</i> , 2017, 1565, 251-263.	0.9	2