## Jesper Hallas

## List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6270538/publications.pdf

Version: 2024-02-01

		31949	3	33869	
292	12,449	53		99	
papers	citations	h-index		g-index	
303	303	303		13319	
all docs	docs citations	times ranked		citing authors	

#	Article	IF	CITATIONS
1	The Danish National Prescription Registry. Scandinavian Journal of Public Health, 2011, 39, 38-41.	1.2	1,859
2	Data Resource Profile: The Danish National Prescription Registry. International Journal of Epidemiology, 2017, 46, dyw213.	0.9	649
3	Use of single and combined antithrombotic therapy and risk of serious upper gastrointestinal bleeding: population based case-control study. BMJ: British Medical Journal, 2006, 333, 726.	2.4	324
4	Drug related hospital admissions: the role of definitions and intensity of data collection, and the possibility of prevention. Journal of Internal Medicine, 1990, 228, 83-90.	2.7	307
5	Use of Proton Pump Inhibitors and the Risk of Community-Acquired Pneumonia. Archives of Internal Medicine, 2007, 167, 950.	4.3	292
6	Classification of Myocardial Infarction: Frequency and Features of Type 2 Myocardial Infarction. American Journal of Medicine, 2013, 126, 789-797.	0.6	276
7	Evidence of Depression Provoked by Cardiovascular Medication: A Prescription Sequence Symmetry Analysis. Epidemiology, 1996, 7, 478-484.	1.2	228
8	Characteristics and predictors of hospitalization and death in the first $11\hat{A}122$ cases with a positive RT-PCR test for SARS-CoV-2 in Denmark: a nationwide cohort. International Journal of Epidemiology, 2020, 49, 1468-1481.	0.9	219
9	The relationship between paroxetine and the sparteine oxidation polymorphism. Clinical Pharmacology and Therapeutics, 1992, 51, 278-287.	2.3	214
10	Effect of an In-Hospital Multifaceted Clinical Pharmacist Intervention on the Risk of Readmission. JAMA Internal Medicine, 2018, 178, 375.	2.6	203
11	Post-acute effects of SARS-CoV-2 infection in individuals not requiring hospital admission: a Danish population-based cohort study. Lancet Infectious Diseases, The, 2021, 21, 1373-1382.	4.6	194
12	The Danish prescription registries. Danish Medical Bulletin, 1997, 44, 445-8.	0.1	179
13	Complicated and Uncomplicated Peptic Ulcers in a Danish County 1993-2002: A Population-Based Cohort Study. American Journal of Gastroenterology, 2006, 101, 945-953.	0.2	172
14	The Nordic prescription databases as a resource for pharmacoepidemiological researchâ€"a literature review. Pharmacoepidemiology and Drug Safety, 2013, 22, 691-699.	0.9	156
15	Methods for estimating the occurrence of polypharmacy by means of a prescription database. European Journal of Clinical Pharmacology, 1997, 53, 7-11.	0.8	143
16	Mortality Rate in Type 2 Myocardial Infarction: Observations from an Unselected Hospital Cohort. American Journal of Medicine, 2014, 127, 295-302.	0.6	140
17	Selective Serotonin Reuptake Inhibitors and the Risk of Stroke. Stroke, 2002, 33, 1465-1473.	1.0	133
18	Hydrochlorothiazide use is strongly associated with risk of lip cancer. Journal of Internal Medicine, 2017, 282, 322-331.	2.7	128

#	Article	IF	Citations
19	Association of Antithrombotic Drug Use With Subdural Hematoma Risk. JAMA - Journal of the American Medical Association, 2017, 317, 836.	3.8	121
20	Use of selfâ€controlled designs in pharmacoepidemiology. Journal of Internal Medicine, 2014, 275, 581-589.	2.7	111
21	Primary non-adherence in general practice: a Danish register study. European Journal of Clinical Pharmacology, 2014, 70, 757-763.	0.8	108
22	Nonsteroidal Anti-inflammatory Drugs and Upper Gastrointestinal Bleeding, Identifying High-Risk Groups by Excess Risk Estimates. Scandinavian Journal of Gastroenterology, 1995, 30, 438-444.	0.6	106
23	Use of proton-pump inhibitors among adults: a Danish nationwide drug utilization study. Therapeutic Advances in Gastroenterology, 2016, 9, 671-678.	1.4	105
24	Potential of prescription registries to capture individual-level use of aspirin and other nonsteroidal anti-inflammatory drugs in Denmark: trends in utilization 1999–2012. Clinical Epidemiology, 2014, 6, 155.	1.5	100
25	Adverse events with use of antiepileptic drugs: a prescription and event symmetry analysis. Pharmacoepidemiology and Drug Safety, 2009, 18, 483-491.	0.9	99
26	Persistence of antimuscarinic drug use. European Journal of Clinical Pharmacology, 2009, 65, 309-314.	0.8	97
27	Comparison of the Five Danish Regions Regarding Demographic Characteristics, Healthcare Utilization, and Medication Use—A Descriptive Cross-Sectional Study. PLoS ONE, 2015, 10, e0140197.	1.1	95
28	Data Resource Profile: Danish online drug use statistics (MEDSTAT). International Journal of Epidemiology, 2016, 45, 1401-1402g.	0.9	92
29	An Association Between Selective Serotonin Reuptake Inhibitor Use and Serious Upper Gastrointestinal Bleeding. Clinical Gastroenterology and Hepatology, 2009, 7, 1314-1321.	2.4	91
30	Risk scoring systems for adults admitted to the emergency department: a systematic review. Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine, 2010, 18, 8.	1.1	91
31	Risk of Stroke Associated With Nonsteroidal Anti-Inflammatory Drugs. Stroke, 2003, 34, 379-386.	1.0	86
32	A cohort study on the risk of lymphoma and skin cancer in users of topical tacrolimus, pimecrolimus, and corticosteroids (Joint European Longitudinal Lymphoma and Skin Cancer Evaluation & Camp; ndash;) Tj ETQqO	0 <b>0.5</b> gBT /	Oværlock 10 T
33	Use of fluroquinolone and risk of Achilles tendon rupture: a population-based cohort study. European Journal of Clinical Pharmacology, 2007, 63, 499-503.	0.8	83
34	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study. PLoS Medicine, 2020, 17, e1003308.	3.9	76
35	The use of medication against attention deficit hyperactivity disorder in Denmark: a drug use study from a national perspective. European Journal of Clinical Pharmacology, 2012, 68, 1443-1450.	0.8	74
36	The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. Epidemiology, 1997, 8, 666-670.	1.2	73

#	Article	IF	CITATIONS
37	Templates for Analysis of Individual-Level Prescription Data. Basic and Clinical Pharmacology and Toxicology, 2006, 98, 260-265.	1.2	72
38	Evidence of depression provoked by cardiovascular medication: a prescription sequence symmetry analysis. Epidemiology, 1996, 7, 478-84.	1.2	72
39	Significance of age and comorbidity on treatment modality, treatment adherence, and prognosis in elderly ovarian cancer patients. Gynecologic Oncology, 2012, 127, 367-374.	0.6	71
40	Considerations for Pharmacoepidemiological Studies of Drug–Cancer Associations. Basic and Clinical Pharmacology and Toxicology, 2018, 122, 451-459.	1.2	70
41	Nurse teleâ€consultations with discharged COPD patients reduce early readmissions – an interventional study. Clinical Respiratory Journal, 2011, 5, 26-34.	0.6	68
42	New use of prescription drugs prior to a cancer diagnosis. Pharmacoepidemiology and Drug Safety, 2017, 26, 223-227.	0.9	63
43	Exposure to antiepileptic drugs and the risk of hip fracture: A caseâ€control study. Epilepsia, 2008, 49, 2092-2099.	2.6	61
44	The effect of low-dose spironolactone on resistant hypertension. Journal of the American Society of Hypertension, 2010, 4, 290-294.	2.3	61
45	Drug utilization statistics for individual-level pharmacy dispensing data. Pharmacoepidemiology and Drug Safety, 2005, 14, 455-463.	0.9	60
46	Long term use of drugs affecting the reninâ€angiotensin system and the risk of cancer: a populationâ€based caseâ€control study. British Journal of Clinical Pharmacology, 2012, 74, 180-188.	1.1	60
47	Use of N-nitrosodimethylamine (NDMA) contaminated valsartan products and risk of cancer: Danish nationwide cohort study. BMJ: British Medical Journal, 2018, 362, k3851.	2.4	60
48	Assigning exposure duration to single prescriptions by use of the waiting time distribution. Pharmacoepidemiology and Drug Safety, 2013, 22, 803-809.	0.9	59
49	Polypharmacy and drug use in elderly Danish cancer patients during 1996 to 2006. Journal of Geriatric Oncology, 2012, 3, 33-40.	0.5	58
50	Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. European Journal of Epidemiology, 2017, 32, 567-582.	2.5	58
51	Statin use and survival following glioblastoma multiforme. Cancer Epidemiology, 2014, 38, 722-727.	0.8	57
52	The Danish Cardiovascular Screening Trial (DANCAVAS): study protocol for a randomized controlled trial. Trials, 2015, 16, 554.	0.7	57
53	Drug related admissions to a cardiology department; frequency and avoidability. Journal of Internal Medicine, 1990, 228, 379-384.	2.7	55
54	Use of Opioids in a Danish Population-Based Cohort of Cancer Patients. Journal of Pain and Symptom Management, 2005, 29, 336-343.	0.6	53

#	Article	IF	CITATIONS
55	Use of Antibiotics in Children. Pediatric Infectious Disease Journal, 2015, 34, e16-e22.	1.1	53
56	Inappropriate use of sumatriptan: population based register and interview study. BMJ: British Medical Journal, 1998, 316, 1352-1353.	2.4	52
57	Esophagitis: Incidence and Risk of Esophageal Adenocarcinoma—A Population-Based Cohort Study. American Journal of Gastroenterology, 2006, 101, 1193-1199.	0.2	51
58	Drug-Related Admissions to a Department of Medical Gastroenterology: The Role of Self-Medicated and Prescribed Drugs. Scandinavian Journal of Gastroenterology, 1991, 26, 174-180.	0.6	50
59	Screening for drug related dyspepsia. European Journal of Gastroenterology and Hepatology, 1998, 10, 27-32.	0.8	50
60	Prevalence, awareness, and control of arterial hypertension in Denmark. Journal of the American Society of Hypertension, 2009, 3, 19-24.e2.	2.3	49
61	The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. Epidemiology, 1997, 8, 666.	1.2	47
62	Use of a Prescribed Ephedrine/Caffeine Combination and the Risk of Serious Cardiovascular Events: A Registry-based Case-Crossover Study. American Journal of Epidemiology, 2008, 168, 966-973.	1.6	47
63	Antidepressant use in Denmark, Germany, Spain, and Sweden between 2009 and 2014: Incidence and comorbidities of antidepressant initiators. Journal of Affective Disorders, 2019, 249, 242-252.	2.0	47
64	First-Trimester Exposure to Methylphenidate. Journal of Clinical Psychiatry, 2014, 75, e88-e93.	1.1	45
65	The use of medication against attention deficit/hyperactivity disorder in Denmark: a drug use study from a patient perspective. European Journal of Clinical Pharmacology, 2013, 69, 589-598.	0.8	44
66	Risk and course of SARS-CoV-2 infection in patients treated for hypothyroidism and hyperthyroidism. Lancet Diabetes and Endocrinology,the, 2021, 9, 197-199.	5.5	44
67	Individualized drug utilization statistics. European Journal of Clinical Pharmacology, 1994, 47, 367-72.	0.8	42
68	Use of anti-secretory medication: a population-based cohort study. Alimentary Pharmacology and Therapeutics, 2004, 20, 577-583.	1.9	42
69	The validity of self-reported use of hormone replacement therapy among Danish nurses. Acta Obstetricia Et Gynecologica Scandinavica, 2004, 83, 476-481.	1.3	42
70	Association of Potent and Very Potent Topical Corticosteroids and the Risk of Osteoporosis and Major Osteoporotic Fractures. JAMA Dermatology, 2021, 157, 275.	2.0	42
71	Baseline findings of the population-based, randomized, multifaceted Danish cardiovascular screening trial (DANCAVAS) of men aged 65–74 years. British Journal of Surgery, 2019, 106, 862-871.	0.1	41
72	Cardiovascular drugs and the risk of suicide: a nested case-control study. European Journal of Clinical Pharmacology, 2007, 63, 591-596.	0.8	40

#	Article	IF	Citations
73	Drug-induced symptoms of functional dyspepsia and nausea. A symmetry analysis of one million prescriptions. Alimentary Pharmacology and Therapeutics, 2000, 14, 1479-1484.	1.9	38
74	Use of benzodiazepines or benzodiazepine related drugs and the risk of cancer: a populationâ€based caseâ€control study. British Journal of Clinical Pharmacology, 2013, 75, 1356-1364.	1.1	38
75	Longâ€term use of metformin and colorectal cancer risk in type II diabetics: a populationâ€based case–control study. Cancer Medicine, 2014, 3, 1458-1466.	1.3	38
76	Children's relative age in class and use of medication for <scp>ADHD</scp> : a Danish Nationwide Study. Journal of Child Psychology and Psychiatry and Allied Disciplines, 2014, 55, 1244-1250.	3.1	38
77	Significant association between the use of different proton pump inhibitors and microscopic colitis: a nationwide Danish caseâ€control study. Alimentary Pharmacology and Therapeutics, 2018, 48, 618-625.	1.9	38
78	Individual utilization of antiâ€asthma medication by young adults: a prescription database analysis. Journal of Internal Medicine, 1993, 234, 65-70.	2.7	37
79	Spironolactone use and the risk of upper gastrointestinal bleeding: a populationâ€based case–control study. British Journal of Clinical Pharmacology, 2008, 66, 294-299.	1.1	37
80	Use of proton pump inhibitors after antireflux surgery: a nationwide register-based follow-up study. Gut, 2014, 63, 1544-1549.	6.1	37
81	<p>Existing Data Sources in Clinical Epidemiology: The Danish COVID-19 Cohort</p> . Clinical Epidemiology, 2020, Volume 12, 875-881.	1.5	37
82	Antithrombotic drugs and subarachnoid haemorrhage risk. Thrombosis and Haemostasis, 2015, 114, 1064-1075.	1.8	36
83	Control yourself: <scp>ISPEâ€endorsed</scp> guidance in the application of <scp>selfâ€controlled</scp> study designs in pharmacoepidemiology. Pharmacoepidemiology and Drug Safety, 2021, 30, 671-684.	0.9	36
84	Use of antibiotics in childhood and risk of Type 1 diabetes: a populationâ€based case–control study. Diabetic Medicine, 2017, 34, 272-277.	1.2	35
85	Characteristics of Undertreatment in COPD in the General Population. Chest, 2013, 144, 1811-1818.	0.4	34
86	Long-Term Lithium Use and Risk of Renal and Upper Urinary Tract Cancers. Journal of the American Society of Nephrology: JASN, 2016, 27, 249-255.	3.0	34
87	Inhalation or total intravenous anaesthesia and recurrence after colorectal cancer surgery: a propensity score matched Danish registry-based study. British Journal of Anaesthesia, 2021, 126, 921-930.	1.5	34
88	Hormone replacement therapy increases the risk of cranial meningioma. European Journal of Cancer, 2013, 49, 3303-3310.	1.3	33
89	First Trimester <i>In Utero</i> Exposure to Methylphenidate. Basic and Clinical Pharmacology and Toxicology, 2013, 112, 73-76.	1.2	32
90	Persistent User Bias in Case-Crossover Studies in Pharmacoepidemiology. American Journal of Epidemiology, 2016, 184, 761-769.	1.6	32

#	Article	lF	Citations
91	Metformin treatment does not affect the risk of ruptured abdominal aortic aneurysms. Journal of Vascular Surgery, 2017, 66, 768-774.e2.	0.6	32
92	Lack of Association Between Proton Pump Inhibitor Use andÂCognitive Decline. Clinical Gastroenterology and Hepatology, 2018, 16, 681-689.	2.4	32
93	Increased risk of major adverse cardiac events following the onset of acute exacerbations of COPD. Respirology, 2019, 24, 1183-1190.	1.3	32
94	Validity of the Prescriber Information in the Danish National Prescription Registry. Basic and Clinical Pharmacology and Toxicology, 2016, 119, 376-380.	1.2	31
95	Short- and long-term mortality in patients with community-acquired severe sepsis and septic shock. Scandinavian Journal of Infectious Diseases, 2013, 45, 577-583.	1.5	30
96	Off-hours admission and quality of hip fracture care: a nationwide cohort study of performance measures and 30-day mortality. International Journal for Quality in Health Care, 2016, 28, 324-331.	0.9	30
97	Does Appendectomy Reduce the Risk of Ulcerative Colitis?. Epidemiology, 2004, 15, 173-178.	1.2	29
98	Identification of Associations Between Prescribed Medications and Cancer: A Nationwide Screening Study. EBioMedicine, 2016, 7, 73-79.	2.7	29
99	Clinical events preceding switching and discontinuation of oral anticoagulant treatment in patients with atrial fibrillation. Europace, 2017, 19, euw241.	0.7	29
100	Cancer Risk in Long-term Users of Valproate: A Population-Based Case-Control Study. Cancer Epidemiology Biomarkers and Prevention, 2009, 18, 1714-1719.	1.1	28
101	Determining prescription durations based on the parametric waiting time distribution. Pharmacoepidemiology and Drug Safety, 2016, 25, 1451-1459.	0.9	28
102	Subdural hematoma cases identified through a Danish patient register: diagnosis validity, clinical characteristics, and preadmission antithrombotic drug use. Pharmacoepidemiology and Drug Safety, 2016, 25, 1253-1262.	0.9	28
103	Medication errors in pediatric inpatients: a study based on a national mandatory reporting system. European Journal of Pediatrics, 2017, 176, 1697-1705.	1.3	28
104	Clopidogrel–Paclitaxel Drug–Drug Interaction: A Pharmacoepidemiologic Study. Clinical Pharmacology and Therapeutics, 2017, 102, 547-553.	2.3	27
105	The DanCavas Pilot Study of Multifaceted Screening for Subclinical Cardiovascular Disease in Men and Women Aged 65–74ÂYears. European Journal of Vascular and Endovascular Surgery, 2017, 53, 123-131.	0.8	27
106	Hypothesis-free screening of large administrative databases for unsuspected drug-outcome associations. European Journal of Epidemiology, 2018, 33, 545-555.	2.5	27
107	Using the "proportion of patients covered―and the Kaplanâ€Meier survival analysis to describe treatment persistence. Pharmacoepidemiology and Drug Safety, 2018, 27, 867-871.	0.9	27
108	Angiotensin II receptor blockers are safe in patients with prior angioedema related to angiotensinâ€converting enzyme inhibitors – a nationwide registryâ€based cohort study. Journal of Internal Medicine, 2019, 285, 553-561.	2.7	27

#	Article	IF	CITATIONS
109	Cholesterol-lowering drugs and antidepressants—A study of prescription symmetry. , 1998, 7, 399-402.		26
110	Cancer risk in longâ€term users of vitamin K antagonists: A populationâ€based case–control study. International Journal of Cancer, 2013, 132, 2606-2612.	2.3	25
111	Appendicectomy has no beneficial effect on admission rates in patients with ulcerative colitis. Gut, 2004, 53, 351-354.	6.1	24
112	The Risk of Missed Gastroesophageal Cancer Diagnoses in Users and Nonusers of Antisecretory Medication. Gastroenterology, 2005, 129, 1179-1186.	0.6	24
113	Medically treated exacerbations in COPD by GOLD 1-4: A valid, robust, and seemingly low-biased definition. Respiratory Medicine, 2015, 109, 1562-1568.	1.3	24
114	Odense Pharmacoepidemiological Database: A Review of Use and Content. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 419-425.	1.2	24
115	Sodium–glucose cotransporter 2 inhibitors and risk of nephrolithiasis. Diabetologia, 2021, 64, 1563-1571.	2.9	24
116	Persistence and adherence to non-vitamin K antagonist oral anticoagulant treatment in patients with atrial fibrillation across five Western European countries. Europace, 2021, 23, 1722-1730.	0.7	24
117	Risk of Acute Liver Injury in Agomelatine and Other Antidepressant Users in Four European Countries: A Cohort and Nested Case–Control Study Using Automated Health Data Sources. CNS Drugs, 2019, 33, 383-395.	2.7	23
118	Long-term use of antiplatelet drugs by stroke patients: a follow-up study based on prescription register data. European Journal of Clinical Pharmacology, 2012, 68, 1631-1637.	0.8	22
119	Urinary tract infections and risk of squamous cell carcinoma bladder cancer: A Danish nationwide case–control study. International Journal of Cancer, 2020, 146, 1930-1936.	2.3	22
120	Proton Pump Inhibitor Use Is Not Strongly Associated With SARS-CoV-2 Related Outcomes: A Nationwide Study and Meta-analysis. Clinical Gastroenterology and Hepatology, 2021, 19, 1845-1854.e6.	2.4	22
121	Oral anticoagulants in patients with atrial fibrillation at low stroke risk: a multicentre observational study. European Heart Journal, 2022, 43, 3528-3538.	1.0	22
122	Cancer patients' share in a population's Use of opioids. A linkage study between a prescription database and the danish cancer registry. Journal of Pain and Symptom Management, 2004, 27, 36-43.	0.6	21
123	Use of SSRIs among Danish children: a nationwide study. European Child and Adolescent Psychiatry, 2014, 23, 1211-1218.	2.8	21
124	Refining estimates of prescription durations by using observed covariates in pharmacoepidemiological databases: an application of the reverse waiting time distribution. Pharmacoepidemiology and Drug Safety, 2017, 26, 900-908.	0.9	21
125	Association between use of phthalate-containing medication and semen quality among men in couples referred for assisted reproduction. Human Reproduction, 2018, 33, 503-511.	0.4	21
126	Screening, prevention and treatment of osteoporosis in patients with chronic obstructive pulmonary disease – a populationâ€based database study. Clinical Respiratory Journal, 2010, 4, 22-29.	0.6	20

#	Article	IF	Citations
127	The Association between Use of Serotonergic Antidepressants and Perioperative Bleeding during Total Hip Arthroplasty – A Cohort Study. Basic and Clinical Pharmacology and Toxicology, 2014, 115, 277-281.	1.2	20
128	Use of antipsychotics in Denmark 1997–2018: a nation-wide drug utilisation study with focus on off-label use and associated diagnoses. Epidemiology and Psychiatric Sciences, 2021, 30, e28.	1.8	20
129	Performance of the Highâ€dimensional Propensity Score in a Nordic Healthcare Model. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 312-317.	1.2	19
130	Sodiumâ€glucose cotransporterâ€2 inhibitors and the risk of gout: A Danish population based cohort study and symmetry analysis. Pharmacoepidemiology and Drug Safety, 2021, 30, 1391-1395.	0.9	19
131	Use of lithium in the adult populations of Denmark, Norway and Sweden. Journal of Affective Disorders, 2009, 118, 224-228.	2.0	18
132	Do statins protect against upper gastrointestinal bleeding?. British Journal of Clinical Pharmacology, 2009, 67, 460-465.	1.1	18
133	Increased use of inhaled corticosteroids among young Danish adult asthmatics: An observational study. Respiratory Medicine, 2010, 104, 1817-1824.	1.3	18
134	Association between prescribing patterns of anti-asthmatic drugs and clinically uncontrolled asthma: A cross-sectional study. Pulmonary Pharmacology and Therapeutics, 2011, 24, 647-653.	1.1	18
135	A MiniReview of the Use of Hospitalâ€based Databases in Observational Inpatient Studies of Drugs. Basic and Clinical Pharmacology and Toxicology, 2013, 112, 13-18.	1.2	18
136	Off-Hours Admission and Acute Stroke Care Quality. Stroke, 2014, 45, 3663-3669.	1.0	18
137	Systolic blood pressure and short-term mortality in the emergency department and prehospital setting: a hospital-based cohort study. Critical Care, 2015, 19, 158.	2.5	18
138	Validity of ICDâ€9 and ICDâ€10 codes used to identify acute liver injury: A study in three European data sources. Pharmacoepidemiology and Drug Safety, 2019, 28, 965-975.	0.9	18
139	The Validity of Danish Prescription Data to Measure Use of Aspirin and Other Non-Steroidal Anti-Inflammatory Drugs and Quantification of Bias Due to Non-Prescription Drug Use. Clinical Epidemiology, 2021, Volume 13, 569-579.	1.5	18
140	Evaluating the use of prescription sequence symmetry analysis as a pharmacovigilance tool: A scoping review. Research in Social and Administrative Pharmacy, 2022, 18, 3079-3093.	1.5	18
141	Risk of stroke associated with nonsteroidal anti-inflammatory drugs: a nested case-control study. Stroke, 2003, 34, 379-86.	1.0	18
142	Identifying Patients with Myasthenia for Epidemiological Research by Linkage of Automated Registers. Neuroepidemiology, 2011, 37, 120-128.	1.1	17
143	Drug and Therapeutics Committees in Danish Hospitals: A Survey of Organization, Activities and Drug Selection Procedures. Basic and Clinical Pharmacology and Toxicology, 2013, 112, 264-269.	1.2	17
144	The influence of comprehensive geriatric assessment on drug therapy in elderly patients. European Journal of Clinical Pharmacology, 2014, 70, 233-239.	0.8	17

#	Article	IF	CITATIONS
145	Topical Antimycotics for Oral Candidiasis in Warfarin Users. Basic and Clinical Pharmacology and Toxicology, 2017, 120, 368-372.	1.2	17
146	Sixteen years of creatinine measurements among 460Â000 individuals—The Funen Laboratory Cohort (FLaC), a populationâ€based pharmacoepidemiological resource to study drugâ€induced kidney disease. Basic and Clinical Pharmacology and Toxicology, 2019, 124, 582-590.	1.2	17
147	Association of Nonsteroidal Anti-inflammatory Drug Use and Adverse Outcomes Among Patients Hospitalized With Influenza. JAMA Network Open, 2020, 3, e2013880.	2.8	17
148	Trends in Incidence of Intracerebral Hemorrhage and Association With Antithrombotic Drug Use in Denmark, 2005-2018. JAMA Network Open, 2021, 4, e218380.	2.8	17
149	The effect of immunosuppressants on the prognosis of SARS-CoV-2 infection. European Respiratory Journal, 2022, 59, 2100769.	3.1	17
150	<i>Helicobacter pylori</i> and risk of upper gastrointestinal bleeding among users of selective serotonin reuptake inhibitors. Scandinavian Journal of Gastroenterology, 2011, 46, 1039-1044.	0.6	16
151	Use of disulfiram and risk of cancer. European Journal of Cancer Prevention, 2014, 23, 225-232.	0.6	16
152	Long-term use of lithium and risk of colorectal adenocarcinoma: a nationwide case–control study. British Journal of Cancer, 2016, 114, 571-575.	2.9	16
153	Pharmaceutical interventions on prescription problems in a Danish pharmacy setting. International Journal of Clinical Pharmacy, 2011, 33, 1019-1027.	1.0	15
154	Concurrent use of tramadol and oral vitamin K antagonists and the risk of excessive anticoagulation: a register-based nested case–control study. European Journal of Clinical Pharmacology, 2013, 69, 641-646.	0.8	15
155	Cancer incidence in persons with elevated cobalamin levels. European Journal of Clinical Investigation, 2013, 43, 557-561.	1.7	15
156	Pharmacoepidemiological assessment of drug interactions with vitamin K antagonists. Pharmacoepidemiology and Drug Safety, 2014, 23, 1160-1167.	0.9	15
157	Patterns of use of antimuscarinic drugs to treat overactive bladder in Denmark, Sweden, and the United Kingdom. PLoS ONE, 2018, 13, e0204456.	1.1	15
158	Use of Low-Dose Aspirin and Mortality After Prostate Cancer Diagnosis. Annals of Internal Medicine, 2019, 170, 443.	2.0	15
159	SARS-CoV-2 infection and adverse outcomes in users of ACE inhibitors and angiotensin-receptor blockers: a nationwide case-control and cohort analysis. Thorax, 2021, 76, 370-379.	2.7	15
160	Who prescribes drugs to patients: A Danish registerâ€based study. British Journal of Clinical Pharmacology, 2021, 87, 2982-2987.	1.1	15
161	Congenital Malformations in Denmark: Considerations for the Use of Danish Health Care Registries. Clinical Epidemiology, 2020, Volume 12, 1371-1380.	1.5	15
162	Effect of a Community Screening for Helicobacter pylori: A 5-Yr Follow-Up Study. American Journal of Gastroenterology, 2008, 103, 1106-1113.	0.2	14

#	Article	IF	CITATIONS
163	Impact of socioeconomic status on the use of inhaled corticosteroids in young adult asthmatics. Respiratory Medicine, 2011, 105, 683-690.	1.3	14
164	Prognosis in patients with suspected or known ischemic heart disease and normal myocardial perfusion: Long-term outcome and temporal risk variations. Journal of Nuclear Cardiology, 2013, 20, 347-357.	1.4	14
165	Statin use and risk of nonmelanoma skin cancer: a nationwide study in Denmark. British Journal of Cancer, 2015, 112, 153-156.	2.9	14
166	Cumulative exposure to phthalates from phthalateâ€containing drug products: a Danish populationâ€wide study. British Journal of Clinical Pharmacology, 2018, 84, 1798-1805.	1.1	14
167	Association of aortic valve calcification and vitamin K antagonist treatment. European Heart Journal Cardiovascular Imaging, 2020, 21, 718-724.	0.5	14
168	Association of Low-Dose Quetiapine and Diabetes. JAMA Network Open, 2021, 4, e213209.	2.8	14
169	Longâ€term oral budesonide treatment and risk of osteoporotic fractures in patients with microscopic colitis. Alimentary Pharmacology and Therapeutics, 2020, 51, 644-651.	1.9	14
170	Statins and nonsteroidal anti-inflammatory drugsâ€"an analysis of prescription symmetry. Pharmacoepidemiology and Drug Safety, 2006, 15, 510-511.	0.9	13
171	Cardiovascular drugs and erectile dysfunction – a symmetry analysis. British Journal of Clinical Pharmacology, 2015, 80, 1219-1223.	1.1	13
172	Population Exposure to Phthalateâ€containing Drugs. Basic and Clinical Pharmacology and Toxicology, 2017, 121, 153-158.	1.2	13
173	Perioperative Tranexamic Acid Treatment and Risk of Cardiovascular Events or Death After Total Hip Arthroplasty. Journal of Bone and Joint Surgery - Series A, 2018, 100, 1742-1749.	1.4	13
174	Long-Term Risk of Skin Cancer and Lymphoma in Users of Topical Tacrolimus and Pimecrolimus: Final Results from the Extension of the Cohort Study Protopic Joint European Longitudinal Lymphoma and Skin Cancer Evaluation (JOELLE). Clinical Epidemiology, 2021, Volume 13, 1141-1153.	1.5	13
175	Misuse of sumatriptan. Lancet, The, 1994, 344, 1090.	6.3	12
176	Hormone replacement therapy and risk of glioma: A nationwide nested case–control study. Cancer Epidemiology, 2013, 37, 876-880.	0.8	12
177	Measures of †exposure needed for one additional patient to be harmed' in populationâ€based caseâ€control studies. Pharmacoepidemiology and Drug Safety, 2014, 23, 868-874.	0.9	12
178	Clinical Pharmacology in Denmark in 2016 – 40 Years with the Danish Society of Clinical Pharmacology and 20 Years as a Medical Speciality. Basic and Clinical Pharmacology and Toxicology, 2016, 119, 523-532.	1,2	12
179	Estimating medication stopping fraction and realâ€time prevalence of drug use in pharmacoâ€epidemiologic databases. An application of the reverse waiting time distribution. Pharmacoepidemiology and Drug Safety, 2017, 26, 909-916.	0.9	12
180	Comparison of cardiovascular events among treatments for overactive bladder: a Danish nationwide cohort study. European Journal of Clinical Pharmacology, 2018, 74, 193-199.	0.8	12

#	Article	IF	Citations
181	Treatment with montelukast and antidepressive medicationâ€"a symmetry analysis. Pharmacoepidemiology and Drug Safety, 2018, 27, 1409-1415.	0.9	12
182	Impact of EMA regulatory label changes on systemic diclofenac initiation, discontinuation, and switching to other pain medicines in Scotland, England, Denmark, and The Netherlands. Pharmacoepidemiology and Drug Safety, 2020, 29, 296-305.	0.9	12
183	<p>The Validity of Intracerebral Hemorrhage Diagnoses in the Danish Patient Registry and the Danish Stroke Registry</p> . Clinical Epidemiology, 2020, Volume 12, 1313-1325.	1.5	12
184	Drug related hospital admissions in subspecialities of internal medicine. Danish Medical Bulletin, 1996, 43, 141-55.	0.1	12
185	Eradication of Helicobacter pylori and use of antisecretory drugs: population based cohort study. BMJ: British Medical Journal, 2003, 327, 603-603.	2.4	11
186	Identifying admitted patients at risk of dying: a prospective observational validation of four biochemical scoring systems. BMJ Open, 2013, 3, e002890.	0.8	11
187	Discontinuation of Antiplatelet Treatment and Risk of Recurrent Stroke and All-Cause Death: A Cohort Study. Neuroepidemiology, 2014, 43, 57-64.	1.1	11
188	Using the Symmetry Analysis Design to Screen for Adverse Effects of Non-vitamin K Antagonist Oral Anticoagulants. Drug Safety, 2018, 41, 685-695.	1.4	11
189	A review of the Ghana National Health Insurance Scheme claims database: possibilities and limits for drug utilization research. Basic and Clinical Pharmacology and Toxicology, 2019, 124, 18-27.	1.2	11
190	The Use of Active Comparators in Self-Controlled Designs. American Journal of Epidemiology, 2021, 190, 2181-2187.	1.6	11
191	The use of selective serotonin receptor inhibitors ( <scp>SSRI</scp> s) is not associated with increased risk of endoscopyâ€refractory bleeding, rebleeding or mortality in peptic ulcer bleeding. Alimentary Pharmacology and Therapeutics, 2017, 46, 355-363.	1.9	11
192	Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions. Clinical Epidemiology, 2022, Volume 14, 567-579.	1.5	11
193	Cancer patients' first treatment episode with opioids: a pharmaco-epidemiological perspective. Supportive Care in Cancer, 2006, 14, 340-347.	1.0	10
194	The characteristics and prognosis of patients fulfilling the Appropriateness Evaluation Protocol in a medical admission unit; a prospective observational study. BMC Health Services Research, 2011, 11, 152.	0.9	10
195	Use of exenatide and liraglutide in Denmark: a drug utilization study. European Journal of Clinical Pharmacology, 2014, 70, 205-214.	0.8	10
196	Long-term use of antiplatelet drugs by patients with transient ischaemic attack. European Journal of Clinical Pharmacology, 2014, 70, 241-248.	0.8	10
197	Comparison of Mortality in Patients With Acute Myocardial Infarction Accidentally Admitted to Non-cardiology Departments Versus That in Patients Admitted to Coronary Care Units. American Journal of Cardiology, 2014, 114, 1151-1157.	0.7	10
198	Deviant patterns of methylphenidate use in adults: a Danish nationwide registry-based drug utilization study. Pharmacoepidemiology and Drug Safety, 2015, 24, 1189-1196.	0.9	10

#	Article	IF	Citations
199	Bias in caseâ€crossover studies of medications due to persistent use: A simulation study. Pharmacoepidemiology and Drug Safety, 2020, 29, 1079-1085.	0.9	10
200	Selective serotonin reuptake inhibitors and the risk of restless legs syndrome: a symmetry analysis. European Journal of Clinical Pharmacology, 2020, 76, 719-722.	0.8	10
201	Type of hormone therapy and risk of misclassification at mammography screening. Menopause, 2011, 18, 171-177.	0.8	10
202	Excessive anticoagulation with warfarin or phenprocoumon may have multiple causes. Danish Medical Journal, 2012, 59, A4383.	0.5	10
203	Identifying signals of interest when screening for drugâ€outcome associations in health care data. British Journal of Clinical Pharmacology, 2018, 84, 1865-1867.	1.1	9
204	Impact of EU regulatory label changes for diclofenac in people with cardiovascular disease in four countries: Interrupted time series regression analysis. British Journal of Clinical Pharmacology, 2021, 87, 1129-1140.	1.1	9
205	First-time endoscopy and use of antisecretory medication: A population-based cohort study. Scandinavian Journal of Gastroenterology, 2005, 40, 705-712.	0.6	8
206	Adherence to hospital drug formularies and cost of drugs in hospitals in Denmark. European Journal of Clinical Pharmacology, 2013, 69, 1837-1843.	0.8	8
207	Is urate crystal precipitation a predictor of cardiovascular risk in hyperuricemic patients? A Danish cohort study. Arthritis Research and Therapy, 2015, 17, 304.	1.6	8
208	Early Discontinuation of Metformin in Individuals Treated with Inhibitors of Transporters of Metformin. Basic and Clinical Pharmacology and Toxicology, 2016, 118, 487-495.	1.2	8
209	Ophthalmic nepafenac use in the Netherlands and Denmark. Acta Ophthalmologica, 2017, 95, 509-517.	0.6	8
210	Inhaled Corticosteroids and Systemic or Topical Antifungal Therapy: A Symmetry Analysis. Annals of the American Thoracic Society, 2017, 14, 1045-1047.	1.5	8
211	Costâ€consequence analysis evaluating multifaceted clinical pharmacist intervention targeting patient transitions of care from hospital to primary care. JACCP Journal of the American College of Clinical Pharmacy, 2019, 2, 123-130.	0.5	8
212	Ischemic Stroke and Systemic Embolism in Warfarin Users With Atrial Fibrillation or Heart Valve Replacement Exposed to Dicloxacillin or Flucloxacillin. Clinical Pharmacology and Therapeutics, 2020, 107, 607-616.	2.3	8
213	Antidepressant drug use and subdural hematoma risk. Journal of Thrombosis and Haemostasis, 2020, 18, 318-327.	1.9	8
214	Montelukast useâ€"a 19-year nationwide drug utilisation study. European Journal of Clinical Pharmacology, 2017, 73, 1297-1304.	0.8	7
215	Empirical validation of the reverse parametric waiting time distribution and standard methods to estimate prescription durations for warfarin. Pharmacoepidemiology and Drug Safety, 2018, 27, 1011-1018.	0.9	7
216	Antihistamine use and risk of ovarian cancer: A population-based case-control study. Maturitas, 2019, 120, 47-52.	1.0	7

#	Article	IF	Citations
217	A model to predict the risk of aspirin/nonâ€steroidal antiâ€inflammatory drugsâ€related upper gastrointestinal bleeding for the individual patient. Basic and Clinical Pharmacology and Toxicology, 2020, 126, 437-443.	1.2	7
218	Using the waiting time distribution with random index dates to estimate prescription durations in the presence of seasonal stockpiling. Pharmacoepidemiology and Drug Safety, 2020, 29, 1072-1078.	0.9	7
219	Non-vitamin K antagonist oral anticoagulants, proton pump inhibitors and gastrointestinal bleeds. Heart, 2022, 108, 613-618.	1.2	7
220	Renin–Angiotensin System Blockers and Adverse Outcomes of Influenza and Pneumonia: A Danish Cohort Study. Journal of the American Heart Association, 2020, 9, e017297.	1.6	7
221	Description of a practice model for pharmacist medication review in a general practice setting. Pharmacy Practice, 2014, 12, 0-0.	0.8	7
222	External adjustment of unmeasured confounders in a case–control study of benzodiazepine use and cancer risk. British Journal of Clinical Pharmacology, 2017, 83, 2517-2527.	1.1	6
223	Incidence of Common Cancers in Users of Antimuscarinic Medications for Overactive Bladder: A Danish Nationwide Cohort Study. Basic and Clinical Pharmacology and Toxicology, 2018, 122, 612-619.	1.2	6
224	Association between diabetes and oncological outcomes in patients undergoing neoadjuvant chemo-radiotherapy for rectal cancer. Surgical Oncology, 2019, 28, 62-66.	0.8	6
225	Randomised trial of telephone counselling to improve participants' adherence to prescribed drugs in a vascular screening trial. Basic and Clinical Pharmacology and Toxicology, 2020, 127, 477-487.	1.2	6
226	Cardiovascular Risk in Users of Mirabegron Compared with Users of Antimuscarinic Treatments for Overactive Bladder: Findings from a Non-Interventional, Multinational, Cohort Study. Drug Safety, 2021, 44, 899-915.	1.4	6
227	Where to begin? Thirty mustâ€read papers for newcomers to pharmacoepidemiology. Pharmacoepidemiology and Drug Safety, 2022, 31, 257-259.	0.9	6
228	Changing characteristics over time of individuals receiving COVID-19 vaccines in Denmark: A population-based descriptive study of vaccine uptake. Scandinavian Journal of Public Health, 2022, 50, 686-692.	1.2	6
229	European commission consultation on pharmacovigilance. Pharmacoepidemiology and Drug Safety, 2008, 17, 108-109.	0.9	5
230	Physicians' and pharmacies' overview of patients' medication. An analysis of fidelity coefficients. European Journal of Clinical Pharmacology, 2011, 67, 919-924.	0.8	5
231	Reâ€prescribing of causative drugs in persons discharged after serious drugâ€induced upper gastrointestinal bleeding. Alimentary Pharmacology and Therapeutics, 2012, 35, 948-954.	1.9	5
232	Diabetes Is Not Associated with the Risk of Rupture Among Patients with Abdominal Aortic Aneurysms â€" Results From a Large Danish Register Based Matched Case Control Study From 1996 to 2016. European Journal of Vascular and Endovascular Surgery, 2020, 60, 36-42.	0.8	5
233	<p>Feasibility Study of Advanced Cardiovascular Screening in Middle-Aged Patients with Diabetes</p> . Clinical Epidemiology, 2020, Volume 12, 447-455.	1.5	5
234	Lithium and the risk of chronic kidney disease: A populationâ€based case–control study. Basic and Clinical Pharmacology and Toxicology, 2022, 131, 129-137.	1,2	5

#	Article	IF	Citations
235	Antibiotics active against Chlamydia do not reduce the risk of myocardial infarction. European Journal of Clinical Pharmacology, 2006, 62, 43-49.	0.8	4
236	Minimizing misclassification of hormone users at mammography screening. International Journal of Cancer, 2009, 124, 2159-2165.	2.3	4
237	Patterns of finasteride use in the male populations of four Nordic countries: A cross-national drug utilization study. Scandinavian Journal of Urology, 2016, 50, 220-227.	0.6	4
238	Use of prescription drugs among women diagnosed with epithelial ovarian cancer in Denmark. Acta Obstetricia Et Gynecologica Scandinavica, 2018, 97, 1332-1338.	1.3	4
239	The PARIS score can reliably predict 7-day all-cause mortality for both acute medical and surgical patients: an international validation study. QJM - Monthly Journal of the Association of Physicians, 2018, 111, 721-725.	0.2	4
240	Use of phthalate-containing prescription drugs and the risk of gastric cancer: a Danish nationwide case-control study. Acta OncolĀ <sup>3</sup> gica, 2019, 58, 852-858.	0.8	4
241	Risk of Renal Cell Carcinoma Associated with Calcium Channel Blockers. Epidemiology, 2020, 31, 860-871.	1.2	4
242	Use of antibiotics for urinary tract infection in women undergoing surgery for urinary incontinence: a cohort study. BMJ Open, 2014, 4, e004051.	0.8	3
243	International Society for Pharmacoepidemiology (ISPE) statement on American Society of Clinical Oncology's new policy for relationships with companies. Pharmacoepidemiology and Drug Safety, 2014, 23, 1-2.	0.9	3
244	Do educational meetings and group detailing change adherence to drug formularies in hospitals? A cluster randomized controlled trial. European Journal of Clinical Pharmacology, 2014, 70, 109-116.	0.8	3
245	Using probability of drug use as independent variable in a registerâ€based pharmacoepidemiological causeâ€effect study—An application of the reverse waiting time distribution. Pharmacoepidemiology and Drug Safety, 2017, 26, 1520-1526.	0.9	3
246	Prescription duration and treatment episodes in oral glucocorticoid users: application of the parametric waiting time distribution. Clinical Epidemiology, 2017, Volume 9, 591-600.	1.5	3
247	Use of Dicloxacillin and Risk of Pregnancy among Users of Oral Contraceptives. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 288-293.	1.2	3
248	Oral Immunosuppressive Treatment of Myasthenia Gravis in Denmark: A Nationwide Drug Utilization Study, 1996–2013. Basic and Clinical Pharmacology and Toxicology, 2018, 123, 486-493.	1.2	3
249	Associations of low-dose aspirin or other NSAID use with prostate cancer risk in the Danish Diet, Cancer and Health Study. Cancer Causes and Control, 2020, 31, 139-151.	0.8	3
250	Dynamics in diagnoses and pharmacotherapy before and after diagnosing idiopathic pulmonary fibrosis. ERJ Open Research, 2020, 6, 00479-2020.	1.1	3
251	Using the Case-Crossover Design to Assess Short-Term Risks of Bleeding and Arterial Thromboembolism After Switching Between Oral Anticoagulants in a Population-Based Cohort of Patients With Atrial Fibrillation. American Journal of Epidemiology, 2020, 189, 1467-1477.	1.6	3
252	Impact of EMA regulatory label changes on hydroxyzine initiation, discontinuation and switching to other medicines in Denmark, Scotland, England and the Netherlands: An interrupted time series regression analysis. Pharmacoepidemiology and Drug Safety, 2021, 30, 482-491.	0.9	3

#	Article	IF	Citations
253	A study of cancer occurrence in users of mirabegron and antimuscarinic treatments for overactive bladder. Current Medical Research and Opinion, 2021, 37, 867-877.	0.9	3
254	Association between gabapentinoids and oedema treated with loop diuretics: A pooled sequence symmetry analysis from the USA and Denmark. British Journal of Clinical Pharmacology, 2022, 88, 5269-5294.	1,1	3
255	Reply to â€Evidence for harm, comment on …' by <scp>K</scp> ripke & <scp>L</scp> anger. British Journal of Clinical Pharmacology, 2014, 78, 188-189.	1.1	2
256	Use of acidâ€suppressive therapy before antiâ€reflux surgery in 2922 patients: a nationwide registerâ€based study in Denmark. Alimentary Pharmacology and Therapeutics, 2015, 42, 84-90.	1.9	2
257	Use of Topical Tacrolimus and Topical Pimecrolimus in Four European Countries: A Multicentre Database Cohort Study. Drugs - Real World Outcomes, 2018, 5, 109-116.	0.7	2
258	The International Society for Pharmacoepidemiology's Comments on the Core Recommendations in the Summary of the Heads of Medicines Agencies (HMA) ―EMA Joint Big Data Task Force. Pharmacoepidemiology and Drug Safety, 2019, 28, 1640-1641.	0.9	2
259	Exposure to phthalateâ€containing prescription drugs and the risk of colorectal adenocarcinoma: A Danish nationwide caseâ€control study. Pharmacoepidemiology and Drug Safety, 2019, 28, 528-535.	0.9	2
260	Use of dipeptidyl peptidaseâ€4 inhibitors and risk of splanchnic vein thrombosis: A <scp>Danish</scp> nationwide newâ€user active comparator cohort study. Diabetes, Obesity and Metabolism, 2021, 23, 648-652.	2.2	2
261	Does administration of vaginal estrogens increase the risk of venous thromboembolism: a caseâ€control study. Basic and Clinical Pharmacology and Toxicology, 2021, 129, 385-388.	1.2	2
262	Use of chlorprothixene and the risk of diabetes and major adverse cardiovascular events: a nationâ€wide cohort study. Basic and Clinical Pharmacology and Toxicology, 2022, , .	1.2	2
263	Epidural analgesia and postoperative complications in colorectal cancer surgery. An observational registryâ€based study. Acta Anaesthesiologica Scandinavica, 2022, 66, 869-879.	0.7	2
264	Use of symptom-relieving drugs before and after surgery for urinary incontinence in women: a cohort study. BMJ Open, 2013, 3, e003297.	0.8	1
265	Use of beta-blockers and risk of serious upper gastrointestinal bleeding: a population-based case-control study. Therapeutic Advances in Gastroenterology, 2017, 10, 919-929.	1.4	1
266	P720 Use of proton pump inhibitors associated with a markedly increased risk of microscopic colitis. Journal of Crohn's and Colitis, 2017, 11, S448-S449.	0.6	1
267	P6256Adherence to prescribed drugs among 65-74 years old men diagnosed with abdominal aortic aneurysm or peripheral arterial disease in a randomized screening trial. A VIVA substudy. European Heart Journal, 2018, 39, .	1.0	1
268	Bottleneck analysis: Simple prediction of the precision of a planned case–control or cohort study based on healthcare registers. Pharmacoepidemiology and Drug Safety, 2021, 30, 619-625.	0.9	1
269	Online tool to create publication ready graphical depictions of longitudinal study design implemented in healthcare databases. Pharmacoepidemiology and Drug Safety, 2021, 30, 982-982.	0.9	1
270	Prevalence and quality of antihypertensive therapy among hypertension patients enrolled in the Ghana National Health Insurance Scheme. Pharmacoepidemiology and Drug Safety, 2021, 30, 1566-1575.	0.9	1

#	Article	IF	CITATIONS
271	Using multiple random index dates with the reverse waiting time distribution improves precision of estimated prescription durations. Pharmacoepidemiology and Drug Safety, 2021, 30, 1727-1734.	0.9	1
272	Highâ€dose nonâ€sedating antihistamines are used insufficiently in chronic urticaria patients treated with omalizumab. Clinical and Translational Allergy, 2021, 11, e12085.	1.4	1
273	Title is missing!. , 2020, 17, e1003308.		1
274	Characteristics of New Users of Aclidinium Bromide, Aclidinium/Formoterol, and Other COPD Medications in the United Kingdom, Denmark, and Germany. Clinical Drug Investigation, 2022, 42, 319-331.	1.1	1
275	Inhalation anaesthesia compared with total intravenous anaesthesia and postoperative complications in colorectal cancer surgery: an observational registry-based studyâ€. British Journal of Anaesthesia, 2022, , .	1.5	1
276	Analysis of Antiemetic Use After Initiation of Hormone Therapy. JAMA Network Open, 2022, 5, e2211883.	2.8	1
277	Current Controversies in Pharmacoepidemiology. Basic and Clinical Pharmacology and Toxicology, 2006, 98, 235-236.	1.2	O
278	Editorial: antiâ€secretory therapy prior to antiâ€reflux surgery. Does dose matter? Authors' reply. Alimentary Pharmacology and Therapeutics, 2015, 42, 627-627.	1.9	0
279	OP08â€Explaining trends in coronary heart disease mortality and socioeconomic inequalities in denmark 1991–2007: impactsec model analysis using routine data. , 2017, , .		O
280	OP0191â $\in$ All-cause mortality and cardiovascular death in hydroxychloroquine users in rheumatoid arthritis patients â $\in$ " a population based danish cohort study., 2018, , .		0
281	P1531Baseline findings of the population-based, randomized danish cardiovascular screening trial (DANCAVAS). European Heart Journal, 2018, 39, .	1.0	O
282	Enough Power to Build a Strong Case for Clinical Pharmacy Services?â€"Reply. JAMA Internal Medicine, 2018, 178, 864.	2.6	0
283	456Risk of arterial calcification by conventional vitamin K antagonist treatment. European Heart Journal, 2019, 40, .	1.0	0
284	A new likelihood model for analyses of pharmacoepidemiologic case–control studies which avoids decision rules for determining latent exposure status. BMC Medical Research Methodology, 2021, 21, 144.	1.4	0
285	Hospital Physicians' Influence on Gastrointestinal Protection during Treatment with Non-Steroidal Anti-Inflammatory Drugs and Acetylsalicylic Acid and the Impact on Prescribing in Primary Care. PLoS ONE, 2013, 8, e81845.	1.1	0
286	<scp>RE</scp> : Gout and sodiumâ€glucose cotransporterâ€2 inhibitors. Pharmacoepidemiology and Drug Safety, 2022, 31, 114-115.	0.9	0
287	Sampling in the caseâ€timeâ€control design among drug users when outcome prevents further treatment. Pharmacoepidemiology and Drug Safety, 2022, , .	0.9	0
288	Title is missing!. , 2020, 17, e1003308.		0

#	Article	lF	CITATIONS
289	Title is missing!. , 2020, 17, e1003308.		0
290	Title is missing!. , 2020, 17, e1003308.		0
291	Title is missing!. , 2020, 17, e1003308.		0
292	Identification of Drug–Cancer Associations: A Nationwide Screening Study. Cancer Research Communications, 2022, 2, 552-560.	0.7	0