

# Jesper Hallas

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6270538/publications.pdf>

Version: 2024-02-01

292  
papers

12,449  
citations

31949

53  
h-index

33869

99  
g-index

303  
all docs

303  
docs citations

303  
times ranked

13319  
citing authors

#	ARTICLE	IF	CITATIONS
1	Non-vitamin K antagonist oral anticoagulants, proton pump inhibitors and gastrointestinal bleeds. <i>Heart</i> , 2022, 108, 613-618.	1.2	7
2	Evaluating the use of prescription sequence symmetry analysis as a pharmacovigilance tool: A scoping review. <i>Research in Social and Administrative Pharmacy</i> , 2022, 18, 3079-3093.	1.5	18
3	The effect of immunosuppressants on the prognosis of SARS-CoV-2 infection. <i>European Respiratory Journal</i> , 2022, 59, 2100769.	3.1	17
4	<sc>RE</sc>: Gout and sodium-glucose cotransporter-2 inhibitors. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 114-115.	0.9	0
5	Where to begin? Thirty must-read papers for newcomers to pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, 31, 257-259.	0.9	6
6	Sampling in the case-control design among drug users when outcome prevents further treatment. <i>Pharmacoepidemiology and Drug Safety</i> , 2022, , .	0.9	0
7	Use of chlorprothixene and the risk of diabetes and major adverse cardiovascular events: a nationwide cohort study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, , .	1.2	2
8	Oral anticoagulants in patients with atrial fibrillation at low stroke risk: a multicentre observational study. <i>European Heart Journal</i> , 2022, 43, 3528-3538.	1.0	22
9	Characteristics of New Users of Acclidinium Bromide, Acclidinium/Formoterol, and Other COPD Medications in the United Kingdom, Denmark, and Germany. <i>Clinical Drug Investigation</i> , 2022, 42, 319-331.	1.1	1
10	Development and Validation of a Nordic Multimorbidity Index Based on Hospital Diagnoses and Filled Prescriptions. <i>Clinical Epidemiology</i> , 2022, Volume 14, 567-579.	1.5	11
11	Inhalation anaesthesia compared with total intravenous anaesthesia and postoperative complications in colorectal cancer surgery: an observational registry-based study. <i>British Journal of Anaesthesia</i> , 2022, , .	1.5	1
12	Analysis of Antiemetic Use After Initiation of Hormone Therapy. <i>JAMA Network Open</i> , 2022, 5, e2211883.	2.8	1
13	Lithium and the risk of chronic kidney disease: A population-based case-control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2022, 131, 129-137.	1.2	5
14	Identification of Drug-Cancer Associations: A Nationwide Screening Study. <i>Cancer Research Communications</i> , 2022, 2, 552-560.	0.7	0
15	Association between gabapentinoids and oedema treated with loop diuretics: A pooled sequence symmetry analysis from the USA and Denmark. <i>British Journal of Clinical Pharmacology</i> , 2022, 88, 5269-5294.	1.1	3
16	Epidural analgesia and postoperative complications in colorectal cancer surgery. An observational registry-based study. <i>Acta Anaesthesiologica Scandinavica</i> , 2022, 66, 869-879.	0.7	2
17	Changing characteristics over time of individuals receiving COVID-19 vaccines in Denmark: A population-based descriptive study of vaccine uptake. <i>Scandinavian Journal of Public Health</i> , 2022, 50, 686-692.	1.2	6
18	Impact of EU regulatory label changes for diclofenac in people with cardiovascular disease in four countries: Interrupted time series regression analysis. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 1129-1140.	1.1	9

#	ARTICLE	IF	CITATIONS
19	Use of dipeptidyl peptidase-4 inhibitors and risk of splanchnic vein thrombosis: A Danish nationwide new-user active comparator cohort study. <i>Diabetes, Obesity and Metabolism</i> , 2021, 23, 648-652.	2.2	2
20	SARS-CoV-2 infection and adverse outcomes in users of ACE inhibitors and angiotensin-receptor blockers: a nationwide case-control and cohort analysis. <i>Thorax</i> , 2021, 76, 370-379.	2.7	15
21	Impact of EMA regulatory label changes on hydroxyzine initiation, discontinuation and switching to other medicines in Denmark, Scotland, England and the Netherlands: An interrupted time series regression analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 482-491.	0.9	3
22	Use of antipsychotics in Denmark 1997-2018: a nation-wide drug utilisation study with focus on off-label use and associated diagnoses. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, e28.	1.8	20
23	Who prescribes drugs to patients: A Danish register-based study. <i>British Journal of Clinical Pharmacology</i> , 2021, 87, 2982-2987.	1.1	15
24	Bottleneck analysis: Simple prediction of the precision of a planned case-control or cohort study based on healthcare registers. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 619-625.	0.9	1
25	A study of cancer occurrence in users of mirabegron and antimuscarinic treatments for overactive bladder. <i>Current Medical Research and Opinion</i> , 2021, 37, 867-877.	0.9	3
26	Sodium-glucose cotransporter 2 inhibitors and risk of nephrolithiasis. <i>Diabetologia</i> , 2021, 64, 1563-1571.	2.9	24
27	Association of Potent and Very Potent Topical Corticosteroids and the Risk of Osteoporosis and Major Osteoporotic Fractures. <i>JAMA Dermatology</i> , 2021, 157, 275.	2.0	42
28	Control yourself: ISPE-endorsed guidance in the application of self-controlled study designs in pharmacoepidemiology. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 671-684.	0.9	36
29	Risk and course of SARS-CoV-2 infection in patients treated for hypothyroidism and hyperthyroidism. <i>Lancet Diabetes and Endocrinology</i> , 2021, 9, 197-199.	5.5	44
30	Online tool to create publication ready graphical depictions of longitudinal study design implemented in healthcare databases. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 982-982.	0.9	1
31	The Use of Active Comparators in Self-Controlled Designs. <i>American Journal of Epidemiology</i> , 2021, 190, 2181-2187.	1.6	11
32	Inhalation or total intravenous anaesthesia and recurrence after colorectal cancer surgery: a propensity score matched Danish registry-based study. <i>British Journal of Anaesthesia</i> , 2021, 126, 921-930.	1.5	34
33	Association of Low-Dose Quetiapine and Diabetes. <i>JAMA Network Open</i> , 2021, 4, e213209.	2.8	14
34	Sodium-glucose cotransporter-2 inhibitors and the risk of gout: A Danish population based cohort study and symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1391-1395.	0.9	19
35	Trends in Incidence of Intracerebral Hemorrhage and Association With Antithrombotic Drug Use in Denmark, 2005-2018. <i>JAMA Network Open</i> , 2021, 4, e218380.	2.8	17
36	Persistence and adherence to non-vitamin K antagonist oral anticoagulant treatment in patients with atrial fibrillation across five Western European countries. <i>Europace</i> , 2021, 23, 1722-1730.	0.7	24

#	ARTICLE	IF	CITATIONS
37	Prevalence and quality of antihypertensive therapy among hypertension patients enrolled in the Ghana National Health Insurance Scheme. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1566-1575.	0.9	1
38	A new likelihood model for analyses of pharmacoepidemiologic caseâ€“control studies which avoids decision rules for determining latent exposure status. <i>BMC Medical Research Methodology</i> , 2021, 21, 144.	1.4	0
39	Cardiovascular Risk in Users of Mirabegron Compared with Users of Antimuscarinic Treatments for Overactive Bladder: Findings from a Non-Interventional, Multinational, Cohort Study. <i>Drug Safety</i> , 2021, 44, 899-915.	1.4	6
40	The Validity of Danish Prescription Data to Measure Use of Aspirin and Other Non-Steroidal Anti-Inflammatory Drugs and Quantification of Bias Due to Non-Prescription Drug Use. <i>Clinical Epidemiology</i> , 2021, Volume 13, 569-579.	1.5	18
41	Does administration of vaginal estrogens increase the risk of venous thromboembolism: a caseâ€“control study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2021, 129, 385-388.	1.2	2
42	Using multiple random index dates with the reverse waiting time distribution improves precision of estimated prescription durations. <i>Pharmacoepidemiology and Drug Safety</i> , 2021, 30, 1727-1734.	0.9	1
43	Proton Pump Inhibitor Use Is Not Strongly Associated With SARS-CoV-2 Related Outcomes: A Nationwide Study and Meta-analysis. <i>Clinical Gastroenterology and Hepatology</i> , 2021, 19, 1845-1854.e6.	2.4	22
44	Post-acute effects of SARS-CoV-2 infection in individuals not requiring hospital admission: a Danish population-based cohort study. <i>Lancet Infectious Diseases</i> , The, 2021, 21, 1373-1382.	4.6	194
45	Highâ€“dose nonâ€“sedating antihistamines are used insufficiently in chronic urticaria patients treated with omalizumab. <i>Clinical and Translational Allergy</i> , 2021, 11, e12085.	1.4	1
46	Long-Term Risk of Skin Cancer and Lymphoma in Users of Topical Tacrolimus and Pimecrolimus: Final Results from the Extension of the Cohort Study Protopic Joint European Longitudinal Lymphoma and Skin Cancer Evaluation (JOELLE). <i>Clinical Epidemiology</i> , 2021, Volume 13, 1141-1153.	1.5	13
47	Ischemic Stroke and Systemic Embolism in Warfarin Users With Atrial Fibrillation or Heart Valve Replacement Exposed to Dicloxacillin or Flucloxacillin. <i>Clinical Pharmacology and Therapeutics</i> , 2020, 107, 607-616.	2.3	8
48	Antidepressant drug use and subdural hematoma risk. <i>Journal of Thrombosis and Haemostasis</i> , 2020, 18, 318-327.	1.9	8
49	Urinary tract infections and risk of squamous cell carcinoma bladder cancer: A Danish nationwide caseâ€“control study. <i>International Journal of Cancer</i> , 2020, 146, 1930-1936.	2.3	22
50	Associations of low-dose aspirin or other NSAID use with prostate cancer risk in the Danish Diet, Cancer and Health Study. <i>Cancer Causes and Control</i> , 2020, 31, 139-151.	0.8	3
51	A model to predict the risk of aspirin/nonâ€“steroidal antiâ€“inflammatory drugsâ€“related upper gastrointestinal bleeding for the individual patient. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 126, 437-443.	1.2	7
52	Impact of EMA regulatory label changes on systemic diclofenac initiation, discontinuation, and switching to other pain medicines in Scotland, England, Denmark, and The Netherlands. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 296-305.	0.9	12
53	Using the waiting time distribution with random index dates to estimate prescription durations in the presence of seasonal stockpiling. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1072-1078.	0.9	7
54	Dynamics in diagnoses and pharmacotherapy before and after diagnosing idiopathic pulmonary fibrosis. <i>ERJ Open Research</i> , 2020, 6, 00479-2020.	1.1	3

#	ARTICLE	IF	CITATIONS
55	Association of Nonsteroidal Anti-inflammatory Drug Use and Adverse Outcomes Among Patients Hospitalized With Influenza. <i>JAMA Network Open</i> , 2020, 3, e2013880.	2.8	17
56	Risk of Renal Cell Carcinoma Associated with Calcium Channel Blockers. <i>Epidemiology</i> , 2020, 31, 860-871.	1.2	4
57	Characteristics and predictors of hospitalization and death in the first 11 122 cases with a positive RT-PCR test for SARS-CoV-2 in Denmark: a nationwide cohort. <i>International Journal of Epidemiology</i> , 2020, 49, 1468-1481.	0.9	219
58	&lt;p&gt;Existing Data Sources in Clinical Epidemiology: The Danish COVID-19 Cohort&lt;/p&gt;. <i>Clinical Epidemiology</i> , 2020, Volume 12, 875-881.	1.5	37
59	Adverse outcomes and mortality in users of non-steroidal anti-inflammatory drugs who tested positive for SARS-CoV-2: A Danish nationwide cohort study. <i>PLoS Medicine</i> , 2020, 17, e1003308.	3.9	76
60	&lt;p&gt;The Validity of Intracerebral Hemorrhage Diagnoses in the Danish Patient Registry and the Danish Stroke Registry&lt;/p&gt;. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1313-1325.	1.5	12
61	Association of aortic valve calcification and vitamin K antagonist treatment. <i>European Heart Journal Cardiovascular Imaging</i> , 2020, 21, 718-724.	0.5	14
62	Randomised trial of telephone counselling to improve participants' adherence to prescribed drugs in a vascular screening trial. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2020, 127, 477-487.	1.2	6
63	Bias in case&across; crossover studies of medications due to persistent use: A simulation study. <i>Pharmacoepidemiology and Drug Safety</i> , 2020, 29, 1079-1085.	0.9	10
64	Using the Case-Crossover Design to Assess Short-Term Risks of Bleeding and Arterial Thromboembolism After Switching Between Oral Anticoagulants in a Population-Based Cohort of Patients With Atrial Fibrillation. <i>American Journal of Epidemiology</i> , 2020, 189, 1467-1477.	1.6	3
65	Selective serotonin reuptake inhibitors and the risk of restless legs syndrome: a symmetry analysis. <i>European Journal of Clinical Pharmacology</i> , 2020, 76, 719-722.	0.8	10
66	Diabetes Is Not Associated with the Risk of Rupture Among Patients with Abdominal Aortic Aneurysms &ac; Results From a Large Danish Register Based Matched Case Control Study From 1996 to 2016. <i>European Journal of Vascular and Endovascular Surgery</i> , 2020, 60, 36-42.	0.8	5
67	Long&ac; term oral budesonide treatment and risk of osteoporotic fractures in patients with microscopic colitis. <i>Alimentary Pharmacology and Therapeutics</i> , 2020, 51, 644-651.	1.9	14
68	Renin&ac; Angiotensin System Blockers and Adverse Outcomes of Influenza and Pneumonia: A Danish Cohort Study. <i>Journal of the American Heart Association</i> , 2020, 9, e017297.	1.6	7
69	&lt;p&gt;Feasibility Study of Advanced Cardiovascular Screening in Middle-Aged Patients with Diabetes&lt;/p&gt;. <i>Clinical Epidemiology</i> , 2020, Volume 12, 447-455.	1.5	5
70	<p>Congenital Malformations in Denmark: Considerations for the Use of Danish Health Care Registries</p>. <i>Clinical Epidemiology</i> , 2020, Volume 12, 1371-1380.	1.5	15
71	Title is missing!. , 2020, 17, e1003308.		1
72	Title is missing!. , 2020, 17, e1003308.		0

#	ARTICLE	IF	CITATIONS
73	Title is missing!. , 2020, 17, e1003308.		0
74	Title is missing!. , 2020, 17, e1003308.		0
75	Title is missing!. , 2020, 17, e1003308.		0
76	Validity of ICDâ€9 and ICDâ€10 codes used to identify acute liver injury: A study in three European data sources. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 965-975.	0.9	18
77	456Risk of arterial calcification by conventional vitamin K antagonist treatment. <i>European Heart Journal</i> , 2019, 40, .	1.0	0
78	The International Society for Pharmacoepidemiology's Comments on the Core Recommendations in the Summary of the Heads of Medicines Agencies (HMA) â€•EMA Joint Big Data Task Force. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 1640-1641.	0.9	2
79	Sixteen years of creatinine measurements among 460Â000 individualsâ€”The Funen Laboratory Cohort (FLaC), a populationâ€based pharmacoepidemiological resource to study drugâ€induced kidney disease. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 582-590.	1.2	17
80	Increased risk of major adverse cardiac events following the onset of acute exacerbations of COPD. <i>Respirology</i> , 2019, 24, 1183-1190.	1.3	32
81	Use of phthalate-containing prescription drugs and the risk of gastric cancer: a Danish nationwide case-control study. <i>Acta OncolÃ³gica</i> , 2019, 58, 852-858.	0.8	4
82	Risk of Acute Liver Injury in Agomelatine and Other Antidepressant Users in Four European Countries: A Cohort and Nested Caseâ€Control Study Using Automated Health Data Sources. <i>CNS Drugs</i> , 2019, 33, 383-395.	2.7	23
83	Baseline findings of the population-based, randomized, multifaceted Danish cardiovascular screening trial (DANCAVAS) of men aged 65â€74 years. <i>British Journal of Surgery</i> , 2019, 106, 862-871.	0.1	41
84	Exposure to phthalateâ€containing prescription drugs and the risk of colorectal adenocarcinoma: A Danish nationwide caseâ€control study. <i>Pharmacoepidemiology and Drug Safety</i> , 2019, 28, 528-535.	0.9	2
85	Antidepressant use in Denmark, Germany, Spain, and Sweden between 2009 and 2014: Incidence and comorbidities of antidepressant initiators. <i>Journal of Affective Disorders</i> , 2019, 249, 242-252.	2.0	47
86	Use of Low-Dose Aspirin and Mortality After Prostate Cancer Diagnosis. <i>Annals of Internal Medicine</i> , 2019, 170, 443.	2.0	15
87	Antihistamine use and risk of ovarian cancer: A population-based case-control study. <i>Maturitas</i> , 2019, 120, 47-52.	1.0	7
88	Angiotensin II receptor blockers are safe in patients with prior angioedema related to angiotensinâ€converting enzyme inhibitors â€” a nationwide registryâ€based cohort study. <i>Journal of Internal Medicine</i> , 2019, 285, 553-561.	2.7	27
89	Association between diabetes and oncological outcomes in patients undergoing neoadjuvant chemo-radiotherapy for rectal cancer. <i>Surgical Oncology</i> , 2019, 28, 62-66.	0.8	6
90	Costâ€consequence analysis evaluating multifaceted clinical pharmacist intervention targeting patient transitions of care from hospital to primary care. <i>JACCP Journal of the American College of Clinical Pharmacy</i> , 2019, 2, 123-130.	0.5	8

#	ARTICLE	IF	CITATIONS
91	A review of the Ghana National Health Insurance Scheme claims database: possibilities and limits for drug utilization research. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2019, 124, 18-27.	1.2	11
92	Using the Symmetry Analysis Design to Screen for Adverse Effects of Non-vitamin K Antagonist Oral Anticoagulants. <i>Drug Safety</i> , 2018, 41, 685-695.	1.4	11
93	Lack of Association Between Proton Pump Inhibitor Use and Cognitive Decline. <i>Clinical Gastroenterology and Hepatology</i> , 2018, 16, 681-689.	2.4	32
94	Effect of an In-Hospital Multifaceted Clinical Pharmacist Intervention on the Risk of Readmission. <i>JAMA Internal Medicine</i> , 2018, 178, 375.	2.6	203
95	Association between use of phthalate-containing medication and semen quality among men in couples referred for assisted reproduction. <i>Human Reproduction</i> , 2018, 33, 503-511.	0.4	21
96	Considerations for Pharmacoepidemiological Studies of Drug-Cancer Associations. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 122, 451-459.	1.2	70
97	Incidence of Common Cancers in Users of Antimuscarinic Medications for Overactive Bladder: A Danish Nationwide Cohort Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 122, 612-619.	1.2	6
98	Cumulative exposure to phthalates from phthalate-containing drug products: a Danish population-wide study. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1798-1805.	1.1	14
99	Hypothesis-free screening of large administrative databases for unsuspected drug-outcome associations. <i>European Journal of Epidemiology</i> , 2018, 33, 545-555.	2.5	27
100	Use of Dicloxacillin and Risk of Pregnancy among Users of Oral Contraceptives. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 288-293.	1.2	3
101	Comparison of cardiovascular events among treatments for overactive bladder: a Danish nationwide cohort study. <i>European Journal of Clinical Pharmacology</i> , 2018, 74, 193-199.	0.8	12
102	P6256 Adherence to prescribed drugs among 65-74 years old men diagnosed with abdominal aortic aneurysm or peripheral arterial disease in a randomized screening trial. A VIVA substudy. <i>European Heart Journal</i> , 2018, 39, .	1.0	1
103	OP0191...All-cause mortality and cardiovascular death in hydroxychloroquine users in rheumatoid arthritis patients - a population based danish cohort study. , 2018, , .		0
104	Identifying signals of interest when screening for drug-outcome associations in health care data. <i>British Journal of Clinical Pharmacology</i> , 2018, 84, 1865-1867.	1.1	9
105	Patterns of use of antimuscarinic drugs to treat overactive bladder in Denmark, Sweden, and the United Kingdom. <i>PLoS ONE</i> , 2018, 13, e0204456.	1.1	15
106	P1531 Baseline findings of the population-based, randomized danish cardiovascular screening trial (DANCAVAS). <i>European Heart Journal</i> , 2018, 39, .	1.0	0
107	Perioperative Tranexamic Acid Treatment and Risk of Cardiovascular Events or Death After Total Hip Arthroplasty. <i>Journal of Bone and Joint Surgery - Series A</i> , 2018, 100, 1742-1749.	1.4	13
108	Use of N-nitrosodimethylamine (NDMA) contaminated valsartan products and risk of cancer: Danish nationwide cohort study. <i>BMJ: British Medical Journal</i> , 2018, 362, k3851.	2.4	60



#	ARTICLE	IF	CITATIONS
109	Oral Immunosuppressive Treatment of Myasthenia Gravis in Denmark: A Nationwide Drug Utilization Study, 1996–2013. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2018, 123, 486-493.	1.2	3
110	A cohort study on the risk of lymphoma and skin cancer in users of topical tacrolimus, pimecrolimus, and corticosteroids (Joint European Longitudinal Lymphoma and Skin Cancer Evaluation &ndash;) <i>Tj ETQq0 0.5gBT /Overlock 10 T</i>	0.5	10
111	Empirical validation of the reverse parametric waiting time distribution and standard methods to estimate prescription durations for warfarin. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1011-1018.	0.9	7
112	Use of prescription drugs among women diagnosed with epithelial ovarian cancer in Denmark. <i>Acta Obstetricia Et Gynecologica Scandinavica</i> , 2018, 97, 1332-1338.	1.3	4
113	Significant association between the use of different proton pump inhibitors and microscopic colitis: a nationwide Danish case–control study. <i>Alimentary Pharmacology and Therapeutics</i> , 2018, 48, 618-625.	1.9	38
114	Using the –proportion of patients covered– and the Kaplan–Meier survival analysis to describe treatment persistence. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 867-871.	0.9	27
115	Use of Topical Tacrolimus and Topical Pimecrolimus in Four European Countries: A Multicentre Database Cohort Study. <i>Drugs - Real World Outcomes</i> , 2018, 5, 109-116.	0.7	2
116	The PARIS score can reliably predict 7-day all-cause mortality for both acute medical and surgical patients: an international validation study. <i>QJM - Monthly Journal of the Association of Physicians</i> , 2018, 111, 721-725.	0.2	4
117	Treatment with montelukast and antidepressive medication–a symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2018, 27, 1409-1415.	0.9	12
118	Enough Power to Build a Strong Case for Clinical Pharmacy Services?–Reply. <i>JAMA Internal Medicine</i> , 2018, 178, 864.	2.6	0
119	Clinical events preceding switching and discontinuation of oral anticoagulant treatment in patients with atrial fibrillation. <i>Europace</i> , 2017, 19, euw241.	0.7	29
120	Data Resource Profile: The Danish National Prescription Registry. <i>International Journal of Epidemiology</i> , 2017, 46, dyw213.	0.9	649
121	Clopidogrel–Paclitaxel Drug–Drug Interaction: A Pharmacoepidemiologic Study. <i>Clinical Pharmacology and Therapeutics</i> , 2017, 102, 547-553.	2.3	27
122	Association of Antithrombotic Drug Use With Subdural Hematoma Risk. <i>JAMA - Journal of the American Medical Association</i> , 2017, 317, 836.	3.8	121
123	Odense Pharmacoepidemiological Database: A Review of Use and Content. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 419-425.	1.2	24
124	Hydrochlorothiazide use is strongly associated with risk of lip cancer. <i>Journal of Internal Medicine</i> , 2017, 282, 322-331.	2.7	128
125	Ophthalmic nepafenac use in the Netherlands and Denmark. <i>Acta Ophthalmologica</i> , 2017, 95, 509-517.	0.6	8
126	Metformin treatment does not affect the risk of ruptured abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2017, 66, 768-774.e2.	0.6	32



#	ARTICLE	IF	CITATIONS
127	Population Exposure to Phthalate-containing Drugs. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 121, 153-158.	1.2	13
128	The DanCavas Pilot Study of Multifaceted Screening for Subclinical Cardiovascular Disease in Men and Women Aged 65-74 Years. <i>European Journal of Vascular and Endovascular Surgery</i> , 2017, 53, 123-131.	0.8	27
129	Topical Antimycotics for Oral Candidiasis in Warfarin Users. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 368-372.	1.2	17
130	Inhaled Corticosteroids and Systemic or Topical Antifungal Therapy: A Symmetry Analysis. <i>Annals of the American Thoracic Society</i> , 2017, 14, 1045-1047.	1.5	8
131	External adjustment of unmeasured confounders in a case-control study of benzodiazepine use and cancer risk. <i>British Journal of Clinical Pharmacology</i> , 2017, 83, 2517-2527.	1.1	6
132	Medication errors in pediatric inpatients: a study based on a national mandatory reporting system. <i>European Journal of Pediatrics</i> , 2017, 176, 1697-1705.	1.3	28
133	Using probability of drug use as independent variable in a register-based pharmacoepidemiological cause-effect study: An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 1520-1526.	0.9	3
134	Use of beta-blockers and risk of serious upper gastrointestinal bleeding: a population-based case-control study. <i>Therapeutic Advances in Gastroenterology</i> , 2017, 10, 919-929.	1.4	1
135	P720 Use of proton pump inhibitors associated with a markedly increased risk of microscopic colitis. <i>Journal of Crohn's and Colitis</i> , 2017, 11, S448-S449.	0.6	1
136	Sequence symmetry analysis in pharmacovigilance and pharmacoepidemiologic studies. <i>European Journal of Epidemiology</i> , 2017, 32, 567-582.	2.5	58
137	Refining estimates of prescription durations by using observed covariates in pharmacoepidemiological databases: an application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 900-908.	0.9	21
138	Estimating medication stopping fraction and real-time prevalence of drug use in pharmacoepidemiologic databases. An application of the reverse waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 909-916.	0.9	12
139	Montelukast use: a 19-year nationwide drug utilisation study. <i>European Journal of Clinical Pharmacology</i> , 2017, 73, 1297-1304.	0.8	7
140	Use of antibiotics in childhood and risk of Type 1 diabetes: a population-based case-control study. <i>Diabetic Medicine</i> , 2017, 34, 272-277.	1.2	35
141	New use of prescription drugs prior to a cancer diagnosis. <i>Pharmacoepidemiology and Drug Safety</i> , 2017, 26, 223-227.	0.9	63
142	Performance of the High-dimensional Propensity Score in a Nordic Healthcare Model. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2017, 120, 312-317.	1.2	19
143	OPO8...Explaining trends in coronary heart disease mortality and socioeconomic inequalities in denmark 1991-2007: impactsec model analysis using routine data. , 2017, , .		0
144	Prescription duration and treatment episodes in oral glucocorticoid users: application of the parametric waiting time distribution. <i>Clinical Epidemiology</i> , 2017, Volume 9, 591-600.	1.5	3

#	ARTICLE	IF	CITATIONS
145	The use of selective serotonin receptor inhibitors (<sc>SSRI</sc>s) is not associated with increased risk of endoscopyâ€refractory bleeding, rebleeding or mortality in peptic ulcer bleeding. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 46, 355-363.	1.9	11
146	Early Discontinuation of Metformin in Individuals Treated with Inhibitors of Transporters of Metformin. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 118, 487-495.	1.2	8
147	Validity of the Prescriber Information in the Danish National Prescription Registry. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 119, 376-380.	1.2	31
148	Determining prescription durations based on the parametric waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1451-1459.	0.9	28
149	Identification of Associations Between Prescribed Medications and Cancer: A Nationwide Screening Study. <i>EBioMedicine</i> , 2016, 7, 73-79.	2.7	29
150	Use of proton-pump inhibitors among adults: a Danish nationwide drug utilization study. <i>Therapeutic Advances in Gastroenterology</i> , 2016, 9, 671-678.	1.4	105
151	Subdural hematoma cases identified through a Danish patient register: diagnosis validity, clinical characteristics, and preadmission antithrombotic drug use. <i>Pharmacoepidemiology and Drug Safety</i> , 2016, 25, 1253-1262.	0.9	28
152	Data Resource Profile: Danish online drug use statistics (MEDSTAT). <i>International Journal of Epidemiology</i> , 2016, 45, 1401-1402g.	0.9	92
153	Persistent User Bias in Case-Crossover Studies in Pharmacoepidemiology. <i>American Journal of Epidemiology</i> , 2016, 184, 761-769.	1.6	32
154	Clinical Pharmacology in Denmark in 2016 â€“ 40 Years with the Danish Society of Clinical Pharmacology and 20 Years as a Medical Speciality. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2016, 119, 523-532.	1.2	12
155	Off-hours admission and quality of hip fracture care: a nationwide cohort study of performance measures and 30-day mortality. <i>International Journal for Quality in Health Care</i> , 2016, 28, 324-331.	0.9	30
156	Long-term use of lithium and risk of colorectal adenocarcinoma: a nationwide caseâ€control study. <i>British Journal of Cancer</i> , 2016, 114, 571-575.	2.9	16
157	Patterns of finasteride use in the male populations of four Nordic countries: A cross-national drug utilization study. <i>Scandinavian Journal of Urology</i> , 2016, 50, 220-227.	0.6	4
158	Long-Term Lithium Use and Risk of Renal and Upper Urinary Tract Cancers. <i>Journal of the American Society of Nephrology: JASN</i> , 2016, 27, 249-255.	3.0	34
159	Editorial: antiâ€secretory therapy prior to antiâ€reflux surgery. Does dose matter? Authorsâ€™ reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2015, 42, 627-627.	1.9	0
160	Is urate crystal precipitation a predictor of cardiovascular risk in hyperuricemic patients? A Danish cohort study. <i>Arthritis Research and Therapy</i> , 2015, 17, 304.	1.6	8
161	Systolic blood pressure and short-term mortality in the emergency department and prehospital setting: a hospital-based cohort study. <i>Critical Care</i> , 2015, 19, 158.	2.5	18
162	The Danish Cardiovascular Screening Trial (DANCAVAS): study protocol for a randomized controlled trial. <i>Trials</i> , 2015, 16, 554.	0.7	57

#	ARTICLE	IF	CITATIONS
163	Use of acid-suppressive therapy before anti-reflux surgery in 2922 patients: a nationwide register-based study in Denmark. <i>Alimentary Pharmacology and Therapeutics</i> , 2015, 42, 84-90.	1.9	2
164	Deviant patterns of methylphenidate use in adults: a Danish nationwide registry-based drug utilization study. <i>Pharmacoepidemiology and Drug Safety</i> , 2015, 24, 1189-1196.	0.9	10
165	Cardiovascular drugs and erectile dysfunction – a symmetry analysis. <i>British Journal of Clinical Pharmacology</i> , 2015, 80, 1219-1223.	1.1	13
166	Comparison of the Five Danish Regions Regarding Demographic Characteristics, Healthcare Utilization, and Medication Use – A Descriptive Cross-Sectional Study. <i>PLoS ONE</i> , 2015, 10, e0140197.	1.1	95
167	Antithrombotic drugs and subarachnoid haemorrhage risk. <i>Thrombosis and Haemostasis</i> , 2015, 114, 1064-1075.	1.8	36
168	Use of Antibiotics in Children. <i>Pediatric Infectious Disease Journal</i> , 2015, 34, e16-e22.	1.1	53
169	Medically treated exacerbations in COPD by GOLD 1-4: A valid, robust, and seemingly low-biased definition. <i>Respiratory Medicine</i> , 2015, 109, 1562-1568.	1.3	24
170	Statin use and risk of nonmelanoma skin cancer: a nationwide study in Denmark. <i>British Journal of Cancer</i> , 2015, 112, 153-156.	2.9	14
171	Potential of prescription registries to capture individual-level use of aspirin and other nonsteroidal anti-inflammatory drugs in Denmark: trends in utilization 1999&ndash;2012. <i>Clinical Epidemiology</i> , 2014, 6, 155.	1.5	100
172	Use of proton pump inhibitors after antireflux surgery: a nationwide register-based follow-up study. <i>Gut</i> , 2014, 63, 1544-1549.	6.1	37
173	Off-Hours Admission and Acute Stroke Care Quality. <i>Stroke</i> , 2014, 45, 3663-3669.	1.0	18
174	Use of antibiotics for urinary tract infection in women undergoing surgery for urinary incontinence: a cohort study. <i>BMJ Open</i> , 2014, 4, e004051.	0.8	3
175	Use of self-controlled designs in pharmacoepidemiology. <i>Journal of Internal Medicine</i> , 2014, 275, 581-589.	2.7	111
176	Statin use and survival following glioblastoma multiforme. <i>Cancer Epidemiology</i> , 2014, 38, 722-727.	0.8	57
177	The Association between Use of Serotonergic Antidepressants and Perioperative Bleeding during Total Hip Arthroplasty – A Cohort Study. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2014, 115, 277-281.	1.2	20
178	Reply to “Evidence for harm, comment on” by <sc>K</sc>ripke & <sc>L</sc>anger. <i>British Journal of Clinical Pharmacology</i> , 2014, 78, 188-189.	1.1	2
179	Long-term use of metformin and colorectal cancer risk in type II diabetics: a population-based case-control study. <i>Cancer Medicine</i> , 2014, 3, 1458-1466.	1.3	38
180	Children's relative age in class and use of medication for <sc>ADHD</sc>: a Danish Nationwide Study. <i>Journal of Child Psychology and Psychiatry and Allied Disciplines</i> , 2014, 55, 1244-1250.	3.1	38

#	ARTICLE	IF	CITATIONS
181	Measures of "exposure needed for one additional patient to be harmed"™ in population-based case-control studies. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 868-874.	0.9	12
182	Use of disulfiram and risk of cancer. <i>European Journal of Cancer Prevention</i> , 2014, 23, 225-232.	0.6	16
183	Mortality Rate in Type 2 Myocardial Infarction: Observations from an Unselected Hospital Cohort. <i>American Journal of Medicine</i> , 2014, 127, 295-302.	0.6	140
184	The influence of comprehensive geriatric assessment on drug therapy in elderly patients. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 233-239.	0.8	17
185	Use of exenatide and liraglutide in Denmark: a drug utilization study. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 205-214.	0.8	10
186	Use of SSRIs among Danish children: a nationwide study. <i>European Child and Adolescent Psychiatry</i> , 2014, 23, 1211-1218.	2.8	21
187	Long-term use of antiplatelet drugs by patients with transient ischaemic attack. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 241-248.	0.8	10
188	International Society for Pharmacoepidemiology (ISPE) statement on American Society of Clinical Oncology's new policy for relationships with companies. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1-2.	0.9	3
189	Comparison of Mortality in Patients With Acute Myocardial Infarction Accidentally Admitted to Non-cardiology Departments Versus That in Patients Admitted to Coronary Care Units. <i>American Journal of Cardiology</i> , 2014, 114, 1151-1157.	0.7	10
190	Discontinuation of Antiplatelet Treatment and Risk of Recurrent Stroke and All-Cause Death: A Cohort Study. <i>Neuroepidemiology</i> , 2014, 43, 57-64.	1.1	11
191	Do educational meetings and group detailing change adherence to drug formularies in hospitals? A cluster randomized controlled trial. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 109-116.	0.8	3
192	Primary non-adherence in general practice: a Danish register study. <i>European Journal of Clinical Pharmacology</i> , 2014, 70, 757-763.	0.8	108
193	Pharmacoepidemiological assessment of drug interactions with vitamin K antagonists. <i>Pharmacoepidemiology and Drug Safety</i> , 2014, 23, 1160-1167.	0.9	15
194	First-Trimester Exposure to Methylphenidate. <i>Journal of Clinical Psychiatry</i> , 2014, 75, e88-e93.	1.1	45
195	Description of a practice model for pharmacist medication review in a general practice setting. <i>Pharmacy Practice</i> , 2014, 12, 0-0.	0.8	7
196	Adherence to hospital drug formularies and cost of drugs in hospitals in Denmark. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 1837-1843.	0.8	8
197	The use of medication against attention deficit/hyperactivity disorder in Denmark: a drug use study from a patient perspective. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 589-598.	0.8	44
198	Concurrent use of tramadol and oral vitamin K antagonists and the risk of excessive anticoagulation: a register-based nested case-control study. <i>European Journal of Clinical Pharmacology</i> , 2013, 69, 641-646.	0.8	15

#	ARTICLE	IF	CITATIONS
199	Prognosis in patients with suspected or known ischemic heart disease and normal myocardial perfusion: Long-term outcome and temporal risk variations. <i>Journal of Nuclear Cardiology</i> , 2013, 20, 347-357.	1.4	14
200	Classification of Myocardial Infarction: Frequency and Features of Type 2 Myocardial Infarction. <i>American Journal of Medicine</i> , 2013, 126, 789-797.	0.6	276
201	Drug and Therapeutics Committees in Danish Hospitals: A Survey of Organization, Activities and Drug Selection Procedures. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2013, 112, 264-269.	1.2	17
202	Hormone replacement therapy and risk of glioma: A nationwide nested caseâ€“control study. <i>Cancer Epidemiology</i> , 2013, 37, 876-880.	0.8	12
203	Hormone replacement therapy increases the risk of cranial meningioma. <i>European Journal of Cancer</i> , 2013, 49, 3303-3310.	1.3	33
204	A MiniReview of the Use of Hospitalâ€“based Databases in Observational Inpatient Studies of Drugs. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2013, 112, 13-18.	1.2	18
205	First Trimester <i>&lt;i&gt;In Utero&lt;/i&gt;</i> Exposure to Methylphenidate. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2013, 112, 73-76.	1.2	32
206	Cancer incidence in persons with elevated cobalamin levels. <i>European Journal of Clinical Investigation</i> , 2013, 43, 557-561.	1.7	15
207	Short- and long-term mortality in patients with community-acquired severe sepsis and septic shock. <i>Scandinavian Journal of Infectious Diseases</i> , 2013, 45, 577-583.	1.5	30
208	Use of benzodiazepines or benzodiazepine related drugs and the risk of cancer: a populationâ€“based caseâ€“control study. <i>British Journal of Clinical Pharmacology</i> , 2013, 75, 1356-1364.	1.1	38
209	Use of symptom-relieving drugs before and after surgery for urinary incontinence in women: a cohort study. <i>BMJ Open</i> , 2013, 3, e003297.	0.8	1
210	Cancer risk in longâ€“term users of vitamin K antagonists: A populationâ€“based caseâ€“control study. <i>International Journal of Cancer</i> , 2013, 132, 2606-2612.	2.3	25
211	The Nordic prescription databases as a resource for pharmacoepidemiological researchâ€“a literature review. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 691-699.	0.9	156
212	Assigning exposure duration to single prescriptions by use of the waiting time distribution. <i>Pharmacoepidemiology and Drug Safety</i> , 2013, 22, 803-809.	0.9	59
213	Identifying admitted patients at risk of dying: a prospective observational validation of four biochemical scoring systems. <i>BMJ Open</i> , 2013, 3, e002890.	0.8	11
214	Characteristics of Undertreatment in COPD in the General Population. <i>Chest</i> , 2013, 144, 1811-1818.	0.4	34
215	Hospital Physicians' Influence on Gastrointestinal Protection during Treatment with Non-Steroidal Anti-Inflammatory Drugs and Acetylsalicylic Acid and the Impact on Prescribing in Primary Care. <i>PLoS ONE</i> , 2013, 8, e81845.	1.1	0
216	Significance of age and comorbidity on treatment modality, treatment adherence, and prognosis in elderly ovarian cancer patients. <i>Gynecologic Oncology</i> , 2012, 127, 367-374.	0.6	71

#	ARTICLE	IF	CITATIONS
217	Polypharmacy and drug use in elderly Danish cancer patients during 1996 to 2006. <i>Journal of Geriatric Oncology</i> , 2012, 3, 33-40.	0.5	58
218	Long-term use of antiplatelet drugs by stroke patients: a follow-up study based on prescription register data. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1631-1637.	0.8	22
219	The use of medication against attention deficit hyperactivity disorder in Denmark: a drug use study from a national perspective. <i>European Journal of Clinical Pharmacology</i> , 2012, 68, 1443-1450.	0.8	74
220	Re-prescribing of causative drugs in persons discharged after serious drug-induced upper gastrointestinal bleeding. <i>Alimentary Pharmacology and Therapeutics</i> , 2012, 35, 948-954.	1.9	5
221	Long term use of drugs affecting the renin-angiotensin system and the risk of cancer: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2012, 74, 180-188.	1.1	60
222	Excessive anticoagulation with warfarin or phenprocoumon may have multiple causes. <i>Danish Medical Journal</i> , 2012, 59, A4383.	0.5	10
223	<i>Helicobacter pylori</i> and risk of upper gastrointestinal bleeding among users of selective serotonin reuptake inhibitors. <i>Scandinavian Journal of Gastroenterology</i> , 2011, 46, 1039-1044.	0.6	16
224	Association between prescribing patterns of anti-asthmatic drugs and clinically uncontrolled asthma: A cross-sectional study. <i>Pulmonary Pharmacology and Therapeutics</i> , 2011, 24, 647-653.	1.1	18
225	Impact of socioeconomic status on the use of inhaled corticosteroids in young adult asthmatics. <i>Respiratory Medicine</i> , 2011, 105, 683-690.	1.3	14
226	Nurse teleconsultations with discharged COPD patients reduce early readmissions – an interventional study. <i>Clinical Respiratory Journal</i> , 2011, 5, 26-34.	0.6	68
227	Pharmaceutical interventions on prescription problems in a Danish pharmacy setting. <i>International Journal of Clinical Pharmacy</i> , 2011, 33, 1019-1027.	1.0	15
228	Physicians' and pharmacies' overview of patients' medication. An analysis of fidelity coefficients. <i>European Journal of Clinical Pharmacology</i> , 2011, 67, 919-924.	0.8	5
229	The characteristics and prognosis of patients fulfilling the Appropriateness Evaluation Protocol in a medical admission unit; a prospective observational study. <i>BMC Health Services Research</i> , 2011, 11, 152.	0.9	10
230	The Danish National Prescription Registry. <i>Scandinavian Journal of Public Health</i> , 2011, 39, 38-41.	1.2	1,859
231	Identifying Patients with Myasthenia for Epidemiological Research by Linkage of Automated Registers. <i>Neuroepidemiology</i> , 2011, 37, 120-128.	1.1	17
232	Type of hormone therapy and risk of misclassification at mammography screening. <i>Menopause</i> , 2011, 18, 171-177.	0.8	10
233	Risk scoring systems for adults admitted to the emergency department: a systematic review. <i>Scandinavian Journal of Trauma, Resuscitation and Emergency Medicine</i> , 2010, 18, 8.	1.1	91
234	Screening, prevention and treatment of osteoporosis in patients with chronic obstructive pulmonary disease – a population-based database study. <i>Clinical Respiratory Journal</i> , 2010, 4, 22-29.	0.6	20

#	ARTICLE	IF	CITATIONS
235	Increased use of inhaled corticosteroids among young Danish adult asthmatics: An observational study. <i>Respiratory Medicine</i> , 2010, 104, 1817-1824.	1.3	18
236	The effect of low-dose spironolactone on resistant hypertension. <i>Journal of the American Society of Hypertension</i> , 2010, 4, 290-294.	2.3	61
237	Cancer Risk in Long-term Users of Valproate: A Population-Based Case-Control Study. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2009, 18, 1714-1719.	1.1	28
238	Use of lithium in the adult populations of Denmark, Norway and Sweden. <i>Journal of Affective Disorders</i> , 2009, 118, 224-228.	2.0	18
239	Minimizing misclassification of hormone users at mammography screening. <i>International Journal of Cancer</i> , 2009, 124, 2159-2165.	2.3	4
240	Persistence of antimuscarinic drug use. <i>European Journal of Clinical Pharmacology</i> , 2009, 65, 309-314.	0.8	97
241	Adverse events with use of antiepileptic drugs: a prescription and event symmetry analysis. <i>Pharmacoepidemiology and Drug Safety</i> , 2009, 18, 483-491.	0.9	99
242	Do statins protect against upper gastrointestinal bleeding?. <i>British Journal of Clinical Pharmacology</i> , 2009, 67, 460-465.	1.1	18
243	An Association Between Selective Serotonin Reuptake Inhibitor Use and Serious Upper Gastrointestinal Bleeding. <i>Clinical Gastroenterology and Hepatology</i> , 2009, 7, 1314-1321.	2.4	91
244	Prevalence, awareness, and control of arterial hypertension in Denmark. <i>Journal of the American Society of Hypertension</i> , 2009, 3, 19-24.e2.	2.3	49
245	European commission consultation on pharmacovigilance. <i>Pharmacoepidemiology and Drug Safety</i> , 2008, 17, 108-109.	0.9	5
246	Exposure to antiepileptic drugs and the risk of hip fracture: A case-control study. <i>Epilepsia</i> , 2008, 49, 2092-2099.	2.6	61
247	Spironolactone use and the risk of upper gastrointestinal bleeding: a population-based case-control study. <i>British Journal of Clinical Pharmacology</i> , 2008, 66, 294-299.	1.1	37
248	Use of a Prescribed Ephedrine/Caffeine Combination and the Risk of Serious Cardiovascular Events: A Registry-based Case-Crossover Study. <i>American Journal of Epidemiology</i> , 2008, 168, 966-973.	1.6	47
249	Effect of a Community Screening for <i>Helicobacter pylori</i> : A 5-Yr Follow-Up Study. <i>American Journal of Gastroenterology</i> , 2008, 103, 1106-1113.	0.2	14
250	Use of Proton Pump Inhibitors and the Risk of Community-Acquired Pneumonia. <i>Archives of Internal Medicine</i> , 2007, 167, 950.	4.3	292
251	Use of fluoroquinolone and risk of Achilles tendon rupture: a population-based cohort study. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 499-503.	0.8	83
252	Cardiovascular drugs and the risk of suicide: a nested case-control study. <i>European Journal of Clinical Pharmacology</i> , 2007, 63, 591-596.	0.8	40



#	ARTICLE	IF	CITATIONS
253	Use of single and combined antithrombotic therapy and risk of serious upper gastrointestinal bleeding: population based case-control study. <i>BMJ: British Medical Journal</i> , 2006, 333, 726.	2.4	324
254	Statins and nonsteroidal anti-inflammatory drugs—analysis of prescription symmetry. <i>Pharmacoepidemiology and Drug Safety</i> , 2006, 15, 510-511.	0.9	13
255	Templates for Analysis of Individual-Level Prescription Data. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 260-265.	1.2	72
256	Current Controversies in Pharmacoepidemiology. <i>Basic and Clinical Pharmacology and Toxicology</i> , 2006, 98, 235-236.	1.2	0
257	Cancer patients' first treatment episode with opioids: a pharmaco-epidemiological perspective. <i>Supportive Care in Cancer</i> , 2006, 14, 340-347.	1.0	10
258	Antibiotics active against Chlamydia do not reduce the risk of myocardial infarction. <i>European Journal of Clinical Pharmacology</i> , 2006, 62, 43-49.	0.8	4
259	Complicated and Uncomplicated Peptic Ulcers in a Danish County 1993-2002: A Population-Based Cohort Study. <i>American Journal of Gastroenterology</i> , 2006, 101, 945-953.	0.2	172
260	Esophagitis: Incidence and Risk of Esophageal Adenocarcinoma—A Population-Based Cohort Study. <i>American Journal of Gastroenterology</i> , 2006, 101, 1193-1199.	0.2	51
261	Use of Opioids in a Danish Population-Based Cohort of Cancer Patients. <i>Journal of Pain and Symptom Management</i> , 2005, 29, 336-343.	0.6	53
262	Drug utilization statistics for individual-level pharmacy dispensing data. <i>Pharmacoepidemiology and Drug Safety</i> , 2005, 14, 455-463.	0.9	60
263	First-time endoscopy and use of antisecretory medication: A population-based cohort study. <i>Scandinavian Journal of Gastroenterology</i> , 2005, 40, 705-712.	0.6	8
264	The Risk of Missed Gastroesophageal Cancer Diagnoses in Users and Nonusers of Antisecretory Medication. <i>Gastroenterology</i> , 2005, 129, 1179-1186.	0.6	24
265	Appendectomy has no beneficial effect on admission rates in patients with ulcerative colitis. <i>Gut</i> , 2004, 53, 351-354.	6.1	24
266	Does Appendectomy Reduce the Risk of Ulcerative Colitis?. <i>Epidemiology</i> , 2004, 15, 173-178.	1.2	29
267	Use of anti-secretory medication: a population-based cohort study. <i>Alimentary Pharmacology and Therapeutics</i> , 2004, 20, 577-583.	1.9	42
268	The validity of self-reported use of hormone replacement therapy among Danish nurses. <i>Acta Obstetrica Et Gynecologica Scandinavica</i> , 2004, 83, 476-481.	1.3	42
269	Cancer patients' share in a population's Use of opioids. A linkage study between a prescription database and the danish cancer registry. <i>Journal of Pain and Symptom Management</i> , 2004, 27, 36-43.	0.6	21
270	Eradication of <i>Helicobacter pylori</i> and use of antisecretory drugs: population based cohort study. <i>BMJ: British Medical Journal</i> , 2003, 327, 603-603.	2.4	11

#	ARTICLE	IF	CITATIONS
271	Risk of Stroke Associated With Nonsteroidal Anti-Inflammatory Drugs. <i>Stroke</i> , 2003, 34, 379-386.	1.0	86
272	Risk of stroke associated with nonsteroidal anti-inflammatory drugs: a nested case-control study. <i>Stroke</i> , 2003, 34, 379-86.	1.0	18
273	Selective Serotonin Reuptake Inhibitors and the Risk of Stroke. <i>Stroke</i> , 2002, 33, 1465-1473.	1.0	133
274	Drug-induced symptoms of functional dyspepsia and nausea. A symmetry analysis of one million prescriptions. <i>Alimentary Pharmacology and Therapeutics</i> , 2000, 14, 1479-1484.	1.9	38
275	Cholesterol-lowering drugs and antidepressants – A study of prescription symmetry. , 1998, 7, 399-402.		26
276	Screening for drug related dyspepsia. <i>European Journal of Gastroenterology and Hepatology</i> , 1998, 10, 27-32.	0.8	50
277	Inappropriate use of sumatriptan: population based register and interview study. <i>BMJ: British Medical Journal</i> , 1998, 316, 1352-1353.	2.4	52
278	The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. <i>Epidemiology</i> , 1997, 8, 666.	1.2	47
279	The Waiting Time Distribution as a Graphical Approach to Epidemiologic Measures of Drug Utilization. <i>Epidemiology</i> , 1997, 8, 666-670.	1.2	73
280	Methods for estimating the occurrence of polypharmacy by means of a prescription database. <i>European Journal of Clinical Pharmacology</i> , 1997, 53, 7-11.	0.8	143
281	The Danish prescription registries. <i>Danish Medical Bulletin</i> , 1997, 44, 445-8.	0.1	179
282	Evidence of Depression Provoked by Cardiovascular Medication: A Prescription Sequence Symmetry Analysis. <i>Epidemiology</i> , 1996, 7, 478-484.	1.2	228
283	Drug related hospital admissions in subspecialties of internal medicine. <i>Danish Medical Bulletin</i> , 1996, 43, 141-55.	0.1	12
284	Evidence of depression provoked by cardiovascular medication: a prescription sequence symmetry analysis. <i>Epidemiology</i> , 1996, 7, 478-84.	1.2	72
285	Nonsteroidal Anti-inflammatory Drugs and Upper Gastrointestinal Bleeding, Identifying High-Risk Groups by Excess Risk Estimates. <i>Scandinavian Journal of Gastroenterology</i> , 1995, 30, 438-444.	0.6	106
286	Individualized drug utilization statistics. <i>European Journal of Clinical Pharmacology</i> , 1994, 47, 367-72.	0.8	42
287	Misuse of sumatriptan. <i>Lancet, The</i> , 1994, 344, 1090.	6.3	12
288	Individual utilization of anti-asthma medication by young adults: a prescription database analysis. <i>Journal of Internal Medicine</i> , 1993, 234, 65-70.	2.7	37

#	ARTICLE	IF	CITATIONS
289	The relationship between paroxetine and the sparteine oxidation polymorphism. <i>Clinical Pharmacology and Therapeutics</i> , 1992, 51, 278-287.	2.3	214
290	Drug-Related Admissions to a Department of Medical Gastroenterology: The Role of Self-Medicated and Prescribed Drugs. <i>Scandinavian Journal of Gastroenterology</i> , 1991, 26, 174-180.	0.6	50
291	Drug related hospital admissions: the role of definitions and intensity of data collection, and the possibility of prevention. <i>Journal of Internal Medicine</i> , 1990, 228, 83-90.	2.7	307
292	Drug related admissions to a cardiology department; frequency and avoidability. <i>Journal of Internal Medicine</i> , 1990, 228, 379-384.	2.7	55