

# Alexandr Shafir

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6284610/publications.pdf>

Version: 2024-02-01

75  
papers

3,833  
citations

126907

33  
h-index

123424

61  
g-index

95  
all docs

95  
docs citations

95  
times ranked

4313  
citing authors

#	ARTICLE	IF	CITATIONS
1	Highly Selective Room-Temperature Copper-Catalyzed C-N Coupling Reactions. <i>Journal of the American Chemical Society</i> , 2006, 128, 8742-8743.	13.7	406
2	N- versus O-Arylation of Aminoalcohols: Orthogonal Selectivity in Copper-Based Catalysts. <i>Journal of the American Chemical Society</i> , 2007, 129, 3490-3491.	13.7	288
3	An Improved Cu-Based Catalyst System for the Reactions of Alcohols with Aryl Halides. <i>Journal of Organic Chemistry</i> , 2008, 73, 284-286.	3.2	226
4	Metal-Organic Framework (MOF) Defects under Control: Insights into the Missing Linker Sites and Their Implication in the Reactivity of Zirconium-Based Frameworks. <i>Inorganic Chemistry</i> , 2015, 54, 8396-8400.	4.0	222
5	Synthesis, Structure, and Properties of 1,1'-Diamino- and 1,1'-Diazidoferrocene. <i>Organometallics</i> , 2000, 19, 3978-3982.	2.3	157
6	Acid Activation in Phenyliodine Dicarboxylates: Direct Observation, Structures, and Implications. <i>Journal of the American Chemical Society</i> , 2016, 138, 12747-12750.	13.7	127
7	Perfluoro-tagged, phosphine-free palladium nanoparticles supported on silica gel: application to alkylation of aryl halides, Suzuki-Miyaura cross-coupling, and Heck reactions under aerobic conditions. <i>Green Chemistry</i> , 2010, 12, 150-158.	9.0	108
8	An Alternative to the Classical Arylation: The Transfer of an Intact Aryloxy from $\text{Ar}(\text{O})_2\text{CCF}_3$ . <i>Angewandte Chemie - International Edition</i> , 2014, 53, 11298-11301.	13.8	102
9	Silylated 1,1'-Diaminoferrocene: Ti and Zr Complexes of a New Chelating Diamide Ligand. <i>Organometallics</i> , 2001, 20, 1365-1369.	2.3	88
10	The emergence of sulfoxide and iodonio-based redox arylation as a synthetic tool. <i>Tetrahedron Letters</i> , 2016, 57, 2673-2682.	1.4	87
11	Stabilization of a Cationic Ti Center by a Ferrocene Moiety: A Remarkably Short Ti-Fe Interaction in the Diamide $\{[(\text{I}-5-\text{C}_5\text{H}_4\text{NSiMe}_3)_2\text{Fe}]\text{TiCl}\}^{2+}$ . <i>Journal of the American Chemical Society</i> , 2001, 123, 9212-9213.	13.7	86
12	The Heck Reaction of Allylic Alcohols Catalyzed by Palladium Nanoparticles in Water: Chemoenzymatic Synthesis of $(R)-\alpha$ -Rhododendrol. <i>ChemCatChem</i> , 2011, 3, 347-353.	3.7	80
13	Highly Isospecific Polymerization of Methyl Methacrylate with a Bis(pyrrolylaldiminato)samarium Hydrocarbyl Complex. <i>Organometallics</i> , 2003, 22, 3357-3359.	2.3	79
14	Palladium Nanoparticles Supported on an Organic-Inorganic Fluorinated Hybrid Material. Application to Microwave-Based Heck Reaction. <i>Organic Letters</i> , 2008, 10, 3215-3218.	4.6	78
15	Modulation by Amino Acids: Toward Superior Control in the Synthesis of Zirconium Metal-Organic Frameworks. <i>Chemistry - A European Journal</i> , 2016, 22, 13582-13587.	3.3	74
16	Reactions of N,N,N'-trimethyl-1,4,7-triazacyclononane with butyllithium reagents. <i>Dalton Transactions RSC</i> , 2002, , 3273-3274.	2.3	67
17	Ferrocene-Based Olefin Polymerization Catalysts: Activation, Structure, and Intermediates. <i>Organometallics</i> , 2003, 22, 567-575.	2.3	67
18	Palladium Nanoparticles in Suzuki Cross-Couplings: Tapping into the Potential of Trisimidazolium Salts for Nanoparticle Stabilization. <i>Advanced Synthesis and Catalysis</i> , 2012, 354, 651-662.	4.3	59

#	ARTICLE	IF	CITATIONS
19	Hypervalent Activation as a Key Step for Dehydrogenative <i>ortho</i> -C–C Coupling of Iodoarenes. <i>Chemistry - A European Journal</i> , 2015, 21, 18779-18784.	3.3	57
20	Direct Assembly of Polyarenes via C–C Coupling Using PIFA/BF <sub>3</sub> ·Et <sub>2</sub> O. <i>Journal of the American Chemical Society</i> , 2010, 132, 17980-17982.	13.7	56
21	Water-Soluble Palladium Nanoparticles: Click Synthesis and Applications as a Recyclable Catalyst in Suzuki Cross-Couplings in Aqueous Media. <i>European Journal of Organic Chemistry</i> , 2010, 2010, 5090-5099.	2.4	55
22	Hydrosilylation of Internal Alkynes Catalyzed by Tris-Imidazolium Salt-Stabilized Palladium Nanoparticles. <i>Advanced Synthesis and Catalysis</i> , 2014, 356, 179-188.	4.3	55
23	Synthesis and characterization of mono- $\beta$ -diketiminatosamarium amides and hydrocarbyls. <i>Dalton Transactions</i> , 2005, , 1387-1393.	3.3	53
24	Azodicarboxylates as Electrophilic Aminating Reagents. <i>Current Organic Chemistry</i> , 2011, 15, 1539-1577.	1.6	48
25	NH-Heterocyclic Aryliodonium Salts and their Selective Conversion into <i>N</i> -Aryl-Iodoimidazoles. <i>Angewandte Chemie - International Edition</i> , 2016, 55, 7152-7156.	13.8	48
26	Formation of 1:1 complexes of ferrocene-containing salen ligands with Mg, Ti and Zr. <i>Dalton Transactions RSC</i> , 2002, , 555-560.	2.3	46
27	Mechanically Constrained Catalytic Mn(CO) <sub>3</sub> Br Single Sites in a Two-Dimensional Covalent Organic Framework for CO <sub>2</sub> Electroreduction in H <sub>2</sub> O. <i>ACS Catalysis</i> , 2021, 11, 7210-7222.	11.2	43
28	Zinc(II) oxide: an efficient catalyst for selective transesterification of $\beta$ -ketoesters. <i>Tetrahedron</i> , 2008, 64, 9258-9263.	1.9	41
29	Phosphinoamine (PN) Ligands for Rapid Catalyst Discovery in Ruthenium-Catalyzed Hydrogen-Borrowing Alkylation of Anilines: A Proof of Principle. <i>Advanced Synthesis and Catalysis</i> , 2015, 357, 3538-3548.	4.3	39
30	Rhodium Nanoflowers Stabilized by a Nitrogen-Rich PEG-Tagged Substrate as Recyclable Catalyst for the Stereoselective Hydrosilylation of Internal Alkynes. <i>Advanced Synthesis and Catalysis</i> , 2015, 357, 89-99.	4.3	37
31	Divalent Lanthanide Metal Complexes of a Triazacyclononane-Functionalized Tetramethylcyclopentadienyl Ligand: X-ray Crystal Structures of [C <sub>5</sub> Me <sub>4</sub> SiMe <sub>2</sub> (iPr <sub>2</sub> -tacn)]Ln (Ln = Sm, Y) <i>ETQq12130.784334 rgBT</i>		
32	Alkynylation of aryl halides with perfluoro-tagged palladium nanoparticles immobilized on silica gel under aerobic, copper- and phosphine-free conditions in water. <i>Organic and Biomolecular Chemistry</i> , 2009, 7, 2270.	2.8	35
33	Synthesis of Polysubstituted Iodoarenes Enabled by Iterative Iodine-Directed <i>para</i> - and <i>ortho</i> -C–H Functionalization. <i>Angewandte Chemie - International Edition</i> , 2019, 58, 2617-2621.	13.8	33
34	Zirconium complexes incorporating diaryldiamidoferrocene ligands: generation of cationic derivatives and polymerization activity towards ethylene and 1-hexene. <i>Inorganica Chimica Acta</i> , 2003, 345, 216-220.	2.4	32
35	Donnan-exclusion-driven distribution of catalytic ferromagnetic nanoparticles synthesized in polymeric fibers. <i>Dalton Transactions</i> , 2010, 39, 2579.	3.3	31
36	Water-soluble metal nanoparticles with PEG-tagged 15-membered azamacrocycles as stabilizers. <i>Dalton Transactions</i> , 2009, , 7748.	3.3	30

#	ARTICLE	IF	CITATIONS
37	The Coming of Age in Iodane-Guided ortho $\text{C}^{\text{H}}$ Propargylation: From Insight to Synthetic Potential. <i>Chemistry - A European Journal</i> , 2018, 24, 15517-15521.	3.3	30
38	Synthesis and Structure of a Linked-Bis(amidate) Ligand and Some Complexes with Titanium. <i>Inorganic Chemistry</i> , 2001, 40, 6069-6072.	4.0	29
39	The Power of Iodane-Guided $\text{C}^{\text{H}}$ Coupling: A Group-Transfer Strategy in Which a Halogen Works for Its Money. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 16294-16309.	13.8	29
40	Asymmetric Synthesis of $\beta$ -Carbidopa Based on a Highly Enantioselective $\text{I}^{\pm}$ -Amination. <i>Organic Letters</i> , 2013, 15, 1448-1451.	4.6	28
41	Heck, Sonogashira, and Hiyama Reactions Catalyzed by Palladium Nanoparticles Stabilized by Trisimidazolium Salt. <i>European Journal of Organic Chemistry</i> , 2014, 2014, 3001-3008.	2.4	28
42	Aminophosphine ligands as a privileged platform for development of antitumoral ruthenium(II) arene complexes. <i>Dalton Transactions</i> , 2017, 46, 16113-16125.	3.3	27
43	Stepwise Mechanism for the Bromination of Arenes by a Hypervalent Iodine Reagent. <i>Journal of Organic Chemistry</i> , 2020, 85, 2142-2150.	3.2	27
44	Zirconium complexes of a tacn-derived amido ligand and ring-opening to form a new diamido-amino pincer. <i>Chemical Communications</i> , 2000, , 2135-2136.	4.1	24
45	Perfluoro-tagged Gold Nanoparticles Immobilized on Fluorous Silica Gel: A Reusable Catalyst for the Benign Oxidation and Oxidative Esterification of Alcohols. <i>ChemSusChem</i> , 2009, 2, 1036-1040.	6.8	23
46	Recyclable polymer-stabilized nanocatalysts with enhanced accessibility for reactants. <i>Catalysis Today</i> , 2012, 193, 200-206.	4.4	23
47	Water-Soluble Gold Nanoparticles: From Catalytic Selective Nitroarene Reduction in Water to Refractive Index Sensing. <i>Chemistry - an Asian Journal</i> , 2015, 10, 2437-2443.	3.3	23
48	Perfluoro-tagged rhodium and ruthenium nanoparticles immobilized on silica gel as highly active catalysts for hydrogenation of arenes under mild conditions. <i>New Journal of Chemistry</i> , 2013, 37, 278-282.	2.8	22
49	Synthesis of Five-Membered Iodine-Nitrogen Heterocycles from Benzimidazole-Based Iodonium Salts. <i>Journal of Organic Chemistry</i> , 2018, 83, 12056-12070.	3.2	22
50	Synthesis of Polysubstituted Iodoarenes Enabled by Iterative Iodine-Directed <i>para</i> and <i>ortho</i> $\text{C}^{\text{H}}$ Functionalization. <i>Angewandte Chemie</i> , 2019, 131, 2643-2647.	2.0	21
51	Direct Arylation of Oligonaphthalenes Using $\text{PIFA}/\text{BF}_3 \cdot \text{Et}_2\text{O}$ : From Double Arylation to Larger Oligoarene Products. <i>Journal of Organic Chemistry</i> , 2013, 78, 8169-8175.	3.2	20
52	Donnan exclusion driven intermatrix synthesis of reusable polymer stabilized palladium nanocatalysts. <i>Catalysis Today</i> , 2012, 193, 207-212.	4.4	18
53	Versatile IR Spectroscopy Combined with Synchrotron XAS-XRD: Chemical, Electronic, and Structural Insights during Thermal Treatment of MOF Materials. <i>European Journal of Inorganic Chemistry</i> , 2018, 2018, 1847-1853.	2.0	17
54	Alkali-metal complexes of a triazacyclononane-functionalized tetramethylcyclopentadienyl ligand. <i>Dalton Transactions RSC</i> , 2000, , 4018-4020.	2.3	16

#	ARTICLE	IF	CITATIONS
55	NH <sup>+</sup> Heterocyclic Aryliodonium Salts and their Selective Conversion into <i>N</i> -Aryl <sup>+</sup> Iodoimidazoles. <i>Angewandte Chemie</i> , 2016, 128, 7268-7272.	2.0	16
56	Triarylmethane Dyes for Artificial Repellent Cotton Fibers. <i>Chemistry - A European Journal</i> , 2017, 23, 3810-3814.	3.3	13
57	Preparation and Synthetic Applicability of Imidazole-Containing Cyclic Iodonium Salts. <i>Journal of Organic Chemistry</i> , 2021, 86, 7163-7178.	3.2	13
58	Oxidative Breakdown of Iodoalkanes to Catalytically Active Iodine Species: A Case Study in the $\alpha$ -Tosyloxylation of Ketones. <i>ChemCatChem</i> , 2014, 6, 468-472.	3.7	12
59	Gold nanoparticles decorated with a cinchonine organocatalyst: application in the asymmetric $\alpha$ -amination of $\beta$ -ketoesters. <i>New Journal of Chemistry</i> , 2014, 38, 636-640.	2.8	12
60	Cobalt Amide Imidate Imidazolate Frameworks as Highly Active Oxygen Evolution Model Materials. <i>ACS Applied Energy Materials</i> , 2019, 2, 8930-8938.	5.1	12
61	Hypervalent iodine in the structure of N-heterocycles: synthesis, structure, and application in organic synthesis. <i>Chemistry of Heterocyclic Compounds</i> , 2020, 56, 854-866.	1.2	11
62	Synthesis and X-ray structures of metallocenium diamines of iron and cobalt. <i>Polyhedron</i> , 2004, 23, 2937-2942.	2.2	10
63	Sol <sup>+</sup> gel immobilized aryl iodides for the catalytic oxidative $\alpha$ -tosyloxylation of ketones. <i>Reactive and Functional Polymers</i> , 2013, 73, 192-199.	4.1	10
64	Highly diastereoselective reduction of ferrocene bis-imines with methylolithium and the formation of C <sub>2</sub> -symmetric Zr complexes Electronic supplementary information (ESI) available: experimental procedures and characterization data for all new compounds. See <a href="http://www.rsc.org/suppdata/cc/b3/b308360h/">http://www.rsc.org/suppdata/cc/b3/b308360h/</a> . <i>Chemical Communications</i> , 2003, , 2598.	4.1	9
65	Lanthanides-pybox: An Excellent Combination for Highly Enantioselective Electrophilic $\alpha$ -Amination of Acyclic $\beta$ -Keto Esters. Isolation of Ternary Pybox/Ln/ $\beta$ -Keto Ester Complexes. <i>ChemistrySelect</i> , 2016, 1, 4305-4312.	1.5	8
66	Fluoro-tagged osmium and iridium nanoparticles in oxidation reactions. <i>Tetrahedron</i> , 2018, 74, 6890-6895.	1.9	8
67	Iodane <sup>+</sup> Guided ortho C <sup>+</sup> H Allylation. <i>Angewandte Chemie - International Edition</i> , 2020, 59, 20201-20207.	13.8	8
68	Screening and Preliminary Biochemical and Biological Studies of [RuCl( <i>p</i> -cymene)( <i>N</i> , <i>N</i> -bis(diphenylphosphino)-isopropylamine)][BF <sub>4</sub> ] in Breast Cancer Models. <i>ACS Omega</i> , 2019, 4, 13005-13014.	3.5	7
69	The Power of Iodane <sup>+</sup> Guided C <sup>+</sup> H Coupling: A Group <sup>+</sup> Transfer Strategy in Which a Halogen Works for Its Money. <i>Angewandte Chemie</i> , 2020, 132, 16434.	2.0	6
70	Exploring benzylic <i>gem</i> -C(sp <sup>3</sup> ) <sup>+</sup> boron <sup>+</sup> silicon and boron <sup>+</sup> tin centers as a synthetic platform. <i>Chemical Science</i> , 2021, 12, 10514-10521.	7.4	6
71	Tuning the Cytotoxicity of Bis-Phosphino-Amines Ruthenium(II) Para-Cymene Complexes for Clinical Development in Breast Cancer. <i>Pharmaceutics</i> , 2021, 13, 1559.	4.5	3
72	Iodane <sup>+</sup> Guided ortho C <sup>+</sup> H Allylation. <i>Angewandte Chemie</i> , 2020, 132, 20376-20382.	2.0	2

#	ARTICLE	IF	CITATIONS
73	Crystalâ€œCrystal Synthesis of Photocatalytic Metalâ€œOrganic Frameworks for Visibleâ€œLight Reductive Coupling and Mechanistic Investigations. ChemSusChem, 2020, 13, 3418-3428.	6.8	2
74	Catalytically active palladium nanoparticles embedded in an organic-inorganic fluorinated hybrid material. Arkivoc, 2009, 2010, 181-190.	0.5	1
75	Perfluoro-Tagged Gold Nanoparticles Immobilized on Fluorous Silica Gel: A Reusable Catalyst for the Benign Oxidation and Oxidative Esterification of Alcohols. ChemSusChem, 2010, 3, 772-772.	6.8	0