

Judy A Thies

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6289870/publications.pdf>

Version: 2024-02-01

60
papers

981
citations

471509

17
h-index

477307

29
g-index

60
all docs

60
docs citations

60
times ranked

576
citing authors

#	ARTICLE	IF	CITATIONS
1	Grafting for managing vegetable crop pests. <i>Pest Management Science</i> , 2021, 77, 4825-4835.	3.4	12
2	PA-593: A Root-knot Nematode-resistant Sweet Cherry-type Pepper. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2018, 53, 1922-1923.	1.0	1
3	NMR Analysis Reveals a Wealth of Metabolites in Root-Knot Nematode Resistant Roots of <i>Citrullus amarus</i> Watermelon Plants. <i>Journal of Nematology</i> , 2018, 50, 303-316.	0.9	4
4	Resistance to Southern Root-knot Nematode (<i>Meloidogyne incognita</i>) in Wild Watermelon (<i>Citrullus lanatus</i> var. <i>citroides</i>). <i>Journal of Nematology</i> , 2016, 48, 14-19.	0.9	29
5	RKVL-318, a Root-knot Nematode-resistant Watermelon Line as Rootstock for Grafted Watermelon. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2015, 50, 141-142.	1.0	15
6	Accessions of <i>Citrullus lanatus</i> var. <i>citroides</i> Are Valuable Rootstocks for Grafted Watermelon in Fields Infested with Root-knot Nematodes. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2015, 50, 4-8.	1.0	40
7	Influence of <i>Citrullus lanatus</i> var. <i>citroides</i> Rootstocks and Their F1 Hybrids on Yield and Response to Root-knot Nematode, <i>Meloidogyne incognita</i> , in Grafted Watermelon. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2015, 50, 9-12.	1.0	24
8	USVL-360, a Novel Watermelon Tetraploid Germplasm Line. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2014, 49, 354-357.	1.0	13
9	US-1136, US-1137, and US-1138 Cowpea Lines for Cover Crop Use. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2014, 49, 364-366.	1.0	8
10	Root-knot Nematode Resistance, Yield, and Fruit Quality of Specialty Melons Grafted onto <i>Cucumis metulifer</i> . <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2014, 49, 1046-1051.	1.0	34
11	High frequency oligonucleotides: targeting active gene (HFO-TAG) markers revealed wide genetic diversity among <i>Citrullus</i> spp. accessions useful for enhancing disease or pest resistance in watermelon cultivars. <i>Genetic Resources and Crop Evolution</i> , 2013, 60, 427-440.	1.6	66
12	Potential Sources of Resistance in U.S. <i>Cucumis melo</i> Pls to Crown Rot Caused by <i>Phytophthora capsici</i> . <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2013, 48, 164-170.	1.0	7
13	Defense Mechanisms Involved in Disease Resistance of Grafted Vegetables. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2012, 47, 164-170.	1.0	80
14	Watermelon. , 2011, , 309-334.		1
15	â€Libertyâ€™ Dry-fleshed Sweetpotato. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2011, 46, 125-129.	1.0	5
16	USVL-220, a Novel Watermelon Breeding Line. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2011, 46, 135-138.	1.0	2
17	PA-560, a Southern Root-knot Nematode-resistant, Yellow-fruited, Habanero-type Pepper. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2011, 46, 946-947.	1.0	1
18	PA-566, A Root-knot Nematode-resistant, Pimento-type Pepper. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2011, 46, 668-669.	1.0	0

#	ARTICLE	IF	CITATIONS
19	â€™Truhart-NRâ€™™, A Root-knot Nematode-resistant, Pimento-type Pepper. Hortscience: A Publication of the American Society for Horticultural Science, 2011, 46, 815-816.	1.0	0
20	DNA markers and pollen morphology reveal that <i>Praecitrullus fistulosus</i> is more closely related to <i>Benincasa hispida</i> than to <i>Citrullus</i> spp.. Genetic Resources and Crop Evolution, 2010, 57, 1191-1205.	1.6	12
21	Grafting for Management of Southern Root-Knot Nematode, <i>Meloidogyne incognita</i> , in Watermelon. Plant Disease, 2010, 94, 1195-1199.	1.4	83
22	â€™Charleston Scarletâ€™™ Sweetpotato. Hortscience: A Publication of the American Society for Horticultural Science, 2010, 45, 306-309.	1.0	10
23	PA-559, a Root-knot Nematode-resistant, Red-fruited, Habanero-type Pepper. Hortscience: A Publication of the American Society for Horticultural Science, 2010, 45, 822-823.	1.0	1
24	Genetic diversity among <i>Lagenaria siceraria</i> accessions containing resistance to root-knot nematodes, whiteflies, ZYMV or powdery mildew. Plant Genetic Resources: Characterisation and Utilisation, 2009, 7, 216-226.	0.8	17
25	Comparison between the N and Me3 genes conferring resistance to the root-knot nematode (<i>Meloidogyne incognita</i>) in genetically different pepper lines (<i>Capsicum annuum</i>). European Journal of Plant Pathology, 2009, 125, 545-550.	1.7	17
26	Stability of Resistance to Root-knot Nematodes in â€™Charleston Belleâ€™™ and â€™Carolina Wonderâ€™™ Bell Peppers in a Sub-tropical Environment. Hortscience: A Publication of the American Society for Horticultural Science, 2008, 43, 188-190.	1.0	26
27	USDA-ARS Research on Practices Compatible with Organic Agriculture for Management of Plant-Parasitic Nematodes on Vegetable Crops. International Journal of Vegetable Science, 2007, 12, 47-81.	0.2	0
28	Characterization of Watermelon (<i>Citrullus lanatus</i> var. <i>citroides</i>) Germplasm for Resistance to Root-knot Nematodes. Hortscience: A Publication of the American Society for Horticultural Science, 2007, 42, 1530-1533.	1.0	44
29	â€™TigerPaw-NRâ€™™, a Root-knot Nematode-resistant, Habanero-type Pepper. Hortscience: A Publication of the American Society for Horticultural Science, 2007, 42, 1721-1722.	1.0	1
30	Novel Watermelon Breeding Lines Containing Chloroplast and Mitochondrial Genomes derived from the Desert Species <i>Citrullus colocynthis</i> . Hortscience: A Publication of the American Society for Horticultural Science, 2006, 41, 463-464.	1.0	12
31	Evaluation of Cowpea Genotypes for Use as a Cover Crop. Hortscience: A Publication of the American Society for Horticultural Science, 2006, 41, 1145-1148.	1.0	13
32	'Charleston Blackeye', a Root-knot Nematode Resistant, Blackeye-type Southernpea for the Production of Fresh-shell Peas. Hortscience: A Publication of the American Society for Horticultural Science, 2006, 41, 837-838.	1.0	0
33	(259) TigerPaw-NR, a Root-knot Nematode Resistant, Habanero-type Pepper. Hortscience: A Publication of the American Society for Horticultural Science, 2006, 41, 1073D-1073.	1.0	0
34	Assessment of Cowpea Genotypes for Use as a Weed-suppressing Cover Crop. Hortscience: A Publication of the American Society for Horticultural Science, 2006, 41, 991B-991.	1.0	0
35	Analysis based on RAPD and ISSR Markers Reveals Closer Similarities among <i>Citrullus</i> and <i>Cucumis</i> Species than with <i>Praecitrullus fistulosus</i> (Stocks) Pangalo. Genetic Resources and Crop Evolution, 2005, 52, 465-472.	1.6	39
36	Host Resistance and Metam Sodium for Managing Root-knot Nematodes in a Pepperâ€™Cucumber Rotation. Hortscience: A Publication of the American Society for Horticultural Science, 2005, 40, 2080-2082.	1.0	5

#	ARTICLE	IF	CITATIONS
37	Double-Cropping Cucumbers and Squash After Resistant Bell Pepper for Root-Knot Nematode Management. <i>Plant Disease</i> , 2004, 88, 589-593.	1.4	27
38	'KnuckleHull-VNR', a Crowder-type Southernpea Resistant to Blackeye Cowpea Mosaic Virus and Root-knot Nematode. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2004, 39, 183-184.	1.0	3
39	Root-knot Nematode Resistance in <i>Capsicum chinense</i> : Development of Resistant Habanero-type Cultivars. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2004, 39, 766B-766.	1.0	1
40	Response of Bell Pepper Cultivars Near-isogenic for the N Gene to <i>Meloidogyne incognita</i> in Field Trials. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2003, 38, 1394-1396.	1.0	4
41	Resistance of Watermelon Germplasm to the Peanut Root-knot Nematode. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2003, 38, 1417-1421.	1.0	29
42	Evaluation of a Core of the U.S. <i>Capsicum</i> Germplasm Collection for Reaction to the Northern Root-knot Nematode. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2002, 37, 805-810.	1.0	12
43	'Charleston Nemagreen', a Root-knot Nematode Resistant, Cream-type Southernpea with a Green Cotyledon Phenotype. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2002, 37, 988-990.	1.0	1
44	Heat Stability of Resistance to Southern Root-knot Nematode in Bell Pepper Genotypes Homozygous and Heterozygous for the N Gene. <i>Journal of the American Society for Horticultural Science</i> , 2002, 127, 371-375.	1.0	17
45	Characterization of <i>Capsicum chinense</i> Cultigens for Resistance to <i>Meloidogyne arenaria</i> , <i>M. hapla</i> , and <i>M. javanica</i> . <i>Plant Disease</i> , 2001, 85, 267-270.	1.4	4
46	GA90-16: A Nonsweet, Staple-type Sweetpotato Breeding Line. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 2001, 36, 175-177.	1.0	8
47	Characterization of Resistance Conferred by the N gene to <i>Meloidogyne arenaria</i> Races 1 and 2, <i>M. hapla</i> , and <i>M. javanica</i> in Two Sets of Isogenic Lines of <i>Capsicum annum</i> L.. <i>Journal of the American Society for Horticultural Science</i> , 2000, 125, 71-75.	1.0	37
48	Inheritance of Resistance to the Peanut Root-knot Nematode in <i>Capsicum chinense</i> . <i>Journal of the American Society for Horticultural Science</i> , 2000, 125, 615-618.	1.0	1
49	Use of a Resistant Pepper as a Rotational Crop to Manage Southern Root-knot Nematode. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1998, 33, 716-718.	1.0	17
50	PA-353, PA-398, and PA-426: Southern Root-knot Nematode-Resistant <i>Capsicum chinense</i> Jacq. Germplasm Lines. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1998, 33, 760-761.	1.0	5
51	'Carolina Wonder' and 'Charleston Belle': Southern Root-knot Nematode-Resistant Bell Peppers. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1998, 33, 900-902.	1.0	41
52	Genetic Analysis of Resistance to the Southern Root-knot Nematode in <i>Capsicum chinense</i> Jacq.. <i>Journal of the American Society for Horticultural Science</i> , 1998, 123, 1008-1011.	1.0	8
53	Modified Expression of the N Gene for Southern Root-knot Nematode Resistance in Pepper at High Soil Temperatures. <i>Journal of the American Society for Horticultural Science</i> , 1998, 123, 1012-1015.	1.0	27
54	PA-136 Cayenne Pepper, an Exceptional Host for Production of Southern Root-knot Nematode Inoculum. <i>Hortscience: A Publication of the American Society for Horticultural Science</i> , 1997, 32, 335.	1.0	3

#	ARTICLE	IF	CITATIONS
55	Evaluation of <i>Capsicum chinense</i> Jacq. Cultigens for Resistance to the Southern Root-knot Nematode. Hortscience: A Publication of the American Society for Horticultural Science, 1997, 32, 923-926.	1.0	14
56	Effectiveness of Resistance to Southern Root-knot Nematode in 'Carolina Cayenne' Pepper in Greenhouse, Microplot, and Field Tests. Journal of the American Society for Horticultural Science, 1997, 122, 200-204.	1.0	16
57	Host Suitability of Forage Grasses and Legumes for Root-lesion Nematode <i>Pratylenchus penetrans</i> . Crop Science, 1995, 35, 1647-1651.	1.8	29
58	Characterization of New Sources of Resistance in Cowpea to the Southern Root-knot Nematode. Hortscience: A Publication of the American Society for Horticultural Science, 1994, 29, 678-679.	1.0	8
59	Seeding Date, Carbofuran, and Resistance to Root-lesion Nematode Affect Alfalfa Stand Establishment. Crop Science, 1992, 32, 786-792.	1.8	13
60	Effect of indomethacin on blastogenesis of lymphocytes from cancer patients: Differentiation of patient types. Clinical Immunology and Immunopathology, 1979, 13, 30-38.	2.0	34