
## Stuart Ca Winter

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6296866/publications.pdf Version: 2024-02-01



| #  | Article   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Relation of a Hypoxia Metagene Derived from Head and Neck Cancer to Prognosis of Multiple Cancers.<br>Cancer Research, 2007, 67, 3441-3449.   | 0.9  | 349       |
| 2  | hsaâ€miRâ€210 is a marker of tumor hypoxia and a prognostic factor in head and neck cancer. Cancer, 2010,<br>116, 2148-2158.  | 4.1  | 215       |
| 3  | Effect of COVID-19 pandemic lockdowns on planned cancer surgery for 15 tumour types in 61 countries: an international, prospective, cohort study. Lancet Oncology, The, 2021, 22, 1507-1517.                    | 10.7 | 171       |
| 4  | Elective Cancer Surgery in COVID-19–Free Surgical Pathways During the SARS-CoV-2 Pandemic: An<br>International, Multicenter, Comparative Cohort Study. Journal of Clinical Oncology, 2021, 39, 66-78.           | 1.6  | 165       |
| 5  | PDK-1 regulates lactate production in hypoxia and is associated with poor prognosis in head and neck squamous cancer. British Journal of Cancer, 2008, 98, 1975-1984.   | 6.4  | 161       |
| 6  | Delaying surgery for patients with a previous SARS-CoV-2 infection. British Journal of Surgery, 2020, 107, e601-e602.   | 0.3  | 96        |
| 7  | The relation between hypoxiaâ€inducible factor (HIF)â€1α and HIFâ€2α expression with anemia and outcome in surgically treated head and neck cancer. Cancer, 2006, 107, 757-766.                                 | 4.1  | 92        |
| 8  | Lactate Dehydrogenase 5 Expression in Squamous Cell Head and Neck Cancer Relates to Prognosis following Radical or Postoperative Radiotherapy. Oncology, 2009, 77, 285-292.                                     | 1.9  | 82        |
| 9  | Prognostic Value of an Activation State Marker for Epidermal Growth Factor Receptor in Tissue<br>Microarrays of Head and Neck Cancer. Cancer Research, 2006, 66, 2834-2843.                                     | 0.9  | 57        |
| 10 | Transoral tongue base mucosectomy for the identification of the primary site in the work-up of cancers of unknown origin: Systematic review and meta-analysis. Oral Oncology, 2019, 91, 97-106.                 | 1.5  | 49        |
| 11 | Head and neck cancer surgery during the COVIDâ€19 pandemic: An international, multicenter, observational cohort study. Cancer, 2021, 127, 2476-2488.  | 4.1  | 48        |
| 12 | Preoperative nasopharyngeal swab testing and postoperative pulmonary complications in patients<br>undergoing elective surgery during the SARS-CoV-2 pandemic. British Journal of Surgery, 2021, 108,<br>88-96.  | 0.3  | 45        |
| 13 | Establishing a large prospective clinical cohort in people with head and neck cancer as a biomedical resource: head and neck 5000. BMC Cancer, 2014, 14, 973.   | 2.6  | 42        |
| 14 | Relation of Erythropoietin and Erythropoietin Receptor Expression to Hypoxia and Anemia in Head and<br>Neck Squamous Cell Carcinoma. Clinical Cancer Research, 2005, 11, 7614-7620.                             | 7.0  | 41        |
| 15 | IGF-1R expression is associated with HPV-negative status and adverse survival in head and neck squamous cell cancer. Carcinogenesis, 2015, 36, 648-655.   | 2.8  | 41        |
| 16 | Current and future techniques for human papilloma virus (HPV) testing in oropharyngeal squamous<br>cell carcinoma. European Archives of Oto-Rhino-Laryngology, 2017, 274, 2675-2683.                            | 1.6  | 39        |
| 17 | Transâ€oral robotic assisted tongue base mucosectomy for investigation of cancer of unknown primary<br>in the head and neck region. The <scp>UK</scp> experience. Clinical Otolaryngology, 2017, 42, 1247-1251. | 1.2  | 37        |
| 18 | Mucosal melanoma of the upper airways tract mucosal melanoma: A systematic review with meta-analyses of treatment. Head and Neck, 2017, 39, 819-825.  | 2.0  | 35        |

STUART CA WINTER

| #  | Article  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Long term survival following the detection of circulating tumour cells in head and neck squamous cell carcinoma. BMC Cancer, 2009, 9, 424.   | 2.6 | 34        |
| 20 | Fourier transform infrared for noninvasive optical diagnosis of oral, oropharyngeal, and laryngeal cancer. Translational Research, 2014, 163, 19-26.   | 5.0 | 32        |
| 21 | Development and external validation of nomograms in oropharyngeal cancer patients with known<br>HPV-DNA status: a European Multicentre Study (OroGrams). British Journal of Cancer, 2018, 118,<br>1672-1681.                             | 6.4 | 32        |
| 22 | The management of oesophageal soft food bolus obstruction: a systematic review. Annals of the Royal<br>College of Surgeons of England, 2011, 93, 441-444.  | 0.6 | 30        |
| 23 | Quality of life following resection, free flap reconstruction and postoperative external beam radiotherapy for squamous cell carcinoma of the base of tongue1. Clinical Otolaryngology, 2004, 29, 274-278.                               | 0.0 | 26        |
| 24 | Transoral laser microsurgery <i>versus</i> radiation therapy in the management of T1 and T2<br>laryngeal glottic carcinoma: which modality is costâ€effective within the <scp>UK</scp> ?. Clinical<br>Otolaryngology, 2017, 42, 404-415. | 1.2 | 25        |
| 25 | Clinically actionable mutation profiles in patients with cancer identified by whole-genome sequencing. Journal of Physical Education and Sports Management, 2018, 4, a002279.  | 1.2 | 21        |
| 26 | Remote triage incorporating symptomâ€based risk stratification for suspected head and neck cancer<br>referrals: A prospective populationâ€based study. Cancer, 2021, 127, 4177-4189.   | 4.1 | 19        |
| 27 | A novel use of the facial artery based buccinator musculo-mucosal island flap for reconstruction of the oropharynx. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2013, 66, 1365-1368.                                       | 1.0 | 18        |
| 28 | Saliva testing for human papilloma virus in oropharyngeal squamous cell carcinoma: A diagnostic accuracy study. Clinical Otolaryngology, 2018, 43, 151-157.  | 1.2 | 17        |
| 29 | UK Head and neck cancer surgical capacity during the second wave of the COVID—19 pandemic: Have we<br>learned the lessons? COVIDSurg collaborative. Clinical Otolaryngology, 2021, 46, 729-735.  | 1.2 | 16        |
| 30 | British Association of Head and Neck Oncologists (BAHNO) standards 2020. Journal of Oral Pathology and Medicine, 2021, 50, 262-273.  | 2.7 | 15        |
| 31 | Flexible nasendoscope with a disposable-sheath system versus standard nasendoscopy: a prospective, randomized trial. Clinical Otolaryngology, 2002, 27, 81-83.   | 0.0 | 14        |
| 32 | Unusual cervical spine injury in a 1 year old. Injury, 2003, 34, 316-319.  | 1.7 | 12        |
| 33 | Longâ€ŧerm functional outcomes in surgically treated patients with oropharyngeal cancer.<br>Laryngoscope, 2015, 125, 1637-1643.  | 2.0 | 12        |
| 34 | Long-term survival outcomes in patients with surgically treated oropharyngeal cancer and defined human papilloma virus status. Journal of Laryngology and Otology, 2016, 130, 1048-1053.   | 0.8 | 12        |
| 35 | Outcomes in Squamous Cell Carcinoma with Advanced Neck Disease. Annals of the Royal College of<br>Surgeons of England, 2007, 89, 703-708.  | 0.6 | 10        |
| 36 | Ectopic, submandibular thyroid causing hyperthyroidism. Journal of Laryngology and Otology, 2011, 125, 1091-1093.  | 0.8 | 10        |

STUART CA WINTER

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Epithelioid sarcoma with metastatic spread to the tongue. Journal of Laryngology and Otology, 2002, 116, 744-745.   | 0.8 | 9         |
| 38 | Functional outcomes following endoscopic laser cricopharyngeal myotomy with mucosal repair.<br>European Archives of Oto-Rhino-Laryngology, 2014, 271, 1631-1634.  | 1.6 | 9         |
| 39 | Trans-cutaneous electrical nerve stimulation to treat dry mouth (xerostomia) following<br>radiotherapy for head and neck cancer. A systematic review. Annals of Medicine and Surgery, 2021, 63,<br>102146.  | 1.1 | 8         |
| 40 | Transoral Robotic Surgery for Oropharyngeal Cancer. Orl, 2018, 80, 156-170.   | 1.1 | 7         |
| 41 | Provision of physiotherapy rehabilitation following neck dissection in the UK. Journal of Laryngology and Otology, 2018, 132, 624-627.  | 0.8 | 7         |
| 42 | Incidental findings on 18-FDG PET–CT in head and neck cancer. A retrospective case-control study of<br>incidental findings on 18-FDG PET–CT in patients with head and neck cancer. European Archives of<br>Oto-Rhino-Laryngology, 2019, 276, 243-247. | 1.6 | 7         |
| 43 | Management of an incidental malignant peripheral nerve sheath tumour in the parapharyngeal space.<br>Journal of Laryngology and Otology, 2013, 127, 104-106.  | 0.8 | 6         |
| 44 | Human papillomavirus–associated adenocarcinoma of the palatine tonsil. Human Pathology, 2014, 45,<br>893-894.   | 2.0 | 6         |
| 45 | Hypohidrotic ectodermal dysplasia associated with squamous cell carcinoma of the trachea. Journal of Laryngology and Otology, 2002, 116, 742-743.   | 0.8 | 5         |
| 46 | Irrigation Solutions in Head and Neck Cancer Surgery. Annals of Otology, Rhinology and Laryngology,<br>2015, 124, 68-71.  | 1.1 | 5         |
| 47 | Upper aerodigestive tract cancer: summary of the National Institute for Health and Care Excellence guidelines for England and Wales. Clinical Otolaryngology, 2017, 42, 3-10.   | 1.2 | 5         |
| 48 | Radioresistant laryngeal cancers upregulate type 1 IGF receptor and exhibit increased cellular dependence on IGF and EGF signalling. Clinical Otolaryngology, 2019, 44, 1026-1036.  | 1.2 | 5         |
| 49 | Use of the self-retaining Alexis ring retractor in transoral robotic surgery. Head and Neck, 2017, 39, 2132-2134.   | 2.0 | 5         |
| 50 | Effects of clinical service reorganisation on cellular pathology workload. Journal of Clinical<br>Pathology, 2004, 57, 22-26.   | 2.0 | 4         |
| 51 | Hypoxia and anaemia in head and neck squamous cell carcinoma - mechanisms of therapy failure and provision of new therapeutic targets. Clinical Otolaryngology, 2005, 30, 99-104.   | 1.2 | 3         |
| 52 | Acute sensorineural hearing loss immediately following a local anaesthetic dental procedure.<br>European Archives of Oto-Rhino-Laryngology, 2007, 264, 99-102.  | 1.6 | 3         |
| 53 | Letter to editor: Current and future techniques for human papilloma virus (HPV) testing in<br>oropharyngeal squamous cell carcinoma. European Archives of Oto-Rhino-Laryngology, 2017, 274,<br>4259-4259.   | 1.6 | 3         |
| 54 | Timing and volume of information produced for the Otolaryngologist during the COVIDâ€19 pandemic in the UK: A review of the volume of online literature. Clinical Otolaryngology, 2021, 46, 318-324.  | 1.2 | 3         |

STUART CA WINTER

| #  | Article   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Developing and validating a multivariable predictive biomarker for treatment selection for<br>oropharyngeal squamous cell carcinoma: The PREDICTR-OPC study Journal of Clinical Oncology, 2017,<br>35, 6004-6004. | 1.6 | 3         |
| 56 | Functional Outcomes Following Total Laryngectomy and Pharyngolaryngectomy: A 20-Year Single<br>Center Study. Annals of Otology, Rhinology and Laryngology, 2022, 131, 1301-1309.                                  | 1.1 | 3         |
| 57 | Relapsing acute adult epiglottitis following hypophysectomy. Journal of Laryngology and Otology, 2003, 117, 995-997.  | 0.8 | 2         |
| 58 | Endoscopic pharyngeal pouch stapling: A retrospective study of 55 patients comparing intubation difficulty and body mass index as factors for success. Clinical Otolaryngology, 2020, 45, 135-138.                | 1.2 | 2         |
| 59 | Getting Recovery Right After Neck Dissection (GRRAND-F): mixed-methods feasibility study to design a pragmatic randomised controlled trial protocol. BMJ Open, 2021, 11, e045741.                                 | 1.9 | 2         |
| 60 | Inclusion body myositis and dysphagia. Presentation, intervention and outcome at a swallowing clinic. Journal of Laryngology and Otology, 2023, 137, 213-218.   | 0.8 | 2         |
| 61 | Methodology for the development of National Multidisciplinary Management Recommendations using<br>a multi-stage meta-consensus initiative. BMC Medical Research Methodology, 2022, 22, .                          | 3.1 | 2         |
| 62 | Nodular fasciitis of soft tissue over the mandible. BMJ Case Reports, 2017, 2017, bcr-2017-220611.  | 0.5 | 1         |
| 63 | COVID-19 and the return to head and neck outpatient activity in the United Kingdom: what is the new normal?. European Archives of Oto-Rhino-Laryngology, 2021, 278, 2641-2648.                                    | 1.6 | 1         |
| 64 | Zenker's diverticulum misinterpreted as a thyroid mass: Case report. Annals of Medicine and Surgery, 2020, 60, 515-517.   | 1.1 | 1         |
| 65 | OUP accepted manuscript. BJS Open, 2021, 5, .   | 1.7 | 1         |
| 66 | A bitter pill to swallow. Medical Journal of Australia, 2003, 178, 189-189.   | 1.7 | 0         |
| 67 | How we did it: revision for section 2 of the FRCS (ORL-HNS) exam. Clinical Otolaryngology, 2008, 33, 188-189.   | 1.2 | 0         |
| 68 | Temporary cover for miniâ€ŧrephines. Clinical Otolaryngology, 2008, 33, 634-634.  | 1.2 | 0         |
| 69 | A Lesion in the Parotid Gland. JAMA Otolaryngology - Head and Neck Surgery, 2015, 141, 845.   | 2.2 | 0         |
| 70 | Clinical outcomes following pharyngolaryngectomy reconstruction: a 20-year single centre study.<br>Journal of Laryngology and Otology, 2022, , 1-18.  | 0.8 | 0         |