

# Edith Pomarol-Clotet

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6300184/publications.pdf>

Version: 2024-02-01

133  
papers

5,982  
citations

101543

36  
h-index

91884

69  
g-index

140  
all docs

140  
docs citations

140  
times ranked

8219  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cortical Brain Abnormalities in 4474 Individuals With Schizophrenia and 5098 Control Subjects via the Enhancing Neuro Imaging Genetics Through Meta Analysis (ENIGMA) Consortium. <i>Biological Psychiatry</i> , 2018, 84, 644-654.	1.3	627
2	Mapping cortical brain asymmetry in 17,141 healthy individuals worldwide via the ENIGMA Consortium. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, E5154-E5163.	7.1	299
3	Anisotropic Kernels for Coordinate-Based Meta-Analyses of Neuroimaging Studies. <i>Frontiers in Psychiatry</i> , 2014, 5, 13.	2.6	286
4	Modafinil Improves Cognition and Attentional Set Shifting in Patients with Chronic Schizophrenia. <i>Neuropsychopharmacology</i> , 2004, 29, 1363-1373.	5.4	254
5	Clozapine Alone versus Clozapine and Risperidone with Refractory Schizophrenia. <i>New England Journal of Medicine</i> , 2006, 354, 472-482.	27.0	249
6	Functional dysconnectivity in schizophrenia associated with attentional modulation of motor function. <i>Brain</i> , 2005, 128, 2597-2611.	7.6	183
7	Frontal Responses During Learning Predict Vulnerability to the Psychotogenic Effects of Ketamine. <i>Archives of General Psychiatry</i> , 2006, 63, 611.	12.3	169
8	Widespread white matter microstructural abnormalities in bipolar disorder: evidence from mega- and meta-analyses across 3033 individuals. <i>Neuropsychopharmacology</i> , 2019, 44, 2285-2293.	5.4	147
9	Cortical thickness across the lifespan: Data from 17,075 healthy individuals aged 3-90 years. <i>Human Brain Mapping</i> , 2022, 43, 431-451.	3.6	143
10	Brain aging in major depressive disorder: results from the ENIGMA major depressive disorder working group. <i>Molecular Psychiatry</i> , 2021, 26, 5124-5139.	7.9	136
11	Virtual Histology of Cortical Thickness and Shared Neurobiology in 6 Psychiatric Disorders. <i>JAMA Psychiatry</i> , 2021, 78, 47.	11.0	136
12	Increased power by harmonizing structural MRI site differences with the ComBat batch adjustment method in ENIGMA. <i>NeuroImage</i> , 2020, 218, 116956.	4.2	135
13	Using structural MRI to identify bipolar disorders – 13 site machine learning study in 3020 individuals from the ENIGMA Bipolar Disorders Working Group. <i>Molecular Psychiatry</i> , 2020, 25, 2130-2143.	7.9	127
14	Overall brain connectivity maps show cortical-subcortical abnormalities in schizophrenia. <i>Human Brain Mapping</i> , 2010, 31, 2003-2014.	3.6	122
15	Validation of the Word Accentuation Test (TAP) as a means of estimating premorbid IQ in Spanish speakers. <i>Schizophrenia Research</i> , 2011, 128, 175-176.	2.0	120
16	Validity of modulation and optimal settings for advanced voxel-based morphometry. <i>NeuroImage</i> , 2014, 86, 81-90.	4.2	96
17	Individual Differences in Psychotic Effects of Ketamine Are Predicted by Brain Function Measured under Placebo. <i>Journal of Neuroscience</i> , 2008, 28, 6295-6303.	3.6	81
18	Probabilistic reasoning in schizophrenia: A comparison of the performance of deluded and nondeluded schizophrenic patients and exploration of possible cognitive underpinnings. <i>Cognitive Neuropsychiatry</i> , 2006, 11, 521-536.	1.3	80

#	ARTICLE	IF	CITATIONS
19	Evaluation of machine learning algorithms and structural features for optimal MRI-based diagnostic prediction in psychosis. PLoS ONE, 2017, 12, e0175683.	2.5	79
20	Bipolar depressed patients show both failure to activate and failure to de-activate during performance of a working memory task. Journal of Affective Disorders, 2013, 148, 170-178.	4.1	77
21	Eye movement desensitization and reprocessing therapy in subsyndromal bipolar patients with a history of traumatic events: A randomized, controlled pilot-study. Psychiatry Research, 2014, 219, 122-128.	3.3	76
22	Greater male than female variability in regional brain structure across the lifespan. Human Brain Mapping, 2022, 43, 470-499.	3.6	76
23	Subcortical volumes across the lifespan: Data from 18,605 healthy individuals aged 3-90 years. Human Brain Mapping, 2022, 43, 452-469.	3.6	72
24	What we learn about bipolar disorder from large-scale neuroimaging: Findings and future directions from the ENIGMA Bipolar Disorder Working Group. Human Brain Mapping, 2022, 43, 56-82.	3.6	67
25	Changes in serum lipids, independent of weight, are associated with changes in symptoms during long-term clozapine treatment. Journal of Psychiatry and Neuroscience, 2007, 32, 331-8.	2.4	66
26	Structural Abnormalities in Bipolar Euthymia: A Multicontrast Molecular Diffusion Imaging Study. Biological Psychiatry, 2014, 76, 239-248.	1.3	61
27	Brain functional changes across the different phases of bipolar disorder. British Journal of Psychiatry, 2015, 206, 136-144.	2.8	59
28	Converging Medial Frontal Resting State and Diffusion-Based Abnormalities in Borderline Personality Disorder. Biological Psychiatry, 2016, 79, 107-116.	1.3	57
29	Impairment of specific episodic memory processes by sub-psychotic doses of ketamine: the effects of levels of processing at encoding and of the subsequent retrieval task. Psychopharmacology, 2005, 181, 445-457.	3.1	55
30	Failure of de-activation in the medial frontal cortex in mania: evidence for default mode network dysfunction in the disorder. World Journal of Biological Psychiatry, 2012, 13, 616-626.	2.6	53
31	Validation of the Spanish version of the Clinical Assessment for Negative Symptoms (CAINS). Schizophrenia Research, 2015, 166, 104-109.	2.0	50
32	Deep brain stimulation in treatment resistant schizophrenia: A pilot randomized cross-over clinical trial. EBioMedicine, 2020, 51, 102568.	6.1	50
33	Neutrophil Count Is Associated With Reduced Gray Matter and Enlarged Ventricles in First-Episode Psychosis. Schizophrenia Bulletin, 2019, 45, 846-858.	4.3	41
34	In vivo hippocampal subfield volumes in bipolar disorder: A mega-analysis from The Enhancing Neuro Imaging Genetics through Meta-Analysis Bipolar Disorder Working Group. Human Brain Mapping, 2022, 43, 385-398.	3.6	41
35	Neural correlates of cognitive impairment in schizophrenia. British Journal of Psychiatry, 2011, 199, 202-210.	2.8	40
36	Differential failure to deactivate the default mode network in unipolar and bipolar depression. Bipolar Disorders, 2017, 19, 386-395.	1.9	40

#	ARTICLE	IF	CITATIONS
37	Approaches to neuromodulation for schizophrenia. <i>Journal of Neurology, Neurosurgery and Psychiatry</i> , 2018, 89, 777-787.	1.9	39
38	A meta-analysis of deep brain structural shape and asymmetry abnormalities in 2,833 individuals with schizophrenia compared with 3,929 healthy volunteers via the ENIGMA Consortium. <i>Human Brain Mapping</i> , 2022, 43, 352-372.	3.6	39
39	Eye movement desensitization and reprocessing therapy versus supportive therapy in affective relapse prevention in bipolar patients with a history of trauma: study protocol for a randomized controlled trial. <i>Trials</i> , 2017, 18, 160.	1.6	38
40	Structural abnormality in schizophrenia versus bipolar disorder: A whole brain cortical thickness, surface area, volume and gyrification analyses. <i>NeuroImage: Clinical</i> , 2020, 25, 102131.	2.7	38
41	A Multisite, Randomized Controlled Clinical Trial of Computerized Cognitive Remediation Therapy for Schizophrenia. <i>Schizophrenia Bulletin</i> , 2015, 41, 1387-1396.	4.3	37
42	The Effects of a Subpsychotic Dose of Ketamine on Recognition and Source Memory for Agency: Implications for Pharmacological Modelling of Core Symptoms of Schizophrenia. <i>Neuropsychopharmacology</i> , 2006, 31, 413-423.	5.4	36
43	Structural brain changes associated with tardive dyskinesia in schizophrenia. <i>British Journal of Psychiatry</i> , 2013, 203, 51-57.	2.8	36
44	Conditional Mutual Information Maps as Descriptors of Net Connectivity Levels in the Brain. <i>Frontiers in Neuroinformatics</i> , 2010, 4, 115.	2.5	35
45	Brain abnormalities in adults with Attention Deficit Hyperactivity Disorder revealed by voxel-based morphometry. <i>Psychiatry Research - Neuroimaging</i> , 2016, 254, 41-47.	1.8	35
46	Multimodal Brain Changes in First-Episode Mania: A Voxel-Based Morphometry, Functional Magnetic Resonance Imaging, and Connectivity Study. <i>Schizophrenia Bulletin</i> , 2019, 45, 464-473.	4.3	35
47	Structural and Functional Brain Correlates of Cognitive Impairment in Euthymic Patients with Bipolar Disorder. <i>PLoS ONE</i> , 2016, 11, e0158867.	2.5	35
48	Orbitofrontal overactivation in reward processing in borderline personality disorder: the role of non-suicidal self-injury. <i>Brain Imaging and Behavior</i> , 2018, 12, 217-228.	2.1	34
49	A comparison of various MRI feature types for characterizing whole brain anatomical differences using linear pattern recognition methods. <i>NeuroImage</i> , 2018, 178, 753-768.	4.2	33
50	EMDR Therapy Modulates the Default Mode Network in a Subsyndromal, Traumatized Bipolar Patient. <i>Neuropsychobiology</i> , 2013, 67, 181-184.	1.9	30
51	Lamotrigine: when and where does it act in affective disorders? A systematic review. <i>Journal of Psychopharmacology</i> , 2011, 25, 1289-1294.	4.0	29
52	Sparse wars: A survey and comparative study of spherical deconvolution algorithms for diffusion MRI. <i>NeuroImage</i> , 2019, 184, 140-160.	4.2	29
53	Effect of the Interleukin-1 $\beta$ Gene on Dorsolateral Prefrontal Cortex Function in Schizophrenia: A Genetic Neuroimaging Study. <i>Biological Psychiatry</i> , 2012, 72, 758-765.	1.3	28
54	Larger Gray Matter Volume in the Basal Ganglia of Heavy Cannabis Users Detected by Voxel-Based Morphometry and Subcortical Volumetric Analysis. <i>Frontiers in Psychiatry</i> , 2018, 9, 175.	2.6	28

#	ARTICLE	IF	CITATIONS
55	Common and specific brain responses to scenic emotional stimuli. <i>Brain Structure and Function</i> , 2014, 219, 1463-1472.	2.3	27
56	Clinical Improvement in a Treatment-Resistant Patient With Schizophrenia Treated With Deep Brain Stimulation. <i>Biological Psychiatry</i> , 2016, 80, e69-e70.	1.3	27
57	Mental health professionals' attitudes towards mental illness: professional and cultural factors in the INTER NOS study. <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2019, 269, 325-339.	3.2	27
58	Spherical Deconvolution of Multichannel Diffusion MRI Data with Non-Gaussian Noise Models and Spatial Regularization. <i>PLoS ONE</i> , 2015, 10, e0138910.	2.5	27
59	Multimodal Integration of Brain Images for MRI-Based Diagnosis in Schizophrenia. <i>Frontiers in Neuroscience</i> , 2019, 13, 1203.	2.8	26
60	Midline Brain Abnormalities Across Psychotic and Mood Disorders. <i>Schizophrenia Bulletin</i> , 2015, 42, sbv097.	4.3	25
61	Structural and functional brain changes in delusional disorder. <i>British Journal of Psychiatry</i> , 2016, 208, 153-159.	2.8	25
62	Longitudinal brain functional changes between mania and euthymia in bipolar disorder. <i>Bipolar Disorders</i> , 2019, 21, 449-457.	1.9	24
63	Association between body mass index and subcortical brain volumes in bipolar disorders—ENIGMA study in 2735 individuals. <i>Molecular Psychiatry</i> , 2021, 26, 6806-6819.	7.9	24
64	Effects of Mindfulness Training on Borderline Personality Disorder: Impulsivity Versus Emotional Dysregulation. <i>Mindfulness</i> , 2019, 10, 1243-1254.	2.8	23
65	Procedural Learning in Schizophrenia: Reconciling the Discrepant Findings. <i>Biological Psychiatry</i> , 2011, 69, 49-54.	1.3	22
66	Functional Imaging Changes in the Medial Prefrontal Cortex in Adult ADHD. <i>Journal of Attention Disorders</i> , 2018, 22, 679-693.	2.6	21
67	Abnormalities in gray matter volume in patients with borderline personality disorder and their relation to lifetime depression: A VBM study. <i>PLoS ONE</i> , 2018, 13, e0191946.	2.5	20
68	Predicting violence in psychiatric inpatients: a prospective study with the HCR-20 violence risk assessment scheme. <i>Journal of Forensic Psychiatry and Psychology</i> , 2011, 22, 203-222.	1.0	19
69	Deficits in nominal reference identify thought disordered speech in a narrative production task. <i>PLoS ONE</i> , 2018, 13, e0201545.	2.5	19
70	Involvement of NRN1 gene in schizophrenia-spectrum and bipolar disorders and its impact on age at onset and cognitive functioning. <i>World Journal of Biological Psychiatry</i> , 2016, 17, 129-139.	2.6	18
71	Effects of mindfulness training on the default mode network in borderline personality disorder. <i>Clinical Psychology and Psychotherapy</i> , 2019, 26, 562-571.	2.7	18
72	Discoidin domain receptor 1 gene variants are associated with decreased white matter fractional anisotropy and decreased processing speed in schizophrenia. <i>Journal of Psychiatric Research</i> , 2019, 110, 74-82.	3.1	18

#	ARTICLE	IF	CITATIONS
73	An overlapping pattern of cerebral cortical thinning is associated with both positive symptoms and aggression in schizophrenia via the ENIGMA consortium. <i>Psychological Medicine</i> , 2020, 50, 2034-2045.	4.5	18
74	Comparison of serum BDNF levels in deficit and nondeficit chronic schizophrenia and healthy controls. <i>Psychiatry Research</i> , 2014, 220, 197-200.	3.3	17
75	Examining hippocampal function in schizophrenia using a virtual reality spatial navigation task. <i>Schizophrenia Research</i> , 2016, 172, 86-93.	2.0	17
76	Shared and differential default-mode related patterns of activity in an autobiographical, a self-referential and an attentional task. <i>PLoS ONE</i> , 2019, 14, e0209376.	2.5	17
77	Brain imaging correlates of self- and other-reflection in schizophrenia. <i>NeuroImage: Clinical</i> , 2020, 25, 102134.	2.7	17
78	Statistical analysis of brain tissue images in the wavelet domain: Wavelet-based morphometry. <i>NeuroImage</i> , 2013, 72, 214-226.	4.2	16
79	Non redundant functional brain connectivity in schizophrenia. <i>Brain Imaging and Behavior</i> , 2017, 11, 552-564.	2.1	16
80	Effectiveness of a community-based nurse-led lifestyle modification intervention for people with serious mental illness and metabolic syndrome. <i>International Journal of Mental Health Nursing</i> , 2019, 28, 1328-1337.	3.8	16
81	The linguistic signature of hallucinated voice talk in schizophrenia. <i>Schizophrenia Research</i> , 2019, 206, 111-117.	2.0	16
82	Comparison of non-parametric T2 relaxometry methods for myelin water quantification. <i>Medical Image Analysis</i> , 2021, 69, 101959.	11.6	16
83	Gray and white matter changes and their relation to illness trajectory in first episode psychosis. <i>European Neuropsychopharmacology</i> , 2018, 28, 392-400.	0.7	15
84	Age- and gender-related differences in brain tissue microstructure revealed by multi-component T2 relaxometry. <i>Neurobiology of Aging</i> , 2021, 106, 68-79.	3.1	15
85	Are There Valid Subtypes of Schizophrenia? A Grade of Membership Analysis. <i>Psychopathology</i> , 2010, 43, 53-62.	1.5	14
86	Intelligence, educational attainment, and brain structure in those at familial high risk for schizophrenia or bipolar disorder. <i>Human Brain Mapping</i> , 2022, 43, 414-430.	3.6	14
87	Evidence for default mode network dysfunction in borderline personality disorder. <i>Psychological Medicine</i> , 2020, 50, 1746-1754.	4.5	13
88	Surface-based brain morphometry and diffusion tensor imaging in schizoaffective disorder. <i>Australian and New Zealand Journal of Psychiatry</i> , 2017, 51, 42-54.	2.3	11
89	Target selection for deep brain stimulation in treatment resistant schizophrenia. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2022, 112, 110436.	4.8	11
90	Virtual Ontogeny of Cortical Growth Preceding Mental Illness. <i>Biological Psychiatry</i> , 2022, 92, 299-313.	1.3	11

#	ARTICLE	IF	CITATIONS
91	Heightened stimulus salience renders deluded schizophrenics less susceptible to the "famous names illusion"™. <i>Schizophrenia Research</i> , 2005, 80, 369-371.	2.0	10
92	Neural correlates of disturbance in the sense of agency in schizophrenia: An fMRI study using the "enfacement"™ paradigm. <i>Schizophrenia Research</i> , 2022, 243, 395-401.	2.0	10
93	Trait or state? A longitudinal neuropsychological evaluation and fMRI study in schizoaffective disorder. <i>Schizophrenia Research</i> , 2014, 159, 458-464.	2.0	9
94	Transcultural adaption and validation of the Spanish version of the Bipolar Depression Rating Scale (BDRS-S). <i>Journal of Affective Disorders</i> , 2015, 172, 110-115.	4.1	9
95	Cognitive impairment associated with cocaine use: The role of co-existent alcohol abuse/dependence. <i>Drug and Alcohol Dependence</i> , 2018, 189, 70-75.	3.2	9
96	Structural brain abnormalities in borderline personality disorder correlate with clinical severity and predict psychotherapy response. <i>Brain Imaging and Behavior</i> , 2021, 15, 2502-2512.	2.1	9
97	ECT in a patient with Parkinson's disease and schizophrenia, with dopamine transporter visualisation using 123I-lobflupane SPET. <i>Journal of Neural Transmission</i> , 2011, 118, 647-650.	2.8	8
98	Letter to the Editor: Deep brain stimulation for schizophrenia. <i>Journal of Neurosurgery</i> , 2016, 125, 229-230.	1.6	8
99	Spanish Validation of the Problem Behaviors Assessment's Short (PBA-s) for Huntington's Disease. <i>Journal of Neuropsychiatry and Clinical Neurosciences</i> , 2017, 29, 31-38.	1.8	8
100	Brain metabolic changes in patients with treatment resistant schizophrenia treated with deep brain stimulation: A series of cases. <i>Journal of Psychiatric Research</i> , 2020, 127, 57-61.	3.1	8
101	Interindividual variability of functional connectome in schizophrenia. <i>Schizophrenia Research</i> , 2021, 235, 65-73.	2.0	8
102	Metabolic Syndrome Screening in People With Severe Mental Illness: Results From Two Spanish Community Mental Health Centers. <i>Journal of the American Psychiatric Nurses Association</i> , 2020, 26, 162-171.	1.0	7
103	Autobiographical memory and default mode network function in schizophrenia: an fMRI study. <i>Psychological Medicine</i> , 2021, 51, 121-128.	4.5	7
104	Auditory hallucinations activate language and verbal short-term memory, but not auditory, brain regions. <i>Scientific Reports</i> , 2021, 11, 18890.	3.3	7
105	Validity and reliability of the Spanish version of the diagnostic assessment for the severely handicapped (DASH-II). <i>Research in Developmental Disabilities</i> , 2015, 36, 537-542.	2.2	6
106	Sensitivity and specificity of hypoactivations and failure of de-activation in schizophrenia. <i>Schizophrenia Research</i> , 2018, 201, 224-230.	2.0	6
107	Language disintegration in spontaneous speech in Huntington's disease: a more fine-grained analysis. <i>Journal of Communication Disorders</i> , 2020, 83, 105970.	1.5	6
108	Birth weight and antipsychotic induced weight gain: A prenatal programming approach in the PEPs study. <i>Schizophrenia Research</i> , 2020, 218, 292-294.	2.0	6

#	ARTICLE	IF	CITATIONS
109	A Functional Connectivity Study to Investigate the Role of the Right Anterior Insula in Modulating Emotional Dysfunction in Borderline Personality Disorder. <i>Psychosomatic Medicine</i> , 2022, 84, 64-73.	2.0	6
110	Prevalence of cavum vergae in psychosis and mood spectrum disorders. <i>Journal of Affective Disorders</i> , 2015, 186, 53-57.	4.1	5
111	Reply to: New Meta- and Mega-analyses of Magnetic Resonance Imaging Findings in Schizophrenia: Do They Really Increase Our Knowledge About the Nature of the Disease Process?. <i>Biological Psychiatry</i> , 2019, 85, e35-e39.	1.3	5
112	Multivariate Brain Functional Connectivity Through Regularized Estimators. <i>Frontiers in Neuroscience</i> , 2020, 14, 569540.	2.8	5
113	Diagnosis of bipolar disorders and body mass index predict clustering based on similarities in cortical thickness—ENIGMA study in 2436 individuals. <i>Bipolar Disorders</i> , 2022, 24, 509-520.	1.9	5
114	Negative schizophrenic symptoms as prefrontal cortex dysfunction: Examination using a task measuring goal neglect. <i>NeuroImage: Clinical</i> , 2022, 35, 103119.	2.7	5
115	The interfering effects of frequent auditory verbal hallucinations on shadowing performance in schizophrenia. <i>Schizophrenia Research</i> , 2019, 208, 488-489.	2.0	4
116	<i>DDR1</i> methylation is associated with bipolar disorder and the isoform expression and methylation of myelin genes. <i>Epigenomics</i> , 2021, 13, 845-858.	2.1	4
117	Altered brain responses to specific negative emotions in schizophrenia. <i>NeuroImage: Clinical</i> , 2021, 32, 102894.	2.7	4
118	Prodromal phase: Differences in prodromal symptoms, risk factors and markers of vulnerability in first episode mania versus first episode psychosis with onset in late adolescence or adulthood. <i>Acta Psychiatrica Scandinavica</i> , 2022, 146, 36-50.	4.5	4
119	Brain imaging of executive function with the computerised multiple elements test. <i>Brain Imaging and Behavior</i> , 2021, 15, 2317-2329.	2.1	3
120	Activation and deactivation patterns in schizophrenia during performance of an fMRI adapted version of the stroop task. <i>Journal of Psychiatric Research</i> , 2021, 144, 1-7.	3.1	3
121	Cortical thinning over two years after first-episode psychosis depends on age of onset. <i>NPJ Schizophrenia</i> , 2022, 8, 20.	3.6	3
122	Processing of linguistic deixis in people with schizophrenia, with and without auditory verbal hallucinations. <i>NeuroImage: Clinical</i> , 2022, 34, 103007.	2.7	3
123	A functional neuroimaging association study on the interplay between two schizophrenia genome-wide associated genes ( <i>CACNA1C</i> and <i>ZNF804A</i> ). <i>European Archives of Psychiatry and Clinical Neuroscience</i> , 2022, 272, 1229-1239.	3.2	3
124	The BAT: A videotaped battery to assess theory of mind in schizophrenia. <i>Psychiatry Research</i> , 2021, 297, 113709.	3.3	2
125	The role of educational attainment and brain morphology in major depressive disorder: Findings from the ENIGMA major depressive disorder consortium.. , 2022, 131, 664-673.		2
126	<i>NRN1</i> Gene as a Potential Marker of Early-Onset Schizophrenia: Evidence from Genetic and Neuroimaging Approaches. <i>International Journal of Molecular Sciences</i> , 2022, 23, 7456.	4.1	2



#	ARTICLE	IF	CITATIONS
127	Patterns of activation and de-activation associated with cue-guided spatial navigation: A whole-brain, voxel-based study. <i>Neuroscience</i> , 2017, 358, 70-78.	2.3	1
128	Brain structural and functional substrates of ADGRL3 (latrophilin 3) haplotype in attention-deficit/hyperactivity disorder. <i>Scientific Reports</i> , 2021, 11, 2373.	3.3	1
129	Regularized Functional Connectivity in Schizophrenia. <i>Frontiers in Human Neuroscience</i> , 2022, 16, .	2.0	1
130	Brain correlates of impaired goal management in bipolar mania. <i>Psychological Medicine</i> , 2023, 53, 1021-1029.	4.5	0
131	Combining fMRI and DISC1 gene haplotypes to understand working memory-related brain activity in schizophrenia. <i>Scientific Reports</i> , 2022, 12, 7351.	3.3	0
132	New insights of the role of the KCNH2 gene in schizophrenia: An fMRI case-control study. <i>European Neuropsychopharmacology</i> , 2022, 60, 38-47.	0.7	0
133	Neural correlates of referential/persecutory delusions in schizophrenia: examination using fMRI and a virtual reality underground travel paradigm. <i>Psychological Medicine</i> , 0, , 1-8.	4.5	0