

Jie Jin

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6303692/publications.pdf>

Version: 2024-02-01

260
papers

6,942
citations

126907

33
h-index

76900

74
g-index

281
all docs

281
docs citations

281
times ranked

9869
citing authors

#	ARTICLE	IF	CITATIONS
1	Efficacy and safety of eltrombopag in Chinese patients with chronic immune thrombocytopenia: stage 2 results from a multicenter phase III study. <i>Platelets</i> , 2022, 33, 82-88.	2.3	17
2	The first report of complete remission following treatment with venetoclax plus prednisone in elderly patients with Philadelphia chromosome-negative acute lymphoblastic leukemia. <i>Annals of Hematology</i> , 2022, 101, 1141-1144.	1.8	5
3	Health-related quality of life in children with chronic myeloid leukemia in the chronic phase. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 341-350.	2.5	3
4	Dose tapering to withdrawal stage and long-term efficacy and safety of hetrombopag for the treatment of immune thrombocytopenia: Results from an open-label extension study. <i>Journal of Thrombosis and Haemostasis</i> , 2022, 20, 716-728.	3.8	6
5	Venetoclax-ponatinib for T315I/compound-mutated Ph+ acute lymphoblastic leukemia. <i>Blood Cancer Journal</i> , 2022, 12, 20.	6.2	14
6	Predictive values of mutational variant allele frequency in overall survival and leukemic progression of myelodysplastic syndromes. <i>Journal of Cancer Research and Clinical Oncology</i> , 2022, 148, 845-856.	2.5	6
7	Venetoclax for arsenic-resistant acute promyelocytic leukaemia. <i>British Journal of Haematology</i> , 2022, 197, .	2.5	9
8	Distinct outcomes, ABL1 mutation profile, and transcriptome features between p190 and p210 transcripts in adult Philadelphia-positive acute lymphoblastic leukemia in the TKI era. <i>Experimental Hematology and Oncology</i> , 2022, 11, 13.	5.0	5
9	Transcriptome-wide subtyping of pediatric and adult T cell acute lymphoblastic leukemia in an international study of 707 cases. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2022, 119, e2120787119.	7.1	18
10	A real-world study of infectious complications of venetoclax combined with decitabine or azacitidine in adult acute myeloid leukemia. <i>Supportive Care in Cancer</i> , 2022, 30, 7031-7038.	2.2	7
11	Asia subpopulation analysis from the phase III POLARIX trial.. <i>Journal of Clinical Oncology</i> , 2022, 40, 7558-7558.	1.6	0
12	Homoharringtonine is synergistically lethal with BCL-2 inhibitor APG-2575 in acute myeloid leukemia. <i>Journal of Translational Medicine</i> , 2022, 20, .	4.4	7
13	Ibrutinib Suppresses Early Megakaryopoiesis but Enhances Proplatelet Formation. <i>Thrombosis and Haemostasis</i> , 2021, 121, 192-205.	3.4	4
14	Mutational analysis in different foci revealing the clonal evolution of blastic plasmacytoid dendritic cell neoplasm. <i>Leukemia and Lymphoma</i> , 2021, 62, 988-991.	1.3	3
15	<i>DH1</i> ^{R132S} -mutated acute lymphoblastic leukaemia resembles Burkitt lymphoma/leukaemia via activating MYC. <i>British Journal of Haematology</i> , 2021, 192, e44-e47.	2.5	0
16	<i>CDKN2A</i> deletions are associated with poor outcomes in 101 adults with T-cell acute lymphoblastic leukemia. <i>American Journal of Hematology</i> , 2021, 96, 312-319.	4.1	15
17	Flumatinib versus Imatinib for Newly Diagnosed Chronic Phase Chronic Myeloid Leukemia: A Phase III, Randomized, Open-label, Multi-center FESNd Study. <i>Clinical Cancer Research</i> , 2021, 27, 70-77.	7.0	25
18	A study of carfilzomib and dexamethasone in patients with relapsed and refractory multiple myeloma in China. <i>International Journal of Hematology</i> , 2021, 113, 422-429.	1.6	5

#	ARTICLE	IF	CITATIONS
19	Real-world data of chronic myelomonocytic leukemia: A chinese single-center retrospective study. <i>Cancer Medicine</i> , 2021, 10, 1715-1725.	2.8	6
20	Development and validation of a novel circular RNA as an independent prognostic factor in acute myeloid leukemia. <i>BMC Medicine</i> , 2021, 19, 28.	5.5	11
21	Clinical significance of cytogenetic and molecular genetic abnormalities in 634 Chinese patients with myelodysplastic syndromes. <i>Cancer Medicine</i> , 2021, 10, 1759-1771.	2.8	4
22	A multicenter, randomized phase III trial of hetrombopag: a novel thrombopoietin receptor agonist for the treatment of immune thrombocytopenia. <i>Journal of Hematology and Oncology</i> , 2021, 14, 37.	17.0	33
23	Cytokine profiles in patients with newly diagnosed multiple myeloma: Survival is associated with IL-6 and IL-17A levels. <i>Cytokine</i> , 2021, 138, 155358.	3.2	27
24	Minimal residual disease level determined by flow cytometry provides reliable risk stratification in adults with T-cell acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2021, 193, 1096-1104.	2.5	8
25	Inhibition of CPT1a as a prognostic marker can synergistically enhance the antileukemic activity of ABT199. <i>Journal of Translational Medicine</i> , 2021, 19, 181.	4.4	11
26	Hyperthermia Selectively Destabilizes Oncogenic Fusion Proteins. <i>Blood Cancer Discovery</i> , 2021, 2, 388-401.	5.0	26
27	Current views on the genetic landscape and management of variant acute promyelocytic leukemia. <i>Biomarker Research</i> , 2021, 9, 33.	6.8	30
28	Coplanlisib plus rituximab versus placebo plus rituximab in patients with relapsed indolent non-Hodgkin lymphoma (CHRONOS-3): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology</i> , The, 2021, 22, 678-689.	10.7	83
29	Adolescents experienced more treatment failure than children with chronic myeloid leukemia receiving imatinib as frontline therapy: a retrospective multicenter study. <i>Annals of Hematology</i> , 2021, 100, 2215-2228.	1.8	3
30	Leukemia stem cell-bone marrow microenvironment interplay in acute myeloid leukemia development. <i>Experimental Hematology and Oncology</i> , 2021, 10, 39.	5.0	35
31	Coagulation profile in newly diagnosed T-cell acute lymphoblastic leukemia. <i>Thrombosis Research</i> , 2021, 203, 69-71.	1.7	2
32	MAP4K1 functions as a tumor promotor and drug mediator for AML via modulation of DNA damage/repair system and MAPK pathway. <i>EBioMedicine</i> , 2021, 69, 103441.	6.1	10
33	Fatal hemorrhagic pneumonia in patients with hematologic diseases and <i>Stenotrophomonas maltophilia</i> bacteremia: a retrospective study. <i>BMC Infectious Diseases</i> , 2021, 21, 723.	2.9	10
34	Case Report: The First Report of NUP214-ABL1 Fusion Gene in Acute Myeloid Leukemia Patient Detected by Next-Generation Sequencing. <i>Frontiers in Oncology</i> , 2021, 11, 706798.	2.8	2
35	Bortezomib in combination with fludarabine plus cyclophosphamide for patients with relapsed or refractory mantle-cell lymphoma: results of the LYM-4003 study. <i>Annals of Hematology</i> , 2021, 100, 2961-2968.	1.8	4
36	Significance of initial, interim and end-of-therapy 18F-FDG PET/CT for predicting transformation risk in follicular lymphoma. <i>Cancer Cell International</i> , 2021, 21, 394.	4.1	3

#	ARTICLE	IF	CITATIONS
37	A Phase II Trial of the Bruton Tyrosine-Kinase Inhibitor Zanubrutinib (BCB-3111) in Patients with Relapsed/Refractory Waldenström Macroglobulinemia. <i>Clinical Cancer Research</i> , 2021, 27, 5492-5501.	7.0	19
38	Treatment-induced arteriolar revascularization and miR-126 enhancement in bone marrow niche protect leukemic stem cells in AML. <i>Journal of Hematology and Oncology</i> , 2021, 14, 122.	17.0	13
39	The MAGNOLIA Trial: Zanubrutinib, a Next-Generation Bruton Tyrosine Kinase Inhibitor, Demonstrates Safety and Efficacy in Relapsed/Refractory Marginal Zone Lymphoma. <i>Clinical Cancer Research</i> , 2021, 27, 6323-6332.	7.0	42
40	Daratumumab, Bortezomib, and Dexamethasone Versus Bortezomib and Dexamethasone in Chinese Patients with Relapsed or Refractory Multiple Myeloma: Phase 3 LEPUS (MMY3009) Study. <i>Clinical Lymphoma, Myeloma and Leukemia</i> , 2021, 21, e699-e709.	0.4	19
41	Worldwide cancer statistics of adolescents and young adults in 2019: a systematic analysis of the Global Burden of Disease Study 2019. <i>ESMO Open</i> , 2021, 6, 100255.	4.5	37
42	Camrelizumab for relapsed or refractory classical Hodgkin lymphoma: extended follow-up of the multicenter, single-arm, phase 2 study. <i>International Journal of Cancer</i> , 2021, , .	5.1	11
43	Targeting miR-126 disrupts maintenance of myelodysplastic syndrome stem and progenitor cells. <i>Clinical and Translational Medicine</i> , 2021, 11, e610.	4.0	4
44	Zanubrutinib monotherapy in relapsed/refractory mantle cell lymphoma: a pooled analysis of two clinical trials. <i>Journal of Hematology and Oncology</i> , 2021, 14, 167.	17.0	21
45	The value of a new prognostic model developed by lymphocyte-monocyte ratio and platelet-monocyte ratio in peripheral T-cell lymphoma. <i>Cancer Cell International</i> , 2021, 21, 573.	4.1	5
46	A Multi-Center, Real-World Study of Chidamide for Patients With Relapsed or Refractory Peripheral T-Cell Lymphomas in China. <i>Frontiers in Oncology</i> , 2021, 11, 750323.	2.8	12
47	A Phase 1 Study to Evaluate the Safety, Pharmacokinetics (PK) and Pharmacodynamics (PD) of Lisafoclax (APG-2575), a Novel BCL-2 Inhibitor (BCL-2i), in Patients (pts) with Certain Relapsed or Refractory (R/R) Hematologic Malignancies (HMs). <i>Blood</i> , 2021, 138, 3730-3730.	1.4	2
48	Combination of Decitabine and ATRA in Newly Diagnosed Myelodysplastic Syndromes Subtype EB-Interim Analysis of a Multicenter, Randomized, Open-Label Trial. <i>Blood</i> , 2021, 138, 539-539.	1.4	1
49	Establishment and Characterization of a Human Primary Myelofibrosis Cell Line. <i>Blood</i> , 2021, 138, 4594-4594.	1.4	0
50	Ruxolitinib Combined with Dexamethasone in Adult Patients with Secondary HLH: A Single-Centre Pilot Trial. <i>Blood</i> , 2021, 138, 198-198.	1.4	1
51	Abivertinib inhibits megakaryocyte differentiation and platelet biogenesis. <i>Frontiers of Medicine</i> , 2021, , 1.	3.4	6
52	Results from a Phase 2 Study of a Novel Janus Kinase Inhibitor in Treatment of Patients with Myelofibrosis. <i>Blood</i> , 2021, 138, 387-387.	1.4	2
53	A Phase Ib Study of Linperlisib in Patients with Relapsed or Refractory Peripheral T-Cell Lymphoma. <i>Blood</i> , 2021, 138, 1386-1386.	1.4	0
54	Early Death and Survival of Patients With Acute Promyelocytic Leukemia in ATRA Plus Arsenic Era: A Population-Based Study. <i>Frontiers in Oncology</i> , 2021, 11, 762653.	2.8	14

#	ARTICLE	IF	CITATIONS
55	Construction of a novel ferroptosis-related gene signature for predicting prognosis and immune microenvironment in acute myeloid leukemia. <i>Bosnian Journal of Basic Medical Sciences</i> , 2021, , .	1.0	9
56	Duration of Objective Responses for Patients with Indolent Non-Hodgkin Lymphoma Discontinuing Treatment before Progression: Analysis from the Phase III Chronos-3 Trial Comparing Copanlisib Plus Rituximab with Placebo Plus Rituximab. <i>Blood</i> , 2021, 138, 3538-3538.	1.4	0
57	Ex Vivo Chemosensitivity Profiling of Acute Myeloid Leukemia and Its Correlation With Clinical Response and Outcome to Chemotherapy. <i>Frontiers in Oncology</i> , 2021, 11, 793773.	2.8	4
58	A Predictor Combining Clinical and Genetic Factors for AML1-ETO Leukemia Patients. <i>Frontiers in Oncology</i> , 2021, 11, 783114.	2.8	3
59	Clinical Features and Prognostic Significance of NOTCH1 Mutations in Diffuse Large B-Cell Lymphoma. <i>Frontiers in Oncology</i> , 2021, 11, 746577.	2.8	8
60	Homoharringtonine exhibits potent anti-tumor effect and modulates DNA epigenome in acute myeloid leukemia by targeting SP1/TET1/5hmC. <i>Haematologica</i> , 2020, 105, 148-160.	3.5	41
61	Targeting cell membrane HDM2: A novel therapeutic approach for acute myeloid leukemia. <i>Leukemia</i> , 2020, 34, 75-86.	7.2	10
62	Venetoclax and arsenic showed synergistic anti-leukemia activity in vitro and in vivo for acute myeloid leukemia with the NPM1 mutation. <i>American Journal of Hematology</i> , 2020, 95, E55-E57.	4.1	10
63	Relapsed/refractory early T-cell precursor acute lymphoblastic leukemia was salvaged by venetoclax plus HAG regimen. <i>Annals of Hematology</i> , 2020, 99, 395-397.	1.8	14
64	Clinical characteristics and prognostic values of 1p32.3 deletion detected through fluorescence in situ hybridization in patients with newly diagnosed multiple myeloma: a single-center study in China. <i>Frontiers of Medicine</i> , 2020, 14, 327-334.	3.4	4
65	The specific distribution pattern of IKZF1 mutation in acute myeloid leukemia. <i>Journal of Hematology and Oncology</i> , 2020, 13, 140.	17.0	14
66	Intracerebral Hemorrhage as the Initial Presentation of Chronic Myeloid Leukemia: A Case Report and Review of the Literature. <i>Frontiers in Neurology</i> , 2020, 11, 571576.	2.4	7
67	Leukemia cutis with IDH1, DNMT3A and NRAS mutations conferring resistance to venetoclax plus 5-azacytidine in refractory AML. <i>Biomarker Research</i> , 2020, 8, 65.	6.8	6
68	Increased Serum Level of Interleukin-10 Predicts Poor Survival and Early Recurrence in Patients With Peripheral T-Cell Lymphomas. <i>Frontiers in Oncology</i> , 2020, 10, 584261.	2.8	7
69	Comparison of Early T-Cell Precursor and Non-ETP Subtypes Among 122 Chinese Adults With Acute Lymphoblastic Leukemia. <i>Frontiers in Oncology</i> , 2020, 10, 1423.	2.8	14
70	Characteristics of chemotherapy-induced diabetes mellitus in acute lymphoblastic leukemia patients. <i>Journal of Zhejiang University: Science B</i> , 2020, 21, 740-744.	2.8	3
71	miR-550-1 functions as a tumor suppressor in acute myeloid leukemia via the hippo signaling pathway. <i>International Journal of Biological Sciences</i> , 2020, 16, 2853-2867.	6.4	11
72	Co-existence of myeloproliferative neoplasias and β^2 -thalassemia with IVS-2-654 mutation—a case report. <i>Translational Cancer Research</i> , 2020, 9, 2069-2073.	1.0	2

#	ARTICLE	IF	CITATIONS
73	Epigenetic priming with decitabine followed by low dose idarubicin and cytarabine in acute myeloid leukemia evolving from myelodysplastic syndromes and higher-risk myelodysplastic syndromes: a prospective multicenter single-arm trial. <i>Hematological Oncology</i> , 2020, 38, 531-540.	1.7	3
74	CAG regimen for refractory or relapsed adult T-cell acute lymphoblastic leukemia: A retrospective, multicenter, cohort study. <i>Cancer Medicine</i> , 2020, 9, 5327-5334.	2.8	6
75	Treatment of Patients with Relapsed or Refractory Mantle Cell Lymphoma with Zanubrutinib, a Selective Inhibitor of Bruton's Tyrosine Kinase. <i>Clinical Cancer Research</i> , 2020, 26, 4216-4224.	7.0	126
76	Abivertinib synergistically strengthens the anti-leukemia activity of venetoclax in acute myeloid leukemia in a BTK-dependent manner. <i>Molecular Oncology</i> , 2020, 14, 2560-2573.	4.6	5
77	Apigenin and Abivertinib, a novel BTK inhibitor synergize to inhibit diffuse large B-cell lymphoma in vivo and vitro. <i>Journal of Cancer</i> , 2020, 11, 2123-2132.	2.5	16
78	<sc>PML-RARA</sc> monitoring in newly diagnosed acute promyelocytic leukemia treated with an entirely oral chemotherapy-free postremission approach: A multiple institution experience. <i>Hematological Oncology</i> , 2020, 38, 618-621.	1.7	3
79	TP53 mutations are associated with very complex karyotype and suggest poor prognosis in newly diagnosed myelodysplastic syndrome patients with monosomal karyotype. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2020, 16, 172-179.	1.1	4
80	A proposal for a new staging system for extranodal natural killer T-cell lymphoma: a multicenter study from China and Asia Lymphoma Study Group. <i>Leukemia</i> , 2020, 34, 2243-2248.	7.2	35
81	Efficacy and predictive factors of venetoclax combined with azacitidine as salvage therapy in advanced acute myeloid leukemia patients: A multicenter retrospective study. <i>Leukemia Research</i> , 2020, 91, 106317.	0.8	19
82	Clinical features and treatment of 7 Chinese TAFRO syndromes from 96 de novo Castleman diseases: a 10-year retrospective study. <i>Journal of Cancer Research and Clinical Oncology</i> , 2020, 146, 357-365.	2.5	5
83	The relationship between consumption of nitrite or nitrate and risk of non-Hodgkin lymphoma. <i>Scientific Reports</i> , 2020, 10, 551.	3.3	6
84	Identification of a novel <sc>NUP98-RARA</sc> fusion transcript as the 14th variant of acute promyelocytic leukemia. <i>American Journal of Hematology</i> , 2020, 95, E184-E186.	4.1	10
85	New perspectives in genetics and targeted therapy for blastic plasmacytoid dendritic cell neoplasm. <i>Critical Reviews in Oncology/Hematology</i> , 2020, 149, 102928.	4.4	16
86	Plasma exosome-derived microRNA-532 as a novel predictor for acute myeloid leukemia. <i>Cancer Biomarkers</i> , 2020, 28, 151-158.	1.7	15
87	An oral, chemotherapy-free regimen (dasatinib plus prednisone) as induction and consolidation for adult patients with Philadelphia chromosome-positive acute lymphoblastic leukaemia. <i>British Journal of Haematology</i> , 2020, 189, e231-e234.	2.5	5
88	A phase 3 study of rituximab biosimilar HLX01 in patients with diffuse large B-cell lymphoma. <i>Journal of Hematology and Oncology</i> , 2020, 13, 38.	17.0	18
89	Oral Realgar-Indigo Naturalis Formula Plus Retinoic Acid for Acute Promyelocytic Leukemia. <i>Frontiers in Oncology</i> , 2020, 10, 597601.	2.8	9
90	Mutation status and burden can improve prognostic prediction of patients with lower-risk myelodysplastic syndromes. <i>Cancer Science</i> , 2020, 111, 580-591.	3.9	33

#	ARTICLE	IF	CITATIONS
91	Efficacy and Safety of Zanubrutinib in Patients with Relapsed/Refractory Marginal Zone Lymphoma: Initial Results of the MAGNOLIA (BGB-3111-214) Trial. <i>Blood</i> , 2020, 136, 28-30.	1.4	13
92	CYP3A inhibitors and impact of these agents on outcomes in patients with acute myeloid leukemia treated with venetoclax plus azacitidine on the VIALE-A study. <i>Blood</i> , 2020, 136, 50-52.	1.4	4
93	Two-Year Follow-up of Investigator-Initiated Phase 1 Trials of the Safety and Efficacy of Fully Human Anti-Bcma CAR T Cells (CT053) in Relapsed/Refractory Multiple Myeloma. <i>Blood</i> , 2020, 136, 27-28.	1.4	28
94	Pooled Analysis of Safety Data from Clinical Trials of Orelabrutinib Monotherapy in Hematologic Malignancies. <i>Blood</i> , 2020, 136, 43-43.	1.4	11
95	Hyaluronic Acid-Functionalized Gadolinium Oxide Nanoparticles for Magnetic Resonance Imaging-Guided Radiotherapy of Tumors. <i>Nanoscale Research Letters</i> , 2020, 15, 94.	5.7	17
96	Global, Regional, and National Burden of Chronic Myeloid Leukemia, 1990–2017: A Systematic Analysis for the Global Burden of Disease Study 2017. <i>Frontiers in Oncology</i> , 2020, 10, 580759.	2.8	23
97	Novel SAHA–bendamustine hybrid NL101 in combination with daunorubicin synergistically suppresses acute myeloid leukemia. <i>Oncology Reports</i> , 2020, 44, 273-282.	2.6	0
98	Impact of mutational variant allele frequency on prognosis in myelodysplastic syndromes. <i>American Journal of Cancer Research</i> , 2020, 10, 4476-4487.	1.4	2
99	A novel prognostic scoring model for newly diagnosed FLT3-ITD-positive acute myeloid leukemia. <i>American Journal of Cancer Research</i> , 2020, 10, 4527-4537.	1.4	1
100	A Risk Score Combined Clinical and Molecular Profiles Identifies a High-Risk Subgroup within AML1-ETO-Positive Acute Myeloid Leukemia. <i>Blood</i> , 2020, 136, 19-19.	1.4	0
101	Safety and Efficacy of the Bruton Tyrosine Kinase Inhibitor Zanubrutinib (BGB-3111) in Patients with Waldenström Macroglobulinemia from a Phase 2 Trial. <i>Blood</i> , 2020, 136, 42-43.	1.4	3
102	Daratumumab, Bortezomib, Dexamethasone (D-Vd) Versus Bortezomib and Dexamethasone (Vd) in Relapsed or Refractory (RR) Multiple Myeloma (MM): Pooled Subgroup Analysis of Lepus and Castor. <i>Blood</i> , 2020, 136, 38-41.	1.4	0
103	A Single-Arm, Multicenter, Phase II Study of Camrelizumab in Relapsed or Refractory Classical Hodgkin Lymphoma. <i>Clinical Cancer Research</i> , 2019, 25, 7363-7369.	7.0	102
104	A novel alkylating deacetylase inhibitor molecule EDO-S101 in combination with cytarabine synergistically enhances apoptosis of acute myeloid leukemia cells. <i>Medical Oncology</i> , 2019, 36, 77.	2.5	4
105	Abivertinib, a novel BTK inhibitor: Anti-Leukemia effects and synergistic efficacy with homoharringtonine in acute myeloid leukemia. <i>Cancer Letters</i> , 2019, 461, 132-143.	7.2	16
106	ASXL2 mutation is recurrent in non-de novo AML1-ETO-negative acute myeloid leukemia. <i>Annals of Hematology</i> , 2019, 98, 2621-2623.	1.8	1
107	Efficacy and safety of early switching to an outpatient therapy model using oral arsenic plus retinoic acid based-regimen in newly diagnosed acute promyelocytic leukemia. <i>Leukemia Research</i> , 2019, 83, 106168.	0.8	5
108	Utility of CT assessment in hematology patients with invasive aspergillosis: a post-hoc analysis of phase 3 data. <i>BMC Infectious Diseases</i> , 2019, 19, 471.	2.9	7

#	ARTICLE	IF	CITATIONS
109	Modified cladribine, cytarabine, and G-CSF as a salvage regimen in patients with relapsed/refractory acute myeloid leukemia: a bridge to myeloablative allogeneic hematopoietic stem cell transplantation. <i>Annals of Hematology</i> , 2019, 98, 2073-2080.	1.8	3
110	The simpler, the better: oral arsenic for acute promyelocytic leukemia. <i>Blood</i> , 2019, 134, 597-605.	1.4	95
111	Low expression of ACLY associates with favorable prognosis in acute myeloid leukemia. <i>Journal of Translational Medicine</i> , 2019, 17, 149.	4.4	24
112	Current Treatment Patterns of Aplastic Anemia in China: A Prospective Cohort Registry Study. <i>Acta Haematologica</i> , 2019, 142, 162-170.	1.4	22
113	Decitabine improves overall survival in myelodysplastic syndromes-RAEB patients aged ≥ 60 years and has lower toxicities: Comparison with low-dose chemotherapy. <i>Blood Cells, Molecules, and Diseases</i> , 2019, 77, 88-94.	1.4	3
114	Platelet integrin $\alpha\text{IIb}\beta 3$: signal transduction, regulation, and its therapeutic targeting. <i>Journal of Hematology and Oncology</i> , 2019, 12, 26.	17.0	196
115	Aberrant expression of NLRP3, NLRC4 and NLRP6 inflammasomes in patients with primary immune thrombocytopenia. <i>Thrombosis Research</i> , 2019, 176, 101-103.	1.7	7
116	Four-year follow-up of patients with imatinib-resistant or intolerant chronic myeloid leukemia receiving dasatinib: efficacy and safety. <i>Frontiers of Medicine</i> , 2019, 13, 344-353.	3.4	5
117	Clinical Significance of Prognostic Nutritional Index for Patients with Diffuse Large B-cell Lymphoma. <i>Nutrition and Cancer</i> , 2019, 71, 569-574.	2.0	11
118	Analysis of clinical and molecular features of MDS patients with complex karyotype in China. <i>Blood Cells, Molecules, and Diseases</i> , 2019, 75, 13-19.	1.4	8
119	Decitabine for myelodysplastic syndromes: dose comparison in a real world clinical setting. <i>Leukemia and Lymphoma</i> , 2019, 60, 1731-1739.	1.3	3
120	RAR α -rearrangements resemble acute promyelocytic leukemia and benefit from 3+7 regimen. <i>Leukemia and Lymphoma</i> , 2019, 60, 1831-1834.	1.3	13
121	Risk of HBV reactivation in patients with B-cell lymphomas receiving obinutuzumab or rituximab immunochemotherapy. <i>Blood</i> , 2019, 133, 137-146.	1.4	88
122	Clinical and biological characteristics of acute myeloid leukemia with 20-29% blasts: a retrospective single-center study. <i>Leukemia and Lymphoma</i> , 2019, 60, 1136-1145.	1.3	2
123	The high NRF2 expression confers chemotherapy resistance partly through up-regulated DUSP1 in myelodysplastic syndromes. <i>Haematologica</i> , 2019, 104, 485-496.	3.5	25
124	Mutation Status and Burden Can Improve Prognostic Prediction of Patients with Lower-Risk Myelodysplastic Syndromes. <i>Blood</i> , 2019, 134, 3008-3008.	1.4	1
125	Preliminary Results from a Phase I Study of SHC014748M in Patients with Relapsed or Refractory Indolent B-Cell Lymphomas. <i>Blood</i> , 2019, 134, 4000-4000.	1.4	1
126	R-2HG/KDM2B/RIPK1 Signaling Mediates Necroptosis in Myelodysplastic Syndromes. <i>Blood</i> , 2019, 134, 5049-5049.	1.4	0

#	ARTICLE	IF	CITATIONS
127	Efficacy and Safety of Generic Imatinib in Chronic Phase of Chronic Myeloid Leukemia (CP-CML): Experience from a Multi-Center in China. <i>Blood</i> , 2019, 134, 5914-5914.	1.4	0
128	Targeting MiR-126 Blocks Progression of Myelodysplastic Syndrome and Transformation into Acute Myeloid Leukemia. <i>Blood</i> , 2019, 134, 1707-1707.	1.4	0
129	A Novel Role for Malate Dehydrogenase 1 in Acute Myeloid Leukemia Progression. <i>Blood</i> , 2019, 134, 5048-5048.	1.4	0
130	Geriatric nutritional risk index is not an independent predictor in patients with diffuse large B-cell lymphoma. <i>Cancer Biomarkers</i> , 2018, 21, 813-820.	1.7	21
131	Ibrutinib versus rituximab in relapsed or refractory chronic lymphocytic leukemia or small lymphocytic lymphoma: a randomized, open-label phase 3 study. <i>Cancer Medicine</i> , 2018, 7, 1043-1055.	2.8	32
132	Setd2 regulates quiescence and differentiation of adult hematopoietic stem cells by restricting RNA polymerase II elongation. <i>Haematologica</i> , 2018, 103, 1110-1123.	3.5	27
133	Promising efficacy of novel BTK inhibitor AC0010 in mantle cell lymphoma. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 697-706.	2.5	9
134	High Expression of TET1 Predicts Poor Survival in Cytogenetically Normal Acute Myeloid Leukemia From Two Cohorts. <i>EBioMedicine</i> , 2018, 28, 90-96.	6.1	33
135	Isocitrate dehydrogenase 2 mutations correlate with leukemic transformation and are predicted by 2-hydroxyglutarate in myelodysplastic syndromes. <i>Journal of Cancer Research and Clinical Oncology</i> , 2018, 144, 1037-1047.	2.5	18
136	R-2HG Exhibits Anti-tumor Activity by Targeting FTO/m6A/MYC/CEBPA Signaling. <i>Cell</i> , 2018, 172, 90-105.e23.	28.9	794
137	Prognostic utility of six mutated genes for older patients with acute myeloid leukemia. <i>International Journal of Cancer</i> , 2018, 142, 1664-1670.	5.1	5
138	Integrated genomic analysis identifies deregulated JAK/STAT-MYC-biosynthesis axis in aggressive NK-cell leukemia. <i>Cell Research</i> , 2018, 28, 172-186.	12.0	62
139	High PARP-1 expression predicts poor survival in acute myeloid leukemia and PARP-1 inhibitor and SAHA-bendamustine hybrid inhibitor combination treatment synergistically enhances anti-tumor effects. <i>EBioMedicine</i> , 2018, 38, 47-56.	6.1	54
140	Inhibition of lysine-specific demethylase 1 prevents proliferation and mediates cisplatin sensitivity in ovarian cancer cells. <i>Oncology Letters</i> , 2018, 15, 9025-9032.	1.8	8
141	The change of nuclear LC3 distribution in acute myeloid leukemia cells. <i>Experimental Cell Research</i> , 2018, 369, 69-79.	2.6	6
142	MiR-362-5p as a novel prognostic predictor of cytogenetically normal acute myeloid leukemia. <i>Journal of Translational Medicine</i> , 2018, 16, 68.	4.4	23
143	Improved long-term survival in all Sanz risk patients of newly diagnosed acute promyelocytic leukemia treated with a combination of retinoic acid and arsenic trioxide-based frontline therapy. <i>Hematological Oncology</i> , 2018, 36, 584-590.	1.7	9
144	Early BCR-ABL1 decline in imatinib-treated patients with chronic myeloid leukemia: results from a multicenter study of the Chinese CML alliance. <i>Blood Cancer Journal</i> , 2018, 8, 61.	6.2	10

#	ARTICLE	IF	CITATIONS
145	Efficacy of Caspofungin in Unclassified Invasive Fungal Infection Cases: A Retrospective Analysis of Patients with Hematological Malignancies in China. <i>Medical Science Monitor</i> , 2018, 24, 5258-5270.	1.1	2
146	AC0010, a Novel BTK Inhibitor, Exerts Anti-Leukemia Effects and Synergizes the Efficiency of Homoharringtonine in AML. <i>Blood</i> , 2018, 132, 5153-5153.	1.4	0
147	High PARP-1 expression Predicts Poor Survival in Acute Myeloid Leukemia and PARP-1 Inhibitor and SAHA-Bendamustine Hybrid Inhibitor Combination Treatment Synergistically Enhances Anti-Tumor Effects. <i>Blood</i> , 2018, 132, 5252-5252.	1.4	0
148	Multidimensional Study on the Prognostic Factors of Acute Myeloid Leukemia Patients with FLT3-ITD mutations Based on the Next-Generation Sequencing Platform. <i>Blood</i> , 2018, 132, 5281-5281.	1.4	0
149	Overall Survival (OS) Benefit of Oral Ixazomib in Combination with Lenalidomide and Dexamethasone (IRd) Vs Lenalidomide and Dexamethasone (Rd) in Asian Patients (pts) with Relapsed and/or Refractory Multiple Myeloma (RRMM): Pooled-Analysis from the Tourmaline-MM1 and the China Continuation Studies. <i>Blood</i> , 2018, 132, 5637-5637.	1.4	0
150	Expression of hypoxia-inducible factor-1a predicts benefit from rituximab plus cyclophosphamide, doxorubicin, vincristine, and prednisone in diffuse large B-cell lymphoma. <i>International Journal of Clinical and Experimental Pathology</i> , 2018, 11, 4472-4482.	0.5	0
151	Green tea consumption and glutathione S-transferases genetic polymorphisms on the risk of adult leukemia. <i>European Journal of Nutrition</i> , 2017, 56, 603-612.	3.9	9
152	Decitabine priming prior to low-dose chemotherapy improves patient outcomes in myelodysplastic syndromes-RAEB: a retrospective analysis vs. chemotherapy alone. <i>Journal of Cancer Research and Clinical Oncology</i> , 2017, 143, 873-882.	2.5	7
153	Identification of an IRF-1 splicing transcript in APL cells sharing similar transactivation activity of the full length one. <i>Gene</i> , 2017, 605, 108-113.	2.2	0
154	FoxM1-mediated RFC5 expression promotes temozolomide resistance. <i>Cell Biology and Toxicology</i> , 2017, 33, 527-537.	5.3	35
155	Salvage therapy with lenalidomide containing regimen for relapsed/refractory Castleman disease: a report of three cases. <i>Frontiers of Medicine</i> , 2017, 11, 287-292.	3.4	7
156	Efficacy and prognostic factors of imatinib plus CALLG2008 protocol in adult patients with newly diagnosed Philadelphia chromosome-positive acute lymphoblastic leukemia. <i>Frontiers of Medicine</i> , 2017, 11, 229-238.	3.4	18
157	Circularly permuted TRAIL plus thalidomide and dexamethasone versus thalidomide and dexamethasone for relapsed/refractory multiple myeloma: a phase 2 study. <i>Cancer Chemotherapy and Pharmacology</i> , 2017, 79, 1141-1149.	2.3	25
158	Analysis of clinical characteristics and prognostic factors of multiple myeloma: a retrospective single-center study of 787 cases. <i>Hematology</i> , 2017, 22, 1-5.	1.5	14
159	Prognostic significance of huntingtin interacting protein 1 expression on patients with acute myeloid leukemia. <i>Scientific Reports</i> , 2017, 7, 45960.	3.3	14
160	Inactivation of EGFR/AKT signaling enhances TSA-induced ovarian cancer cell differentiation. <i>Oncology Reports</i> , 2017, 37, 2891-2896.	2.6	8
161	<i>ERG11</i> Gene Mutations and <i>MDR1</i> Upregulation Confer Pan-Azole Resistance in <i>Candida tropicalis</i> Causing Disseminated Candidiasis in an Acute Lymphoblastic Leukemia Patient on Posaconazole Prophylaxis. <i>Antimicrobial Agents and Chemotherapy</i> , 2017, 61, .	3.2	24
162	Chidamide in relapsed or refractory peripheral T cell lymphoma: a multicenter real-world study in China. <i>Journal of Hematology and Oncology</i> , 2017, 10, 69.	17.0	155

#	ARTICLE	IF	CITATIONS
163	FTO Plays an Oncogenic Role in Acute Myeloid Leukemia as a N ⁶ -Methyladenosine RNA Demethylase. <i>Cancer Cell</i> , 2017, 31, 127-141.	16.8	1,139
164	Effectivity of a modified Sanz risk model for early death prediction in patients with newly diagnosed acute promyelocytic leukemia. <i>Annals of Hematology</i> , 2017, 96, 1793-1800.	1.8	24
165	<i>ARID1A</i> mutation in blastic plasmacytoid dendritic cell neoplasm. <i>Haematologica</i> , 2017, 102, e470-e472.	3.5	8
166	Caspofungin Treatment for Pulmonary Invasive Fungal Disease in Hematology Patients: A Retrospective Study in a Clinical Practice Setting in China. <i>Clinical Therapeutics</i> , 2017, 39, 1758-1768.	2.5	2
167	Insert restriction enzyme cutting-free cloning strategy for expression plasmid construction. <i>Biotechnology and Biotechnological Equipment</i> , 2017, 31, 1033-1039.	1.3	0
168	Targeted inhibition of STAT/TET1 axis as a therapeutic strategy for acute myeloid leukemia. <i>Nature Communications</i> , 2017, 8, 2099.	12.8	45
169	PP2A inhibition from LB100 therapy enhances daunorubicin cytotoxicity in secondary acute myeloid leukemia via miR-181b-1 upregulation. <i>Scientific Reports</i> , 2017, 7, 2894.	3.3	13
170	Multicentre, randomised phase III study of the efficacy and safety of eltrombopag in Chinese patients with chronic immune thrombocytopenia. <i>British Journal of Haematology</i> , 2017, 176, 101-110.	2.5	55
171	Prognostic impact of MYH9 expression on patients with acute myeloid leukemia. <i>Oncotarget</i> , 2017, 8, 156-163.	1.8	22
172	The combination effect of homoharringtonine and ibrutinib on FLT3-ITD mutant acute myeloid leukemia. <i>Oncotarget</i> , 2017, 8, 12764-12774.	1.8	15
173	TET2 mutations were predictive of inferior prognosis in the presence of ASXL1 mutations in patients with chronic myelomonocytic leukemia. <i>Stem Cell Investigation</i> , 2016, 3, 50-50.	3.0	13
174	All-Trans Retinoic Acid plus Arsenic Trioxide versus All-Trans Retinoic Acid plus Chemotherapy for Newly Diagnosed Acute Promyelocytic Leukemia: A Meta-Analysis. <i>PLoS ONE</i> , 2016, 11, e0158760.	2.5	33
175	A case of multiple recurrence of <i>Clostridium difficile</i> infection with severe hematochezia in an immunocompromised host. <i>Anaerobe</i> , 2016, 42, 31-32.	2.1	2
176	LSD1-mediated epigenetic modification contributes to ovarian cancer cell migration and invasion. <i>Oncology Reports</i> , 2016, 35, 3586-3592.	2.6	33
177	Long-term survival of acute promyelocytic leukaemia patients treated with arsenic and retinoic acid. <i>British Journal of Haematology</i> , 2016, 174, 820-822.	2.5	22
178	Diagnosis and management of acquired thrombotic thrombocytopenic purpura in southeast China: a single center experience of 60 cases. <i>Frontiers of Medicine</i> , 2016, 10, 430-436.	3.4	7
179	Hypofibrinogenemia as a clue in the presumptive diagnosis of acute promyelocytic leukemia. <i>Leukemia Research</i> , 2016, 50, 11-16.	0.8	8
180	miR-22 has a potent anti-tumour role with therapeutic potential in acute myeloid leukaemia. <i>Nature Communications</i> , 2016, 7, 11452.	12.8	113

#	ARTICLE	IF	CITATIONS
181	Eradication of Acute Myeloid Leukemia with FLT3 Ligand-Targeted miR-150 Nanoparticles. <i>Cancer Research</i> , 2016, 76, 4470-4480.	0.9	48
182	Long-term use of lenalidomide and low-dose dexamethasone in Chinese patients with relapsed/refractory multiple myeloma: MM-024 Extended Access Program. <i>BMC Cancer</i> , 2016, 16, 46.	2.6	1
183	Alcohol consumption and risk of myelodysplastic syndromes: a case-control study. <i>Cancer Causes and Control</i> , 2016, 27, 209-216.	1.8	8
184	RIG-G inhibits the proliferation of NB4 cells and propels ATRA-induced differentiation of APL cells. <i>Leukemia Research</i> , 2016, 40, 83-89.	0.8	5
185	PBX3 and MEIS1 Cooperate in Hematopoietic Cells to Drive Acute Myeloid Leukemias Characterized by a Core Transcriptome of the <i>MLL</i> -Rearranged Disease. <i>Cancer Research</i> , 2016, 76, 619-629.	0.9	45
186	Egr-1 promotes hypoxia-induced autophagy to enhance chemo-resistance of hepatocellular carcinoma cells. <i>Experimental Cell Research</i> , 2016, 340, 62-70.	2.6	44
187	Epigenetic priming with decitabine followed by low-dose idarubicin/cytarabine has an increased anti-leukemic effect compared to traditional chemotherapy in high-risk myeloid neoplasms. <i>Leukemia and Lymphoma</i> , 2016, 57, 1311-1318.	1.3	27
188	Polymorphisms of 5,10-methylenetetrahydrofolate reductase and thymidylate synthase, dietary folate intake, and the risk of leukemia in adults. <i>Tumor Biology</i> , 2016, 37, 3265-3275.	1.8	5
189	Overexpression of musashi2 is possibly associated with chemoresistance in T-cell acute lymphoblastic leukemia. <i>Leukemia and Lymphoma</i> , 2016, 57, 467-469.	1.3	1
190	Long-Term Safety of Dasatinib in Chinese Chronic Phase Chronic Myeloid Leukemia Patients with Imatinib-Resistance or -Intolerance: Results from a 6-Year Follow-up of a Multicenter Phase II Study. <i>Blood</i> , 2016, 128, 1928-1928.	1.4	6
191	Alox5 Functions As Both Tumor Suppressor and Drug Sensitizer in AML. <i>Blood</i> , 2016, 128, 2851-2851.	1.4	0
192	Retrospective Study Evaluating Hematological Remission Rates and Survival in Chinese Adults with Relapsed or Refractory (r/r) Philadelphia Chromosome Negative (Ph-) B-Precursor Acute Lymphoblastic Leukemia (ALL). <i>Blood</i> , 2016, 128, 5198-5198.	1.4	0
193	The Combination Effect of Homoharringtonine and Ibrutinib on FLT3-ITD Mutant Acute Myeloid Leukemia. <i>Blood</i> , 2016, 128, 5225-5225.	1.4	0
194	SETD2, a H3K36 Lysine Methyltransferase, Is Essential for Adult Normal Hematopoiesis and Leukemia Stem Cells. <i>Blood</i> , 2016, 128, 1055-1055.	1.4	0
195	Decitabine for Treatment of Myelodysplastic Syndromes in Chinese Patients: An Open-Label, Phase-3b Study. <i>Advances in Therapy</i> , 2015, 32, 1140-1159.	2.9	27
196	Dietary isoflavone intake is associated with a reduced risk of myelodysplastic syndromes. <i>British Journal of Nutrition</i> , 2015, 114, 2110-2115.	2.3	2
197	Overexpression and knockout of miR-126 both promote leukemogenesis. <i>Blood</i> , 2015, 126, 2005-2015.	1.4	65
198	Phase 3 study of nilotinib vs imatinib in Chinese patients with newly diagnosed chronic myeloid leukemia in chronic phase: ENESTchina. <i>Blood</i> , 2015, 125, 2771-2778.	1.4	102

#	ARTICLE	IF	CITATIONS
199	Lysine-specific demethylase 1 mediates epidermal growth factor signaling to promote cell migration in ovarian cancer cells. <i>Scientific Reports</i> , 2015, 5, 15344.	3.3	36
200	Changes in Follicular Helper T Cells in Idiopathic Thrombocytopenic Purpura Patients. <i>International Journal of Biological Sciences</i> , 2015, 11, 220-229.	6.4	36
201	Impact of Chemotherapy Delay on Overall Survival for AML with IDH1/2 Mutations: A Study in Adult Chinese Patients. <i>PLoS ONE</i> , 2015, 10, e0140622.	2.5	7
202	High IDH1 expression is associated with a poor prognosis in cytogenetically normal acute myeloid leukemia. <i>International Journal of Cancer</i> , 2015, 137, 1058-1065.	5.1	39
203	Tea consumption reduces the risk of de novo myelodysplastic syndromes. <i>Leukemia Research</i> , 2015, 39, 164-169.	0.8	11
204	Mutations of Epigenetic Modifier Genes as a Poor Prognostic Factor in Acute Promyelocytic Leukemia Under Treatment With All-Trans Retinoic Acid and Arsenic Trioxide. <i>EBioMedicine</i> , 2015, 2, 563-571.	6.1	42
205	Prognostic factors of patients with newly diagnosed acute promyelocytic leukemia treated with arsenic trioxide-based frontline therapy. <i>Leukemia Research</i> , 2015, 39, 938-944.	0.8	37
206	Impact of TET2, SRSF2, ASXL1 and SETBP1 mutations on survival of patients with chronic myelomonocytic leukemia. <i>Experimental Hematology and Oncology</i> , 2015, 4, 14.	5.0	32
207	Evaluating frequency of PML-RARA mutations and conferring resistance to arsenic trioxide-based therapy in relapsed acute promyelocytic leukemia patients. <i>Annals of Hematology</i> , 2015, 94, 1829-1837.	1.8	38
208	Low-dose cytarabine, aclarubicin and granulocyte colony-stimulating factor priming regimen versus idarubicin plus cytarabine regimen as induction therapy for older patients with acute myeloid leukemia. <i>Leukemia and Lymphoma</i> , 2015, 56, 1691-1697.	1.3	16
209	Interim Results of a Multi-Center Observational Study of Current Treatment Patterns for Patients with Severe Aplastic Anemia (SAA), Very Severe Aplastic Anemia (VSAA) and Transfusion-Dependent Non-Severe Aplastic Anemia (TD-NSAA) in China. <i>Blood</i> , 2015, 126, 4505-4505.	1.4	0
210	Overexpression and Knockout of Mir-126 Both Promote Leukemogenesis through Targeting Distinct Gene Signaling. <i>Blood</i> , 2015, 126, 3667-3667.	1.4	1
211	Successful treatment of a case of acute myeloid leukemia following Langerhans cell histiocytosis in an adolescent: a case report and review of the literature. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 3024-6.	1.3	1
212	High-dose methotrexate plus temozolomide as a salvage treatment in metastatic central nervous system Lymphoma: two cases report and review of literature. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 8222-5.	1.3	3
213	Coexistence of multiple myeloma and clear cell renal cell carcinoma: a case report and review of literature. <i>International Journal of Clinical and Experimental Pathology</i> , 2015, 8, 7627-30.	0.5	4
214	Sorafenib in combination with low-dose-homoharringtonine as a salvage therapy in primary refractory FLT3-ITD-positive AML: a case report and review of literature. <i>International Journal of Clinical and Experimental Medicine</i> , 2015, 8, 19891-4.	1.3	7
215	Downregulation of hTERT: An Important As2O3 Induced Mechanism of Apoptosis in Myelodysplastic Syndrome. <i>PLoS ONE</i> , 2014, 9, e113199.	2.5	8
216	Long-term efficacy of low-dose all-trans retinoic acid plus minimal chemotherapy induction followed by the addition of intravenous arsenic trioxide post-remission therapy in newly diagnosed acute promyelocytic leukaemia. <i>Hematological Oncology</i> , 2014, 32, 40-46.	1.7	12

#	ARTICLE	IF	CITATIONS
217	Nitrogen-doped carbon dots as multifunctional fluorescent probes. <i>Journal of Nanoparticle Research</i> , 2014, 16, 1.	1.9	20
218	A distinct glucose metabolism signature of acute myeloid leukemia with prognostic value. <i>Blood</i> , 2014, 124, 1645-1654.	1.4	232
219	Antitumor activity of CDA-II, a urinary preparation, on human multiple myeloma cell lines via the mitochondrial pathway. <i>Molecular Medicine Reports</i> , 2014, 9, 1025-1031.	2.4	2
220	Effect of Eltrombopag on Platelet Response and Safety Results in Chinese Adults with Chronic ITP-Primary Result of a Phase III Study. <i>Blood</i> , 2014, 124, 1464-1464.	1.4	6
221	High IDH1 Expression Is Associated with a Poor Prognosis in Cytogenetically Normal Acute Myeloid Leukemia. <i>Blood</i> , 2014, 124, 5314-5314.	1.4	1
222	Prognostic Value of Isocitrate Dehydrogenase Mutations in Myelodysplastic Syndromes: A Retrospective Cohort Study and Meta-Analysis. <i>PLoS ONE</i> , 2014, 9, e100206.	2.5	47
223	MNK1 Inhibitor CGP57380 Overcomes the Activation of eIF4E Induced By mTORC1 Inhibitor: The Mechanism of Synergic Killing on T-ALL Cells. <i>Blood</i> , 2014, 124, 5215-5215.	1.4	0
224	Long-Term Use of Lenalidomide Plus Low-Dose Dexamethasone (Rd) in Chinese Patients (pts) with Relapsed/Refractory Multiple Myeloma (RRMM): MM-024 Expanded Access Program (EAP). <i>Blood</i> , 2014, 124, 5737-5737.	1.4	0
225	Identification of TET1 as miR-22 Target CREB-MYC Signaling Reveals Potent Tumor-Suppressor Role of Mir-22 in Acute Myeloid Leukemia. <i>Blood</i> , 2014, 124, 886-886.	1.4	0
226	a Proposal for a New Staging System of Extranodal Natural Killer T-cell Lymphoma, Nasal-Type: a Multicenter Study of Chinese Southwest Oncology Group (CSWOG). <i>Blood</i> , 2014, 124, 4444-4444.	1.4	0
227	A case report for fatal Churg-Strauss syndrome complications: first reported death due to rapid progression of prominently huge hepatic capsular hematoma and multi-system organ hemorrhage. <i>International Journal of Clinical and Experimental Medicine</i> , 2014, 7, 3703-6.	1.3	1
228	Rapid Diagnosis and Prognosis of <i>de novo</i> Acute Myeloid Leukemia by Serum Metabonomic Analysis. <i>Journal of Proteome Research</i> , 2013, 12, 4393-4401.	3.7	76
229	Autophagy contributes to ING4-induced glioma cell death. <i>Experimental Cell Research</i> , 2013, 319, 1714-1723.	2.6	22
230	Homoharringtonine-based induction regimens for patients with de-novo acute myeloid leukaemia: a multicentre, open-label, randomised, controlled phase 3 trial. <i>Lancet Oncology</i> , The, 2013, 14, 599-608.	10.7	119
231	High efficacy of arsenic trioxide plus all-trans retinoic acid based induction and maintenance therapy in newly diagnosed acute promyelocytic leukemia. <i>Leukemia Research</i> , 2013, 37, 37-42.	0.8	26
232	Prognostic significance of 2-hydroxyglutarate levels in acute myeloid leukemia in China. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2013, 110, 17017-17022.	7.1	125
233	Oral Tetra-Arsenic Tetra-Sulfide Formula Versus Intravenous Arsenic Trioxide As First-Line Treatment of Acute Promyelocytic Leukemia: A Multicenter Randomized Controlled Trial. <i>Journal of Clinical Oncology</i> , 2013, 31, 4215-4221.	1.6	149
234	A Multinational, Open-Label Phase 2 Study Of Ruxolitinib In Asian Patients (Pts) With Primary Myelofibrosis (PMF), Post-“Polycythemia Vera MF (PPV-MF), Or Post-“Essential Thrombocythemia MF (PET-MF). <i>Blood</i> , 2013, 122, 4086-4086.	1.4	12

#	ARTICLE	IF	CITATIONS
235	The MM-021 Trial Of Lenalidomide Plus Low-Dose Dexamethasone In Chinese Patients With Relapsed and Refractory Multiple Myeloma: Impact Of Prior Therapies On Efficacy and Safety. <i>Blood</i> , 2013, 122, 3227-3227.	1.4	0
236	miR-196b directly targets both HOXA9/MEIS1 oncogenes and FAS tumour suppressor in MLL-rearranged leukaemia. <i>Nature Communications</i> , 2012, 3, 688.	12.8	138
237	High Musashi-2 Expression Is an Unfavorable Prognostic Factor in Adult B-Cell Acute Lymphoblastic Leukemia.. <i>Blood</i> , 2012, 120, 2508-2508.	1.4	0
238	Serum 2-Hydroxyglutarate Level Is a Prognostic Marker in Acute Myeloid Leukemia. <i>Blood</i> , 2012, 120, 1433-1433.	1.4	0
239	Long-Term Efficacy of Low-Dose All-Trans Retinoic Acid Plus Individually Adapted Chemotherapy Induction Followed by Arsenic Trioxide Based Post-Remission Therapy in Adults with Newly Diagnosed Acute Promyelocytic Leukemia. <i>Blood</i> , 2012, 120, 1480-1480.	1.4	1
240	Low-Dose Uroacitides(CDA-II) Downregulates Telomerase Activity and Inhibits Proliferation in the Telomerase-Expressing Malignant Cell Lines Through Inactivation of Akt Signaling Pathway. <i>Blood</i> , 2012, 120, 4920-4920.	1.4	0
241	Antitumor activity and drug interactions of proteasome inhibitor Bortezomib in human high-risk myelodysplastic syndrome cells. <i>International Journal of Hematology</i> , 2011, 93, 482-493.	1.6	5
242	Gene mutation patterns and their prognostic impact in a cohort of 1185 patients with acute myeloid leukemia. <i>Blood</i> , 2011, 118, 5593-5603.	1.4	297
243	Synergistic Depression of Wnt Pathway by Sequential Combination of Decitabine and Idarubicin in Human Myeloid Leukemic Cell Lines,. <i>Blood</i> , 2011, 118, 3628-3628.	1.4	0
244	Cytogenetic Analysis of 1863 Chinese Patients with Chronic Myeloid Leukemia. <i>Blood</i> , 2011, 118, 4888-4888.	1.4	0
245	A Multicenter, Randomized, Open-Label Study to Evaluate Safety and Efficacy of Posaconazole Vs Fluconazole in the Prophylaxis of Invasive Fungal Infection in a Chinese Population. <i>Blood</i> , 2011, 118, 4916-4916.	1.4	0
246	Phase 2 Study of Dasatinib in Chinese Patients (Pts) with Chronic Myeloid Leukemia (CML) in Chronic Phase (CP) or Advanced Phase Who Are Resistant to or Intolerant of Imatinib (IM). <i>Blood</i> , 2011, 118, 4434-4434.	1.4	0
247	Expression of the Hypoxia-Inducible Factors In the AML and MDS: Is Not Associated with the Von Hippel-Lindau Gene. <i>Blood</i> , 2010, 116, 5114-5114.	1.4	0
248	Effective gene-viral therapy of leukemia by a new fiber chimeric oncolytic adenovirus expressing TRAIL: <i>in vitro</i> and <i>in vivo</i> evaluation. <i>Molecular Cancer Therapeutics</i> , 2009, 8, 1387-1397.	4.1	23
249	Clinicopathological study on peripheral T-cell non-Hodgkin lymphoma with bone marrow involvement: a retrospective analysis from China. <i>International Journal of Hematology</i> , 2009, 90, 303-310.	1.6	15
250	An open-label study of pegylated liposomal doxorubicin, vincristine, and reduced-dose dexamethasone combination therapy in newly diagnosed multiple myeloma patients in the Chinese population. <i>Clinical Oncology and Cancer Research</i> , 2009, 6, 394-400.	0.1	0
251	A rare case of co-existent aggressive natural killer cell and acute monocytic leukemia with cytomegalovirus infection. <i>International Journal of Hematology</i> , 2008, 87, 553-556.	1.6	0
252	A Clinical Study of Bortezomib in Combination with Dexamethasone and/or Doxorubicin for the Treatment of Patients with Relapsed or Refractory Multiple Myeloma. <i>Blood</i> , 2008, 112, 5216-5216.	1.4	0

#	ARTICLE	IF	CITATIONS
253	Antitumor Activity of Human Urine Extract Cda-2 against Multiple Myeloma Cell Lines Via PI3K/Akt Signaling Pathway in a Caspase-3-Dependent Manner. Blood, 2008, 112, 5174-5174.	1.4	0
254	Apoptosis Was Induced by Casticin in Acute Myelocytic Leukemia Cells. Blood, 2008, 112, 3991-3991.	1.4	0
255	MicroRNA Expression Signatures Accurately Discriminate Acute Lymphoblastic Leukemia from Acute Myeloid Leukemia.. Blood, 2007, 110, 231-231.	1.4	0
256	Clinical Characteristics of T-Cell Lymphoma Associated Hemophagocytic Syndrome: Comparison of T-Cell Lymphoma with and without Hemophagocytic Syndrome.. Blood, 2007, 110, 3576-3576.	1.4	0
257	MicroRNA Expression Profiles in Acute Myeloid Leukemia with Common Translocations.. Blood, 2007, 110, 3181-3181.	1.4	0
258	An Open-Label Study of Pegylated Liposomal Doxorubicin, Vincristine and Reduced-Dose Dexamethasone Combination Therapy in Newly Diagnosed Multiple Myeloma Patients in Chinese Population.. Blood, 2007, 110, 4816-4816.	1.4	0
259	Detection of Aspergillus Species in Blood of Malignant Hemotopoietic Tumor Patients by Two-Step PCR.. Blood, 2005, 106, 4626-4626.	1.4	0
260	Cytogenetic Abnormalities Predict Disease Progression in Primary Myelodysplastic Syndrome: A Multicentric Study in 508 Chinese Patients.. Blood, 2004, 104, 1451-1451.	1.4	0