

# Paolo Marino

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6315829/publications.pdf>

Version: 2024-02-01

220  
papers

18,755  
citations

61984

43  
h-index

12272

133  
g-index

225  
all docs

225  
docs citations

225  
times ranked

18514  
citing authors

#	ARTICLE	IF	CITATIONS
1	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. Journal of the American Society of Echocardiography, 2016, 29, 277-314.	2.8	3,807
2	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography. Journal of the American Society of Echocardiography, 2009, 22, 107-133.	2.8	2,874
3	How to diagnose diastolic heart failure: a consensus statement on the diagnosis of heart failure with normal left ventricular ejection fraction by the Heart Failure and Echocardiography Associations of the European Society of Cardiology. European Heart Journal, 2007, 28, 2539-2550.	2.2	2,302
4	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography. European Journal of Echocardiography, 2008, 10, 165-193.	2.3	1,804
5	Recommendations for the Evaluation of Left Ventricular Diastolic Function by Echocardiography: An Update from the American Society of Echocardiography and the European Association of Cardiovascular Imaging. European Heart Journal Cardiovascular Imaging, 2016, 17, 1321-1360.	1.2	1,716
6	Prevention of Ventricular Desynchronization by Permanent Para-Hisian Pacing After Atrioventricular Node Ablation in Chronic Atrial Fibrillation. Journal of the American College of Cardiology, 2006, 47, 1938-1945.	2.8	258
7	Adjunctive manual thrombectomy improves myocardial perfusion and mortality in patients undergoing primary percutaneous coronary intervention for ST-elevation myocardial infarction: a meta-analysis of randomized trials. European Heart Journal, 2008, 29, 3002-3010.	2.2	229
8	Risk profile and benefits from Gp IIb/IIIa inhibitors among patients with ST-segment elevation myocardial infarction treated with primary angioplasty: a meta-regression analysis of randomized trials. European Heart Journal, 2009, 30, 2705-2713.	2.2	215
9	Increasing degrees of left ventricular filling impairment modulate left atrial function in humans. American Journal of Cardiology, 1998, 82, 756-761.	1.6	214
10	Effect of streptokinase on left ventricular modeling and function after myocardial infarction: The GISSI (Gruppo Italiano per lo Studio della Streptochinasi nell'Infarto Miocardico) trial. Journal of the American College of Cardiology, 1989, 14, 1149-1158.	2.8	171
11	Long-term, dose-dependent effects of spironolactone on left ventricular function and exercise tolerance in patients with chronic heart failure. Journal of the American College of Cardiology, 2002, 40, 304-310.	2.8	160
12	Coronary stenting versus balloon angioplasty for acute myocardial infarction: A meta-regression analysis of randomized trials. International Journal of Cardiology, 2008, 126, 37-44.	1.7	121
13	Benefits From Small Molecule Administration as Compared With Abciximab Among Patients With ST-Segment Elevation Myocardial Infarction Treated With Primary Angioplasty. Journal of the American College of Cardiology, 2009, 53, 1668-1673.	2.8	120
14	Patients With Hibernating Myocardium Show Altered Left Ventricular Volumes and Shape, Which Revert After Revascularization. Journal of the American College of Cardiology, 2006, 47, 969-977.	2.8	116
15	Transferring Patients With ST-Segment Elevation Myocardial Infarction for Mechanical Reperfusion: A Meta-Regression Analysis of Randomized Trials. Annals of Emergency Medicine, 2008, 52, 665-676.	0.6	112
16	Mean platelet volume and the extent of coronary artery disease: Results from a large prospective study. Atherosclerosis, 2009, 206, 292-297.	0.8	108
17	Platelet distribution width and the extent of coronary artery disease: Results from a large prospective study. Platelets, 2010, 21, 508-514.	2.3	103
18	Machine Learning Analysis of Left Ventricular Function to Characterize Heart Failure With Preserved Ejection Fraction. Circulation: Cardiovascular Imaging, 2018, 11, e007138.	2.6	95

#	ARTICLE	IF	CITATIONS
19	Independent and additional prognostic value of aminoterminal propeptide of type III procollagen circulating levels in patients with chronic heart failure. Journal of Cardiac Failure, 2004, 10, 403-411.	1.7	91
20	Diagnosis of Heart Failure With Preserved Ejection Fraction: Machine Learning of Spatiotemporal Variations in Left Ventricular Deformation. Journal of the American Society of Echocardiography, 2018, 31, 1272-1284.e9.	2.8	90
21	Efficacy and safety of drug-eluting stents in ST-segment elevation myocardial infarction: A meta-analysis of randomized trials. International Journal of Cardiology, 2009, 133, 213-222.	1.7	89
22	Percutaneous coronary interventionâ€‘related time delay, patient's risk profile, and survival benefits of primary angioplasty vs lytic therapy in ST-segment elevation myocardial infarction. American Journal of Emergency Medicine, 2009, 27, 712-719.	1.6	89
23	Relationship between homocysteine and coronary artery disease. Results from a large prospective cohort study. Thrombosis Research, 2014, 134, 288-293.	1.7	88
24	Effects of Increasing Doses of Intracoronary Adenosine on the Assessment of Fractional Flow Reserve. JACC: Cardiovascular Interventions, 2011, 4, 1079-1084.	2.9	84
25	Bivalirudin as compared to unfractionated heparin among patients undergoing coronary angioplasty. Thrombosis and Haemostasis, 2009, 102, 428-436.	3.4	83
26	Vitamin <sc>D</sc> deficiency is independently associated with the extent of coronary artery disease. European Journal of Clinical Investigation, 2014, 44, 634-642.	3.4	83
27	Aortic Distensibility Independently Affects Exercise Tolerance in Patients With Dilated Cardiomyopathy. Circulation, 2003, 107, 1603-1608.	1.6	74
28	Atrial asynchrony and function before and after electrical cardioversion for persistent atrial fibrillation. European Journal of Echocardiography, 2010, 11, 577-583.	2.3	74
29	A systematic review of diastolic stress tests in heart failure with preserved ejection fraction, with proposals from the <sc>EUâ€‘FP7 MEDIA</sc> study group. European Journal of Heart Failure, 2014, 16, 1345-1361.	7.1	74
30	Neutrophil to Lymphocyte Ratio and the Extent of Coronary Artery Disease. Angiology, 2016, 67, 75-82.	1.8	74
31	Reperfusion Strategies in Acute ST-Elevation Myocardial Infarction: An Overview of Current Status. Progress in Cardiovascular Diseases, 2008, 50, 352-382.	3.1	72
32	Left Ventricular Systolic Longitudinal Function: Comparison Among Simple M-Mode, Pulsed, and M-Mode Color Tissue Doppler of Mitral Annulus in Healthy Individuals. Journal of the American Society of Echocardiography, 2006, 19, 1085-1091.	2.8	71
33	Do electrical parameters of the cardiac cycle reflect the corresponding mechanical intervals as the heart rate changes?. Europace, 2010, 12, 830-834.	1.7	69
34	Very high-pressure dilatation for undilatable coronary lesions: indications and results with a new dedicated balloon. EuroIntervention, 2016, 12, 359-365.	3.2	67
35	Benefits From New ADP Antagonists as Compared With Clopidogrel in Patients With Stable Angina or Acute Coronary Syndrome Undergoing Invasive Management. Journal of Cardiovascular Pharmacology, 2014, 63, 339-350.	1.9	64
36	High fibrinogen level is an independent predictor of presence and extent of coronary artery disease among Italian population. Journal of Thrombosis and Thrombolysis, 2011, 31, 458-463.	2.1	58

#	ARTICLE	IF	CITATIONS
37	Mean platelet volume is not associated with platelet reactivity and the extent of coronary artery disease in diabetic patients. Blood Coagulation and Fibrinolysis, 2013, 24, 619-624.	1.0	57
38	Impact of sex on uric acid levels and its relationship with the extent of coronary artery disease: A single-centre study. Atherosclerosis, 2015, 241, 241-248.	0.8	57
39	Lack of benefit from percutaneous intervention of persistently occluded infarct arteries after the acute phase of myocardial infarction is time independent: insights from Occluded Artery Trial. European Heart Journal, 2008, 30, 183-191.	2.2	51
40	Italian Cardiological Guidelines for Sports Eligibility in Athletes with Heart Disease. Journal of Cardiovascular Medicine, 2013, 14, 477-499.	1.5	51
41	Inappropriate implantable cardioverter-defibrillator discharges unrelated to supraventricular tachyarrhythmias. Europace, 2006, 8, 863-869.	1.7	49
42	Prognostic value of detection of myocardial viability using low-dose dobutamine echocardiography in infarcted patients. American Journal of Cardiology, 1998, 81, 21G-28G.	1.6	48
43	Interobserver Variability in Applying American Society of Echocardiography/European Association of Cardiovascular Imaging 2016 Guidelines for Estimation of Left Ventricular Filling Pressure. Circulation: Cardiovascular Imaging, 2019, 12, e008122.	2.6	44
44	Pressure-volume analysis as a method for quantifying simultaneous drug (amrinone) effects on arterial load and contractile state in vivo. Journal of the American College of Cardiology, 1990, 16, 726-732.	2.8	43
45	Short- and long-term effects of early fosinopril administration in patients with acute anterior myocardial infarction undergoing intravenous thrombolysis: Results from the Fosinopril in Acute Myocardial Infarction Study. American Heart Journal, 1998, 136, 213-225.	2.7	43
46	Can left ventricular diastolic stiffness be measured noninvasively?. Journal of the American Society of Echocardiography, 2002, 15, 935-943.	2.8	43
47	Usefulness of left atrial size in predicting postoperative symptomatic improvement in patients with aortic stenosis. American Journal of Cardiology, 2000, 86, 567-570.	1.6	41
48	Myocardial infarct expansion: Recognition, significance and pathology. American Journal of Cardiology, 1991, 68, 35-40.	1.6	38
49	Early mitral deceleration and left atrial stiffness. American Journal of Physiology - Heart and Circulatory Physiology, 2004, 287, H1172-H1178.	3.2	37
50	Aspirin desensitization in patients undergoing planned or urgent coronary stent implantation. A single-center experience. International Journal of Cardiology, 2013, 167, 561-563.	1.7	35
51	PLA1/PLA2 polymorphism does not influence response to Gp IIb-IIIa inhibitors in patients undergoing coronary angioplasty. Blood Coagulation and Fibrinolysis, 2013, 24, 411-418.	1.0	33
52	Ventricular remodeling and infarct expansion. American Journal of Cardiology, 1993, 72, G98-G106.	1.6	32
53	Imaging of the left atrium: pathophysiology insights and clinical utility. European Heart Journal Cardiovascular Imaging, 2021, 23, 2-13.	1.2	32
54	Reperfusion of the infarct-related coronary artery limits left ventricular expansion beyond myocardial salvage. American Heart Journal, 1992, 123, 1157-1165.	2.7	31

#	ARTICLE	IF	CITATIONS
55	Abnormal left ventricular longitudinal function assessed by echocardiographic and tissue Doppler imaging is a powerful predictor of diastolic dysfunction in hypertensive patients: The SPHERE study. <i>International Journal of Cardiology</i> , 2013, 168, 3351-3358.	1.7	31
56	Diabetes, glucose control and mean platelet volume: a single-centre cohort study. <i>Diabetes Research and Clinical Practice</i> , 2014, 104, 288-294.	2.8	31
57	Reducing operator radiation exposure during cardiac resynchronization therapy. <i>Europace</i> , 2010, 12, 1769-1773.	1.7	30
58	Contrast volume to creatinine clearance ratio for the prediction of contrast-induced nephropathy in patients undergoing coronary angiography or percutaneous intervention. <i>European Journal of Preventive Cardiology</i> , 2016, 23, 931-937.	1.8	30
59	Reperfusion reduces left ventricular dilatation by preventing infarct expansion in the acute and chronic phases of myocardial infarction. <i>American Heart Journal</i> , 1994, 127, 499-509.	2.7	29
60	Immunosuppressive Therapy with Oral Prednisone to Prevent Restenosis after PCI. A Multicenter Randomized Trial. <i>American Journal of Medicine</i> , 2011, 124, 434-443.	1.5	29
61	Combination between mean platelet volume and platelet distribution width to predict the prevalence and extent of coronary artery disease. <i>Blood Coagulation and Fibrinolysis</i> , 2014, 25, 86-91.	1.0	29
62	Glycosylated Hemoglobin and Coronary Artery Disease in Patients Without Diabetes Mellitus. <i>American Journal of Preventive Medicine</i> , 2014, 47, 9-16.	3.0	29
63	Adjunctive benefits from low-molecular-weight heparins as compared to unfractionated heparin among patients with ST-segment elevation myocardial infarction treated with thrombolysis. A meta-analysis of the randomized trials. <i>American Heart Journal</i> , 2007, 154, 1085.e1-1085.e6.	2.7	28
64	The effect of urocortin II administration on the coronary circulation and cardiac function in the anaesthetized pig is nitric-oxide-dependent. <i>European Journal of Pharmacology</i> , 2008, 578, 242-248.	3.5	28
65	Cardiac Dyssynchrony Quantitated by Time-to-Peak or Temporal Uniformity of Strain at Longitudinal, Circumferential, and Radial Level: Implications for Resynchronization Therapy. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 665-671.	2.8	28
66	Methodological approach for the assessment of ultrasound reproducibility of cardiac structure and function: a proposal of the study group of Echocardiography of the Italian Society of Cardiology (Ultra Cardia SIC) Part I. <i>Cardiovascular Ultrasound</i> , 2011, 9, 26.	1.6	28
67	Short-term effects of aspirin and clopidogrel on mean platelet volume among patients with acute coronary syndromes. A single-center prospective study. <i>Blood Coagulation and Fibrinolysis</i> , 2012, 23, 756-759.	1.0	28
68	Impact of age on mean platelet volume and its relationship with coronary artery disease: A single-centre cohort study. <i>Experimental Gerontology</i> , 2015, 62, 32-36.	2.8	28
69	Vitamin D levels and high-residual platelet reactivity in patients receiving dual antiplatelet therapy with clopidogrel or ticagrelor. <i>Platelets</i> , 2016, 27, 576-582.	2.3	28
70	Comparison of Efficacy and Safety of Lower-Dose to Higher-Dose Oral Prednisone After Percutaneous Coronary Interventions (the IMPRESS-LD Study). <i>American Journal of Cardiology</i> , 2007, 99, 1082-1086.	1.6	27
71	Left atrial asynchrony is a major predictor of 1-year recurrence of atrial fibrillation after electrical cardioversion. <i>Journal of Cardiovascular Medicine</i> , 2010, 11, 499-506.	1.5	27
72	Quantitative assessment of atrial conduit function: a new index of diastolic dysfunction. <i>Clinical Research in Cardiology</i> , 2016, 105, 17-28.	3.3	27

#	ARTICLE	IF	CITATIONS
73	Permanent parahisian pacing. Indian Pacing and Electrophysiology Journal, 2007, 7, 110-25.	0.6	27
74	Impact of diabetes on immature platelets fraction and its relationship with platelet reactivity in patients receiving dual antiplatelet therapy. Journal of Thrombosis and Thrombolysis, 2016, 42, 245-253.	2.1	26
75	Enhanced clinical phenotyping by mechanistic bioprofiling in heart failure with preserved ejection fraction: insights from the MEDIA-DHF study (The Metabolic Road to Diastolic Heart Failure). Biomarkers, 2020, 25, 201-211.	1.9	26
76	Impact of diabetes on uric acid and its relationship with the extent of coronary artery disease and platelet aggregation: A single-centre cohort study. Metabolism: Clinical and Experimental, 2014, 63, 640-646.	3.4	25
77	Body Mass Index and Platelet Reactivity During Dual Antiplatelet Therapy With Clopidogrel or Ticagrelor. Journal of Cardiovascular Pharmacology, 2015, 66, 364-370.	1.9	25
78	Vitamin D status, diabetes mellitus and coronary artery disease in patients undergoing coronary angiography. Atherosclerosis, 2016, 250, 114-121.	0.8	25
79	Impact of high-dose statins on vitamin D levels and platelet function in patients with coronary artery disease. Thrombosis Research, 2017, 150, 90-95.	1.7	25
80	Long-term follow-up of DDDR closed-loop cardiac pacing for the prevention of recurrent vasovagal syncope. Journal of Cardiovascular Medicine, 2012, 13, 242-245.	1.5	24
81	Italian Cardiological Guidelines for Sports Eligibility in Athletes with Heart Disease. Journal of Cardiovascular Medicine, 2013, 14, 500-515.	1.5	24
82	Aortic stiffness correlates with an increased extracellular matrix turnover in patients with dilated cardiomyopathy. American Heart Journal, 2006, 152, 93.e1-93.e6.	2.7	23
83	Prevalence and predictors of high-on treatment platelet reactivity with ticagrelor in ACS patients undergoing stent implantation. Vascular Pharmacology, 2016, 77, 48-53.	2.1	23
84	Mean platelet volume and the risk of periprocedural myocardial infarction in patients undergoing coronary angioplasty. Atherosclerosis, 2013, 228, 136-141.	0.8	22
85	Gender Differences in Platelet Reactivity in Patients Receiving Dual Antiplatelet Therapy. Cardiovascular Drugs and Therapy, 2016, 30, 143-150.	2.6	22
86	Platelet reactivity in patients with impaired renal function receiving dual antiplatelet therapy with clopidogrel or ticagrelor. Vascular Pharmacology, 2016, 79, 11-15.	2.1	22
87	The relationship between early left ventricular myocardial alterations and reduced coronary flow reserve in non-insulin-dependent diabetic patients with microvascular angina. International Journal of Cardiology, 2012, 154, 250-255.	1.7	21
88	Long-term clinical follow-up of the multicentre, randomized study to test immunosuppressive therapy with oral prednisone for the prevention of restenosis after percutaneous coronary interventions: Cortisone plus BMS or DES versus BMS alone to Eliminate Restenosis (CEREA-DES). European Heart Journal, 2013, 34, 1740-1748.	2.2	21
89	The role of statins in the prevention of contrast induced nephropathy: a meta-analysis of 8 randomized trials. Journal of Thrombosis and Thrombolysis, 2014, 38, 493-502.	2.1	21
90	Absolute eosinophils count and the extent of coronary artery disease: a single centre cohort study. Journal of Thrombosis and Thrombolysis, 2015, 39, 459-466.	2.1	21

#	ARTICLE	IF	CITATIONS
91	Time-related changes in neointimal tissue coverage of a novel Sirolimus eluting stent. Cardiovascular Revascularization Medicine, 2016, 17, 38-43.	0.8	21
92	Immature platelet fraction and high-on treatment platelet reactivity with ticagrelor in patients with acute coronary syndromes. Journal of Thrombosis and Thrombolysis, 2016, 41, 663-670.	2.1	21
93	Post Acute Myocardial Infarction The Fosinopril in Acute Myocardial Infarction Study (FAMIS). American Journal of Hypertension, 1997, 10, 247S-254S.	2.0	20
94	Evaluation of Intracoronary Adenosine to Prevent Periprocedural Myonecrosis in Elective Percutaneous Coronary Intervention (From the PREVENT-ICARUS Trial). American Journal of Cardiology, 2012, 109, 202-207.	1.6	20
95	Gender Difference in the Risk of Contrast-Induced Nephropathy in Patients Undergoing Coronary Angiography or Percutaneous Coronary Intervention. Angiology, 2017, 68, 542-546.	1.8	20
96	Red Cell Distribution Width and Platelet Count as Biomarkers of Pulmonary Arterial Hypertension in Patients with Connective Tissue Disorders. Disease Markers, 2019, 2019, 1-7.	1.3	20
97	The left atrial volume curve can be assessed from pulmonary vein and mitral valve velocity tracings. American Heart Journal, 1994, 127, 886-898.	2.7	19
98	Platelet-Large Cell Ratio and the extent of coronary artery disease: results from a large prospective study. Journal of Thrombosis and Thrombolysis, 2010, 30, 426-433.	2.1	19
99	Prevalence of undiagnosed chronic thromboembolic pulmonary hypertension after pulmonary embolism. Blood Coagulation and Fibrinolysis, 2014, 25, 649-653.	1.0	19
100	Indications and immediate and long-term results of a novel pericardium covered stent graft: Consecutive 5 year single center experience. Catheterization and Cardiovascular Interventions, 2016, 87, 712-719.	1.7	19
101	Facilitated angioplasty with combo therapy among patients with ST-segment elevation myocardial infarction: a meta-analysis of randomized trials. American Journal of Emergency Medicine, 2009, 27, 683-690.	1.6	18
102	Pre-diabetes and the risk of contrast induced nephropathy in patients undergoing coronary angiography or percutaneous intervention. Diabetes Research and Clinical Practice, 2014, 106, 458-464.	2.8	18
103	Mean platelet volume and high-residual platelet reactivity in patients receiving dual antiplatelet therapy with clopidogrel or ticagrelor. Expert Opinion on Pharmacotherapy, 2015, 16, 1739-1747.	1.8	18
104	Impact of adenosine A2a receptor polymorphism rs5751876 on platelet reactivity in ticagrelor treated patients. Pharmacological Research, 2018, 129, 27-33.	7.1	18
105	Association between left atrial phasic conduit function and early atrial fibrillation recurrence in patients undergoing electrical cardioversion. Clinical Research in Cardiology, 2018, 107, 329-337.	3.3	18
106	Advances in antithrombotic therapy as adjunct to reperfusion therapies for ST-segment elevation myocardial infarction. Thrombosis and Haemostasis, 2008, 100, 184-195.	3.4	17
107	Transradial versus transfemoral approach for percutaneous coronary procedures. Current Cardiology Reports, 2009, 11, 391-397.	2.9	17
108	Pathophysiological rationale and diagnostic targets for diastolic stress testing. Heart, 2015, 101, 1355-1360.	2.9	17



#	ARTICLE	IF	CITATIONS
109	Orthostatic hypotension as an unusual clinical manifestation of pheochromocytoma: a case report. Journal of Cardiovascular Medicine, 2008, 9, 839-841.	1.5	16
110	Impact of renal function on mean platelet volume and its relationship with coronary artery disease: A single-centre cohort study. Thrombosis Research, 2016, 141, 139-144.	1.7	16
111	Early left ventricular filling: An approach to its multifactorial nature using a combined hemodynamic-Doppler technique. American Heart Journal, 1991, 122, 132-141.	2.7	15
112	Comparison of Left Ventricular Function and Volumes During Transesophageal Atrial Pacing Combined With Two-Dimensional Echocardiography in Patients With Syndrome X, Atherosclerotic Coronary Artery Disease, and Normal Subjects. American Journal of Cardiology, 1997, 80, 1261-1265.	1.6	15
113	Switching from high-dose clopidogrel to prasugrel in ACS patients undergoing PCI: a single-center experience. Journal of Thrombosis and Thrombolysis, 2014, 38, 388-394.	2.1	15
114	Homocysteine Levels Influence Platelet Reactivity in Coronary Artery Disease Patients Treated With Acetylsalicylic Acid. Journal of Cardiovascular Pharmacology, 2015, 66, 35-40.	1.9	15
115	Postinfarctional remodeling: increased dye intensity in the myocardial risk area after angioplasty of infarct-related coronary artery is associated with reduction of ventricular volumes. Journal of the American College of Cardiology, 2001, 37, 1239-1245.	2.8	14
116	Usefulness of Hemodynamic Sensors for Physiologic Cardiac Pacing in Heart Failure Patients. Cardiology Research and Practice, 2011, 2011, 1-8.	1.1	14
117	Elevated Homocysteine and the Risk of Contrast-Induced Nephropathy. Angiology, 2015, 66, 333-338.	1.8	14
118	Non-invasively estimated left atrial stiffness is associated with short-term recurrence of atrial fibrillation after electrical cardioversion. Journal of Cardiology, 2017, 69, 731-738.	1.9	14
119	Complex interaction between the atrium and the ventricular filling process: the role of conduit. Open Heart, 2019, 6, e001042.	2.3	14
120	Atrial conduit function quantitation precardioversion predicts early arrhythmia recurrence in persistent atrial fibrillation patients. Journal of Cardiovascular Medicine, 2019, 20, 169-179.	1.5	14
121	Usefulness of transesophageal atrial pacing combined with two-dimensional echocardiography (echo-pacing) in predicting the presence and site of residual jeopardized myocardium after uncomplicated acute myocardial infarction. American Journal of Cardiology, 1994, 73, 534-538.	1.6	13
122	Relationship between mitral regurgitation and myocardial viability after acute myocardial infarction: their impact on prognosis. International Journal of Cardiology, 2001, 78, 81-90.	1.7	12
123	Feasibility and safety of transeophageal atrial pacing stress echocardiography in patients with known or suspected coronary artery disease. American Journal of Cardiology, 2003, 92, 1384-1388.	1.6	12
124	Impact of duration of clopidogrel prescription on outcome of DES as compared to BMS in primary angioplasty: a meta-regression analysis of randomized trials. Journal of Thrombosis and Thrombolysis, 2009, 27, 365-378.	2.1	12
125	Left atrium function in patients with coronary artery disease. Current Opinion in Cardiology, 2014, 29, 423-429.	1.8	12
126	Platelet distribution width and the risk of periprocedural myocardial infarction in patients undergoing percutaneous coronary intervention. Journal of Thrombosis and Thrombolysis, 2014, 37, 345-352.	2.1	12



#	ARTICLE	IF	CITATIONS
127	Impact of Long-Term Dual Antiplatelet Therapy on Immature Platelet Count and Platelet Reactivity. <i>Angiology</i> , 2018, 69, 490-496.	1.8	12
128	Sex differences in circulating proteins in heart failure with preserved ejection fraction. <i>Biology of Sex Differences</i> , 2020, 11, 47.	4.1	12
129	Right ventricular septal pacing: Safety and efficacy in a long term follow up. <i>World Journal of Cardiology</i> , 2015, 7, 490.	1.5	12
130	Echocardiographic contrast imaging of the human right heart: A multicenter study of the efficacy, safety, and reproducibility of intravenous SHU-454. <i>Journal of Clinical Ultrasound</i> , 1991, 19, 523-530.	0.8	11
131	High-Density Lipoproteins and Coronary Artery Disease. <i>Angiology</i> , 2014, 65, 696-702.	1.8	11
132	Lack of interference of electromagnetic navigation bronchoscopy to implanted cardioverter-defibrillator: in-vivo study. <i>Europace</i> , 2014, 16, 1767-1771.	1.7	11
133	Ventricular and pulmonary vascular remodeling induced by pulmonary overflow in a chronic model of pretricuspid shunt. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2014, 148, 2609-2617.	0.8	11
134	Impact of atorvastatin or rosuvastatin co-administration on platelet reactivity in patients treated with dual antiplatelet therapy. <i>Atherosclerosis</i> , 2015, 243, 389-394.	0.8	11
135	Prevalence and predictors of high-on treatment platelet reactivity during prasugrel treatment in patients with acute coronary syndrome undergoing stent implantation. <i>Journal of Cardiology</i> , 2019, 73, 198-203.	1.9	11
136	The role of myocardial viability in deriving benefit from reestablishing infarct-related artery flow after acute myocardial infarction. <i>Progress in Cardiovascular Diseases</i> , 2000, 42, 455-470.	3.1	10
137	Ventricular capture by anodal pacemaker stimulation. <i>Europace</i> , 2006, 8, 385-387.	1.7	10
138	Echocardiographically Derived Pulse Wave Velocity and Diastolic Dysfunction Are Associated with an Increased Incidence of Atrial Fibrillation in Patients with Systolic Heart Failure. <i>Echocardiography</i> , 2016, 33, 1024-1031.	0.9	10
139	Vitamin D Binding Protein rs7041 polymorphism and high-residual platelet reactivity in patients receiving dual antiplatelet therapy with clopidogrel or ticagrelor. <i>Vascular Pharmacology</i> , 2017, 93-95, 42-47.	2.1	10
140	Immature platelet fraction and the extent of coronary artery disease: A single centre study. <i>Atherosclerosis</i> , 2017, 260, 110-115.	0.8	10
141	Left atrial conduit flow rate at baseline and during exercise: an index of impaired relaxation in HFpEF patients. <i>ESC Heart Failure</i> , 2021, 8, 4334-4342.	3.1	10
142	P2Y12 Inhibitors: Pharmacologic Mechanism and Clinical Relevance. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2013, 11, 101-105.	1.0	10
143	Evaluation of pacemaker dependence in patients on ablate and pace therapy for atrial fibrillation. <i>Europace</i> , 2007, 9, 1119-1123.	1.7	9
144	New echocardiographic technologies in the clinical management of hypertensive heart disease. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 997-1006.	1.5	9

#	ARTICLE	IF	CITATIONS
145	Percutaneous Treatment of Coronary Bifurcations: Lesion Preparation Before Provisional Bare Metal Stenting and Subsequent Immunosuppression with Oral Prednisone. The IMPRESS-Y Study. <i>Journal of Interventional Cardiology</i> , 2007, 20, 114-121.	1.2	9
146	Mechanical dyssynchrony and functional mitral regurgitation: pathophysiology and clinical implications. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 461-469.	1.5	9
147	In vitro tests of electromagnetic interference of electromagnetic navigational bronchoscopy to implantable cardioverter defibrillators. <i>Europace</i> , 2012, 14, 1054-1059.	1.7	9
148	Platelet HPA-1 a/HPA-1 b polymorphism and the risk of periprocedural myocardial infarction in patients undergoing elective PCI. <i>Platelets</i> , 2014, 25, 367-372.	2.3	9
149	Prevalence of ventricular arrhythmias in patients with cardiac resynchronization therapy without back-up ICD. <i>Journal of Cardiovascular Medicine</i> , 2014, 15, 301-306.	1.5	9
150	Impact of red blood cells count and high density lipoproteins with the prevalence and extent of coronary artery disease. <i>Journal of Thrombosis and Thrombolysis</i> , 2015, 40, 61-68.	2.1	9
151	Parathyroid Hormone Levels and Highâ€Residual Platelet Reactivity in Patients Receiving Dual Antiplatelet Therapy With Acetylsalicylic Acid and Clopidogrel or Ticagrelor. <i>Cardiovascular Therapeutics</i> , 2016, 34, 209-215.	2.5	9
152	Occurrence of simultaneous cathodalâ€anodal capture with left ventricular quadripolar leads for cardiac resynchronization therapy: an electrocardiogram evaluation. <i>Europace</i> , 2017, 19, 596-601.	1.7	9
153	Left atrial conduit function: A short review. <i>Physiological Reports</i> , 2021, 9, e15053.	1.7	9
154	Opposite effects of the remodeling of infarcted and non-infarcted myocardium on left ventricular function early after infarction in humans. An echocardiographic study in patients examined before and after myocardial infarction. <i>International Journal of Cardiology</i> , 1997, 60, 81-90.	1.7	8
155	Eosinophils count and periprocedural myocardial infarction in patients undergoing percutaneous coronary interventions. <i>Atherosclerosis</i> , 2014, 236, 169-174.	0.8	8
156	Systolic heart failure and cardiac resynchronization therapy: a focus on diastole. <i>International Journal of Cardiovascular Imaging</i> , 2014, 30, 897-905.	1.5	8
157	Plateletâ€larger cell ratio and the risk of periprocedural myocardial infarction after percutaneous coronary revascularization. <i>Heart and Vessels</i> , 2015, 30, 20-27.	1.2	8
158	Relationship Between Glycoprotein IIIa Platelet Receptor Gene Polymorphism and Coronary Artery Disease. <i>Angiology</i> , 2015, 66, 79-85.	1.8	8
159	Feasibility of cathodicâ€anodal left ventricular stimulation for alternative multisite pacing. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 597-602.	1.2	8
160	Frequency of predischage ventricular arrhythmias in postmyocardial infarction patients depends on residual left ventricular pump performance and is independent of the occurrence of acute reperfusion. <i>Journal of the American College of Cardiology</i> , 1994, 23, 290-295.	2.8	7
161	Comparison between low-dose dobutamine echocardiography and thallium-201 scintigraphy in the detection of myocardial viability in patients with recent myocardial infarction. <i>International Journal of Cardiology</i> , 2000, 73, 213-223.	1.7	7
162	Left atrial stiffness and its implications for cardiac function. <i>Future Cardiology</i> , 2007, 3, 175-183.	1.2	7

#	ARTICLE	IF	CITATIONS
163	Correct Estimation of Conduit Function From Left Atrial Volume Curve Assessment Only Is Unlikely. <i>Journal of the American Society of Echocardiography</i> , 2010, 23, 1333.	2.8	7
164	Future easy and physiological cardiac pacing. <i>World Journal of Cardiology</i> , 2011, 3, 32.	1.5	7
165	Platelet PIA1/PIA2 polymorphism and the risk of periprocedural myocardial infarction in patients with acute coronary syndromes undergoing coronary angioplasty. <i>Blood Coagulation and Fibrinolysis</i> , 2014, 25, 107-113.	1.0	7
166	Resting P d/P a and haemodynamic relevance of coronary stenosis as evaluated by fractional flow reserve. <i>Coronary Artery Disease</i> , 2018, 29, 138-144.	0.7	7
167	Myocardial phenotypes and dysfunction in HFpEF and HFrEF assessed by echocardiography and cardiac magnetic resonance. <i>Heart Failure Reviews</i> , 2020, 25, 75-84.	3.9	7
168	Role of Gas6 and TAM Receptors in the Identification of Cardiopulmonary Involvement in Systemic Sclerosis and Scleroderma Spectrum Disorders. <i>Disease Markers</i> , 2020, 2020, 1-8.	1.3	7
169	Antithrombotic Therapies in Primary Angioplasty. <i>Drugs</i> , 2008, 68, 2325-2344.	10.9	6
170	The Relationship Between Quantitative Perfusion and Functional Results and Acquisition Time With Reduced Administered Activity for 99mTc Tetrofosmin Myocardial Gated-SPECT. <i>Clinical Nuclear Medicine</i> , 2012, 37, e162-e169.	1.3	6
171	Baseline asynchrony, assessed circumferentially using temporal uniformity of strain, besides coincidence between site of latest mechanical activation and presumed left ventricular lead position, predicts favourable prognosis after resynchronization therapy. <i>International Journal of Cardiovascular Imaging</i> , 2012, 28, 1011-1021.	1.5	6
172	Analysis of electrical and mechanical left atrial properties in patients with persistent atrial fibrillation. <i>International Journal of Cardiovascular Imaging</i> , 2013, 29, 71-78.	1.5	6
173	Uric acid and risk of periprocedural myocardial infarction in patients undergoing percutaneous coronary intervention. <i>Diabetes/Metabolism Research and Reviews</i> , 2014, 30, 297-304.	4.0	6
174	Platelet Larger Cell Ratio and High-on Treatment Platelet Reactivity During Dual Antiplatelet Therapy. <i>Cardiovascular Drugs and Therapy</i> , 2015, 29, 443-450.	2.6	6
175	Does Prostaglandin E1 Infusion Affect the Left Ventricular Filling Pattern of End-Stage Dilated Cardiomyopathy? A Combined Hemodynamic-Echo Doppler Study. <i>Journal of Cardiovascular Pharmacology</i> , 1997, 29, 188-195.	1.9	6
176	Practical echocardiography in aortic valve stenosis. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 653-665.	1.5	5
177	A multicenter, randomized study to test immunosuppressive therapy with oral prednisone for the prevention of restenosis after percutaneous coronary interventions: cortisone plus BMS or DES versus BMS alone to eliminate restenosis (CEREA-DES) – study design and rationale. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 192-199.	1.5	5
178	Integrating the knowledge. <i>Journal of Cardiovascular Medicine</i> , 2014, 15, 85-91.	1.5	5
179	Glycosylated hemoglobin and the risk of periprocedural myocardial infarction in non-diabetic patients. <i>Journal of Diabetes and Its Complications</i> , 2015, 29, 517-522.	2.3	5
180	Homocysteine and risk of periprocedural myocardial infarction in patients undergoing coronary stenting. <i>Journal of Cardiovascular Medicine</i> , 2015, 16, 100-105.	1.5	5

#	ARTICLE	IF	CITATIONS
181	Effect of diabetes mellitus on periprocedural myocardial infarction in patients undergoing coronary stent implantation. <i>Diabetes/Metabolism Research and Reviews</i> , 2015, 31, 85-92.	4.0	5
182	Coronary flow reserve/diastolic function relationship in angina-suffering patients with normal coronary angiography. <i>Journal of Cardiovascular Medicine</i> , 2017, 18, 325-331.	1.5	5
183	Optical coherence tomography guidance during bioresorbable vascular scaffold implantation. <i>Journal of Thoracic Disease</i> , 2017, 9, S986-S993.	1.4	5
184	Transcatheter aortic valve replacement acutely improves left ventricular mechanical efficiency in severe aortic stenosis: effects of different phenotypes. <i>Clinical Research in Cardiology</i> , 2020, 109, 819-831.	3.3	5
185	Left atrial conduit function modulates right ventricular afterload, exercise capacity and survival in heart failure patients. <i>Journal of Cardiovascular Medicine</i> , 2021, 22, 396-404.	1.5	5
186	Mechanical assist device for right ventricular failure after acute aortic dissection. <i>Annals of Thoracic Surgery</i> , 1993, 56, 363-366.	1.3	4
187	Increased intensity of contrast material immediately after late angioplasty of infarct-related coronary artery is associated with reduced ventricular volumes at six months. <i>American Journal of Cardiology</i> , 1998, 82, 1451-1456.	1.6	4
188	Intravenous contrast echocardiography after myocardial infarction: relationship among residual myocardial perfusion, contractile reserve and long-term remodelling. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 1012-1019.	1.5	4
189	Transient hyperkalemia-induced T-wave oversensing as a cause of inappropriate ICD discharges. <i>Journal of Cardiology Cases</i> , 2013, 8, 164-167.	0.5	4
190	Impact of diabetes on fibrinogen levels and its relationship with platelet reactivity and coronary artery disease: A single-centre study. <i>Diabetes Research and Clinical Practice</i> , 2015, 109, 541-550.	2.8	4
191	Persistence of ICD indication at the time of replacement in patients with initial implant for primary prevention indication: Effect on subsequent ICD therapies. <i>Indian Pacing and Electrophysiology Journal</i> , 2017, 17, 29-33.	0.6	4
192	Incremental value of right atrial strain for early diagnosis of hemodynamic deterioration in pulmonary hypertension. <i>Journal of Cardiovascular Medicine</i> , 2017, 18, 866-874.	1.5	4
193	Role of the Left Atrium. , 2008, , 53-70.		4
194	Left ventricular torsion in paced patients. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 921-927.	1.5	3
195	Silent Double Aortic Arch Coincidentally Found During Cardiac Catheterization in Elderly Man. <i>Congenital Heart Disease</i> , 2011, 6, 74-76.	0.2	3
196	Old and New Drugs for Treatment of Stable Angina: New Anti-Anginal Drugs and Coronary Revascularization. <i>Cardiovascular and Hematological Agents in Medicinal Chemistry</i> , 2015, 13, 21-24.	1.0	3
197	Acute contractile recovery extent during biventricular pacing is not associated with follow-up in patients undergoing resynchronization. <i>IJC Heart and Vasculature</i> , 2016, 11, 66-73.	1.1	3
198	Acute Modifications of Left Ventricular Torsional Mechanics Induced by Cardiac Resynchronization Therapy Affect Short-Term Reverse Remodeling. <i>Circulation Journal</i> , 2019, 83, 386-394.	1.6	3

#	ARTICLE	IF	CITATIONS
199	In vitro tests of electromagnetic interference of electromagnetic navigational bronchoscopy to implantable cardioverter defibrillators. <i>Europace</i> , 2012, 14, 1054-1059.	1.7	3
200	Advances in antithrombotic therapy as adjunct to reperfusion therapies for ST-segment elevation myocardial infarction. <i>Thrombosis and Haemostasis</i> , 2008, 100, 184-95.	3.4	3
201	Transient trifascicular block complicating myocardial contusion after blunt chest trauma: a case report. <i>Journal of Cardiovascular Medicine</i> , 2008, 9, 937-940.	1.5	2
202	An unusual case of ECG ST-segment elevation. <i>Journal of Cardiovascular Medicine</i> , 2012, 13, 289-291.	1.5	2
203	Stable Ventricular Fibrillation in a Heterotopic Heart Transplant Recipient. <i>Heart Lung and Circulation</i> , 2012, 21, 747-749.	0.4	2
204	Haemoglobin levels do not correlate with the extent of coronary artery disease. <i>Coronary Artery Disease</i> , 2014, 25, 463-468.	0.7	2
205	Effects of timing, location and definition of reinfarction on mortality in patients with totally occluded infarct related arteries late after myocardial infarction. <i>International Journal of Cardiology</i> , 2014, 174, 90-95.	1.7	2
206	An anomalous case of acute coronary syndrome. <i>Journal of Cardiovascular Medicine</i> , 2016, 17, e118-e121.	1.5	1
207	Transcatheter leadless pacemaker implantation in a patient with failing transvenous pacemaker and total occlusion of superior vena cava. <i>Journal of Cardiovascular Medicine</i> , 2018, 19, 511-512.	1.5	1
208	End-systolic pressure-thickness relationship in the ischemic canine ventricle. <i>Coronary Artery Disease</i> , 1990, 1, 355-362.	0.7	0
209	Prognostic implications of evaluation of contractile reserve in akinetic and hypokinetic segments during low dose dobutamine echocardiography in patients with acute myocardial infarction. <i>International Journal of Cardiology</i> , 2001, 80, 227-233.	1.7	0
210	Upgrade of a single chamber endo-epicardial to a triple chamber biventricular implantable cardioverter-defibrillator. <i>Journal of Cardiovascular Medicine</i> , 2006, 7, 145-148.	1.5	0
211	Subacute thrombosis of the abdominal aorta secondary to a free-floating thrombus in the left ventricle. <i>Journal of Cardiovascular Medicine</i> , 2007, 8, 870-872.	1.5	0
212	Reply to "Stenting versus plain old angioplasty in patients with ST segment elevation myocardial infarction: Understanding of the randomized trials". <i>International Journal of Cardiology</i> , 2009, 133, 396.	1.7	0
213	Response to Bai. <i>Journal of the American Society of Echocardiography</i> , 2009, 22, 860.	2.8	0
214	Ventricular fibrillation in acute mitral valve insufficiency caused by chordae tendineae rupture: report of a surgically corrected case. <i>Journal of Cardiovascular Medicine</i> , 2009, 10, 261-263.	1.5	0
215	Apical-sparing Tako-tsubo: A case report. <i>International Journal of Cardiology</i> , 2011, 150, e34-e36.	1.7	0
216	Ventricular fusion mimicking acute inferior myocardial infarction in a patient with a dual-chamber pacemaker. <i>Journal of Cardiology Cases</i> , 2012, 6, e106-e108.	0.5	0

#	ARTICLE	IF	CITATIONS
217	Right bundle branch block and heart failure: Can a bifocal right ventricular pacing be an alternative to biventricular pacing?. Cor Et Vasa, 2016, 58, e391-e395.	0.1	0
218	Coronary Intravascular Ultrasound (IVUS): Contemporary Applications and Bases for the Future. Recent Patents on Medical Imaging, 2014, 4, 6-15.	0.1	0
219	Three-dimensional echocardiography in the evaluation of right ventricular function in pulmonary hypertensive patients: a commentary. Journal of Cardiovascular Medicine, 2021, 22, 937-938.	1.5	0
220	Does left atrial deformation impact on symptoms and prognosis in functional mitral regurgitation patients with poor left ventricular function?. European Journal of Heart Failure, 2022, 24, 705-707.	7.1	0