

Michael Dumbser

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6320320/publications.pdf>

Version: 2024-02-01

193
papers

11,877
citations

25034

57
h-index

30087

103
g-index

194
all docs

194
docs citations

194
times ranked

3681
citing authors

#	ARTICLE	IF	CITATIONS
1	A unified framework for the construction of one-step finite volume and discontinuous Galerkin schemes on unstructured meshes. <i>Journal of Computational Physics</i> , 2008, 227, 8209-8253.	3.8	761
2	Arbitrary high order non-oscillatory finite volume schemes on unstructured meshes for linear hyperbolic systems. <i>Journal of Computational Physics</i> , 2007, 221, 693-723.	3.8	652
3	Quadrature-free non-oscillatory finite volume schemes on unstructured meshes for nonlinear hyperbolic systems. <i>Journal of Computational Physics</i> , 2007, 226, 204-243.	3.8	549
4	Runge-Kutta discontinuous Galerkin method using WENO limiters II: Unstructured meshes. <i>Journal of Computational Physics</i> , 2008, 227, 4330-4353.	3.8	426
5	An arbitrary high-order discontinuous Galerkin method for elastic waves on unstructured meshes - II. The three-dimensional isotropic case. <i>Geophysical Journal International</i> , 2006, 167, 319-336.	2.4	337
6	An arbitrary high-order discontinuous Galerkin method for elastic waves on unstructured meshes - I. The two-dimensional isotropic case with external source terms. <i>Geophysical Journal International</i> , 2006, 166, 855-877.	2.4	330
7	A new 3D parallel SPH scheme for free surface flows. <i>Computers and Fluids</i> , 2009, 38, 1203-1217.	2.5	272
8	Finite volume schemes of very high order of accuracy for stiff hyperbolic balance laws. <i>Journal of Computational Physics</i> , 2008, 227, 3971-4001.	3.8	259
9	A posteriori subcell limiting of the discontinuous Galerkin finite element method for hyperbolic conservation laws. <i>Journal of Computational Physics</i> , 2014, 278, 47-75.	3.8	248
10	Arbitrary high order PNPM schemes on unstructured meshes for the compressible Navier-Stokes equations. <i>Computers and Fluids</i> , 2010, 39, 60-76.	2.5	243
11	An arbitrary high-order Discontinuous Galerkin method for elastic waves on unstructured meshes - V. Local time stepping and p -adaptivity. <i>Geophysical Journal International</i> , 2007, 171, 695-717.	2.4	233
12	Efficient, high accuracy ADER-WENO schemes for hydrodynamics and divergence-free magnetohydrodynamics. <i>Journal of Computational Physics</i> , 2009, 228, 2480-2516.	3.8	209
13	Very high order PNPM schemes on unstructured meshes for the resistive relativistic MHD equations. <i>Journal of Computational Physics</i> , 2009, 228, 6991-7006.	3.8	191
14	A Simple Extension of the Osher Riemann Solver to Non-conservative Hyperbolic Systems. <i>Journal of Scientific Computing</i> , 2011, 48, 70-88.	2.3	177
15	ADER-WENO finite volume schemes with space-time adaptive mesh refinement. <i>Journal of Computational Physics</i> , 2013, 248, 257-286.	3.8	170
16	A matrix stability analysis of the carbuncle phenomenon. <i>Journal of Computational Physics</i> , 2004, 197, 647-670.	3.8	142
17	An arbitrary high-order Discontinuous Galerkin method for elastic waves on unstructured meshes - III. Viscoelastic attenuation. <i>Geophysical Journal International</i> , 2007, 168, 224-242.	2.4	142
18	ADER schemes on unstructured meshes for nonconservative hyperbolic systems: Applications to geophysical flows. <i>Computers and Fluids</i> , 2009, 38, 1731-1748.	2.5	141

#	ARTICLE	IF	CITATIONS
19	A new efficient formulation of the HLLEM Riemann solver for general conservative and non-conservative hyperbolic systems. <i>Journal of Computational Physics</i> , 2016, 304, 275-319.	3.8	139
20	High order ADER schemes for a unified first order hyperbolic formulation of continuum mechanics: Viscous heat-conducting fluids and elastic solids. <i>Journal of Computational Physics</i> , 2016, 314, 824-862.	3.8	138
21	Building Blocks for Arbitrary High Order Discontinuous Galerkin Schemes. <i>Journal of Scientific Computing</i> , 2006, 27, 215-230.	2.3	131
22	On Universal Osher-Type Schemes for General Nonlinear Hyperbolic Conservation Laws. <i>Communications in Computational Physics</i> , 2011, 10, 635-671.	1.7	125
23	Multidimensional HLLC Riemann solver for unstructured meshes – With application to Euler and MHD flows. <i>Journal of Computational Physics</i> , 2014, 261, 172-208.	3.8	121
24	FORCE schemes on unstructured meshes II: Non-conservative hyperbolic systems. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2010, 199, 625-647.	6.6	119
25	An arbitrary high-order discontinuous Galerkin method for elastic waves on unstructured meshes - IV. Anisotropy. <i>Geophysical Journal International</i> , 2007, 169, 1210-1228.	2.4	117
26	ADER Schemes for Nonlinear Systems of Stiff Advection–Diffusion–Reaction Equations. <i>Journal of Scientific Computing</i> , 2011, 48, 173-189.	2.3	114
27	Discontinuous Galerkin methods for wave propagation in poroelastic media. <i>Geophysics</i> , 2008, 73, T77-T97.	2.6	112
28	Well-balanced high-order centred schemes for non-conservative hyperbolic systems. Applications to shallow water equations with fixed and mobile bed. <i>Advances in Water Resources</i> , 2009, 32, 834-844.	3.8	112
29	Space–time adaptive ADER discontinuous Galerkin finite element schemes with a posteriori sub-cell finite volume limiting. <i>Computers and Fluids</i> , 2015, 118, 204-224.	2.5	112
30	A sub-cell based indicator for troubled zones in RKDG schemes and a novel class of hybrid RKDG+HWENO schemes. <i>Journal of Computational Physics</i> , 2007, 226, 586-620.	3.8	105
31	FORCE schemes on unstructured meshes I: Conservative hyperbolic systems. <i>Journal of Computational Physics</i> , 2009, 228, 3368-3389.	3.8	104
32	Efficient implementation of ADER schemes for Euler and magnetohydrodynamical flows on structured meshes – Speed comparisons with Runge–Kutta methods. <i>Journal of Computational Physics</i> , 2013, 235, 934-969.	3.8	102
33	A direct Arbitrary-Lagrangian–Eulerian ADER-WENO finite volume scheme on unstructured tetrahedral meshes for conservative and non-conservative hyperbolic systems in 3D. <i>Journal of Computational Physics</i> , 2014, 275, 484-523.	3.8	102
34	Fast high order ADER schemes for linear hyperbolic equations. <i>Journal of Computational Physics</i> , 2004, 197, 532-539.	3.8	99
35	The discontinuous Galerkin method with Lax–Wendroff type time discretizations. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2005, 194, 4528-4543.	6.6	92
36	A simple robust and accurate a posteriori sub-cell finite volume limiter for the discontinuous Galerkin method on unstructured meshes. <i>Journal of Computational Physics</i> , 2016, 319, 163-199.	3.8	91

#	ARTICLE	IF	CITATIONS
37	A New Family of High Order Unstructured MOOD and ADER Finite Volume Schemes for Multidimensional Systems of Hyperbolic Conservation Laws. <i>Communications in Computational Physics</i> , 2014, 16, 718-763.	1.7	85
38	Well-balanced high-order centered schemes on unstructured meshes for shallow water equations with fixed and mobile bed. <i>Advances in Water Resources</i> , 2010, 33, 291-303.	3.8	81
39	A pressure-based semi-implicit space-time discontinuous Galerkin method on staggered unstructured meshes for the solution of the compressible Navier-Stokes equations at all Mach numbers. <i>Journal of Computational Physics</i> , 2017, 341, 341-376.	3.8	81
40	Divergence-free MHD on unstructured meshes using high order finite volume schemes based on multidimensional Riemann solvers. <i>Journal of Computational Physics</i> , 2015, 299, 687-715.	3.8	80
41	ADER discontinuous Galerkin schemes for aeroacoustics. <i>Comptes Rendus - Mecanique</i> , 2005, 333, 683-687.	2.1	78
42	Multidimensional Riemann problem with self-similar internal structure. Part II Application to hyperbolic conservation laws on unstructured meshes. <i>Journal of Computational Physics</i> , 2015, 287, 269-292.	3.8	74
43	High order space-time adaptive ADER-WENO finite volume schemes for non-conservative hyperbolic systems. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2014, 268, 359-387.	6.6	73
44	Solving the relativistic magnetohydrodynamics equations with ADER discontinuous Galerkin methods, a posteriori subcell limiting and adaptive mesh refinement. <i>Monthly Notices of the Royal Astronomical Society</i> , 2015, 452, 3010-3029.	4.4	71
45	A staggered space-time discontinuous Galerkin method for the three-dimensional incompressible Navier-Stokes equations on unstructured tetrahedral meshes. <i>Journal of Computational Physics</i> , 2016, 319, 294-323.	3.8	71
46	Central Weighted ENO Schemes for Hyperbolic Conservation Laws on Fixed and Moving Unstructured Meshes. <i>SIAM Journal of Scientific Computing</i> , 2017, 39, A2564-A2591.	2.8	71
47	Arbitrary high-order finite volume schemes for seismic wave propagation on unstructured meshes in 2D and 3D. <i>Geophysical Journal International</i> , 2007, 171, 665-694.	2.4	70
48	Numerical simulations of solute transport in highly heterogeneous formations: A comparison of alternative numerical schemes. <i>Advances in Water Resources</i> , 2013, 52, 178-189.	3.8	70
49	Arbitrary-Lagrangian-Eulerian One-Step WENO Finite Volume Schemes on Unstructured Triangular Meshes. <i>Communications in Computational Physics</i> , 2013, 14, 1174-1206.	1.7	69
50	A new class of Moving-Least-Squares WENO-SPH schemes. <i>Journal of Computational Physics</i> , 2014, 270, 278-299.	3.8	63
51	Construction and comparison of parallel implicit kinetic solvers in three spatial dimensions. <i>Journal of Computational Physics</i> , 2014, 256, 17-33.	3.8	62
52	Lagrangian ADER-WENO finite volume schemes on unstructured triangular meshes based on genuinely multidimensional HLL Riemann solvers. <i>Journal of Computational Physics</i> , 2014, 267, 112-138.	3.8	62
53	Linearized acoustic perturbation equations for low Mach number flow with variable density and temperature. <i>Journal of Computational Physics</i> , 2007, 224, 352-364.	3.8	61
54	Three-dimensional flow evolution after a dam break. <i>Journal of Fluid Mechanics</i> , 2010, 663, 456-477.	3.4	61

#	ARTICLE	IF	CITATIONS
55	Explicit one-step time discretizations for discontinuous Galerkin and finite volume schemes based on local predictors. <i>Journal of Computational Physics</i> , 2011, 230, 4232-4247.	3.8	61
56	Arbitrary-Lagrangian-Eulerian Discontinuous Galerkin schemes with a posteriori subcell finite volume limiting on moving unstructured meshes. <i>Journal of Computational Physics</i> , 2017, 346, 449-479.	3.8	61
57	High-order ADER-WENO ALE schemes on unstructured triangular meshes: application of several node solvers to hydrodynamics and magnetohydrodynamics. <i>International Journal for Numerical Methods in Fluids</i> , 2014, 76, 737-778.	1.6	60
58	High order direct Arbitrary-Lagrangian-Eulerian schemes on moving Voronoi meshes with topology changes. <i>Journal of Computational Physics</i> , 2020, 407, 109167.	3.8	59
59	High-order unstructured Lagrangian one-step WENO finite volume schemes for non-conservative hyperbolic systems: Applications to compressible multi-phase flows. <i>Computers and Fluids</i> , 2013, 86, 405-432.	2.5	58
60	A highly accurate discontinuous Galerkin method for complex interfaces between solids and moving fluids. <i>Geophysics</i> , 2008, 73, T23-T35.	2.6	56
61	Numerical simulations of high Lundquist number relativistic magnetic reconnection. <i>Monthly Notices of the Royal Astronomical Society</i> , 2011, 418, 1004-1011.	4.4	56
62	A staggered semi-implicit spectral discontinuous Galerkin scheme for the shallow water equations. <i>Applied Mathematics and Computation</i> , 2013, 219, 8057-8077.	2.2	55
63	High order ADER schemes for a unified first order hyperbolic formulation of Newtonian continuum mechanics coupled with electro-dynamics. <i>Journal of Computational Physics</i> , 2017, 348, 298-342.	3.8	55
64	A high-order discontinuous Galerkin method with time-accurate local time stepping for the Maxwell equations. <i>International Journal of Numerical Modelling: Electronic Networks, Devices and Fields</i> , 2009, 22, 77-103.	1.9	54
65	Efficient implementation of high order unstructured WENO schemes for cavitating flows. <i>Computers and Fluids</i> , 2013, 86, 141-168.	2.5	53
66	A high order semi-implicit discontinuous Galerkin method for the two dimensional shallow water equations on staggered unstructured meshes. <i>Applied Mathematics and Computation</i> , 2014, 234, 623-644.	2.2	53
67	Submerged granular channel flows driven by gravity. <i>Advances in Water Resources</i> , 2014, 63, 1-10.	3.8	53
68	Comparison of solvers for the generalized Riemann problem for hyperbolic systems with source terms. <i>Journal of Computational Physics</i> , 2012, 231, 6472-6494.	3.8	51
69	Direct Arbitrary-Lagrangian-Eulerian ADER-MOOD finite volume schemes for multidimensional hyperbolic conservation laws. <i>Journal of Computational Physics</i> , 2015, 292, 56-87.	3.8	51
70	High Order ADER Schemes for Continuum Mechanics. <i>Frontiers in Physics</i> , 2020, 8, .	2.1	47
71	Space-time adaptive ADER-DG schemes for dissipative flows: Compressible Navier-Stokes and resistive MHD equations. <i>Computer Physics Communications</i> , 2017, 220, 297-318.	7.5	45
72	A high order special relativistic hydrodynamic and magnetohydrodynamic code with space-time adaptive mesh refinement. <i>Computer Physics Communications</i> , 2015, 188, 110-127.	7.5	44

#	ARTICLE	IF	CITATIONS
73	A staggered semi-implicit discontinuous Galerkin method for the two dimensional incompressible Navier–Stokes equations. Applied Mathematics and Computation, 2014, 248, 70-92.	2.2	43
74	A conservative, weakly nonlinear semi-implicit finite volume scheme for the compressible Navier–Stokes equations with general equation of state. Applied Mathematics and Computation, 2016, 272, 479-497.	2.2	43
75	Well-balanced Arbitrary-Lagrangian-Eulerian finite volume schemes on moving nonconforming meshes for the Euler equations of gas dynamics with gravity. Monthly Notices of the Royal Astronomical Society, 2018, 477, 2251-2275.	4.4	41
76	A divergence-free semi-implicit finite volume scheme for ideal, viscous, and resistive magnetohydrodynamics. International Journal for Numerical Methods in Fluids, 2019, 89, 16-42.	1.6	41
77	A staggered space–time discontinuous Galerkin method for the incompressible Navier–Stokes equations on two-dimensional triangular meshes. Computers and Fluids, 2015, 119, 235-249.	2.5	40
78	Efficient high order accurate staggered semi-implicit discontinuous Galerkin methods for natural convection problems. Computers and Fluids, 2020, 198, 104399.	2.5	40
79	ExaHyPE: An engine for parallel dynamically adaptive simulations of wave problems. Computer Physics Communications, 2020, 254, 107251.	7.5	40
80	Efficient Implementation of ADER Discontinuous Galerkin Schemes for a Scalable Hyperbolic PDE Engine. Axioms, 2018, 7, 63.	1.9	39
81	A semi-implicit scheme for 3D free surface flows with high-order velocity reconstruction on unstructured Voronoi meshes. International Journal for Numerical Methods in Fluids, 2013, 72, 607-631.	1.6	38
82	Arbitrary High-Order Discontinuous Galerkin Schemes for the Magnetohydrodynamic Equations. Journal of Scientific Computing, 2007, 30, 441-464.	2.3	37
83	Spectral semi-implicit and space–time discontinuous Galerkin methods for the incompressible Navier–Stokes equations on staggered Cartesian grids. Applied Numerical Mathematics, 2016, 110, 41-74.	2.1	37
84	Arbitrary-Lagrangian–Eulerian ADER–WENO finite volume schemes with time-accurate local time stepping for hyperbolic conservation laws. Computer Methods in Applied Mechanics and Engineering, 2014, 280, 57-83.	6.6	36
85	Numerical methods for hydraulic transients in visco-elastic pipes. Journal of Fluids and Structures, 2018, 81, 230-254.	3.4	36
86	A staggered semi-implicit hybrid FV/FE projection method for weakly compressible flows. Journal of Computational Physics, 2020, 421, 109743.	3.8	36
87	Semi-implicit numerical modeling of axially symmetric flows in compliant arterial systems. International Journal for Numerical Methods in Biomedical Engineering, 2012, 28, 257-272.	2.1	35
88	On Arbitrary-Lagrangian-Eulerian One-Step WENO Schemes for Stiff Hyperbolic Balance Laws. Communications in Computational Physics, 2013, 14, 301-327.	1.7	34
89	Conformal and covariant Z4 formulation of the Einstein equations: Strongly hyperbolic first-order reduction and solution with discontinuous Galerkin schemes. Physical Review D, 2018, 97, .	4.7	34
90	A simple two-phase method for the simulation of complex free surface flows. Computer Methods in Applied Mechanics and Engineering, 2011, 200, 1204-1219.	6.6	32

#	ARTICLE	IF	CITATIONS
91	A diffuse interface method for complex three-dimensional free surface flows. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2013, 257, 47-64.	6.6	32
92	Semi-implicit discontinuous Galerkin methods for the incompressible Navier-Stokes equations on adaptive staggered Cartesian grids. <i>Computer Methods in Applied Mechanics and Engineering</i> , 2017, 324, 170-203.	6.6	32
93	Direct Arbitrary-Lagrangian-Eulerian finite volume schemes on moving nonconforming unstructured meshes. <i>Computers and Fluids</i> , 2017, 159, 254-275.	2.5	32
94	A structure-preserving staggered semi-implicit finite volume scheme for continuum mechanics. <i>Journal of Computational Physics</i> , 2021, 424, 109866.	3.8	32
95	On High Order ADER Discontinuous Galerkin Schemes for First Order Hyperbolic Reformulations of Nonlinear Dispersive Systems. <i>Journal of Scientific Computing</i> , 2021, 87, 1.	2.3	31
96	Efficient conservative ADER schemes based on WENO reconstruction and space-time predictor in primitive variables. <i>Computational Astrophysics and Cosmology</i> , 2016, 3, 1.	22.7	30
97	An efficient hyperbolic relaxation system for dispersive non-hydrostatic water waves and its solution with high order discontinuous Galerkin schemes. <i>Journal of Computational Physics</i> , 2019, 394, 385-416.	3.8	30
98	Theoretical and numerical comparison of hyperelastic and hypoelastic formulations for Eulerian non-linear elastoplasticity. <i>Journal of Computational Physics</i> , 2019, 387, 481-521.	3.8	30
99	A simple diffuse interface approach for compressible flows around moving solids of arbitrary shape based on a reduced Baer-Nunziato model. <i>Computers and Fluids</i> , 2020, 204, 104536.	2.5	30
100	Arbitrary high order discontinuous Galerkin schemes. , 2005, , 295-333.		29
101	An efficient semi-implicit finite volume method for axially symmetric compressible flows in compliant tubes. <i>Applied Numerical Mathematics</i> , 2015, 89, 24-44.	2.1	28
102	Cell centered direct Arbitrary-Lagrangian-Eulerian ADER-WENO finite volume schemes for nonlinear hyperelasticity. <i>Computers and Fluids</i> , 2016, 134-135, 111-129.	2.5	28
103	On GLM curl cleaning for a first order reduction of the CCZ4 formulation of the Einstein field equations. <i>Journal of Computational Physics</i> , 2020, 404, 109088.	3.8	28
104	Arbitrary high order central non-oscillatory schemes on mixed-element unstructured meshes. <i>Computers and Fluids</i> , 2021, 225, 104961.	2.5	28
105	A two-dimensional Riemann solver with self-similar sub-structure Alternative formulation based on least squares projection. <i>Journal of Computational Physics</i> , 2016, 304, 138-161.	3.8	26
106	On Thermodynamically Compatible Finite Volume Methods and Path-Conservative ADER Discontinuous Galerkin Schemes for Turbulent Shallow Water Flows. <i>Journal of Scientific Computing</i> , 2021, 88, 1.	2.3	26
107	Central WENO Subcell Finite Volume Limiters for ADER Discontinuous Galerkin Schemes on Fixed and Moving Unstructured Meshes. <i>Communications in Computational Physics</i> , 2019, 25, .	1.7	26
108	High order cell-centered Lagrangian-type finite volume schemes with time-accurate local time stepping on unstructured triangular meshes. <i>Journal of Computational Physics</i> , 2015, 291, 120-150.	3.8	25

#	ARTICLE	IF	CITATIONS
109	Heterogeneous Domain Decomposition for Computational Aeroacoustics. AIAA Journal, 2006, 44, 2231-2250.	2.6	24
110	High order accurate direct Arbitrary-Lagrangian-Eulerian ADER-WENO finite volume schemes on moving curvilinear unstructured meshes. Computers and Fluids, 2016, 136, 48-66.	2.5	24
111	The role of 3D-hydraulics in habitat modelling of hydropeaking events. Science of the Total Environment, 2017, 575, 219-230.	8.0	24
112	A well balanced diffuse interface method for complex nonhydrostatic free surface flows. Computers and Fluids, 2018, 175, 180-198.	2.5	24
113	A novel numerical method of high order accuracy for flow in unsaturated porous media. International Journal for Numerical Methods in Engineering, 2012, 89, 227-240.	2.8	23
114	A second-order cell-centered Lagrangian ADER-MOOD finite volume scheme on multidimensional unstructured meshes for hydrodynamics. Journal of Computational Physics, 2018, 358, 103-129.	3.8	23
115	ADER discontinuous Galerkin schemes for general-relativistic ideal magnetohydrodynamics. Monthly Notices of the Royal Astronomical Society, 0, , .	4.4	23
116	Continuum mechanics with torsion. Continuum Mechanics and Thermodynamics, 2019, 31, 1517-1541.	2.2	23
117	High order ADER schemes and GLM curl cleaning for a first order hyperbolic formulation of compressible flow with surface tension. Journal of Computational Physics, 2021, 426, 109898.	3.8	23
118	A space-time discontinuous Galerkin method for Boussinesq-type equations. Applied Mathematics and Computation, 2016, 272, 336-346.	2.2	22
119	A hyperbolic reformulation of the Serre-Green-Naghdi model for general bottom topographies. Computers and Fluids, 2020, 212, 104716.	2.5	21
120	A family of HLL-type solvers for the generalized Riemann problem. Computers and Fluids, 2018, 169, 201-212.	2.5	20
121	Space-time adaptive ADER discontinuous Galerkin schemes for nonlinear hyperelasticity with material failure. Journal of Computational Physics, 2020, 422, 109758.	3.8	20
122	An alternative SPH formulation: ADER-WENO-SPH. Computer Methods in Applied Mechanics and Engineering, 2021, 382, 113871.	6.6	20
123	Smooth Particle Hydrodynamics with nonlinear Moving-Least-Squares WENO reconstruction to model anisotropic dispersion in porous media. Advances in Water Resources, 2015, 80, 43-59.	3.8	19
124	A Novel Solver for the Generalized Riemann Problem Based on a Simplified LeFloch-Raviart Expansion and a Local Space-Time Discontinuous Galerkin Formulation. Journal of Scientific Computing, 2016, 69, 805-840.	2.3	19
125	Arbitrary high order accurate space-time discontinuous Galerkin finite element schemes on staggered unstructured meshes for linear elasticity. Journal of Computational Physics, 2018, 366, 386-414.	3.8	19
126	A simple diffuse interface approach on adaptive Cartesian grids for the linear elastic wave equations with complex topography. Journal of Computational Physics, 2019, 386, 158-189.	3.8	19

#	ARTICLE	IF	CITATIONS
127	An efficient semi-implicit method for three-dimensional non-hydrostatic flows in compliant arterial vessels. <i>International Journal for Numerical Methods in Biomedical Engineering</i> , 2014, 30, 1170-1198.	2.1	18
128	A new continuum model for general relativistic viscous heat-conducting media. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2020, 378, 20190175.	3.4	18
129	A unified first-order hyperbolic model for nonlinear dynamic rupture processes in diffuse fracture zones. <i>Philosophical Transactions Series A, Mathematical, Physical, and Engineering Sciences</i> , 2021, 379, 20200130.	3.4	18
130	A path-conservative Osher-type scheme for axially symmetric compressible flows in flexible visco-elastic tubes. <i>Applied Numerical Mathematics</i> , 2016, 105, 47-63.	2.1	17
131	ADER-DG with a-posteriori finite-volume limiting to simulate tsunamis in a parallel adaptive mesh refinement framework. <i>Computers and Fluids</i> , 2018, 173, 299-306.	2.5	17
132	A Simple but Efficient Concept of Blended Teaching of Mathematics for Engineering Students during the COVID-19 Pandemic. <i>Education Sciences</i> , 2021, 11, 56.	2.6	17
133	A semi-implicit hybrid finite volume/finite element scheme for all Mach number flows on staggered unstructured meshes. <i>Applied Mathematics and Computation</i> , 2021, 402, 126117.	2.2	17
134	Modeling wavefields in saturated elastic porous media based on thermodynamically compatible system theory for two-phase solid-fluid mixtures. <i>Computers and Fluids</i> , 2020, 206, 104587.	2.5	17
135	On Thermodynamically Compatible Finite Volume Schemes for Continuum Mechanics. <i>SIAM Journal of Scientific Computing</i> , 2022, 44, A1723-A1751.	2.8	17
136	On the use of tabulated equations of state for multi-phase simulations in the homogeneous equilibrium limit. <i>Shock Waves</i> , 2019, 29, 769-793.	1.9	16
137	A posteriori sub-cell finite volume limiting of staggered semi-implicit discontinuous Galerkin schemes for the shallow water equations. <i>Applied Numerical Mathematics</i> , 2019, 135, 443-480.	2.1	16
138	A conservative finite volume scheme with time-accurate local time stepping for scalar transport on unstructured grids. <i>Advances in Water Resources</i> , 2015, 86, 217-230.	3.8	15
139	An Efficient Quadrature-Free Formulation for High Order Arbitrary-Lagrangian-Eulerian ADER-WENO Finite Volume Schemes on Unstructured Meshes. <i>Journal of Scientific Computing</i> , 2016, 66, 240-274.	2.3	15
140	A well-balanced path conservative SPH scheme for nonconservative hyperbolic systems with applications to shallow water and multi-phase flows. <i>Computers and Fluids</i> , 2017, 154, 102-122.	2.5	15
141	An alternative smooth particle hydrodynamics formulation to simulate chemotaxis in porous media. <i>Journal of Mathematical Biology</i> , 2017, 74, 1037-1058.	1.9	15
142	Staggered discontinuous Galerkin methods for the incompressible Navier-Stokes equations: Spectral analysis and computational results. <i>Numerical Linear Algebra With Applications</i> , 2018, 25, e2151.	1.6	15
143	Simulation of non-Newtonian viscoplastic flows with a unified first order hyperbolic model and a structure-preserving semi-implicit scheme. <i>Computers and Fluids</i> , 2021, 224, 104963.	2.5	15
144	Accurate Calculation of Fault-Rupture Models Using the High-Order Discontinuous Galerkin Method on Tetrahedral Meshes. <i>Bulletin of the Seismological Society of America</i> , 2007, 97, 1570-1586.	2.3	14

#	ARTICLE	IF	CITATIONS
145	A staggered semi-implicit hybrid finite volume / finite element scheme for the shallow water equations at all Froude numbers. Applied Numerical Mathematics, 2022, 175, 108-132.	2.1	14
146	A Posteriori Subcell Finite Volume Limiter for General \mathbb{P}_N Schemes: Applications from Gasdynamics to Relativistic Magnetohydrodynamics. Journal of Scientific Computing, 2021, 86, 1.	2.3	13
147	Arbitrary high order finite volume schemes for linear wave propagation. , 2006, , 129-144.		12
148	High resolution methods for scalar transport problems in compliant systems of arteries. Applied Numerical Mathematics, 2013, 74, 62-82.	2.1	11
149	A path-conservative finite volume scheme for compressible multi-phase flows with surface tension. Applied Mathematics and Computation, 2015, 271, 959-978.	2.2	11
150	Semi-implicit staggered discontinuous Galerkin schemes for axially symmetric viscous compressible flows in elastic tubes. Computers and Fluids, 2018, 167, 166-179.	2.5	11
151	A Massively Parallel Hybrid Finite Volume/Finite Element Scheme for Computational Fluid Dynamics. Mathematics, 2021, 9, 2316.	2.2	11
152	Staggered Semi-Implicit Hybrid Finite Volume/Finite Element Schemes for Turbulent and Non-Newtonian Flows. Mathematics, 2021, 9, 2972.	2.2	11
153	Studies on the energy and deep memory behaviour of a cache-oblivious, task-based hyperbolic PDE solver. International Journal of High Performance Computing Applications, 2019, 33, 973-986.	3.7	10
154	Calculation of low Mach number acoustics: a comparison of MPV, EIF and linearized Euler equations. ESAIM: Mathematical Modelling and Numerical Analysis, 2005, 39, 561-576.	1.9	9
155	On Source Terms and Boundary Conditions Using Arbitrary High Order Discontinuous Galerkin Schemes. International Journal of Applied Mathematics and Computer Science, 2007, 17, 297-310.	1.5	7
156	A Unified Hyperbolic Formulation for Viscous Fluids and Elastoplastic Solids. Springer Proceedings in Mathematics and Statistics, 2018, , 451-463.	0.2	7
157	Seismic wave field modelling using high performance computing. , 2008, , .		6
158	A Well Balanced Finite Volume Scheme for General Relativity. SIAM Journal of Scientific Computing, 2021, 43, B1226-B1251.	2.8	6
159	CAA Using Domain Decomposition and High Order Methods on Structured and Unstructured Meshes. , 2004, , .		5
160	Heterogeneous Domain Decomposition for CAA. , 2005, , .		5
161	A comparison of explicit and semi-implicit finite volume schemes for viscous compressible flows in elastic pipes in fast transient regime. ZAMM Zeitschrift Fur Angewandte Mathematik Und Mechanik, 2017, 97, 1358-1380.	1.6	5
162	A mass and momentum-conservative semi-implicit finite volume scheme for complex non-hydrostatic free surface flows. International Journal for Numerical Methods in Fluids, 2021, 93, 2946-2967.	1.6	5

#	ARTICLE	IF	CITATIONS
163	Curl Constraint-Preserving Reconstruction and the Guidance it Gives for Mimetic Scheme Design. Communications on Applied Mathematics and Computation, 2023, 5, 235-294.	1.7	5
164	PNPM SCHEMES ON UNSTRUCTURED MESHES FOR TIME-DEPENDENT PARTIAL DIFFERENTIAL EQUATIONS. Advances in Computational Fluid Dynamics, 2011, , 203-233.	0.1	4
165	High-order finite volume schemes based on defect corrections. ZAMM Zeitschrift Fur Angewandte Mathematik Und Mechanik, 2013, 93, 423-436.	1.6	4
166	High order ADER-DG schemes for the simulation of linear seismic waves induced by nonlinear dispersive free-surface water waves. Applied Numerical Mathematics, 2020, 158, 236-263.	2.1	4
167	Fluid-Acoustic Coupling and Wave Propagation. Notes on Numerical Fluid Mechanics and Multidisciplinary Design, 2009, , 47-74.	0.3	4
168	An Arbitrary High Order Well-Balanced ADER-DG Numerical Scheme for the Multilayer Shallow-Water Model with Variable Density. Journal of Scientific Computing, 2022, 90, 1.	2.3	4
169	On the Improvement of Efficiency and Storage Requirements of the Discontinuous Galerkin Method for Aeroacoustics. Proceedings in Applied Mathematics and Mechanics, 2003, 3, 426-427.	0.2	3
170	Implicit multiblock method for solving a kinetic equation on unstructured meshes. Computational Mathematics and Mathematical Physics, 2013, 53, 601-615.	0.8	3
171	High order numerical simulations of the Richtmyer-Meshkov instability in a relativistic fluid. Physics of Fluids, 2015, 27, .	4.0	3
172	Reprint of: Direct Arbitrary-Lagrangian-Eulerian finite volume schemes on moving nonconforming unstructured meshes. Computers and Fluids, 2018, 169, 263-284.	2.5	3
173	Heterogeneous Domain Decomposition for Numerical Aeroacoustics. , 2006, , 429-459.		3
174	A p-Adaptive Discontinuous Galerkin Method with Local Time Steps for Computational Seismology. , 2009, , 569-584.		3
175	Multiple-scale modelling of acoustic sources in low Mach-number flow. Comptes Rendus - Mecanique, 2005, 333, 706-712.	2.1	2
176	A Coupling Scheme for Direct Numerical Simulations with an Acoustic Solver. ESAIM: Proceedings and Surveys, 2007, 16, 1-15.	0.4	2
177	Discontinuous Galerkin schemes with defect corrections based on reconstruction. Computers and Fluids, 2012, 62, 71-85.	2.5	2
178	FORCE schemes on moving unstructured meshes for hyperbolic systems. Computers and Mathematics With Applications, 2019, 78, 362-380.	2.7	2
179	A Staggered Semi-implicit Discontinuous Galerkin Scheme with a Posteriori Subcell Finite Volume Limiter for the Euler Equations of Gasdynamics. Journal of Scientific Computing, 2020, 83, 1.	2.3	2
180	On Numerical Methods for Hyperbolic PDE with Curl Involutions. , 2020, , 125-134.		2

#	ARTICLE	IF	CITATIONS
181	A New Hllm-Type Riemann Solver for Compressible Multi-phase Flows with Surface Tension. , 2015, , .		1
182	A Meshfree Semi-implicit Smoothed Particle Hydrodynamics Method for Free Surface Flow. Lecture Notes in Computational Science and Engineering, 2017, , 35-52.	0.3	1
183	Preface to the special issue "Recent progress in numerical methods for nonlinear time-dependent flow & transport problems" Computers and Fluids, 2018, 169, 1-2.	2.5	1
184	Two-Phase Computational Model for Small-Amplitude Wave Propagation in a Saturated Porous Medium. , 2020, , 313-320.		1
185	Reformulated Osher-Type Riemann Solver. , 2011, , 131-136.		0
186	1. Methods to Numerically Solve Wave Equations. , 2012, , 15-48.		0
187	Recent advances in high-order WENO finite volume methods for compressible multiphase flows. , 2013, , .		0
188	High-Resolution Mathematical and Numerical Analysis of Involution-Constrained PDEs. Oberwolfach Reports, 2013, 10, 2691-2747.	0.0	0
189	Numerical Relativistic Magnetohydrodynamics with ADER Discontinuous Galerkin methods on adaptively refined meshes.. Journal of Physics: Conference Series, 2016, 719, 012024.	0.4	0
190	A Novel Staggered Semi-implicit Space-Time Discontinuous Galerkin Method for the Incompressible Navier-Stokes Equations. Communications on Applied Mathematics and Computation, 2020, , 1.	1.7	0
191	Arbitrary High Order Finite Volume Schemes on Unstructured Meshes. , 2009, , 221-227.		0
192	Local Time-Stepping for Explicit Discontinuous Galerkin Schemes. , 2011, , 171-177.		0
193	Enhanced Accuracy for Finite-Volume and Discontinuous Galerkin Schemes via Non-intrusive Corrections. Notes on Numerical Fluid Mechanics and Multidisciplinary Design, 2013, , 267-282.	0.3	0