

# Janet A Fairley

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6320898/publications.pdf>

Version: 2024-02-01

89

papers

5,604

citations

81900

39

h-index

79698

73

g-index

89

all docs

89

docs citations

89

times ranked

3007

citing authors

#	ARTICLE	IF	CITATIONS
1	TSST-1+ <i>Staphylococcus aureus</i> in Bullous Pemphigoid. <i>Journal of Investigative Dermatology</i> , 2022, 142, 1032-1039.e6.	0.7	9
2	How Do Experts Treat Patients with Bullous Pemphigoid around the World? An International Survey. <i>JID Innovations</i> , 2022, 2, 100129.	2.4	2
3	Mixed Individual-Aggregate Data on All-Cause Mortality in Bullous Pemphigoid. <i>JAMA Dermatology</i> , 2021, 157, 421.	4.1	15
4	The Intersection of IgE Autoantibodies and Eosinophilia in the Pathogenesis of Bullous Pemphigoid. <i>Frontiers in Immunology</i> , 2019, 10, 2331.	4.8	46
5	Demographics and Autoantibody Profiles of Pemphigoid Patients with Underlying Neurologic Diseases. <i>Journal of Investigative Dermatology</i> , 2019, 139, 1860-1866.e1.	0.7	15
6	A cross-sectional survey and analysis of Dermatology Foundation Career Development Award recipients. <i>Journal of the American Academy of Dermatology</i> , 2019, 81, 1093-1098.	1.2	6
7	Eosinophils Mediate Tissue Injury in the Autoimmune Skin Disease Bullous Pemphigoid. <i>Journal of Investigative Dermatology</i> , 2018, 138, 1032-1043.	0.7	65
8	Medium-vessel vasculitis presenting as multiple leg ulcers after treatment with abatacept. <i>JAAD Case Reports</i> , 2018, 4, 811-813.	0.8	5
9	Transformation from pityriasis rubra pilaris to erythema gyratum repens-like eruption without associated malignancy: A report of 2 cases. <i>JAAD Case Reports</i> , 2018, 4, 944-946.	0.8	13
10	Perspective From the 5th International Pemphigus and Pemphigoid Foundation Scientific Conference. <i>Frontiers in Medicine</i> , 2018, 5, 306.	2.6	27
11	Lower extremity ecchymotic nodules in a patient being treated with ibrutinib for chronic lymphocytic leukemia. <i>JAAD Case Reports</i> , 2017, 3, 178-179.	0.8	10
12	Differential Activation of Human Keratinocytes by Leishmania Species Causing Localized or Disseminated Disease. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2149-2156.	0.7	26
13	Eosinophil localization to the basement membrane zone is autoantibody-and complement-dependent in a human cryosection model of bullous pemphigoid. <i>Experimental Dermatology</i> , 2016, 25, 50-55.	2.9	25
14	Autoantibodies to Collagen XVII Are Present in Parkinsonâ€™s Disease and Localize to Tyrosine-Hydroxylase Positive Neurons. <i>Journal of Investigative Dermatology</i> , 2016, 136, 721-723.	0.7	31
15	Bullous Pemphigoid. , 2016, , 57-73.		1
16	Age-dependent variation in cytokines, chemokines and biologic analytes rinsed from the surface of healthy human skin. <i>Scientific Reports</i> , 2015, 5, 10472.	3.3	43
17	Definitions and outcome measures for mucous membrane pemphigoid: Recommendations of an international panel of experts. <i>Journal of the American Academy of Dermatology</i> , 2015, 72, 168-174.	1.2	133
18	John Steinert Strauss (1926â€“2014). <i>Journal of Investigative Dermatology</i> , 2014, 134, 2859-2860.	0.7	0

#	ARTICLE	IF	CITATIONS
19	Omalizumab therapy for bullous pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2014, 71, 468-474.	1.2	142
20	Optimization of Impedance Spectroscopy Techniques for Measuring Cutaneous Micropore Formation after Microneedle Treatment in an Elderly Population. <i>Pharmaceutical Research</i> , 2014, 31, 3478-3486.	3.5	8
21	Human Eosinophils Express the High Affinity IgE Receptor, Fc $\mu$ RI, in Bullous Pemphigoid. <i>PLoS ONE</i> , 2014, 9, e107725.	2.5	72
22	Missing the target: Characterization of bullous pemphigoid patients who are negative using the BP180 enzyme-linked immunosorbant assay. <i>Journal of the American Academy of Dermatology</i> , 2013, 68, 395-403.	1.2	42
23	The Dermatology Foundation: Partnerships and Programs Focused on the Future. <i>Journal of Investigative Dermatology</i> , 2013, 133, 861-862.	0.7	1
24	Association of Serum B-Cell Activating Factor Level and Proportion of Memory and Transitional B Cells with Clinical Response after Rituximab Treatment of Bullous Pemphigoid Patients. <i>Journal of Investigative Dermatology</i> , 2013, 133, 2786-2788.	0.7	55
25	Monoclonal Antibody BP180 Against Bullous Pemphigoid Antigen-2 Type XVII Collagen. <i>Hybridoma</i> , 2012, 31, 146-147.	0.4	0
26	Functional Characterization of an IgE-Class Monoclonal Antibody Specific for the Bullous Pemphigoid Autoantigen, BP180. <i>Hybridoma</i> , 2012, 31, 111-117.	0.4	13
27	Successful Treatment of Bullous Pemphigoid With Omalizumab. <i>Archives of Dermatology</i> , 2012, 148, 1241.	1.4	57
28	Numerous Skin-Colored Papules on the Face and Neckâ€”Quiz Case. <i>Archives of Dermatology</i> , 2012, 148, 849.	1.4	2
29	Erythema Migrans. <i>American Journal of Dermatopathology</i> , 2012, 34, 834-837.	0.6	20
30	Definitions and outcome measures for bullous pemphigoid: Recommendations by an international panel of experts. <i>Journal of the American Academy of Dermatology</i> , 2012, 66, 479-485.	1.2	294
31	Cryptic esophageal pemphigus vulgaris despite apparent clinical remission. <i>Journal of the American Academy of Dermatology</i> , 2012, 67, e213-e214.	1.2	0
32	Cutaneous Rosai-Dorfman disease following pneumococcal vaccination. <i>Journal of the American Academy of Dermatology</i> , 2011, 65, 890-892.	1.2	8
33	FcR-Independent Effects of IgE and IgG Autoantibodies in Bullous Pemphigoid. <i>Journal of Immunology</i> , 2011, 187, 553-560.	0.8	74
34	Pregnant women have increased incidence of IgE autoantibodies reactive with the skin and placental antigen BP180 (type XVII collagen). <i>Journal of Reproductive Immunology</i> , 2010, 85, 198-204.	1.9	17
35	A novel ELISA reveals high frequencies of BP180-specific IgE production in bullous pemphigoid. <i>Journal of Immunological Methods</i> , 2009, 346, 18-25.	1.4	82
36	Pathogenicity of IgE in autoimmunity: Successful treatment of bullous pemphigoid with omalizumab. <i>Journal of Allergy and Clinical Immunology</i> , 2009, 123, 704-705.	2.9	126

#	ARTICLE	IF	CITATIONS
37	Subepidermal blistering induced by human autoantibodies to BP180 requires innate immune players in a humanized bullous pemphigoid mouse model. <i>Journal of Autoimmunity</i> , 2008, 31, 331-338.	6.5	120
38	Voriconazole-induced blistering in the setting of graft versus host disease: A report of 2 patients. <i>Journal of the American Academy of Dermatology</i> , 2008, 58, 484-487.	1.2	16
39	IgG anti-laminin-332 autoantibodies are present in a subset of patients with mucous membrane, but not bullous, pemphigoid. <i>Journal of the American Academy of Dermatology</i> , 2008, 58, 951-958.	1.2	51
40	Introduction to the Milestones in Autoimmune Bullous Diseases. <i>Journal of Investigative Dermatology</i> , 2008, 128, E15.	0.7	3
41	Introduction to the milestones in autoimmune bullous diseases. <i>Journal of Investigative Dermatology</i> , 2008, 128, E15.	0.7	3
42	Pemphigus vulgaris presenting in a radiation portal. <i>Journal of the American Academy of Dermatology</i> , 2007, 56, S82-S85.	1.2	24
43	A Pathogenic Role for IgE in Autoimmunity: Bullous Pemphigoid IgE Reproduces the Early Phase of Lesion Development in Human Skin Grafted to nu/nu Mice. <i>Journal of Investigative Dermatology</i> , 2007, 127, 2605-2611.	0.7	151
44	Mapping the Binding Sites of Anti-BP180 Immunoglobulin E Autoantibodies in Bullous Pemphigoid. <i>Journal of Investigative Dermatology</i> , 2005, 125, 467-472.	0.7	68
45	Role of intramolecular epitope spreading in pemphigus vulgaris. <i>Clinical Immunology</i> , 2005, 116, 54-64.	3.2	56
46	The Detection of Monkeypox in Humans in the Western Hemisphere. <i>New England Journal of Medicine</i> , 2004, 350, 342-350.	27.0	830
47	Mortality Rate of Bullous Pemphigoid in a US Medical Center. <i>Journal of Investigative Dermatology</i> , 2004, 122, 1091-1095.	0.7	83
48	A patient with both bullous pemphigoid and epidermolysis bullosa acquisita: an example of intermolecular epitope spreading. <i>Journal of the American Academy of Dermatology</i> , 2004, 51, 118-122.	1.2	47
49	Identification of a Potential Effector Function for IgE Autoantibodies in the Organ-Specific Autoimmune Disease Bullous Pemphigoid. <i>Journal of Investigative Dermatology</i> , 2003, 120, 784-788.	0.7	126
50	Normal and Gene-Corrected Dystrophic Epidermolysis Bullosa Fibroblasts Alone Can Produce Type VII Collagen at the Basement Membrane Zone. <i>Journal of Investigative Dermatology</i> , 2003, 121, 1021-1028.	0.7	106
51	T Cell Receptor Gene Usage in Desmoglein-3-Specific T Lymphocytes from Patients with Pemphigus Vulgaris. <i>Journal of Investigative Dermatology</i> , 2003, 121, 1365-1372.	0.7	16
52	Pathogenicity and Epitope Characteristics of Anti-Desmoglein-1 from Pemphigus Foliaceus Patients Expressing Only IgG1 Autoantibodies. <i>Journal of Investigative Dermatology</i> , 2003, 121, 1373-1378.	0.7	31
53	Macrophages, But Not T and B Lymphocytes, Are Critical for Subepidermal Blister Formation in Experimental Bullous Pemphigoid: Macrophage-Mediated Neutrophil Infiltration Depends on Mast Cell Activation. <i>Journal of Immunology</i> , 2002, 169, 3987-3992.	0.8	104
54	Isotypes and Antigenic Profiles of Pemphigus Foliaceus and Pemphigus Vulgaris Autoantibodies. <i>Clinical Immunology</i> , 2002, 105, 64-74.	3.2	49

#	ARTICLE	IF	CITATIONS
55	Autoimmune Responses in Patients with Linear IgA Bullous Dermatosis: Both Autoantibodies and T Lymphocytes Recognize the NC16A Domain of the BP180 Molecule. <i>Clinical Immunology</i> , 2002, 102, 310-319.	3.2	39
56	Anticonvulsant-induced pellagra. <i>Journal of the American Academy of Dermatology</i> , 2002, 46, 597-599.	1.2	23
57	The Epidermolysis Bullosa Acquisita Antigen (Type VII Collagen) is Present in Human Colon and Patients with Crohn's Disease have Autoantibodies to Type VII Collagen. <i>Journal of Investigative Dermatology</i> , 2002, 118, 1059-1064.	0.7	97
58	White Papules in a Child with Down Syndrome. <i>Pediatric Dermatology</i> , 2002, 19, 271-273.	0.9	4
59	IgM-Mediated Epidermolysis Bullosa Acquisita. <i>Archives of Dermatology</i> , 2002, 138, 1385-1386.	1.4	23
60	Incidence of hepatitis C in lichen planus. <i>Journal of the American Academy of Dermatology</i> , 2001, 44, 311-312.	1.2	34
61	A critical role for neutrophil elastase in experimental bullous pemphigoid. <i>Journal of Clinical Investigation</i> , 2000, 105, 113-123.	8.2	170
62	Hedgehog Hives. <i>Archives of Dermatology</i> , 1999, 135, 561-3.	1.4	35
63	The Anti-Desmoglein 1 Autoantibodies in Pemphigus Vulgaris Sera are Pathogenic. <i>Journal of Investigative Dermatology</i> , 1999, 112, 739-743.	0.7	122
64	Epitope Spreading: Lessons From Autoimmune Skin Diseases. <i>Journal of Investigative Dermatology</i> , 1998, 110, 103-109.	0.7	320
65	THE SYSTEMATIC EVALUATION OF THE SKIN IN CHILDREN. <i>Pediatric Clinics of North America</i> , 1998, 45, 49-63.	1.8	4
66	Vulvar Basal Cell Carcinoma. <i>Dermatologic Surgery</i> , 1997, 23, 207-209.	0.8	11
67	AUTOIMMUNE SUBEPITHELIAL BLISTERING DISEASES WITH OCULAR INVOLVEMENT. <i>Immunology and Allergy Clinics of North America</i> , 1997, 17, 139-159.	1.9	3
68	Mucosal and Mucocutaneous (Generalized) Pemphigus Vulgaris Show Distinct Autoantibody Profiles. <i>Journal of Investigative Dermatology</i> , 1997, 109, 592-596.	0.7	212
69	T Lymphocytes from a Subset of Patients with Pemphigus Vulgaris Respond to Both Desmoglein-3 and Desmoglein-1. <i>Journal of Investigative Dermatology</i> , 1997, 109, 734-737.	0.7	34
70	Mechanisms of Acantholysis in Pemphigus Foliaceus. <i>Clinical Immunology and Immunopathology</i> , 1997, 85, 83-89.	2.0	48
71	Mechanisms of Acantholysis in Pemphigus Vulgaris: Role of IgG Valence. <i>Clinical Immunology and Immunopathology</i> , 1997, 85, 90-96.	2.0	65
72	Calciphylaxis. <i>Journal of the American Academy of Dermatology</i> , 1996, 35, 786.	1.2	18

#	ARTICLE	IF	CITATIONS
73	An Active Focus of High Prevalence of Fogo Selvagem on an Amerindian Reservation in Brazil. <i>Journal of Investigative Dermatology</i> , 1996, 107, 68-75.	0.7	81
74	Autoantibodies in Pemphigus Foliaceus. , 1996, , 754-758.	0	
75	Pemphigus Foliaceus and Pemphigus Vulgaris Autoantibodies React with the Extracellular Domain of Desmoglein-1. <i>Journal of Investigative Dermatology</i> , 1995, 104, 323-328.	0.7	109
76	Calcifying disorders of the skin. <i>Journal of the American Academy of Dermatology</i> , 1995, 33, 693-706.	1.2	350
77	Development of an ELISA to Detect Anti-BP180 Autoantibodies in Bullous Pemphigoid and Herpes Gestationis. <i>Journal of Investigative Dermatology</i> , 1994, 102, 878-881.	0.7	99
78	Tretinoin (Retinoic Acid) Revisited. <i>New England Journal of Medicine</i> , 1993, 328, 1486-1487.	27.0	3
79	Effect of Ciclosporin A on Epidermal Keratinocytes in vitro: Lack of a Direct Effect on Calmodulin. <i>Skin Pharmacology and Physiology</i> , 1990, 3, 149-156.	2.5	0
80	Intracellular targets of cyclosporine. <i>Journal of the American Academy of Dermatology</i> , 1990, 23, 1329-1334.	1.2	13
81	Cutaneous and immunologic reactions to phenytoin. <i>Journal of the American Academy of Dermatology</i> , 1988, 18, 721-741.	1.2	94
82	Calcium and the Skin. <i>Archives of Dermatology</i> , 1988, 124, 443.	1.4	9
83	Monoclonal Antibody to a 35 kD Epidermal Protein Induces Cell Detachment. <i>Journal of Investigative Dermatology</i> , 1986, 86, 634-637.	0.7	11
84	Increased Prostaglandin Synthesis by Low Calcium-Regulated Keratinocytes. <i>Journal of Investigative Dermatology</i> , 1986, 86, 173-176.	0.7	8
85	Increased Calmodulin Levels in Psoriasis and Low Ca++ Regulated Mouse Epidermal Keratinocyte Cultures. <i>Journal of Investigative Dermatology</i> , 1985, 84, 195-198.	0.7	51
86	Effect of 1â€“2 mmol/1 calcium, triamcinolone acetonide, and retinoids on low-calcium regulated keratinocyte differentiation. <i>British Journal of Dermatology</i> , 1984, 111, 64-72.	1.5	5
87	Dermographism: A review. <i>Journal of the American Academy of Dermatology</i> , 1984, 11, 643-652.	1.2	62
88	Urticaria pigmentosa responsive to nifedipine. <i>Journal of the American Academy of Dermatology</i> , 1984, 11, 740-743.	1.2	23
89	Comparison of stratum corneum thickness in children and adults. <i>Journal of the American Academy of Dermatology</i> , 1983, 8, 652-654.	1.2	55