

Adrian Daneri-Navarro

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6322648/publications.pdf>

Version: 2024-02-01

72
papers

1,191
citations

394421

19
h-index

414414

32
g-index

80
all docs

80
docs citations

80
times ranked

2226
citing authors

#	ARTICLE	IF	CITATIONS
1	The Transcriptomic Portrait of Locally Advanced Breast Cancer and Its Prognostic Value in a Multi-Country Cohort of Latin American Patients. <i>Frontiers in Oncology</i> , 2022, 12, 835626.	2.8	1
2	Presence of anti-TIF-1 ^β , anti-Ro52, anti-SSA/Ro60 and anti-Su/Ago2 antibodies in breast cancer: a cross-sectional study. <i>Immunopharmacology and Immunotoxicology</i> , 2021, 43, 328-333.	2.4	7
3	Microfluidics-assisted conjugation of chitosan-coated polymeric nanoparticles with antibodies: Significance in drug release, uptake, and cytotoxicity in breast cancer cells. <i>Journal of Colloid and Interface Science</i> , 2021, 591, 440-450.	9.4	31
4	Development and Pilot Implementation of the Genomic Risk Assessment for Cancer Implementation and Sustainment (GRACIAS) Intervention in Mexico. <i>JCO Global Oncology</i> , 2021, 7, 992-1002.	1.8	6
5	Genetic epidemiology of BRCA1- and BRCA2-associated cancer across Latin America. <i>Npj Breast Cancer</i> , 2021, 7, 107.	5.2	13
6	Selective estrogen receptor modulators in the prevention of breast cancer in premenopausal women: a review. <i>Translational Cancer Research</i> , 2020, 9, 4444-4456.	1.0	4
7	Biodegradable photoresponsive nanoparticles for chemo-, photothermal- and photodynamic therapy of ovarian cancer. <i>Materials Science and Engineering C</i> , 2020, 116, 111196.	7.3	30
8	Establishment of Murine Model of Kidney Failure Induced by Severe Ischemia-Reperfusion Injury Useful to Evaluate Transplantation and Regenerative Therapies. <i>Transplantation Proceedings</i> , 2020, 52, 1202-1205.	0.6	0
9	Association of the genetic variants (rs794 CATT5 and rs173 G>A) of macrophage migration inhibitory factor (MIF) with higher soluble levels of MIF and TNF α in women with breast cancer. <i>Journal of Clinical Laboratory Analysis</i> , 2020, 34, e23209.	2.1	7
10	The rs174G>C and rs596G>A Polymorphisms Are Not Associated with Circulating IL-6 Levels in Breast Cancer Patients from Jalisco, MĂ©xico. <i>Genetic Testing and Molecular Biomarkers</i> , 2020, 24, 224-228.	0.7	3
11	Circulating soluble levels of MIF in women with breast cancer in the molecular subtypes: relationship with Th17 cytokine profile. <i>Clinical and Experimental Medicine</i> , 2019, 19, 385-391.	3.6	22
12	Cisplatin-loaded PLGA nanoparticles for HER2 targeted ovarian cancer therapy. <i>Colloids and Surfaces B: Biointerfaces</i> , 2019, 178, 199-207.	5.0	64
13	Preparation of PLGA/Rose Bengal colloidal particles by double emulsion and layer-by-layer for breast cancer treatment. <i>Journal of Colloid and Interface Science</i> , 2018, 518, 122-129.	9.4	20
14	Adhesion, proliferation, and apoptosis in different molecular portraits of breast cancer treated with silver nanoparticles and its pathway-network analysis. <i>International Journal of Nanomedicine</i> , 2018, Volume 13, 1081-1095.	6.7	14
15	Rational Surface Engineering of Colloidal Drug Delivery Systems for Biological Applications. <i>Current Topics in Medicinal Chemistry</i> , 2018, 18, 1224-1241.	2.1	6
16	Validation of Health Behavior and Stages of Change Questionnaire. <i>Breast Cancer: Targets and Therapy</i> , 2017, Volume 9, 199-205.	1.8	9
17	Evaluation of psychosocial aspects in participants of cancer genetic counseling. <i>Hereditary Cancer in Clinical Practice</i> , 2017, 15, 13.	1.5	4
18	Genetic, clinical and pathological characteristics of BRCA-associated breast cancer (BC) in Hispanic patients in the United States (US) and Latin America (LatAm).. <i>Journal of Clinical Oncology</i> , 2017, 35, 1539-1539.	1.6	0

#	ARTICLE	IF	CITATIONS
19	Facilitated Engraftment of Isolated Islets Coated With Expanded Vascular Endothelial Cells for Islet Transplantation. <i>Transplantation Proceedings</i> , 2016, 48, 669-672.	0.6	12
20	The role of endothelial cells on islet function and revascularization after islet transplantation. <i>Organogenesis</i> , 2016, 12, 28-32.	1.2	22
21	1236 C/T and 3435 C/T polymorphisms of the ABCB1 gene in Mexican breast cancer patients. <i>Genetics and Molecular Research</i> , 2015, 14, 1250-1259.	0.2	28
22	Translational cancer research comes of age in Latin America. <i>Science Translational Medicine</i> , 2015, 7, 319fs50.	12.4	9
23	Prolactin and Prolactin Receptor Expression in Cervical Intraepithelial Neoplasia and Cancer. <i>Pathology and Oncology Research</i> , 2015, 21, 241-246.	1.9	17
24	Acculturation, Behavioral Factors, and Family History of Breast Cancer among Mexican and Mexican-American Women. <i>Women's Health Issues</i> , 2015, 25, 494-500.	2.0	12
25	Development and Psychometric Assessment of the Measure of Globalization Influence on Health Risk (MGIHR) Among Mexican Women with Breast Cancer. <i>Journal of Immigrant and Minority Health</i> , 2015, 17, 1025-1032.	1.6	0
26	Abstract B17: Family history of breast and ovarian cancer prevalence and its association with triple-negative subtype in Hispanic women. , 2015, , .		1
27	Differentially Expressed MicroRNAs in Postpartum Breast Cancer in Hispanic Women. <i>PLoS ONE</i> , 2015, 10, e0124340.	2.5	23
28	Abstract 2759: Possible later age of breast cancer onset for Hispanic BRCA1 carriers with the protective rs140068132-G allele. , 2015, , .		0
29	Abstract 2761: Evaluation of the BOADICEA model for predictingBRCA1andBRCA2mutation carrier probabilities in high-risk US Hispanic and Mexican families: A report from the Clinical Cancer Genetics Community Research Network. , 2015, , .		0
30	Abstract B09: Acculturation, behavioral factors, and family history of breast cancer among Mexican and Mexican-American women. , 2015, , .		0
31	Association between polymorphisms in the thymidylate synthase gene and risk of breast cancer in a Mexican population. <i>Genetics and Molecular Research</i> , 2014, 13, 8749-8756.	0.2	8
32	Family history of breast and ovarian cancer and triple negative subtype in hispanic/latina women. <i>SpringerPlus</i> , 2014, 3, 727.	1.2	11
33	Reproductive and Hormonal Risk Profile According to Language Acculturation and Country of Residence in the <i>Ella</i> Binational Breast Cancer Study. <i>Journal of Women's Health</i> , 2014, 23, 532-540.	3.3	10
34	Family history and breast cancer subtype among women of Mexican descent.. <i>Journal of Clinical Oncology</i> , 2014, 32, 41-41.	1.6	0
35	Association Between Parity and Obesity in Mexican and Mexican-American Women: Findings from the Ella Binational Breast Cancer Study. <i>Journal of Immigrant and Minority Health</i> , 2013, 15, 234-243.	1.6	19
36	Hypothesized role of pregnancy hormones on HER2+ breast tumor development. <i>Breast Cancer Research and Treatment</i> , 2013, 137, 237-246.	2.5	20

#	ARTICLE	IF	CITATIONS
37	Reproductive Factors, Heterogeneity, and Breast Tumor Subtypes in Women of Mexican Descent. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2013, 22, 1853-1861.	2.5	44
38	Abstract B119: Presence of etiologic heterogeneity by breast tumor subtypes in Hispanic women with unique reproductive risk factor patterns. , 2013, , .		0
39	Increased expression of the prolactin receptor is associated with malignant laryngeal tumors. <i>Experimental and Therapeutic Medicine</i> , 2012, 3, 603-607.	1.8	10
40	Cervical cancer cell lines expressing NKG2D-ligands are able to down-modulate the NKG2D receptor on NK cells with functional implications. <i>BMC Immunology</i> , 2012, 13, 7.	2.2	22
41	Associations of killer cell immunoglobulin-like receptor genes with rheumatoid arthritis. <i>Disease Markers</i> , 2012, 33, 201-6.	1.3	16
42	Endothelial Cells Promote Pancreatic Stem Cell Activation During Islet Regeneration in Mice. <i>Transplantation Proceedings</i> , 2011, 43, 3209-3211.	0.6	7
43	Caspase 3 blocking avoids the expression of autoantigens triggered by apoptosis in neonatal Balb/c mice skin. <i>Reumatismo</i> , 2011, 63, 29-37.	0.9	0
44	Intracellular antigens released from Balb/c mice kidneys under chemically induced apoptosis and/or necrosis. <i>Reumatismo</i> , 2011, 60, 108-13.	0.9	1
45	The Distribution of CD56dimCD16+ and CD56brightCD16â Cells are Associated with Prolactin Levels during Pregnancy and Menstrual Cycle in Healthy Women. <i>American Journal of Reproductive Immunology</i> , 2011, 65, 433-437.	1.2	6
46	MHC class I-related chain A and B ligands are differentially expressed in human cervical cancer cell lines. <i>Cancer Cell International</i> , 2011, 11, 15.	4.1	15
47	YKL-40 expression in CD14⁺liver cells in acute and chronic injury. <i>World Journal of Gastroenterology</i> , 2011, 17, 3830.	3.3	20
48	PS3-63 Polymorphisms in members of the interleukin-1 family, Interleukin-1Î± -889 C/T associated with cervical cancer in women of the Occident of Mexico. <i>Cytokine</i> , 2010, 52, 94-95.	3.2	0
49	Comparative study of breast cancer in Mexican and Mexican-American women. <i>Health</i> , 2010, 02, 1040-1048.	0.3	20
50	Abstract A89: HER2-overexpressing tumors and time since last pregnancy. , 2010, , .		0
51	Low NKp30, NKp46 and NKG2D expression and reduced cytotoxic activity on NK cells in cervical cancer and precursor lesions. <i>BMC Cancer</i> , 2009, 9, 186.	2.6	164
52	Immunobiology of HPV Infection. <i>Archives of Medical Research</i> , 2009, 40, 443-448.	3.3	14
53	F.105. Induction of Stress Leads to Preferential Up-regulation of MICA, not MICB in Established Human Cell Lines. <i>Clinical Immunology</i> , 2009, 131, S121.	3.2	0
54	S.51. Percentage and Distribution of T Lymphocyte Population and Treg Cells in Patients With Cervical Intraepithelial Neoplasia (CIN) 1, 2 and 3 Grade and Cervical Cancer. <i>Clinical Immunology</i> , 2009, 131, S146-S147.	3.2	0

#	ARTICLE	IF	CITATIONS
55	S.122. Correlation Between Hormone Levels with NK Cells Receptors During Pregnancy. <i>Clinical Immunology</i> , 2009, 131, S165-S166.	3.2	0
56	F.139. Immunohistochemical Study of Dendritic Cell from Patients with Recurrence of High-grade Cervical Intraepithelial Neoplasia (CIN 2/3) After Treatment. <i>Clinical Immunology</i> , 2009, 131, S131-S132.	3.2	0
57	Protease-activated receptor-2 (PAR-2) in cervical cancer proliferation. <i>Gynecologic Oncology</i> , 2008, 108, 19-26.	1.4	26
58	Augmented serum level of major histocompatibility complex class I-related chain A (MICA) protein and reduced NKG2D expression on NK and T cells in patients with cervical cancer and precursor lesions. <i>BMC Cancer</i> , 2008, 8, 16.	2.6	70
59	Su.71. MHC Class-I Related Chain B and Not Chain A is Preferentially Expressed on Human Cervical Cancer Cell Lines. <i>Clinical Immunology</i> , 2008, 127, S147.	3.2	0
60	Su.73. Immunological Factors in Patients with Recurrence of Cervical Intraepithelial Neoplasia II-III (CIN II-III) After Treatment. <i>Clinical Immunology</i> , 2008, 127, S148.	3.2	0
61	F.127. Serum Levels of MHC Class I Chain-Related Molecule (MICA) Is Augmented in Patients with Cervical Cancer. <i>Clinical Immunology</i> , 2006, 119, S95-S96.	3.2	1
62	High-risk human papilloma virus infection decreases the frequency of dendritic Langerhans' cells in the human female genital tract. <i>Immunology</i> , 2006, 117, 220-228.	4.4	63
63	CEACAM1 in Cervical Cancer and Precursor Lesions: Association With Human Papillomavirus Infection. <i>Journal of Histochemistry and Cytochemistry</i> , 2006, 54, 1393-1399.	2.5	13
64	Immunosuppressive activity of proteases in cervical carcinoma. <i>Gynecologic Oncology</i> , 2005, 98, 111-117.	1.4	13
65	Effect of d-limonene on immune response in BALB/c mice with lymphoma. <i>International Immunopharmacology</i> , 2005, 5, 829-838.	3.8	78
66	TH 1/TH 2 cytokine profile, metalloprotease-9 activity and hormonal status in pregnant rheumatoid arthritis and systemic lupus erythematosus patients. <i>Clinical and Experimental Immunology</i> , 2003, 131, 377-384.	2.6	62
67	Cholestasis-induced fibrosis is reduced by interferon $\hat{\pm}$ -2a and is associated with elevated liver metalloprotease activity. <i>Journal of Hepatology</i> , 2000, 33, 915-925.	3.7	33
68	Addition of Anti-CD28 Antibodies Restores PBMC Proliferation and IFN-gamma Production in Lepromatous Leprosy Patients. <i>Journal of Interferon and Cytokine Research</i> , 1999, 19, 1237-1243.	1.2	7
69	Urokinase-type plasminogen activator and plasminogen activator inhibitors (PAI-1 and PAI-2) in extracts of invasive cervical carcinoma and precursor lesions. <i>European Journal of Cancer</i> , 1998, 34, 566-569.	2.8	35
70	Enhanced functional capacity of the peritoneal macrophages as antigen presenting cells after aclacinomycin treatment in mice. <i>Biomedicine and Pharmacotherapy</i> , 1997, 51, 181-184.	5.6	1
71	L-5178-Y lymphoma associated immunosuppression in Balb/c mice. <i>Biomedicine and Pharmacotherapy</i> , 1995, 49, 39-44.	5.6	3
72	Proteolytic activity in extracts of invasive cervical carcinoma and precursor lesions. <i>Biomedicine and Pharmacotherapy</i> , 1995, 49, 304-310.	5.6	13