
Alexis Criscuolo

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6325491/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	In vitro and in silico parameters for precise cgMLST typing of Listeria monocytogenes. BMC Genomics, 2022, 23, 235.	2.8	7
2	ROCK: digital normalization of whole genome sequencing data. Journal of Open Source Software, 2022, 7, 3790.	4.6	1
3	Pseudoneobacillus rhizosphaerae gen. nov., sp. nov., isolated from maize root rhizosphere. International Journal of Systematic and Evolutionary Microbiology, 2022, 72, .	1.7	10
4	A Dual Barcoding Approach to Bacterial Strain Nomenclature: Genomic Taxonomy of <i>Klebsiella pneumoniae</i> Strains. Molecular Biology and Evolution, 2022, 39, .	8.9	31
5	Pseudomonas carbonaria sp. nov., isolated from charcoal. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	6
6	Reclassification of Haloactinobacterium glacieicola as Occultella glacieicola gen. nov., comb. nov., of Haloactinobacterium album as Ruania alba comb. nov, with an emended description of the genus Ruania, recognition that the genus names Haloactinobacterium and Ruania are heterotypic synonyms and description of Occultella aeris sp. nov., a halotolerant isolate from surface soil sampled at an ancient copper smelter. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	44
7	Ongoing diphtheria outbreak in Yemen: a cross-sectional and genomic epidemiology study. Lancet Microbe, The, 2021, 2, e386-e396.	7.3	26
8	Genomic Epidemiology and Strain Taxonomy of <i>Corynebacterium diphtheriae</i> . Journal of Clinical Microbiology, 2021, 59, e0158121.	3.9	12
9	Peptoniphilus nemausensis sp. nov. A new Gram-positive anaerobic coccus isolated from human clinical samples, an emendated description of the genus Peptoniphilus and an evaluation of the taxonomic status of Peptoniphilus species with not validly published names. Systematic and Applied Microbiology. 2021. 44. 126235.	2.8	21
10	Flavobacterium bizetiae sp. nov., isolated from diseased freshwater fish in Canada at the end of the 1970s. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	9
11	Paenibacillus allorhizosphaerae sp. nov., from soil of the rhizosphere of Zea mays. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	11
12	Devosia equisanguinis sp. nov., isolated from horse blood. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	9
13	Leucobacter soli sp. nov., from soil amended with humic acid. International Journal of Systematic and Evolutionary Microbiology, 2021, 71, .	1.7	6
14	Emergence and clonal expansion of in vitro artemisinin-resistant Plasmodium falciparum kelch13 R561H mutant parasites in Rwanda. Nature Medicine, 2020, 26, 1602-1608.	30.7	459
15	<i>Saprochaete clavata</i> Outbreak Infecting Cancer Center through Dishwasher. Emerging Infectious Diseases, 2020, 26, 2031-2038.	4.3	17
16	Flavobacterium salmonis sp. nov. isolated from Atlantic salmon (Salmo salar) and formal proposal to reclassify Flavobacterium spartansii as a later heterotypic synonym of Flavobacterium tructae. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 6147-6154.	1.7	15
17	On the transformation of MinHash-based uncorrected distances into proper evolutionary distances for phylogenetic inference. F1000Research, 2020, 9, 1309.	1.6	20
18	Arthrobacter ulcerisalmonis sp. nov., isolated from an ulcer of a farmed Atlantic salmon (Salmo) Tj ETQq0 0 0 rgB1	Overlock 1.7	2 10 Tf 50 62

Systematic and Evolutionary Microbiology, 2020, 70, 1963-1968.

ALEXIS CRISCUOLO

#	Article	lF	CITATIONS
19	Halomonas lysinitropha sp. nov., a novel halophilic bacterium isolated from a hypersaline wetland. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 6098-6105.	1.7	9
20	Serratia vespertilionis (GarcÃa-Fraile et al. 2015) is a later heterotypic synonym of Serratia ficaria (Grimont et al. 1981). International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 1961-1962.	1.7	6
21	Flavobacterium panici sp. nov. isolated from the rhizosphere of the switchgrass Panicum virgatum. International Journal of Systematic and Evolutionary Microbiology, 2020, 70, 5824-5831.	1.7	7
22	Simulation data for the estimation of numerical constants for approximating pairwise evolutionary distances between amino acid sequences. Data in Brief, 2019, 25, 104212.	1.0	3
23	The population structure of Clostridium tetani deduced from its pan-genome. Scientific Reports, 2019, 9, 11220.	3.3	17
24	Two Clostridium perfringens Type E Isolates in France. Toxins, 2019, 11, 138.	3.4	5
25	Carriage of a Single Strain of Nontoxigenic <i>Corynebacterium diphtheriae</i> bv. Belfanti () Tj ETQq1 1 0.784 Microbiology, 2019, 57, .	314 rgBT / 3.9	Overlock 10 T 10
26	Description of Klebsiella africanensis sp. nov., Klebsiella variicola subsp.Âtropicalensis subsp. nov. and Klebsiella variicola subsp. variicolaÂsubsp. nov Research in Microbiology, 2019, 170, 165-170.	2.1	92
27	Whole-Genome Sequences of a Cluster of 14 Unidentified Related Veillonella sp. Strains from Human Clinical Samples and Type Strains of 3 Veillonella Validated Species. Microbiology Resource Announcements, 2019, 8, .	0.6	0
28	Meat and Fish as Sources of Extended-Spectrum β-Lactamase–Producing <i>Escherichia coli</i> , Cambodia. Emerging Infectious Diseases, 2019, 25, .	4.3	23
29	The speciation and hybridization history of the genus Salmonella. Microbial Genomics, 2019, 5, .	2.0	13
30	Genus-wide Yersinia core-genome multilocus sequence typing for species identification and strain characterization. Microbial Genomics, 2019, 5, .	2.0	31
31	Filibacter tadaridae sp. nov., isolated from within a guano pile from a colony of Mexican free-tailed bats Tadarida brasiliensis. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1438-1442.	1.7	6
32	Paracoccus haematequi sp. nov., isolated from horse blood. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1682-1688.	1.7	9
33	Jeotgalicoccus meleagridis sp. nov. isolated from bioaerosol from emissions of a turkey fattening plant and reclassification of Jeotgalicoccus halophilus Liu et al. 2011 as a later heterotypic synonym of Jeotgalicoccus aerolatus Martin et al. 2011. International Journal of Systematic and Evolutionary Microbiology. 2019. 71	1.7	12
34	Pigmentiphaga humi sp. nov., isolated from soil amended with humic acid. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 1573-1578.	1.7	4
35	Xinfangfangia humi sp. nov., isolated from soil amended with humic acid. International Journal of Systematic and Evolutionary Microbiology, 2019, 69, 2070-2075.	1.7	10
36	Draft Genome Sequence of the Fish Pathogen Flavobacterium columnare Genomovar III Strain PH-97028 (=CIP 109753). Genome Announcements, 2018, 6, .	0.8	3

ALEXIS CRISCUOLO

#	Article	IF	CITATIONS
37	Revisiting the taxonomy of the genus Elizabethkingia using whole-genome sequencing, optical mapping, and MALDI-TOF, along with proposal of three novel Elizabethkingia species: Elizabethkingia bruuniana sp. nov., Elizabethkingia ursingii sp. nov., and Elizabethkingia occulta sp. nov Antonie Van Leeuwenhoek, 2018, 111, 55-72.	1.7	91
38	Outbreak of Invasive Wound Mucormycosis in a Burn Unit Due to Multiple Strains of Mucor circinelloides f. circinelloides Resolved by Whole-Genome Sequencing. MBio, 2018, 9, .	4.1	54
39	Genomic Sequencing of <i>Bordetella pertussis</i> for Epidemiology and Global Surveillance of Whooping Cough. Emerging Infectious Diseases, 2018, 24, 988-994.	4.3	29
40	Taxonomic status of Corynebacterium diphtheriae biovar Belfanti and proposal of Corynebacterium belfantii sp. nov. International Journal of Systematic and Evolutionary Microbiology, 2018, 68, 3826-3831.	1.7	56
41	Evolutionary dynamics and genomic features of the Elizabethkingia anophelis 2015 to 2016 Wisconsin outbreak strain. Nature Communications, 2017, 8, 15483.	12.8	132
42	Molecular characterisation of Chlamydia pneumoniae associated to atherosclerosis. Pathogens and Disease, 2017, 75, .	2.0	10
43	Manual and expert annotation of the nearly complete genome sequence of Staphylococcus sciuri strain ATCC 29059: A reference for the oxidase-positive staphylococci that supports the atypical phenotypic features of the species group. Systematic and Applied Microbiology, 2017, 40, 401-410.	2.8	23
44	Proteome remodelling by the stress sigma factor RpoS/ÏfS in Salmonella: identification of small proteins and evidence for post-transcriptional regulation. Scientific Reports, 2017, 7, 2127.	3.3	37
45	Whole genome-based population biology and epidemiological surveillance of Listeria monocytogenes. Nature Microbiology, 2017, 2, 16185.	13.3	562
46	Real-Time Whole-Genome Sequencing for Surveillance of <i>Listeria monocytogenes</i> , France. Emerging Infectious Diseases, 2017, 23, 1462-1470.	4.3	154
47	Psychrobacter pasteurii and Psychrobacter piechaudii sp. nov., two novel species within the genus Psychrobacter. International Journal of Systematic and Evolutionary Microbiology, 2017, 67, 3192-3197.	1.7	13
48	Characterization of Clostridium Baratii Type F Strains Responsible for an Outbreak of Botulism Linked to Beef Meat Consumption in France. PLOS Currents, 2017, 9, .	1.4	11
49	Species- and Strain-Specific Adaptation of the HSP70 Super Family in Pathogenic Trypanosomatids. Genome Biology and Evolution, 2016, 8, 1980-1995.	2.5	20
50	Genomic epidemiology and global diversity of the emerging bacterial pathogen Elizabethkingia anophelis. Scientific Reports, 2016, 6, 30379.	3.3	65
51	<i>toplb</i> , a phylogenetic hallmark gene of Thaumarchaeota encodes a functional eukaryote-like topoisomerase IB. Nucleic Acids Research, 2016, 44, 2795-2805.	14.5	5
52	Uncovering Listeria monocytogenes hypervirulence by harnessing its biodiversity. Nature Genetics, 2016, 48, 308-313.	21.4	541
53	Phylogenomic analysis supports the ancestral presence of LPS-outer membranes in the Firmicutes. ELife, 2016, 5, .	6.0	69
54	AlienTrimmer removes adapter oligonucleotides with high sensitivity in short-insert paired-end reads. Commentary on Turner (2014) Assessment of insert sizes and adapter content in FASTQ data from NexteraXT libraries. Frontiers in Genetics, 2014, 5, 130.	2.3	36

ALEXIS CRISCUOLO

#	Article	IF	CITATIONS
55	Draft Genome Sequence of Campylobacter coli Strain IPSID-1 Isolated from a Patient with Immunoproliferative Small Intestinal Disease. Genome Announcements, 2014, 2, .	0.8	4
56	Genomic Definition of Hypervirulent and Multidrug-Resistant <i>Klebsiella pneumoniae</i> Clonal Groups. Emerging Infectious Diseases, 2014, 20, 1812-1820.	4.3	409
57	Multicenter Outbreak of Infections by <i>Saprochaete clavata</i> , an Unrecognized Opportunistic Fungal Pathogen. MBio, 2014, 5, .	4.1	75
58	Campylobacter coli cultured from the stools of a patient with immunoproliferative small intestinal disease. Clinical Microbiology and Infection, 2014, 20, 908-911.	6.0	9
59	Development of a multiplex PCR assay for identification of Klebsiella pneumoniae hypervirulent clones of capsular serotype K2. Journal of Medical Microbiology, 2014, 63, 1608-1614.	1.8	46
60	AlienTrimmer: A tool to quickly and accurately trim off multiple short contaminant sequences from high-throughput sequencing reads. Genomics, 2013, 102, 500-506.	2.9	195
61	Genomic analysis of smooth tubercle bacilli provides insights into ancestry and pathoadaptation of Mycobacterium tuberculosis. Nature Genetics, 2013, 45, 172-179.	21.4	264
62	morePhyML: Improving the phylogenetic tree space exploration with PhyML 3. Molecular Phylogenetics and Evolution, 2011, 61, 944-948.	2.7	58
63	Large-Scale Phylogenomic Analyses Indicate a Deep Origin of Primary Plastids within Cyanobacteria. Molecular Biology and Evolution, 2011, 28, 3019-3032.	8.9	97
64	BMGE (Block Mapping and Gathering with Entropy): a new software for selection of phylogenetic informative regions from multiple sequence alignments. BMC Evolutionary Biology, 2010, 10, 210.	3.2	1,153
65	Bacteriophages Can Treat and Prevent <i>Pseudomonas aeruginosa</i> Lung Infections. Journal of Infectious Diseases, 2010, 201, 1096-1104.	4.0	265
66	S <scp>uper</scp> T <scp>riplets</scp> : a triplet-based supertree approach to phylogenomics. Bioinformatics, 2010, 26, i115-i123.	4.1	51
67	Phylogenetic Inference with Weighted Codon Evolutionary Distances. Journal of Molecular Evolution, 2009, 68, 377-392.	1.8	7
68	Fast NJ-like algorithms to deal with incomplete distance matrices. BMC Bioinformatics, 2008, 9, 166.	2.6	43
69	PhySIC: A Veto Supertree Method with Desirable Properties. Systematic Biology, 2007, 56, 798-817.	5.6	49
70	SDM: A Fast Distance-Based Approach for (Super)Tree Building in Phylogenomics. Systematic Biology, 2006, 55, 740-755.	5.6	69
71	A fast alignment-free bioinformatics procedure to infer accurate distance-based phylogenetic trees from genome assemblies. Research Ideas and Outcomes, 0, 5, .	1.0	53