

Alan Cheng

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6326151/publications.pdf>

Version: 2024-02-01

10
papers

63
citations

1684188

5
h-index

1588992

8
g-index

10
all docs

10
docs citations

10
times ranked

82
citing authors

#	ARTICLE	IF	CITATIONS
1	Trends in implantable cardioverter-defibrillator programming practices and its impact on therapies: Insights from a North American Remote Monitoring Registry 2007-2018. <i>Heart Rhythm</i> , 2022, 19, 219-225.	0.7	4
2	Computed tomography imaging-identified location and electrocardiographic characteristics of left bundle branch area pacing in bradycardia patients. <i>Journal of Cardiovascular Electrophysiology</i> , 2022, 33, 1244-1254.	1.7	5
3	Cover Image, Volume 33, Issue 6. <i>Journal of Cardiovascular Electrophysiology</i> , 2022, 33, .	1.7	0
4	Utilization of implantable cardioverter-defibrillators for the prevention of sudden cardiac death in emerging countries: Improve SCA clinical trial. <i>Heart Rhythm</i> , 2020, 17, 468-475.	0.7	22
5	Characteristics of ventricular tachyarrhythmias and their susceptibility to antitachycardia pacing termination in patients with ischemic and nonischemic cardiomyopathy: A patient-level meta-analysis of three large clinical trials. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 2720-2726.	1.7	8
6	Sunshine on industry payments to cardiac electrophysiologists: Are we seeing more clearly now that the "rain" has gone?. <i>Journal of Cardiovascular Electrophysiology</i> , 2020, 31, 3115-3116.	1.7	0
7	Diurnal, Seasonal, and Monthly Variations in Ventricular Arrhythmias in Patients With Implantable Cardioverter-Defibrillators. <i>JACC: Clinical Electrophysiology</i> , 2019, 5, 979-986.	3.2	2
8	SVT discrimination algorithms significantly reduce the rate of inappropriate therapy in the setting of modern-day delayed high-rate detection programming. <i>Journal of Cardiovascular Electrophysiology</i> , 2019, 30, 2877-2884.	1.7	5
9	Estimating the incidence of atrial fibrillation in single-chamber implantable cardioverter defibrillator patients. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 42, 132-138.	1.2	7
10	Improving the utilization of implantable cardioverter defibrillators for sudden cardiac arrest prevention (Improve SCA) in developing countries: Clinical characteristics and reasons for implantation refusal. <i>PACE - Pacing and Clinical Electrophysiology</i> , 2018, 41, 1619-1626.	1.2	10