
Takuya Aoki

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6334881/publications.pdf Version: 2024-02-01



TAKUYA AOKI

#	Article	IF	CITATIONS
1	Associations of primary care structures with polypharmacy and patient-reported indicators in patients with complex multimorbidity: a multicentre cross-sectional study in Japan. BMJ Open, 2022, 12, e054348.	1.9	5
2	Association between health literacy and multimorbidity: a nationwide, cross-sectional study of a Japanese population. BMJ Open, 2022, 12, e052731.	1.9	7
3	The Ecology of Medical Care During the COVID-19 Pandemic in Japan: a Nationwide Survey. Journal of General Internal Medicine, 2022, 37, 1211-1217.	2.6	15
4	Usual source of primary care and preventive care measures in the COVID-19 pandemic: a nationwide cross-sectional study in Japan. BMJ Open, 2022, 12, e057418.	1.9	7
5	Development and validation of a Japanese version of the person-centered primary care measure. , 2022, 23, 112.		1
6	Response to Letter to the Editor: Ecology of Medical Care. Journal of General Internal Medicine, 2022, , .	2.6	0
7	Patient experience of residents with restricted primary care access during the COVID-19 pandemic. Family Medicine and Community Health, 2022, 10, e001667.	1.6	2
8	Development and psychometric properties of the Japanese Consumer Assessment of Healthcare Providers and Systems Clinician & Group Survey (CG-CAHPS). PLoS ONE, 2021, 16, e0250843.	2.5	1
9	Patient Journey and Disease-Related Burden in Japanese Patients WithÂChronic Thromboembolic Pulmonary Hypertension: A Mixed Methods Study. Value in Health Regional Issues, 2021, 24, 17-23.	1.2	2
10	The impact of autopsy participation on clinical residency. Journal of General and Family Medicine, 2021, 22, 278-287.	0.8	0
11	Effect of multimorbidity patterns on the decline in health-related quality of life: a nationwide prospective cohort study in Japan. BMJ Open, 2021, 11, e047812.	1.9	8
12	Association between the transtheoretical model approach and sustained intradialytic pedaling exercise. Medicine (United States), 2021, 100, e27406.	1.0	1
13	Development and validation of a concise scale for assessing patient experience of primary care for adults in Japan. Family Practice, 2020, 37, 137-142.	1.9	18
14	Multimorbidity and patient-reported diagnostic errors in the primary care setting: multicentre cross-sectional study in Japan. BMJ Open, 2020, 10, e039040.	1.9	8
15	Better Patient Experience is Associated with Better Vaccine Uptake in Older Adults: Multicentered Cross-sectional Study. Journal of General Internal Medicine, 2020, 35, 3485-3491.	2.6	14
16	Physical multimorbidity patterns and depressive symptoms: a nationwide cross-sectional study in Japan. Family Medicine and Community Health, 2020, 8, e000234.	1.6	6
17	Associations of types of primary care facilities with adult vaccination and cancer screening in Japan. International Journal for Quality in Health Care, 2020, 32, 373-378.	1.8	2
18	Comparison of Primary Care Experience in Hospital-Based Practices and Community-Based Office Practices in Japan. Annals of Family Medicine, 2020, 18, 24-29.	1.9	13

Τακυγά Αοκι

#	Article	IF	CITATIONS
19	Translation, adaptation and validation of the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) for use in Japan: a multicentre cross-sectional study. BMJ Open, 2020, 10, e040240.	1.9	0
20	Translation, adaptation and validation of the Hospital Consumer Assessment of Healthcare Providers and Systems (HCAHPS) for use in Japan: a multicentre cross-sectional study. BMJ Open, 2020, 10, e040240.	1.9	6
21	A qualitative study of socially isolated patients' perceptions of primary care. Journal of General and Family Medicine, 2019, 20, 185-189.	0.8	6
22	Association between social networks and discussions regarding advance care planning among Japanese older adults. PLoS ONE, 2019, 14, e0213894.	2.5	14
23	Physician characteristics associated with proper assessment of overstated conclusions in research abstracts: A secondary analysis of a randomized controlled trial. PLoS ONE, 2019, 14, e0211206.	2.5	5
24	Factors associated with patient preferences towards deprescribing: a survey of adult patients on prescribed medications. International Journal of Clinical Pharmacy, 2019, 41, 531-537.	2.1	27
25	Admissions for ambulatory care sensitive conditions on rural islands and their association with patient experience: a multicentred prospective cohort study. BMJ Open, 2019, 9, e030101.	1.9	5
26	Associations of Patient Experience in Primary Care With Hospitalizations and Emergency Department Visits on Isolated Islands: A Prospective Cohort Study. Journal of Rural Health, 2019, 35, 498-505.	2.9	3
27	Effect of hip fracture surgery within 24 hours on short-term mobility. Journal of Orthopaedic Science, 2019, 24, 469-473.	1.1	17
28	Research evidence is essential for the development of family medicine as a discipline in the Japanese healthcare system. BJGP Open, 2019, 3, bjgpopen19X101650.	1.8	4
29	Effect of Patient Experience on Bypassing a Primary Care Gatekeeper: a Multicenter Prospective Cohort Study in Japan. Journal of General Internal Medicine, 2018, 33, 722-728.	2.6	27
30	Multimorbidity patterns in relation to polypharmacy and dosage frequency: a nationwide, cross-sectional study in a Japanese population. Scientific Reports, 2018, 8, 3806.	3.3	73
31	An analysis of qualitative and mixed methods abstracts from Japanese, UK and US primary care conferences. Asia Pacific Family Medicine, 2018, 17, 11.	0.4	0
32	Social Isolation and Patient Experience in Older Adults. Annals of Family Medicine, 2018, 16, 393-398.	1.9	24
33	Effect of Recruitment Methods on Response Rate in a Web-Based Study for Primary Care Physicians: Factorial Randomized Controlled Trial. Journal of Medical Internet Research, 2018, 20, e28.	4.3	28
34	Third-party Evaluation Program for Primary Care Facilities: Situation in Other Countries and Suggestions for Our Country. An Official Journal of the Japan Primary Care Association, 2018, 41, 179-183.	0.1	1
35	Attributes of primary care in relation to polypharmacy: a multicenter cross-sectional study in Japan. International Journal for Quality in Health Care, 2017, 29, 378-383.	1.8	6
36	Primary care patient experience and cancer screening uptake among women: an exploratory cross-sectional study in a Japanese population. Asia Pacific Family Medicine, 2017, 16, 3.	0.4	12

Τακυγά Αοκι

#	Article	IF	CITATIONS
37	Patient experience of primary care and advance care planning: a multicentre cross-sectional study in Japan. Family Practice, 2017, 34, 206-212.	1.9	39
38	Influence of overstated abstract conclusions on clinicians: a web-based randomised controlled trial. BMJ Open, 2017, 7, e018355.	1.9	10
39	Association between health literacy and patient experience of primary care attributes: A cross-sectional study in Japan. PLoS ONE, 2017, 12, e0184565.	2.5	22
40	Japanese Representation in High-impact International Primary Care Journals. An Official Journal of the Japan Primary Care Association, 2017, 40, 126-130.	0.1	6
41	Development and validation of the Japanese version of Primary Care Assessment Tool. Family Practice, 2016, 33, 112-117.	1.9	62
42	Quality assessment in primary care-focusing on patient experience. An Official Journal of the Japan Primary Care Association, 2015, 38, 40-44.	0.1	1