Björn H Schott

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6337377/publications.pdf Version: 2024-02-01



RIÃON H SCHOTT

#	Article	IF	CITATIONS
1	Amyloid pathology but not <i>APOE</i> ε4 status is permissive for tau-related hippocampal dysfunction. Brain, 2022, 145, 1473-1485.	7.6	17
2	Medium-term and peri-lockdown course of psychosocial burden during the ongoing COVID-19 pandemic: a longitudinal study on patients with pre-existing mental disorders. European Archives of Psychiatry and Clinical Neuroscience, 2022, 272, 757-771.	3.2	16
3	Soluble TAM receptors sAXL and sTyro3 predict structural and functional protection in Alzheimer's disease. Neuron, 2022, 110, 1009-1022.e4.	8.1	27
4	Association of Cholinergic Basal Forebrain Volume and Functional Connectivity with Markers of Inflammatory Response in the Alzheimer's Disease Spectrum. Journal of Alzheimer's Disease, 2022, 85, 1267-1282.	2.6	12
5	Borderline personality disorder and the big five: molecular genetic analyses indicate shared genetic architecture with neuroticism and openness. Translational Psychiatry, 2022, 12, 153.	4.8	7
6	Neurocan genomeâ€wide psychiatric risk variant affects explicit memory performance and hippocampal function in healthy humans. European Journal of Neuroscience, 2021, 53, 3942-3959.	2.6	25
7	Reduced frontal cortical tracking of conflict between self-beneficial versus prosocial motives in Narcissistic Personality Disorder. NeuroImage: Clinical, 2021, 32, 102800.	2.7	0
8	Robustly High Hippocampal BDNF levels under Acute Stress in Mice Lacking the Full-length p75 Neurotrophin Receptor. Pharmacopsychiatry, 2021, 54, 205-213.	3.3	5
9	Met carriers of the BDNF Val66Met polymorphism show reduced Glx/NAA in the pregenual ACC in two independent cohorts. Scientific Reports, 2021, 11, 6742.	3.3	8
10	Bayesian model selection favors parametric over categorical fMRI subsequent memory models in young and older adults. NeuroImage, 2021, 230, 117820.	4.2	21
11	Dental Care of Patients With Dementia: A Survey on Practice Equipment, Training, and Dental Treatment. Frontiers in Oral Health, 2021, 2, 682139.	3.0	3
12	Learning by Insight-Like Sudden Comprehension as a Potential Strategy to Improve Memory Encoding in Older Adults. Frontiers in Aging Neuroscience, 2021, 13, 661346.	3.4	8
13	A comprehensive score reflecting memoryâ€related <scp>fMRI</scp> activations and deactivations as potential biomarker for neurocognitive aging. Human Brain Mapping, 2021, 42, 4478-4496.	3.6	22
14	Motivational learning biases are differentially modulated by genetic determinants of striatal and prefrontal dopamine function. Journal of Neural Transmission, 2021, 128, 1705-1720.	2.8	4
15	Learning in anticipation of reward and punishment: perspectives across the human lifespan. Neurobiology of Aging, 2020, 96, 49-57.	3.1	11
16	Amygdalar nuclei and hippocampal subfields on MRI: Test-retest reliability of automated volumetry across different MRI sites and vendors. NeuroImage, 2020, 218, 116932.	4.2	38
17	Neuronal impairment following chronic Toxoplasma gondii infection is aggravated by intestinal nematode challenge in an IFN-I3-dependent manner. Journal of Neuroinflammation, 2019, 16, 159.	7.2	20
18	Reduced Hippocampal Neurogenesis in Mice Deficient in Apoptosis Repressor with Caspase Recruitment Domain (ARC). Neuroscience, 2019, 416, 20-29.	2.3	6

#	Article	IF	CITATIONS
19	Learning of novel semantic relationships via sudden comprehension is associated with a hippocampus-independent network. Consciousness and Cognition, 2019, 69, 113-132.	1.5	24
20	Gradual acquisition of visuospatial associative memory representations via the dorsal precuneus. Human Brain Mapping, 2019, 40, 1554-1570.	3.6	49
21	Neuronal glutamatergic changes and peripheral markers of cytoskeleton dynamics change synchronically 24 h after sub-anaesthetic dose of ketamine in healthy subjects. Behavioural Brain Research, 2019, 359, 312-319.	2.2	11
22	Ketamine influences the locus coeruleus norepinephrine network, with a dependency on norepinephrine transporter genotype – a placebo controlled fMRI study. NeuroImage: Clinical, 2018, 20, 715-723.	2.7	29
23	Chronic Toxoplasma infection is associated with distinct alterations in the synaptic protein composition. Journal of Neuroinflammation, 2018, 15, 216.	7.2	62
24	GAD65 Promoter Polymorphism rs2236418 Modulates Harm Avoidance in Women via Inhibition/Excitation Balance in the Rostral ACC. Journal of Neuroscience, 2018, 38, 5067-5077.	3.6	17
25	Inhibition of Information Flow to the Default Mode Network During Self-Reference Versus Reference to Others. Cerebral Cortex, 2017, 27, 3930-3942.	2.9	19
26	Genome-wide association study of borderline personality disorder reveals genetic overlap with bipolar disorder, major depression and schizophrenia. Translational Psychiatry, 2017, 7, e1155-e1155.	4.8	150
27	Toxoplasma gondii exposure and neurological disorders: An age- and gender-matched case-control pilot study. European Journal of Microbiology and Immunology, 2017, 7, 303-309.	2.8	7
28	Factors Influencing the Cardiovascular Response to Subanesthetic Ketamine: A Randomized, Placebo-Controlled Trial. International Journal of Neuropsychopharmacology, 2017, 20, 909-918.	2.1	43
29	Neuronal and peripheral markers of plasticity dynamics, change concomitantly after sub-anesthetic dose of ketamine in humans. European Neuropsychopharmacology, 2017, 27, S649-S650.	0.7	0
30	Behavioral and Neural Manifestations of Reward Memory in Carriers of Low-Expressing versus High-Expressing Genetic Variants of the Dopamine D2 Receptor. Frontiers in Psychology, 2017, 8, 654.	2.1	19
31	579. Region Specific Metabolic Correlates Contribute to Gene and Sex Relationship of Transitional Anxiety Phenotypes. Biological Psychiatry, 2017, 81, S234.	1.3	0
32	Synaptic proteome alterations in chronic toxoplasma gondii-infected mice suggest interference with glutamatergic neurotransmission. Pharmacopsychiatry, 2017, 50, .	3.3	0
33	Neural Correlates of Learning from Induced Insight: A Case for Reward-Based Episodic Encoding. Frontiers in Psychology, 2016, 7, 1693.	2.1	40
34	The ToMenovela – A Photograph-Based Stimulus Set for the Study of Social Cognition with High Ecological Validity. Frontiers in Psychology, 2016, 7, 1883.	2.1	5
35	A negative relationship between ventral striatal loss anticipation response and impulsivity in borderline personality disorder. NeuroImage: Clinical, 2016, 12, 724-736.	2.7	29
36	Chronic Toxoplasma gondii infection enhances β-amyloid phagocytosis and clearance by recruited monocytes. Acta Neuropathologica Communications, 2016, 4, 25.	5.2	78

#	Article	IF	CITATIONS
37	Delay discounting without decision-making: medial prefrontal cortex and amygdala activations reflect immediacy processing and correlate with impulsivity and anxious-depressive traits. Frontiers in Behavioral Neuroscience, 2015, 9, 280.	2.0	15
38	Beautiful friendship: Social sharing of emotions improves subjective feelings and activates the neural reward circuitry. Social Cognitive and Affective Neuroscience, 2015, 10, 801-808.	3.0	72
39	Fronto-limbic novelty processing in acute psychosis: disrupted relationship with memory performance and potential implications for delusions. Frontiers in Behavioral Neuroscience, 2015, 9, 144.	2.0	21
40	Gender-specific modulation of neural mechanisms underlying social reward processing by Autism Quotient. Social Cognitive and Affective Neuroscience, 2015, 10, 1537-1547.	3.0	23
41	5-HTTLPR/rs25531 polymorphism and neuroticism are linked by resting state functional connectivity of amygdala and fusiform gyrus. Brain Structure and Function, 2015, 220, 2373-2385.	2.3	26
42	Genetic variation of the RASGRF1 regulatory region affects human hippocampus-dependent memory. Frontiers in Human Neuroscience, 2014, 8, 260.	2.0	22
43	Valenced action/inhibition learning in humans is modulated by a genetic variant linked to dopamine D2 receptor expression. Frontiers in Systems Neuroscience, 2014, 8, 140.	2.5	22
44	Genetics of Alcohol Dependence: A Review of Clinical Studies. Neuropsychobiology, 2014, 70, 77-94.	1.9	23
45	Epistatic interaction of genetic depression risk variants in the human subgenual cingulate cortex during memory encoding. Translational Psychiatry, 2014, 4, e372-e372.	4.8	46
46	Further Evidence for the Impact of a Genome-Wide-Supported Psychosis Risk Variant in ZNF804A on the Theory of Mind Network. Neuropsychopharmacology, 2014, 39, 1196-1205.	5.4	42
47	Analysis of genome-wide significant bipolar disorder genes in borderline personality disorder. Psychiatric Genetics, 2014, 24, 262-265.	1.1	26
48	Association between dopa decarboxylase gene variants and borderline personality disorder. Psychiatry Research, 2014, 219, 693-695.	3.3	3
49	Replication of brain function effects of a genome-wide supported psychiatric risk variant in the CACNA1C gene and new multi-locus effects. NeuroImage, 2014, 94, 147-154.	4.2	32
50	Hippocampal and Frontolimbic Function as Intermediate Phenotype for Psychosis: Evidence from Healthy Relatives and a Common Risk Variant in CACNA1C. Biological Psychiatry, 2014, 76, 466-475.	1.3	57
51	The relationship between level of processing and hippocampal–cortical functional connectivity during episodic memory formation in humans. Human Brain Mapping, 2013, 34, 407-424.	3.6	81
52	The "DGPPN-Cohort†a national collaboration initiative by the German Association for Psychiatry and Psychotherapy (DGPPN) for establishing a large-scale cohort of psychiatric patients. European Archives of Psychiatry and Clinical Neuroscience, 2013, 263, 695-701.	3.2	17
53	Cue reactivity and its inhibition in pathological computer game players. Addiction Biology, 2013, 18, 134-146.	2.6	96
54	Increased density of AKAP5-expressing neurons in the anterior cingulate cortex of subjects with bipolar disorder. Journal of Psychiatric Research, 2013, 47, 699-705.	3.1	11

#	Article	IF	CITATIONS
55	The neural representation of intrusive thoughts. Social Cognitive and Affective Neuroscience, 2013, 8, 688-693.	3.0	20
56	Motivational salience and genetic variability of dopamine D2 receptor expression interact in the modulation of interference processing. Frontiers in Human Neuroscience, 2013, 7, 250.	2.0	25
57	Trait anxiety modulates fronto-limbic processing of emotional interference in borderline personality disorder. Frontiers in Human Neuroscience, 2013, 7, 54.	2.0	52
58	Effects of AKAP5 Pro100Leu Genotype on Working Memory for Emotional Stimuli. PLoS ONE, 2013, 8, e55613.	2.5	12
59	AKAP79/150 interacts with the neuronal calciumâ€binding protein caldendrin. Journal of Neurochemistry, 2012, 122, 714-726.	3.9	17
60	Motivational salience modulates hippocampal repetition suppression and functional connectivity in humans. Frontiers in Human Neuroscience, 2011, 5, 144.	2.0	25
61	A Potential Role for a Genetic Variation of AKAP5 in Human Aggression and Anger Control. Frontiers in Human Neuroscience, 2011, 5, 175.	2.0	23
62	Genetic Variation of the Serotonin 2a Receptor Affects Hippocampal Novelty Processing in Humans. PLoS ONE, 2011, 6, e15984.	2.5	25
63	Brain Areas Consistently Linked to Individual Differences in Perceptual Decision-making in Younger as well as Older Adults before and after Training. Journal of Cognitive Neuroscience, 2011, 23, 2147-2158.	2.3	42
64	Fiber density between rhinal cortex and activated ventrolateral prefrontal regions predicts episodic memory performance in humans. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, 5408-5413.	7.1	38
65	Reply to Rousselet et al.: A robust relationship between fiber density and memory recall. Proceedings of the National Academy of Sciences of the United States of America, 2011, 108, E599-E599.	7.1	0
66	Prefrontal dopamine and the dynamic control of human long-term memory. Translational Psychiatry, 2011, 1, e15-e15.	4.8	41
67	The role of hippocampus dysfunction in deficient memory encoding and positive symptoms in schizophrenia. Psychiatry Research - Neuroimaging, 2010, 183, 187-194.	1.8	53
68	Membrane-Bound Catechol-O-Methyl Transferase in Cortical Neurons and Glial Cells is Intracellularly Oriented. Frontiers in Psychiatry, 2010, 1, 142.	2.6	18
69	Mechanisms of visual grouping investigated with fMRI. Journal of Vision, 2010, 1, 387-387.	0.3	Ο
70	Medial temporal theta state before an event predicts episodic encoding success in humans. Proceedings of the National Academy of Sciences of the United States of America, 2009, 106, 5365-5370.	7.1	244
71	The novelty exploration bonus and its attentional modulationâ ⁻ †. Neuropsychologia, 2009, 47, 2272-2281.	1.6	110
72	Visuo-motor integration in humans: Cortical patterns of response lateralisation and functional connectivity. Neuropsychologia, 2009, 47, 1313-1322.	1.6	10

#	Article	IF	CITATIONS
73	Functional imaging of the human dopaminergic midbrain. Trends in Neurosciences, 2009, 32, 321-328.	8.6	184
74	Personality Traits Are Differentially Associated with Patterns of Reward and Novelty Processing in the Human Substantia Nigra/Ventral Tegmental Area. Biological Psychiatry, 2009, 65, 103-110.	1.3	105
75	Mesolimbic Functional Magnetic Resonance Imaging Activations during Reward Anticipation Correlate with Reward-Related Ventral Striatal Dopamine Release. Journal of Neuroscience, 2008, 28, 14311-14319.	3.6	426
76	Dopaminergic Modulation of Auditory Cortex-Dependent Memory Consolidation through mTOR. Cerebral Cortex, 2008, 18, 2646-2658.	2.9	87
77	Ageing and early-stage Parkinson's disease affect separable neural mechanisms of mesolimbic reward processing. Brain, 2007, 130, 2412-2424.	7.6	169
78	The Dopaminergic Midbrain Participates in Human Episodic Memory Formation: Evidence from Genetic Imaging. Journal of Neuroscience, 2006, 26, 1407-1417.	3.6	193
79	Neuroanatomical Dissociation of Encoding Processes Related to Priming and Explicit Memory. Journal of Neuroscience, 2006, 26, 792-800.	3.6	60
80	Recapitulating emotional context: activity of amygdala, hippocampus and fusiform cortex during recollection and familiarity. European Journal of Neuroscience, 2005, 21, 1993-1999.	2.6	83
81	The BDNF-Val66Met polymorphism: Implications for susceptibility to multiple sclerosis and severity of disease. Journal of Neuroimmunology, 2005, 167, 183-185.	2.3	26
82	Redefining implicit and explicit memory: The functional neuroanatomy of priming, remembering, and control of retrieval. Proceedings of the National Academy of Sciences of the United States of America, 2005, 102, 1257-1262.	7.1	137
83	Early, partly anticipatory, neural oscillations during identification set the stage for priming. NeuroImage, 2005, 25, 690-700.	4.2	26
84	Reward-Related fMRI Activation of Dopaminergic Midbrain Is Associated with Enhanced Hippocampus- Dependent Long-Term Memory Formation. Neuron, 2005, 45, 459-467.	8.1	579
85	Activation of Midbrain Structures by Associative Novelty and the Formation of Explicit Memory in Humans. Learning and Memory, 2004, 11, 383-387.	1.3	105
86	Visual imagery and memory: Do retrieval strategies affect what the mind's eye sees?. European Journal of Cognitive Psychology, 2004, 16, 631-652.	1.3	20
87	Measures of hippocampal volumes, diffusion and 1H MRS metabolic abnormalities in temporal lobe epilepsy provide partially complementary information. European Journal of Neurology, 2004, 11, 195-205.	3.3	28
88	A multivariate, spatiotemporal analysis of electromagnetic time-frequency data of recognition memory. NeuroImage, 2003, 18, 185-197.	4.2	168
89	Perceptual Priming Versus Explicit Memory: Dissociable Neural Correlates at Encoding. Journal of Cognitive Neuroscience, 2002, 14, 578-592.	2.3	73