

Cecelia C Yates

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6338943/publications.pdf>

Version: 2024-02-01

38
papers

1,769
citations

279798

23
h-index

377865

34
g-index

38
all docs

38
docs citations

38
times ranked

3044
citing authors

#	ARTICLE	IF	CITATIONS
1	Novel combination therapy reduces subconjunctival fibrosis after glaucoma filtration surgery in the rabbit model. <i>Clinical and Experimental Ophthalmology</i> , 2021, 49, 60-69.	2.6	6
2	Chemokine-Based Therapeutics for the Treatment of Inflammatory and Fibrotic Convergent Pathways in COVID-19. <i>Current Pathobiology Reports</i> , 2021, 9, 93-105.	3.4	14
3	Beyond Growth Factors: Macrophage-Centric Strategies for Angiogenesis. <i>Current Pathobiology Reports</i> , 2020, 8, 111-120.	3.4	12
4	Injected Versus Sponge-Applied Mitomycin C (MMC) During Modified Trabeculectomy in New Zealand White Rabbit Model. <i>Translational Vision Science and Technology</i> , 2020, 9, 23.	2.2	4
5	Prediction of severity and subtype of fibrosing disease using model informed by inflammation and extracellular matrix gene index. <i>PLoS ONE</i> , 2020, 15, e0240986.	2.5	0
6	mTORC1-mediated polarization of M1 macrophages and their accumulation in the liver correlate with immunopathology in fatal ehrlichiosis. <i>Scientific Reports</i> , 2019, 9, 14050.	3.3	36
7	The Role of Chemokines in Fibrotic Dermal Remodeling and Wound Healing. <i>Molecular and Translational Medicine</i> , 2019, , 3-24.	0.4	7
8	Macrophage-Specific Phenotypes Direct Fibroblast Expression of Matrix Metalloproteinases. <i>FASEB Journal</i> , 2019, 33, 802.83.	0.5	0
9	Increasing Cardiomyocyte Atrogin-1 Reduces Aging-Associated Fibrosis and Regulates Remodeling in Vivo. <i>American Journal of Pathology</i> , 2018, 188, 1676-1692.	3.8	14
10	Novel classification for global gene signature model for predicting severity of systemic sclerosis. <i>PLoS ONE</i> , 2018, 13, e0199314.	2.5	1
11	Current Therapeutic Strategies for Adipose Tissue Defects/Repair Using Engineered Biomaterials and Biomolecule Formulations. <i>Frontiers in Pharmacology</i> , 2018, 9, 507.	3.5	31
12	Bidirectional Macrophage-Fibroblast Crosstalk Directs Wound Resolution Factors. <i>FASEB Journal</i> , 2018, 32, 414.2.	0.5	1
13	Type I interferon-mediated Akt/mTORC2 signaling regulates autophagy and inflammasome activation in mouse liver injury/sepsis model. <i>FASEB Journal</i> , 2018, 32, 41.7.	0.5	0
14	FIBROKINE Peptides: A Broad Spectrum of Anti-Fibrotic Chemokine Peptides to Treat Organ Fibrosis. <i>FASEB Journal</i> , 2018, 32, 414.5.	0.5	1
15	Personalized Gene Expression Profile Information Predicts Severity of Systemic Sclerosis Despite Heterogeneity of Disease. <i>FASEB Journal</i> , 2018, 32, 414.10.	0.5	0
16	Improved Transplanted Stem Cell Survival in a Polymer Gel Supplemented with Tenascin C Accelerates Healing and Reduces Scarring of Murine Skin Wounds. <i>Cell Transplantation</i> , 2017, 26, 103-113.	2.5	31
17	Local Probiotic Therapy with <i>Lactobacillus plantarum</i> Mitigates Scar Formation in Rabbits after Burn Injury and Infection. <i>Surgical Infections</i> , 2017, 18, 119-127.	1.4	57
18	Shifts in macrophage phenotype at the biomaterial interface via IL-4 eluting coatings are associated with improved implant integration. <i>Biomaterials</i> , 2017, 112, 95-107.	11.4	163

#	ARTICLE	IF	CITATIONS
19	Multipotent stromal cells/mesenchymal stem cells and fibroblasts combine to minimize skin hypertrophic scarring. <i>Stem Cell Research and Therapy</i> , 2017, 8, 193.	5.5	48
20	Epidermal Growth Factor Tethered to β -Tricalcium Phosphate Bone Scaffolds via a High-Affinity Binding Peptide Enhances Survival of Human Mesenchymal Stem Cells/Multipotent Stromal Cells in an Immune-Competent Parafascial Implantation Assay in Mice. <i>Stem Cells Translational Medicine</i> , 2016, 5, 1580-1586.	3.3	18
21	Cardiomyocyte-Specific Human Bcl2-Associated Anthanogene 3 P209L Expression Induces Mitochondrial Fragmentation, Bcl2-Associated Anthanogene 3 Haploinsufficiency, and Activates p38 Signaling. <i>American Journal of Pathology</i> , 2016, 186, 1989-2007.	3.8	36
22	Pericytes: A newly recognized player in wound healing. <i>Wound Repair and Regeneration</i> , 2016, 24, 204-214.	3.0	77
23	Skin tissue repair: Matrix microenvironmental influences. <i>Matrix Biology</i> , 2016, 49, 25-36.	3.6	105
24	MuRF2 regulates PPAR α activity to protect against diabetic cardiomyopathy and enhance weight gain induced by a high fat diet. <i>Cardiovascular Diabetology</i> , 2015, 14, 97.	6.8	40
25	Muscle ring finger-3 protects against diabetic cardiomyopathy induced by a high fat diet. <i>BMC Endocrine Disorders</i> , 2015, 15, 36.	2.2	18
26	MMI-0100 inhibits cardiac fibrosis in myocardial infarction by direct actions on cardiomyocytes and fibroblasts via MK2 inhibition. <i>Journal of Molecular and Cellular Cardiology</i> , 2014, 77, 86-101.	1.9	41
27	The Matrikine Tenascin-C Protects Multipotential Stromal Cells/Mesenchymal Stem Cells from Death Cytokines Such as FasL. <i>Tissue Engineering - Part A</i> , 2013, 19, 1972-1983.	3.1	45
28	Transplanted Fibroblasts Prevents Dysfunctional Repair in a Murine CXCR3-Deficient Scarring Model. <i>Cell Transplantation</i> , 2012, 21, 919-931.	2.5	30
29	Skin Wound Healing and Scarring: Fetal Wounds and Regenerative Restitution. <i>Birth Defects Research Part C: Embryo Today Reviews</i> , 2012, 96, 325-333.	3.6	122
30	An IP-10 (CXCL10)-Derived Peptide Inhibits Angiogenesis. <i>PLoS ONE</i> , 2012, 7, e40812.	2.5	71
31	Matrix control of scarring. <i>Cellular and Molecular Life Sciences</i> , 2011, 68, 1871-1881.	5.4	50
32	Lack of CXC Chemokine Receptor 3 Signaling Leads to Hypertrophic and Hypercellular Scarring. <i>American Journal of Pathology</i> , 2010, 176, 1743-1755.	3.8	67
33	IP-10 induces dissociation of newly formed blood vessels. <i>Journal of Cell Science</i> , 2009, 122, 2064-2077.	2.0	130
34	Delayed reepithelialization and basement membrane regeneration after wounding in mice lacking CXCR3. <i>Wound Repair and Regeneration</i> , 2009, 17, 34-41.	3.0	60
35	ELR-Negative CXC Chemokine CXCL11 (IP-9/I-TAC) Facilitates Dermal and Epidermal Maturation during Wound Repair. <i>American Journal of Pathology</i> , 2008, 173, 643-652.	3.8	46
36	Delayed and Deficient Dermal Maturation in Mice Lacking the CXCR3 ELR-Negative CXC Chemokine Receptor. <i>American Journal of Pathology</i> , 2007, 171, 484-495.	3.8	97

#	ARTICLE	IF	CITATIONS
37	The effect of multifunctional polymer-based gels on wound healing in full thickness bacteria-contaminated mouse skin wound models. <i>Biomaterials</i> , 2007, 28, 3977-3986.	11.4	98
38	IP-10 Blocks Vascular Endothelial Growth Factor-Induced Endothelial Cell Motility and Tube Formation via Inhibition of Calpain. <i>Circulation Research</i> , 2006, 98, 617-625.	4.5	192