

# Benoit Gamain

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6345807/publications.pdf>

Version: 2024-02-01

61  
papers

2,832  
citations

201674

27  
h-index

182427

51  
g-index

66  
all docs

66  
docs citations

66  
times ranked

1988  
citing authors

#	ARTICLE	IF	CITATIONS
1	BMFPs, a versatile therapeutic tool for redirecting a preexisting Epstein-Barr virus antibody response toward defined target cells. <i>Science Advances</i> , 2022, 8, eabl4363.	10.3	2
2	Progress and Insights Toward an Effective Placental Malaria Vaccine. <i>Frontiers in Immunology</i> , 2021, 12, 634508.	4.8	18
3	HIV infection and placental malaria reduce maternal transfer of multiple antimalarial antibodies in Mozambican women. <i>Journal of Infection</i> , 2021, 82, 45-57.	3.3	7
4	An invariant protein that co-localizes with VAR2CSA on <i>Plasmodium falciparum</i> -infected red cells binds to chondroitin sulfate A. <i>Journal of Infectious Diseases</i> , 2021, , .	4.0	3
5	An exported kinase family mediates species-specific erythrocyte remodelling and virulence in human malaria. <i>Nature Microbiology</i> , 2020, 5, 848-863.	13.3	44
6	VAR2CSA-Mediated Host Defense Evasion of <i>Plasmodium falciparum</i> Infected Erythrocytes in Placental Malaria. <i>Frontiers in Immunology</i> , 2020, 11, 624126.	4.8	8
7	PRIMVAC vaccine adjuvanted with Alhydrogel or GLA-SE to prevent placental malaria: a first-in-human, randomised, double-blind, placebo-controlled study. <i>Lancet Infectious Diseases</i> , The, 2020, 20, 585-597.	9.1	84
8	<i>Plasmodium</i> -infected erythrocytes induce secretion of IGFBP7 to form type II rosettes and escape phagocytosis. <i>ELife</i> , 2020, 9, .	6.0	16
9	RTS,S/AS01E immunization increases antibody responses to vaccine-unrelated <i>Plasmodium falciparum</i> antigens associated with protection against clinical malaria in African children: a case-control study. <i>BMC Medicine</i> , 2019, 17, 157.	5.5	30
10	Phosphorylation of the VAR2CSA extracellular region is associated with enhanced adhesive properties to the placental receptor CSA. <i>PLoS Biology</i> , 2019, 17, e3000308.	5.6	13
11	Impact of Hemoglobin S Trait on Cell Surface Antibody Recognition of <i>Plasmodium falciparum</i> -Infected Erythrocytes in Pregnancy-Associated Malaria. <i>Open Forum Infectious Diseases</i> , 2019, 6, ofz156.	0.9	5
12	Preclinical immunogenicity and safety of the cGMP-grade placental malaria vaccine PRIMVAC. <i>EBioMedicine</i> , 2019, 42, 145-156.	6.1	23
13	Differential Patterns of IgG Subclass Responses to <i>Plasmodium falciparum</i> Antigens in Relation to Malaria Protection and RTS,S Vaccination. <i>Frontiers in Immunology</i> , 2019, 10, 439.	4.8	55
14	VAR2CSA binding phenotype has ancient origin and arose before <i>Plasmodium falciparum</i> crossed to humans: implications in placental malaria vaccine design. <i>Scientific Reports</i> , 2019, 9, 16978.	3.3	5
15	The sickle cell trait affects contact dynamics and endothelial cell activation in <i>Plasmodium falciparum</i> -infected erythrocytes. <i>Communications Biology</i> , 2018, 1, 211.	4.4	23
16	Down-selection of the VAR2CSA DBL1-2 expressed in <i>E. coli</i> as a lead antigen for placental malaria vaccine development. <i>Npj Vaccines</i> , 2018, 3, 28.	6.0	29
17	Optimization of incubation conditions of <i>Plasmodium falciparum</i> antibody multiplex assays to measure IgG, IgG1, IgG4, IgM and IgE using standard and customized reference pools for sero-epidemiological and vaccine studies. <i>Malaria Journal</i> , 2018, 17, 219.	2.3	19
18	Structure-Guided Identification of a Family of Dual Receptor-Binding PfEMP1 that Is Associated with Cerebral Malaria. <i>Cell Host and Microbe</i> , 2017, 21, 403-414.	11.0	140

#	ARTICLE	IF	CITATIONS
19	Heterozygous HbAC but not HbAS is associated with higher newborn birthweight among women with pregnancy-associated malaria. <i>Scientific Reports</i> , 2017, 7, 1414.	3.3	8
20	Host factors that modify <i>Plasmodium falciparum</i> adhesion to endothelial receptors. <i>Scientific Reports</i> , 2017, 7, 13872.	3.3	24
21	Parasites Causing Cerebral <i>Falciparum</i> Malaria Bind Multiple Endothelial Receptors and Express EPCR and ICAM-1-Binding PfEMP1. <i>Journal of Infectious Diseases</i> , 2017, 215, 1918-1925.	4.0	65
22	Clinical development of placental malaria vaccines and immunoassays harmonization: a workshop report. <i>Malaria Journal</i> , 2016, 15, 476.	2.3	28
23	Murine Model for Preclinical Studies of Var2CSA-Mediated Pathology Associated with Malaria in Pregnancy. <i>Infection and Immunity</i> , 2016, 84, 1761-1774.	2.2	10
24	TSPO ligands stimulate ZnPIX transport and ROS accumulation leading to the inhibition of <i>P. falciparum</i> growth in human blood. <i>Scientific Reports</i> , 2016, 6, 33516.	3.3	17
25	Structure of the DBL3X-DBL4 $\mu$ region of the VAR2CSA placental malaria vaccine candidate: insight into DBL domain interactions. <i>Scientific Reports</i> , 2015, 5, 14868.	3.3	25
26	Beninese children with cerebral malaria do not develop humoral immunity against the IT4-VAR19-DC8 PfEMP1 variant linked to EPCR and brain endothelial binding. <i>Malaria Journal</i> , 2015, 14, 493.	2.3	9
27	Parity-Dependent Recognition of DBL1X-3X Suggests an Important Role of the VAR2CSA High-Affinity CSA-Binding Region in the Development of the Humoral Response against Placental Malaria. <i>Infection and Immunity</i> , 2015, 83, 2466-2474.	2.2	24
28	High-Throughput Screening Platform Identifies Small Molecules That Prevent Sequestration of <i>Plasmodium falciparum</i> Infected Erythrocytes. <i>Journal of Infectious Diseases</i> , 2015, 211, 1134-1143.	4.0	12
29	Placental Cytokine and Chemokine Profiles Reflect Pregnancy Outcomes in Women Exposed to <i>Plasmodium falciparum</i> Infection. <i>Infection and Immunity</i> , 2014, 82, 3783-3789.	2.2	34
30	Llama immunization with full-length VAR2CSA generates cross-reactive and inhibitory single-domain antibodies against the DBL1X domain. <i>Scientific Reports</i> , 2014, 4, 7373.	3.3	15
31	Structural and Immunological Correlations between the Variable Blocks of the VAR2CSA Domain DBL6 $\mu$ from Two <i>Plasmodium falciparum</i> Parasite Lines. <i>Journal of Molecular Biology</i> , 2013, 425, 1697-1711.	4.2	19
32	Production, crystallization and X-ray diffraction analysis of two nanobodies against the Duffy binding-like (DBL) domain DBL6 $\mu$ -F3 of the <i>Plasmodium falciparum</i> VAR2CSA protein. <i>Acta Crystallographica Section F: Structural Biology Communications</i> , 2013, 69, 270-274.	0.7	2
33	Expressing Full-Length Functional PfEMP1 Proteins in the HEK293 Expression System. <i>Methods in Molecular Biology</i> , 2012, 923, 307-319.	0.9	12
34	Var2CSA Minimal CSA Binding Region Is Located within the N-Terminal Region. <i>PLoS ONE</i> , 2011, 6, e20270.	2.5	67
35	Antibodies to a Full-Length VAR2CSA Immunogen Are Broadly Strain-Transcendent but Do Not Cross-Inhibit Different Placental-Type Parasite Isolates. <i>PLoS ONE</i> , 2011, 6, e16622.	2.5	40
36	Full-length extracellular region of the var2CSA variant of PfEMP1 is required for specific, high-affinity binding to CSA. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 4884-4889.	7.1	137

#	ARTICLE	IF	CITATIONS
37	Investigation of host factors possibly enhancing the emergence of the chondroitin sulfate A-binding phenotype in <i>Plasmodium falciparum</i> . <i>Microbes and Infection</i> , 2008, 10, 928-932.	1.9	6
38	How does <i>Plasmodium falciparum</i> stick to CSA? Let's see in the crystal. <i>Nature Structural and Molecular Biology</i> , 2008, 15, 895-897.	8.2	7
39	Var2CSA DBL6-epsilon domain expressed in HEK293 induces limited cross-reactive and blocking antibodies to CSA binding parasites. <i>Malaria Journal</i> , 2008, 7, 170.	2.3	39
40	Pregnancy-associated malaria: Parasite binding, natural immunity and vaccine development. <i>International Journal for Parasitology</i> , 2007, 37, 273-283.	3.1	37
41	Structural polymorphism and diversifying selection on the pregnancy malaria vaccine candidate VAR2CSA. <i>Molecular and Biochemical Parasitology</i> , 2007, 155, 103-112.	1.1	111
42	Disruption of Var2csa Gene Impairs Placental Malaria Associated Adhesion Phenotype. <i>PLoS ONE</i> , 2007, 2, e910.	2.5	70
43	Characterization of anti-var2CSA-PfEMP1 cytoadhesion inhibitory mouse monoclonal antibodies. <i>Microbes and Infection</i> , 2006, 8, 2863-2871.	1.9	52
44	The human placental derived BeWo cell line: A useful model for selecting <i>Plasmodium falciparum</i> CSA-binding parasites. <i>Experimental Parasitology</i> , 2006, 112, 121-125.	1.2	34
45	A single member of the <i>Plasmodium falciparum</i> var multigene family determines cytoadhesion to the placental receptor chondroitin sulphate A. <i>EMBO Reports</i> , 2005, 6, 775-781.	4.5	187
46	Identification of Multiple Chondroitin Sulfate A (CSA) Binding Domains in the var2CSA Gene Transcribed in CSA Binding Parasites. <i>Journal of Infectious Diseases</i> , 2005, 191, 1010-1013.	4.0	135
47	Identification of a 67-amino-acid region of the <i>Plasmodium falciparum</i> variant surface antigen that binds chondroitin sulphate A and elicits antibodies reactive with the surface of placental isolates. <i>Molecular Microbiology</i> , 2004, 53, 445-455.	2.5	38
48	DNA Immunization with the Cysteine-Rich Interdomain Region 1 of the <i>Plasmodium falciparum</i> Variant Antigen Elicits Limited Cross-Reactive Antibody Responses. <i>Infection and Immunity</i> , 2003, 71, 4536-4543.	2.2	21
49	Induction of crossreactive antibodies against the <i>Plasmodium falciparum</i> variant protein. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2003, 100, 13007-13012.	7.1	20
50	Molecular basis for the dichotomy in <i>Plasmodium falciparum</i> adhesion to CD36 and chondroitin sulfate A. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 10020-10024.	7.1	52
51	Immunization of Aotus monkeys with a functional domain of the <i>Plasmodium falciparum</i> variant antigen induces protection against a lethal parasite line. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2002, 99, 3860-3865.	7.1	72
52	Definition of the minimal domain of CIDR1± of <i>Plasmodium falciparum</i> PfEMP1 for binding CD36. <i>Molecular and Biochemical Parasitology</i> , 2002, 120, 321-323.	1.1	15
53	Modifications in the CD36 binding domain of the <i>Plasmodium falciparum</i> variant antigen are responsible for the inability of chondroitin sulfate A adherent parasites to bind CD36. <i>Blood</i> , 2001, 97, 3268-3274.	1.4	37
54	Decoding the language of var genes and <i>Plasmodium falciparum</i> sequestration. <i>Trends in Parasitology</i> , 2001, 17, 538-545.	3.3	92

#	ARTICLE	IF	CITATIONS
55	The Putative Glutathione Peroxidase Gene of <i>Plasmodium falciparum</i> Codes for a Thioredoxin Peroxidase. <i>Journal of Biological Chemistry</i> , 2001, 276, 7397-7403.	3.4	142
56	The surface variant antigens of <i>Plasmodium falciparum</i> contain cross-reactive epitopes. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 2664-2669.	7.1	50
57	Classification of adhesive domains in the <i>Plasmodium falciparum</i> Erythrocyte Membrane Protein 1 family. <i>Molecular and Biochemical Parasitology</i> , 2000, 110, 293-310.	1.1	238
58	<i>Plasmodium falciparum</i> domain mediating adhesion to chondroitin sulfate A: A receptor for human placental infection. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 1999, 96, 12743-12748.	7.1	226
59	The course of <i>Plasmodium berghei</i> , <i>P. chabaudi</i> and <i>P. yoelii</i> infections in $\beta^2$ -thalassaemic mice. <i>Parasitology</i> , 1996, 112, 269-276.	1.5	4
60	Increase in glutathione peroxidase activity in malaria parasite after selenium supplementation. <i>Free Radical Biology and Medicine</i> , 1996, 21, 559-565.	2.9	25
61	Molecular characterization of the glutathione peroxidase gene of the human malaria parasite <i>Plasmodium falciparum</i> . <i>Molecular and Biochemical Parasitology</i> , 1996, 78, 237-248.	1.1	39