

Michael D Crisp

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6346039/publications.pdf>

Version: 2024-02-01

115
papers

8,272
citations

66343
42
h-index

49909
87
g-index

116
all docs

116
docs citations

116
times ranked

8782
citing authors

#	ARTICLE	IF	CITATIONS
1	Appraising widespread resprouting but variable levels of postfire seeding in Australian ecosystems: the effect of phylogeny, fire regime and productivity. <i>Australian Journal of Botany</i> , 2022, 70, 114-130.	0.6	5
2	Understanding Diversity and Systematics in Australian Fabaceae Tribe Mirbelieae. <i>Diversity</i> , 2021, 13, 391.	1.7	5
3	AusTraits, a curated plant trait database for the Australian flora. <i>Scientific Data</i> , 2021, 8, 254.	5.3	73
4	Identifying genetic markers for a range of phylogenetic utility—From species to family level. <i>PLoS ONE</i> , 2019, 14, e0218995.	2.5	12
5	A dated molecular perspective of eucalypt taxonomy, evolution and diversification. <i>Australian Systematic Botany</i> , 2019, 32, 29-48.	0.9	79
6	Turnover of southern cypresses in the post-Gondwanan world: extinction, transoceanic dispersal, adaptation and rediversification. <i>New Phytologist</i> , 2019, 221, 2308-2319.	7.3	21
7	Species limits and cryptic biogeographic structure in a widespread complex of Australian monsoon tropics trees (broad-leaf paperbarks: Melaleuca, Myrtaceae). <i>Australian Systematic Botany</i> , 2018, , .	0.9	5
8	Pleistocene divergence of two disjunct conifers in the eastern Australian temperate zone. <i>Biological Journal of the Linnean Society</i> , 2018, , .	1.6	3
9	A new subfamily classification of the Leguminosae based on a taxonomically comprehensive phylogeny: The Legume Phylogeny Working Group (LPWG). <i>Taxon</i> , 2017, 66, 44-77.	0.7	803
10	A monograph of Daviesia (Mirbelieae, Faboideae, Fabaceae). <i>Phytotaxa</i> , 2017, 300, 1.	0.3	10
11	Congruent biogeographical disjunctions at a continent-wide scale: Quantifying and clarifying the role of biogeographic barriers in the Australian tropics. <i>PLoS ONE</i> , 2017, 12, e0174812.	2.5	41
12	Phylogenetic approaches reveal biodiversity threats under climate change. <i>Nature Climate Change</i> , 2016, 6, 1110-1114.	18.8	133
13	Australia lacks stem succulents but is it depauperate in plants with crassulacean acid metabolism (CAM)? <i>Current Opinion in Plant Biology</i> , 2016, 31, 109-117.	7.1	27
14	Australian spinifex grasses: new names in Triodia for Monodia and Symplectrodia. <i>Phytotaxa</i> , 2015, 230, 293.	0.3	7
15	Key innovation or adaptive change? A test of leaf traits using Triodiinae in Australia. <i>Scientific Reports</i> , 2015, 5, 12398.	3.3	37
16	Biogeography of the Gondwanan genus <i>Lomatia</i> (Proteaceae): vicariance at continental and intercontinental scales. <i>Journal of Biogeography</i> , 2015, 42, 2440-2451.	3.0	17
17	Interpreting the modern distribution of Myrtaceae using a dated molecular phylogeny. <i>Molecular Phylogenetics and Evolution</i> , 2015, 93, 29-43.	2.7	153
18	Phylogenetic diversity meets conservation policy: small areas are key to preserving eucalypt lineages. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2015, 370, 20140007.	4.0	67

#	ARTICLE	IF	CITATIONS
19	High-throughput linkage mapping of Australian white cypress pine (<i>Callitris glauophylla</i>) and map transferability to related species. <i>Tree Genetics and Genomes</i> , 2015, 11, 1.	1.6	70
20	Ploidy and domestication are associated with genome size variation in Palms. <i>American Journal of Botany</i> , 2015, 102, 1625-1633.	1.7	21
21	Biogeographic calibrations for the molecular clock. <i>Biology Letters</i> , 2015, 11, 20150194.	2.3	98
22	Three explanations for biodiversity hotspots: small range size, geographical overlap and time for species accumulation. An Australian case study. <i>New Phytologist</i> , 2015, 207, 390-400.	7.3	42
23	A critique of Rossberg et al.: noise obscures the genetic signal of meiobial ecospecies in ecogenomic datasets. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2014, 281, 20133076.	2.6	23
24	Clock model makes a large difference to age estimates of long-stemmed clades with no internal calibration: a test using Australian grasstrees. <i>BMC Evolutionary Biology</i> , 2014, 14, 263.	3.2	40
25	Genetic evidence for paternal inheritance of the chloroplast in four Australian <i>Callitris</i> species (Cupressaceae). <i>Journal of Forest Research</i> , 2014, 19, 244-248.	1.4	11
26	Evolutionary consequences of shifts to bird-pollination in the Australian pea-flowered legumes (Mirbelieae and Bossiaeae). <i>BMC Evolutionary Biology</i> , 2014, 14, 43.	3.2	30
27	Congruent species delineation of <i>Tulasnella</i> using multiple loci and methods. <i>New Phytologist</i> , 2014, 201, 6-12.	7.3	42
28	Towards a new classification system for legumes: Progress report from the 6th International Legume Conference. <i>South African Journal of Botany</i> , 2013, 89, 3-9.	2.5	51
29	How Was the Australian Flora Assembled Over the Last 65 Million Years? A Molecular Phylogenetic Perspective. <i>Annual Review of Ecology, Evolution, and Systematics</i> , 2013, 44, 303-324.	8.3	134
30	Niche differentiation and spatial partitioning in the evolution of two Australian monsoon tropical tree species. <i>Journal of Biogeography</i> , 2013, 40, 559-569.	3.0	7
31	Ancient relicts or recent dispersal: how long have cycads been in central Australia?. <i>Diversity and Distributions</i> , 2013, 19, 307-316.	4.1	20
32	The genus <i>Syzygium</i> (<i>Myrtaceae</i>) in Vanuatu. <i>Blumea: Journal of Plant Taxonomy and Plant Geography</i> , 2013, 58, 53-67.	0.2	19
33	Legume phylogeny and classification in the 21st century: Progress, prospects and lessons for other species-rich clades. <i>Taxon</i> , 2013, 62, 217-248.	0.7	305
34	Climate, not Aboriginal landscape burning, controlled the historical demography and distribution of fire-sensitive conifer populations across Australia. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2013, 280, 20132182.	2.6	31
35	Microsatellite variation for phylogenetic, phylogeographic and population-genetic studies in Lomatia (Proteaceae). <i>Australian Systematic Botany</i> , 2013, 26, 186.	0.9	4
36	Phylogenetic assessment of pollen characters in Myrtaceae. <i>Australian Systematic Botany</i> , 2012, 25, 171.	0.9	19

#	ARTICLE	IF	CITATIONS
37	Pollen morphology of the Myrtaceae. Part 1: tribes Eucalyptae, Lophostemoneae, Syncarpiae, Xanthostemoneae and subfamily Psiloxyloideae. <i>Australian Journal of Botany</i> , 2012, 60, 165.	0.6	25
38	Pollen morphology of the Myrtaceae. Part 2: tribes Backhousiae, Melaleuceae, Metrosidoreae, Osborniae and Syzygieae. <i>Australian Journal of Botany</i> , 2012, 60, 200.	0.6	22
39	Pollen morphology of the Myrtaceae. Part 3: tribes Chamaeleacie, Leptospermeae and Lindsayomyrtae. <i>Australian Journal of Botany</i> , 2012, 60, 225.	0.6	17
40	Phylogenetic niche conservatism: what are the underlying evolutionary and ecological causes?. <i>New Phytologist</i> , 2012, 196, 681-694.	7.3	225
41	The impact of multiple biogeographic barriers and hybridization on species-level differentiation. <i>American Journal of Botany</i> , 2012, 99, 2045-2057.	1.7	34
42	Not an ancient relic: the endemic <i>Livistona</i> palms of arid central Australia could have been introduced by humans. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2012, 279, 2652-2661.	2.6	40
43	Are pollen fossils useful for calibrating relaxed molecular clock dating of phylogenies? A comparative study using Myrtaceae. <i>Molecular Phylogenetics and Evolution</i> , 2012, 63, 15-27.	2.7	65
44	Pollen morphology of the Myrtaceae. Part 4: tribes Kanieae, Myrteae and Tristanieae. <i>Australian Journal of Botany</i> , 2012, 60, 260.	0.6	24
45	Flammable biomes dominated by eucalypts originated at the Cretaceous-Palaeogene boundary. <i>Nature Communications</i> , 2011, 2, 193.	12.8	191
46	Hypothesis testing in biogeography. <i>Trends in Ecology and Evolution</i> , 2011, 26, 66-72.	8.7	281
47	Decline of a biome: evolution, contraction, fragmentation, extinction and invasion of the Australian mesic zone biota. <i>Journal of Biogeography</i> , 2011, 38, 1635-1656.	3.0	324
48	Cenozoic extinctions account for the low diversity of extant gymnosperms compared with angiosperms. <i>New Phytologist</i> , 2011, 192, 997-1009.	7.3	171
49	Isolation and characterization of 52 polymorphic EST-SSR markers for <i>Callitris columellaris</i> (Cupressaceae). <i>American Journal of Botany</i> , 2011, 98, e363-8.	1.7	8
50	Livistona palms in Australia: Ancient relics or opportunistic immigrants?. <i>Molecular Phylogenetics and Evolution</i> , 2010, 54, 512-523.	2.7	61
51	Biogeography of the Australian monsoon tropics. <i>Journal of Biogeography</i> , 2010, 37, 201-216.	3.0	277
52	<i>Melaleuca</i> revisited: cpDNA and morphological data confirm that <i>Melaleuca</i> L. (Myrtaceae) is not monophyletic. <i>Taxon</i> , 2010, 59, 744-754.	0.7	42
53	Evolutionary speed limited by water in arid Australia. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2010, 277, 2645-2653.	2.6	41
54	Evolution of exceptional species richness among lineages of fleshy-fruited Myrtaceae. <i>Annals of Botany</i> , 2010, 106, 79-93.	2.9	137

#	ARTICLE	IF	CITATIONS
55	Need morphology always be required for new species descriptions?. <i>Invertebrate Systematics</i> , 2010, 24, 322.	1.3	126
56	Phylogenetic endemism: a new approach for identifying geographical concentrations of evolutionary history. <i>Molecular Ecology</i> , 2009, 18, 4061-4072.	3.9	394
57	Phylogenetic biome conservatism on a global scale. <i>Nature</i> , 2009, 458, 754-756.	27.8	588
58	EXPLOSIVE RADIATION OR CRYPTIC MASS EXTINCTION? INTERPRETING SIGNATURES IN MOLECULAR PHYLOGENIES. <i>Evolution; International Journal of Organic Evolution</i> , 2009, 63, 2257-2265.	2.3	151
59	Tree thinking for all biology: the problem with reading phylogenies as ladders of progress. <i>BioEssays</i> , 2008, 30, 854-867.	2.5	108
60	Reticulate evolution in the natural range of the invasive wetland tree species <i>Melaleuca quinquenervia</i> . <i>Molecular Phylogenetics and Evolution</i> , 2008, 47, 506-522.	2.7	19
61	Ghosts of Gondwana: The History of Life in New Zealand." George Gibbs. 2006, reprinted 2007. Craig Potton Publishing, Nelson, New Zealand. 232 pp. ISBN 978-1-877333-48-4 (ISBN-10 1-877333-48-4). NZ\$49.99 (hardcover). <i>Systematic Biology</i> , 2008, 57, 329-332.	5.6	3
62	The age and biogeography of <i>Citrus</i> and the orange subfamily (Rutaceae: Aurantioideae) in Australasia and New Caledonia. <i>American Journal of Botany</i> , 2008, 95, 1621-1631.	1.7	50
63	Taxonomic revision of <i>Gompholobium</i> (Leguminosae: Mirbelieae). <i>Australian Systematic Botany</i> , 2008, 21, 67.	0.9	2
64	A phylogeny of <i>Pouteria</i> (Sapotaceae) from Malesia and Australasia. <i>Australian Systematic Botany</i> , 2007, 20, 107.	0.9	24
65	Taxonomic revision of <i>Jacksonia</i> (Leguminosae: Mirbelieae). <i>Australian Systematic Botany</i> , 2007, 20, 473.	0.9	4
66	<i>Cheiranthera</i> (Pittosporaceae). <i>Australian Systematic Botany</i> , 2007, 20, 340.	0.9	1
67	Structural partitioning, paired-sites models and evolution of the ITS transcript in <i>Syzygium</i> and Myrtaceae. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 124-139.	2.7	46
68	A congruent molecular signature of vicariance across multiple plant lineages. <i>Molecular Phylogenetics and Evolution</i> , 2007, 43, 1106-1117.	2.7	135
69	Molecular systematics of <i>Syzygium</i> and allied genera (Myrtaceae): evidence from the chloroplast genome. <i>Taxon</i> , 2006, 55, 79-94.	0.7	53
70	Biome assembly: what we know and what we need to know. <i>Journal of Biogeography</i> , 2006, 33, 1332-1333.	3.0	18
71	Directional asymmetry of long-distance dispersal and colonization could mislead reconstructions of biogeography. <i>Journal of Biogeography</i> , 2005, 32, 741-754.	3.0	145
72	Bush peas: a rapid radiation with no support for monophyly of Pultenaea (Fabaceae: Mirbelieae). <i>Australian Systematic Botany</i> , 2005, 18, 133.	0.9	18

#	ARTICLE	IF	CITATIONS
73	Molecular dating and eucalypts: reply to Ladiges and Udovicic. <i>Australian Systematic Botany</i> , 2005, 18, 295.	0.9	5
74	Generic delimitation and phylogenetic uncertainty: an example from a group that has undergone an explosive radiation. <i>Australian Systematic Botany</i> , 2005, 18, 41.	0.9	24
75	Not so ancient: the extant crown group of <i>Nothofagus</i> represents a post-Gondwanan radiation. <i>Proceedings of the Royal Society B: Biological Sciences</i> , 2005, 272, 2535-2544.	2.6	150
76	What to do with Hibiscus? A proposed nomenclatural resolution for a large and well known genus of Malvaceae and comments on paraphyly. <i>Australian Systematic Botany</i> , 2005, 18, 49.	0.9	47
77	Do early branching lineages signify ancestral traits?. <i>Trends in Ecology and Evolution</i> , 2005, 20, 122-128.	8.7	163
78	A revision of <i>Pultenaea</i> (Fabaceae: Mirbelieae). 4. Species occurring in Western Australia. <i>Australian Systematic Botany</i> , 2005, 18, 149.	0.9	2
79	Paralogy and Orthology in the Malvaceae <i>rpb2</i> Gene Family: Investigation of Gene Duplication in Hibiscus. <i>Molecular Biology and Evolution</i> , 2004, 21, 1428-1437.	8.9	36
80	Radiation of the Australian flora: what can comparisons of molecular phylogenies across multiple taxa tell us about the evolution of diversity in present-day communities?. <i>Philosophical Transactions of the Royal Society B: Biological Sciences</i> , 2004, 359, 1551-1571.	4.0	348
81	Reinstatement and revision of the genus <i>Marianthus</i> (Pittosporaceae). <i>Australian Systematic Botany</i> , 2004, 17, 127.	0.9	5
82	Cladistic analysis and revision of <i>Billardiera</i> (Pittosporaceae). <i>Australian Systematic Botany</i> , 2004, 17, 83.	0.9	7
83	Assessing endemism at multiple spatial scales, with an example from the Australian vascular flora. <i>Journal of Biogeography</i> , 2003, 30, 511-520.	3.0	161
84	Evolution of the coastal neospecies <i>Zieria prostrata</i> (Rutaceae) and its relationship to the <i>Zieria smithii</i> species complex. <i>Australian Systematic Botany</i> , 2003, 16, 515.	0.9	9
85	Genetic, cytogenetic and morphological patterns in a mixed mulga population: evidence for apomixis. <i>Australian Systematic Botany</i> , 2003, 16, 69.	0.9	33
86	Phylogeny and Evolution of Anomalous Roots in <i>Daviesia</i> (Fabaceae: Mirbelieae). <i>International Journal of Plant Sciences</i> , 2003, 164, 603-612.	1.3	11
87	Monograph of <i>Gastrolobium</i> (Fabaceae: Mirbelieae). <i>Australian Systematic Botany</i> , 2002, 15, 619.	0.9	24
88	Historical biogeography and patterns of diversity in plants, algae and fungi: introduction. <i>Journal of Biogeography</i> , 2001, 28, 153-155.	3.0	7
89	A molecular phylogeny of the endemic Australian genus <i>Gastrolobium</i> (Fabaceae: Mirbelieae) and allied genera using chloroplast and nuclear markers. <i>American Journal of Botany</i> , 2001, 88, 1675-1687.	1.7	36
90	Phylogenetic relationships of the family Axinellidae (Porifera: Demospongiae) using morphological and molecular data. <i>Zoologica Scripta</i> , 2000, 29, 169-198.	1.7	66

#	ARTICLE	IF	CITATIONS
91	Phylogenetic Analysis of <i>Parmotrema</i> (Parmeliaceae: Lichenized Ascomycotina). <i>Bryologist</i> , 2000, 103, 541-554.	0.6	19
92	Auranticarpa, a new genus of Pittosporaceae from northern Australia. <i>Australian Systematic Botany</i> , 2000, 13, 903.	0.9	6
93	Revision of <i>Pittosporum</i> (Pittosporaceae) in Australia. <i>Australian Systematic Botany</i> , 2000, 13, 845.	0.9	41
94	Revision of <i>Leptosema</i> (Fabaceae: Mirbelieae). <i>Australian Systematic Botany</i> , 1999, 12, 1.	0.9	4
95	Phylogenetic evaluation of 5S ribosomal RNA gene and spacer in the <i>Callistachys</i> group (Fabaceae: Mirbelieae). <i>Plant Systematics and Evolution</i> , 1999, 218, 33-42.	0.9	14
96	Phylogenetic relationships of two anomalous species of <i>Pultenaea</i> (Fabaceae: Mirbelieae), and description of a new genus. <i>Taxon</i> , 1999, 48, 701-714.	0.7	18
97	Revision of <i>Rhytidosporum</i> (Pittosporaceae). <i>Australian Systematic Botany</i> , 1999, 12, 689.	0.9	5
98	<i>Bursaria</i> (Pittosporaceae): a morphometric analysis and revision. <i>Australian Systematic Botany</i> , 1999, 12, 117.	0.9	11
99	Morphometric and phylogenetic analysis of the <i>Daviesia ulicifolia</i> complex (Fabaceae, Mirbelieae). <i>Plant Systematics and Evolution</i> , 1998, 209, 93-122.	0.9	30
100	Contributions Towards a Revision of <i>Daviesia</i> (Fabaceae: Mirbelieae). IV.* <i>D. ulicifolia</i> sens. lat.. <i>Australian Systematic Botany</i> , 1997, 10, 31.	0.9	4
101	Contributions Towards a Revision of <i>Daviesia</i> (Fabaceae: Mirbelieae). V. <i>D. cardiophylla</i> sens. lat.. <i>Australian Systematic Botany</i> , 1997, 10, 321.	0.9	2
102	<i>Leptospermum jingera</i> (Myrtaceae–Leptospermoideae): a new species from north-eastern Victoria. <i>Australian Systematic Botany</i> , 1996, 9, 301.	0.9	14
103	Paraphyletic species. <i>Telopea</i> , 1996, 6, 813-844.	0.4	92
104	Contributions towards a revision of <i>Daviesia</i> (Fabaceae: Mirbelieae). III.* A synopsis of the genus. <i>Australian Systematic Botany</i> , 1995, 8, 1155.	0.9	12
105	Revision of <i>Brachysema</i> (Fabaceae: Mirbelieae). <i>Australian Systematic Botany</i> , 1995, 8, 307.	0.9	7
106	Cladistic Biogeography of Plants in Australia and New Guinea: Congruent Pattern Reveals Two Endemic Tropical Tracks. <i>Systematic Biology</i> , 1995, 44, 457.	5.6	71
107	NOTHOFAGUS AND PACIFIC BIOGEOGRAPHY. <i>Cladistics</i> , 1995, 11, 5-32.	3.3	106
108	Geographic and Ontogenetic Variation in Morphology of Australian Waratahs (Telopea: Proteaceae). <i>Systematic Biology</i> , 1993, 42, 49.	5.6	10

#	ARTICLE	IF	CITATIONS
109	Reinstatement of <i>Sphaerolobium minus</i> (Fabaceae: Mirbelieae). <i>Telopea</i> , 1993, 5, 335-340.	0.4	4
110	Almaleea, a new genus of Fabaceae from south-eastern Australia. <i>Telopea</i> , 1991, 4, 307-311.	0.4	8
111	A new species of <i>Bentleya</i> E. Bennett (Pittosporaceae) from southern Western Australia. <i>Botanical Journal of the Linnean Society</i> , 1990, 103, 309-315.	1.6	4
112	Anomalous secondary thickening in roots of <i>Daviesia</i> (Fabaceae) and its taxonomic significance. <i>Botanical Journal of the Linnean Society</i> , 1989, 99, 175-193.	1.6	10
113	Structure, pattern, and diversity of a mallee community in New South Wales. <i>Plant Ecology</i> , 1979, 39, 65-76.	1.2	111
114	Demography and Survival under Grazing of Three Australian Semi-Desert Shrubs. <i>Oikos</i> , 1978, 30, 520.	2.7	96
115	Age Structure, Distribution and Survival under Grazing of the Arid-Zone Shrub <i>Acacia burkittii</i> . <i>Oikos</i> , 1976, 27, 86.	2.7	106