Thomas E Eissenberg

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6356522/publications.pdf

Version: 2024-02-01

272 papers

15,633 citations

67 h-index 22102 113 g-index

278 all docs

278 docs citations

times ranked

278

8158 citing authors

#	Article	IF	CITATIONS
1	Effectiveness of ENDS, NRT and medication for smoking cessation among cigarette-only users: a longitudinal analysis of PATH Study wave 3 (2015–2016) and 4 (2016–2017), adult data. Tobacco Control, 2023, 32, 302-307.	1.8	10
2	Comparison of nicotine emissions rate, â€~nicotine flux', from heated, electronic and combustible tobacco products: data, trends and recommendations for regulation. Tobacco Control, 2023, 32, e180-e183.	1.8	3
3	Impact of Canada's menthol cigarette ban on quitting among menthol smokers: pooled analysis of pre–post evaluation from the ITC Project and the Ontario Menthol Ban Study and projections of impact in the USA. Tobacco Control, 2023, 32, 734-738.	1.8	12
4	Effects of flavourants and humectants on waterpipe tobacco puffing behaviour, biomarkers of exposure and subjective effects among adults with high versus low nicotine dependence. Tobacco Control, 2022, 31, 527-533.	1.8	2
5	E-cigarette device and liquid characteristics and E-cigarette dependence: A pilot study of pod-based and disposable E-cigarette users. Addictive Behaviors, 2022, 124, 107117.	1.7	14
6	Effect of Electronic Nicotine Delivery Systems on Cigarette Abstinence in Smokers With No Plans to Quit: Exploratory Analysis of a Randomized Placebo-Controlled Trial. Nicotine and Tobacco Research, 2022, 24, 955-961.	1.4	21
7	Novel nicotine concentration labels improve adolescents' and young adults' understanding of the nicotine strength of electronic nicotine delivery system products. Nicotine and Tobacco Research, 2022, , .	1.4	0
8	Balancing Risks and Benefits of E-Cigarettes in the Real World. American Journal of Public Health, 2022, 112, e1-e2.	1.5	9
9	Behavioral economic assessment of abuse liability for Black & Mild cigar flavors among young adults Experimental and Clinical Psychopharmacology, 2022, 30, 113-119.	1.3	6
10	Effect of menthol/mint-flavored pods on young JUUL E-cigarette users' subjective experience, puffing behavior, and nicotine exposure: A pilot study. Drug and Alcohol Dependence, 2022, 237, 109516.	1.6	4
11	Time course of changes in inflammatory and oxidative biomarkers in lung tissue of mice induced by exposure to electronic cigarette aerosol. Toxicology Reports, 2022, 9, 1484-1490.	1.6	3
12	Perceived Barriers to Serving on National Institutes of Health Scientific Review Groups Experienced by Black and African American Scientists. JAMA Network Open, 2022, 5, e2222085.	2.8	1
13	Impact of flavors and humectants on waterpipe tobacco smoking topography, subjective effects, toxicant exposure and intentions for continued use. Tobacco Control, 2021, 30, 366-372.	1.8	11
14	Effect of flavour manipulation on ENDS (JUUL) users' experiences, puffing behaviour and nicotine exposure among US college students. Tobacco Control, 2021, 30, 399-404.	1.8	24
15	Acute effects of JUUL and IQOS in cigarette smokers. Tobacco Control, 2021, 30, 449-452.	1.8	35
16	Perceived addiction to vaping among youth and young adult regular vapers. Tobacco Control, 2021, 30, 273-278.	1.8	20
17	'Open-System' electronic cigarettes cannot be regulated effectively. Tobacco Control, 2021, 30, 234-235.	1.8	16
18	Might limiting liquid nicotine concentration result in more toxic electronic cigarette aerosols?. Tobacco Control, 2021, 30, 348-350.	1.8	15

#	Article	IF	CITATIONS
19	Characterization of Electronic Cigarette Warning Statements Portrayed in YouTube Videos. Nicotine and Tobacco Research, 2021, 23, 1358-1366.	1.4	9
20	Development of a Self-Help Smoking Cessation Intervention for Dual Users of Tobacco Cigarettes and E-Cigarettes. International Journal of Environmental Research and Public Health, 2021, 18, 2328.	1.2	8
21	Prior Daily Menthol Smokers More Likely to Quit 2 Years After a Menthol Ban Than Non-menthol Smokers: A Population Cohort Study. Nicotine and Tobacco Research, 2021, 23, 1584-1589.	1.4	21
22	Emerging electronic cigarette policies in European member states, Canada, and the United States. Health Policy, 2021, 125, 425-435.	1.4	11
23	Carrier Solvents of Electronic Nicotine Delivery Systems Alter Pulmonary Surfactant. Chemical Research in Toxicology, 2021, 34, 1572-1577.	1.7	13
24	Real-world vaping experiences and smoking cessation among cigarette smoking adults. Addictive Behaviors, 2021, 116, 106814.	1.7	2
25	E-cigarette Solvent Ratio and Device Power Influence Ambient Air Particulate Matter. Tobacco Regulatory Science (discontinued), 2021, 7, 177-183.	0.2	3
26	Randomized controlled trials using electronic nicotine delivery systems as smoking cessation aids require an accurate, empirically-based understanding of the nicotine delivery profile of the products under study. Journal of Public Health and Emergency, 2021, 5, 20-20.	4.4	1
27	A Group-Based Modeling Approach to Identify Developmental Trajectories of Nicotine Dependence Among Lebanese Adolescents Waterpipe Smokers. Nicotine and Tobacco Research, 2021, 23, 2056-2064.	1.4	2
28	Targeted smoking cessation for dual users of combustible and electronic cigarettes: a randomised controlled trial. Lancet Public Health, The, 2021, 6, e500-e509.	4.7	22
29	The effect of electronic cigarettes exposure on learning and memory functions: behavioral and molecular analysis. Inhalation Toxicology, 2021, 33, 1-10.	0.8	5
30	Effect of an electronic nicotine delivery system with 0, 8, or 36 mg/mL liquid nicotine versus a cigarette substitute on tobacco-related toxicant exposure: a four-arm, parallel-group, randomised, controlled trial. Lancet Respiratory Medicine, the, 2021, 9, 840-850.	5.2	33
31	Response to "Speculation vs. evidence in the association between e-cigarette use and COVID-19― Preventive Medicine Reports, 2021, 23, 101322.	0.8	0
32	Adults who use e-cigarettes have difficulty understanding nicotine concentrations presented as mg/ml and percent nicotine. Addictive Behaviors, 2021, 120, 106965.	1.7	5
33	Adolescents and Young Adults Have Difficulty Understanding Nicotine Concentration Labels on Vaping Products Presented as mg/mL and Percent Nicotine. Nicotine and Tobacco Research, 2021, 23, 1389-1397.	1.4	20
34	Tobacco-use behavior and toxicant exposure among current dual users of electronic cigarettes and tobacco cigarettes Experimental and Clinical Psychopharmacology, 2021, 29, 625-635.	1.3	7
35	The use of flavour cards and other additives after a menthol ban in Canada. Tobacco Control, 2021, 30, 601-602.	1.8	17
36	Delphi study among international expert panel to develop waterpipe-specific health warning labels. Tobacco Control, 2020, 29, tobaccocontrol-2018-054718.	1.8	18

#	Article	IF	CITATIONS
37	Ban on menthol-flavoured tobacco products predicts cigarette cessation at 1 year: a population cohort study. Tobacco Control, 2020, 29, tobaccocontrol-2018-054841.	1.8	53
38	Measurement of Electronic Cigarette Frequency of Use Among Smokers Participating in a Randomized Controlled Trial. Nicotine and Tobacco Research, 2020, 22, 699-704.	1.4	18
39	How Does Smoking and Nicotine Dependence Change After Onset of Vaping? A Retrospective Analysis of Dual Users. Nicotine and Tobacco Research, 2020, 22, 764-770.	1.4	66
40	Concurrent Alcohol Use and Waterpipe Tobacco Smoking: Smoking Topography, Toxicant Exposure, and Abuse Liability. Nicotine and Tobacco Research, 2020, 22, 280-287.	1.4	8
41	Reasons for Transition From Electronic Cigarette Use to Cigarette Smoking Among Young Adult College Students. Journal of Adolescent Health, 2020, 66, 56-63.	1.2	19
42	Acceptability of electronic nicotine delivery systems (ENDS) among HIV positive smokers. AIDS Care - Psychological and Socio-Medical Aspects of AIDS/HIV, 2020, 32, 1224-1228.	0.6	7
43	Invalidity of an Oft-Cited Estimate of the Relative Harms of Electronic Cigarettes. American Journal of Public Health, 2020, 110, 161-162.	1.5	58
44	Effect of flavour manipulation on low and high-frequency waterpipe users' puff topography, toxicant exposures and subjective experiences. Tobacco Control, 2020, 29, s95-s101.	1.8	9
45	A pilot study to examine the acceptability and health effects of electronic cigarettes in HIV-positive smokers. Drug and Alcohol Dependence, 2020, 206, 107678.	1.6	10
46	Greater Representation of African-American/Black Scientists in the National Institutes of Health Review Process Will Improve Adolescent Health. Journal of Adolescent Health, 2020, 67, 631-632.	1.2	7
47	Electronic Cigarettes Are Chemical Reactors: Implication to Toxicity. Chemical Research in Toxicology, 2020, 33, 2489-2490.	1.7	5
48	Flavor-Toxicant Correlation in E-cigarettes: A Meta-Analysis. Chemical Research in Toxicology, 2020, 33, 2932-2938.	1.7	14
49	The Syrian Center for Tobacco Studies-13 (SCTS-13): Psychometric evaluation of a waterpipe-specific nicotine dependence instrument. Drug and Alcohol Dependence, 2020, 215, 108192.	1.6	11
50	Cluster analysis of urinary tobacco biomarkers among U.S. adults: Population Assessment of Tobacco and Health (PATH) biomarker study (2013–2014). Preventive Medicine, 2020, 140, 106218.	1.6	9
51	Waterpipe (hookah) tobacco use in pregnancy: use, preferences and perceptions of flavours. Tobacco Control, 2020, 29, s62-s71.	1.8	7
52	A comparison of product dependence among cigarette only, ENDS only, and dual users: Findings from Wave 3 (2015–2016) of the PATH study. Drug and Alcohol Dependence, 2020, 217, 108347.	1.6	12
53	The effect of flavoured and non-flavoured tobacco on subjective experience, topography and toxicant exposure among waterpipe smokers. Tobacco Control, 2020, 29, s72-s79.	1.8	10
54	Predictors of nicotine dependence among adolescent waterpipe and cigarette smokers: A 6-year longitudinal analysis. Drug and Alcohol Dependence, 2020, 217, 108346.	1.6	12

#	Article	IF	CITATIONS
55	Lipid laden macrophages and electronic cigarettes in healthy adults. EBioMedicine, 2020, 60, 102982.	2.7	28
56	Health practitioners should caution about misinformation and association of adverse effects of electronic cigarette use and COVID-19. Preventive Medicine Reports, 2020, 20, 101255.	0.8	6
57	The <i>CHRNA5</i> polymorphism (rs16969968) and its association with waterpipe smoking addiction among Jordanians. Arab Journal of Basic and Applied Sciences, 2020, 27, 450-455.	1.0	5
58	Puffing topography and physiological responses in men and women with low versus high waterpipe dependence during smoking: The WiHi Irbid project. Drug and Alcohol Dependence, 2020, 212, 108037.	1.6	3
59	E-cigarette use is prospectively associated with initiation of cannabis among college students. Addictive Behaviors, 2020, 106, 106312.	1.7	16
60	E-Cigarette or Vaping Product Use–associated Lung Injury: Developing a Research Agenda. An NIH Workshop Report. American Journal of Respiratory and Critical Care Medicine, 2020, 202, 795-802.	2.5	42
61	A Deceptive Marketing Strategy: An Early Warning of Industry Behavior After the Premarket Tobacco Application Deadline?. Nicotine and Tobacco Research, 2020, 22, 2283-2284.	1.4	1
62	Natural Course of Nicotine Dependence Among Adolescent Waterpipe and Cigarette Smokers. Journal of Adolescent Health, 2020, 67, 859-867.	1.2	8
63	Perceived Harms of Waterpipe Tobacco Heating Sources Among Young Adult Waterpipe Tobacco Smokers. Health Education and Behavior, 2020, 47, 293-301.	1.3	2
64	Comparison of the cardiac effects of electronic cigarette aerosol exposure with waterpipe and combustible cigarette smoke exposure in rats. Life Sciences, 2020, 251, 117644.	2.0	31
65	Changes at global and site-specific DNA methylation of $\langle i \rangle$ MLH1 $\langle i \rangle$ gene promoter induced by waterpipe smoking in blood lymphocytes and oral epithelial cells. Inhalation Toxicology, 2020, 32, 124-130.	0.8	12
66	Effect of electronic cigarette aerosol exposure during gestation and lactation on learning and memory of adult male offspring rats. Physiology and Behavior, 2020, 221, 112911.	1.0	7
67	Abuse liability of electronic cigarettes in men who are experienced electronic cigarette users Experimental and Clinical Psychopharmacology, 2020, 28, 235-244.	1.3	5
68	Effects of electronic cigarette heating coil resistance and liquid nicotine concentration on user nicotine delivery, heart rate, subjective effects, puff topography, and liquid consumption Experimental and Clinical Psychopharmacology, 2020, 28, 527-539.	1.3	39
69	Product Substitution after a Real World Menthol Ban: A Cohort Study. Tobacco Regulatory Science (discontinued), 2020, 6, 205-212.	0.2	22
70	Variable Voltage, Tank-Style ENDS Do Not Always Deliver Nicotine. Tobacco Regulatory Science (discontinued), 2020, 6, 416-422.	0.2	6
71	The effect of genetic variations in the choline acetyltransferase gene (ChAT) on waterpipe tobacco smoking dependence. Tobacco Induced Diseases, 2020, 18, 27.	0.3	2
72	Comparison of Measurement Methods for Electronic Cigarette Puff Topography. Tobacco Regulatory Science (discontinued), 2020, 6, 318-330.	0.2	5

#	Article	IF	CITATIONS
73	Behavioral economic assessment of abuse liability for Black & Mild cigar flavors among young adults. Experimental and Clinical Psychopharmacology, 2020, , .	1.3	3
74	Toxicant inhalation among singleton waterpipe tobacco users in natural settings. Tobacco Control, 2019, 28, 181-188.	1.8	24
75	Determinants of progression of nicotine dependence symptoms in adolescent waterpipe smokers. Tobacco Control, 2019, 28, 254-260.	1.8	18
76	Orthodox and Unorthodox Uses of Electronic Cigarettes: A Surveillance of YouTube Video Content. Nicotine and Tobacco Research, 2019, 21, 1378-1384.	1.4	20
77	A longitudinal analysis of electronic cigarette forum participation. Addictive Behaviors, 2019, 91, 75-81.	1.7	4
78	Flavored Versus Nonflavored Waterpipe Tobacco: A Comparison of Toxicant Exposure, Puff Topography, Subjective Experiences, and Harm Perceptions. Nicotine and Tobacco Research, 2019, 21, 1213-1219.	1.4	17
79	Influence of electronic cigarette liquid flavors and nicotine concentration on subjective measures of abuse liability in young adult cigarette smokers. Drug and Alcohol Dependence, 2019, 203, 27-34.	1.6	22
80	An Ultra-High-Pressure Liquid Chromatographic Tandem Mass Spectrometry Method for the Analysis of Benzoyl Ester Derivatized Glycols and Glycerol Journal of Analytical Toxicology, 2019, 43, 720-725.	1.7	2
81	Toxic emissions resulting from sucralose added to electronic cigarette liquids. Aerosol Science and Technology, 2019, 53, 1197-1203.	1.5	13
82	What is the nicotine delivery profile of electronic cigarettes?. Expert Opinion on Drug Delivery, 2019, 16, 1193-1203.	2.4	98
83	Now is the Time for Effective Regulation Regarding Tobacco Smoking Using a Waterpipe (Hookah). Journal of Adolescent Health, 2019, 64, 685-686.	1.2	5
84	Water Pipe (Hookah) Smoking and Cardiovascular Disease Risk: A Scientific Statement From the American Heart Association. Circulation, 2019, 139, e917-e936.	1.6	100
85	Pictorial health warning labels on the waterpipe device are effective in reducing smoking satisfaction, puffing behaviour and exposure to CO: first evidence from a crossover clinical laboratory study. Tobacco Control, 2019, 28, e37-e42.	1.8	22
86	Pulmonary and other health effects of electronic cigarette use among adult smokers participating in a randomized controlled smoking reduction trial. Addictive Behaviors, 2019, 91, 95-101.	1.7	28
87	Abuse liability assessment of an electronic cigarette in combustible cigarette smokers Experimental and Clinical Psychopharmacology, 2019, 27, 443-454.	1.3	13
88	Tobacco and waterpipe use among university students in Saudi Arabia: impact of tobacco sales ban. Eastern Mediterranean Health Journal, 2019, 25, 111-118.	0.3	14
89	Answering questions about electronic cigarettes using a multidisciplinary model American Psychologist, 2019, 74, 368-379.	3.8	1
90	Association of Ontario's Ban on Menthol Cigarettes With Smoking Behavior 1 Month After Implementation. JAMA Internal Medicine, 2018, 178, 710.	2.6	59

#	Article	IF	CITATIONS
91	Effects of six weeks of electronic cigarette use on smoking rate, CO, cigarette dependence, and motivation to quit smoking: A pilot study. Addictive Behaviors, 2018, 80, 65-70.	1.7	14
92	User-identified electronic cigarette behavioral strategies and device characteristics for cigarette smoking reduction. Addictive Behaviors, 2018, 79, 93-101.	1.7	10
93	Sugar and Aldehyde Content in Flavored Electronic Cigarette Liquids. Nicotine and Tobacco Research, 2018, 20, 985-992.	1.4	32
94	The effect of chronic exposure to waterpipe tobacco smoke on airway inflammation in mice. Life Sciences, 2018, 200, 110-114.	2.0	35
95	Comparison of a preferred versus non-preferred waterpipe tobacco flavour: subjective experience, smoking behaviour and toxicant exposure. Tobacco Control, 2018, 27, 319-324.	1.8	28
96	Use of Electronic Cigarettes Leads to Significant Beta2-Nicotinic Acetylcholine Receptor Occupancy: Evidence From a PET Imaging Study. Nicotine and Tobacco Research, 2018, 20, 425-433.	1.4	35
97	Changes in resting state functional brain connectivity and withdrawal symptoms are associated with acute electronic cigarette use. Brain Research Bulletin, 2018, 138, 56-63.	1.4	19
98	Effect of Prenatal Exposure to Waterpipe Tobacco Smoke on Learning and Memory of Adult Offspring Rats. Nicotine and Tobacco Research, 2018, 20, 508-514.	1.4	24
99	Automated dripping devices for vapers: RDTAs, bottomfeeders, squonk mods and dripboxes. Tobacco Control, 2018, 27, 480-482.	1.8	15
100	Warning Statements and Safety Practices Among Manufacturers and Distributors of Electronic Cigarette Liquids in the United States. Nicotine and Tobacco Research, 2018, 20, 970-976.	1.4	12
101	Triangulating abuse liability assessment for flavoured cigar products using physiological, behavioural economic and subjective assessments: a within-subjects clinical laboratory protocol. BMJ Open, 2018, 8, e023850.	0.8	4
102	Pod Mod Electronic Cigarettesâ€"An Emerging Threat to Public Health. JAMA Network Open, 2018, 1, e183518.	2.8	26
103	Plasma and saliva levels of three metals in waterpipe smokers: a case control study. Inhalation Toxicology, 2018, 30, 224-228.	0.8	17
104	Effects of electronic cigarette liquid solvents propylene glycol and vegetable glycerin on user nicotine delivery, heart rate, subjective effects, and puff topography. Drug and Alcohol Dependence, 2018, 188, 193-199.	1.6	54
105	Differences in puff topography, toxicant exposure, and subjective response between waterpipe tobacco smoking men and women Experimental and Clinical Psychopharmacology, 2018, 26, 440-447.	1.3	11
106	The Influence of a Mouthpiece-Based Topography Measurement Device on Electronic Cigarette User's Plasma Nicotine Concentration, Heart Rate, and Subjective Effects Under Directed and Ad Libitum Use Conditions. Nicotine and Tobacco Research, 2017, 19, ntw174.	1.4	49
107	Electronic cigarettes: what are they and what do they do?. Annals of the New York Academy of Sciences, 2017, 1394, 5-30.	1.8	248
108	Increasing popularity of waterpipe tobacco smoking and electronic cigarette use: Implications for oral healthcare. Journal of Periodontal Research, 2017, 52, 813-823.	1.4	58

#	Article	IF	Citations
109	Consensus statement on assessment of waterpipe smoking in epidemiological studies. Tobacco Control, 2017, 26, 338-343.	1.8	52
110	Waterpipe smoking patterns and symptoms of nicotine dependence: The Waterpipe Dependence in Lebanese Youth Study. Addictive Behaviors, 2017, 74, 127-133.	1.7	40
111	Electronic cigarette use and uptake of cigarette smoking: A longitudinal examination of U.S. college students. Addictive Behaviors, 2017, 67, 66-72.	1.7	162
112	Assessing electronic cigarette effects and regulatory impact: Challenges with user self-reported device power. Drug and Alcohol Dependence, 2017, 179, 337-340.	1.6	24
113	"Juice Monsters― Sub-Ohm Vaping and Toxic Volatile Aldehyde Emissions. Chemical Research in Toxicology, 2017, 30, 1791-1793.	1.7	65
114	Association Between Initial Use of e-Cigarettes and Subsequent Cigarette Smoking Among Adolescents and Young Adults. JAMA Pediatrics, 2017, 171, 788.	3.3	893
115	A randomized controlled trial of a smoking cessation self-help intervention for dual users of tobacco cigarettes and E-cigarettes: Intervention development and research design. Contemporary Clinical Trials, 2017, 60, 56-62.	0.8	16
116	Transport phenomena governing nicotine emissions from electronic cigarettes: Model formulation and experimental investigation. Aerosol Science and Technology, 2017, 51, 1-11.	1.5	79
117	Now is the time to advocate for interventions designed specifically to prevent and control waterpipe tobacco smoking. Addictive Behaviors, 2017, 66, 41-47.	1.7	50
118	User identified positive outcome expectancies of electronic cigarette use: A concept mapping study Psychology of Addictive Behaviors, 2017, 31, 343-353.	1.4	20
119	Electronic cigarette user plasma nicotine concentration, puff topography, heart rate, and subjective effects: Influence of liquid nicotine concentration and user experience Experimental and Clinical Psychopharmacology, 2017, 25, 380-392.	1.3	112
120	Effect of Flavors and Modified Risk Messages on E-cigarette Abuse Liability. Tobacco Regulatory Science (discontinued), 2017, 3, 374-387.	0.2	27
121	Clinical Laboratory Evaluation of Electronic Cigarettes: Methodological Challenges. Tobacco Regulatory Science (discontinued), 2016, 2, 426-439.	0.2	13
122	Systematic Review and Meta-Analysis of Inhaled Toxicants from Waterpipe and Cigarette Smoking. Public Health Reports, 2016, 131, 76-85.	1.3	95
123	Expanding clinical laboratory tobacco product evaluation methods to loose-leaf tobacco vaporizers. Drug and Alcohol Dependence, 2016, 169, 33-40.	1.6	20
124	Investigating the Effects of Exposure to Waterpipe Smoke on Pregnancy Outcomes Using an Animal Model. Nicotine and Tobacco Research, 2016, 18, 585-589.	1.4	14
125	Correlates of nicotine dependence among adolescent waterpipe smokers. Drug and Alcohol Dependence, 2016, 168, 230-238.	1.6	15
126	Early symptoms of nicotine dependence among adolescent waterpipe smokers. Tobacco Control, 2016, 25, e127-e134.	1.8	59

#	Article	IF	Citations
127	A transdisciplinary model to inform randomized clinical trial methods for electronic cigarette evaluation. BMC Public Health, 2016, 16, 217.	1.2	16
128	Group Waterpipe Tobacco Smoking Increases Smoke Toxicant Concentration. Nicotine and Tobacco Research, $2016,18,770\text{-}776.$	1.4	29
129	Acute Effects of "Hyping―a Black&Mild Cigarillo. Nicotine and Tobacco Research, 2016, 18, 460-469.	1.4	14
130	Characteristics and Patterns of Black & Mild Use Among African American Smokers. Nicotine and Tobacco Research, 2016, 18, 842-849.	1.4	7
131	Effects of Electronic Cigarette Liquid Nicotine Concentration on Plasma Nicotine and Puff Topography in Tobacco Cigarette Smokers: A Preliminary Report. Nicotine and Tobacco Research, 2016, 18, 720-723.	1.4	121
132	Cue-reactivity in experienced electronic cigarette users: Novel stimulus videos and a pilot fMRI study. Brain Research Bulletin, 2016, 123, 23-32.	1.4	12
133	Views of experienced electronic cigarette users. Addiction Research and Theory, 2016, 24, 80-88.	1.2	42
134	Electronic cigarette nicotine delivery can exceed that of combustible cigarettes: a preliminary report. Tobacco Control, 2016, 25, e6-e9.	1.8	141
135	Interventions for waterpipe smoking cessation. The Cochrane Library, 2015, 2015, CD005549.	1.5	93
136	Genetic Risks to Nicotine Dependence Predict Negative Mood and Affect in Current Non-Smokers. Scientific Reports, 2015, 5, 9521.	1.6	4
137	Electronic Cigarette Effectiveness and Abuse Liability: Predicting and Regulating Nicotine Flux. Nicotine and Tobacco Research, 2015, 17, 158-162.	1.4	88
138	Development of a Questionnaire for Assessing Dependence on Electronic Cigarettes Among a Large Sample of Ex-Smoking E-cigarette Users. Nicotine and Tobacco Research, 2015, 17, 186-192.	1.4	319
139	Commentary on Farsalinos <i>et al</i> . (2015): Eâ€eigarettes generate high levels of aldehydes only in †dry puff†conditions. Addiction, 2015, 110, 1861-1862.	1.7	14
140	Comparison of Puff Topography, Toxicant Exposure, and Subjective Effects in Low- and High-Frequency Waterpipe Users: A Double-Blind, Placebo-Control Study. Nicotine and Tobacco Research, 2015, 17, 667-674.	1.4	22
141	Effects of User Puff Topography, Device Voltage, and Liquid Nicotine Concentration on Electronic Cigarette Nicotine Yield: Measurements and Model Predictions. Nicotine and Tobacco Research, 2015, 17, 150-157.	1.4	296
142	Dependence levels in users of electronic cigarettes, nicotine gums and tobacco cigarettes. Drug and Alcohol Dependence, 2015, 147, 68-75.	1.6	149
143	Waterpipe tobacco smoking: what is the evidence that it supports nicotine/tobacco dependence?. Tobacco Control, 2015, 24, i44-i53.	1.8	143
144	The Effect of Waterpipe Tobacco Smoke Exposure on Learning and Memory Functions in the Rat Model. Journal of Molecular Neuroscience, 2015, 57, 249-256.	1.1	38

#	Article	IF	CITATIONS
145	Adolescent Former Cigarette Smokers' Vulnerability to Other Tobacco Products. Journal of Child and Adolescent Substance Abuse, 2015, 24, 113-118.	0.5	O
146	Preliminary Results of an Examination of Electronic Cigarette User Puff Topography: The Effect of a Mouthpiece-Based Topography Measurement Device on Plasma Nicotine and Subjective Effects. Nicotine and Tobacco Research, 2015, 17, 142-149.	1.4	120
147	Nicotine Flux: A Potentially Important Tool For Regulating Electronic Cigarettes. Nicotine and Tobacco Research, 2015, 17, 165-167.	1.4	20
148	Commentary on Brose <i>et al</i> . (2015): Protecting individual and public health by regulating electronic cigarette nicotine delivery. Addiction, 2015, 110, 1169-1170.	1.7	5
149	Electronic cigarettes and nicotine dependence: evolving products, evolving problems. BMC Medicine, 2015, 13, 119.	2.3	47
150	Changes in the expression and protein level of matrix metalloproteinases after exposure to waterpipe tobacco smoke. Inhalation Toxicology, 2015, 27, 689-693.	0.8	17
151	Science and the evolving electronic cigarette. Preventive Medicine, 2015, 80, 101-106.	1.6	28
152	Waterpipe tobacco-smoking: a new smoking epidemic among the young?. Current Pulmonology Reports, 2015, 4, 163-172.	0.5	41
153	NIH Electronic Cigarette Workshop: Developing a Research Agenda. Nicotine and Tobacco Research, 2015, 17, 259-269.	1.4	88
154	Central and peripheral cardiovascular changes immediately after waterpipe smoking. Inhalation Toxicology, 2014, 26, 579-587.	0.8	41
155	An Observational Study of Group Waterpipe Use in a Natural Environment. Nicotine and Tobacco Research, 2014, 16, 93-99.	1.4	23
156	Tobacco in the Arab world: old and new epidemics amidst policy paralysis. Health Policy and Planning, 2014, 29, 784-794.	1.0	149
157	Relationships among factual and perceived knowledge of harms of waterpipe tobacco, perceived risk, and desire to quit among college users. Journal of Health Psychology, 2014, 19, 1525-1535.	1.3	18
158	The LWDS-10J: Reliability and Validity of the Lebanon Waterpipe Dependence Scale Among University Students in Jordan. Nicotine and Tobacco Research, 2014, 16, 915-922.	1.4	30
159	Electronic Cigarettes. Journal of Addiction Medicine, 2014, 8, 234-240.	1.4	18
160	Comparison of Tobacco-Containing and Tobacco-Free Waterpipe Products: Effects on Human Alveolar Cells. Nicotine and Tobacco Research, 2014, 16, 496-499.	1.4	32
161	How to freak a Black & Mild: a multi-study analysis of YouTube videos illustrating cigar product modification. Health Education Research, 2014, 29, 41-57.	1.0	19
162	Science and Electronic Cigarettes. Journal of Addiction Medicine, 2014, 8, 223-233.	1.4	81

#	Article	IF	Citations
163	Electronic cigarettes: review of use, content, safety, effects on smokers and potential for harm and benefit. Addiction, 2014, 109, 1801-1810.	1.7	446
164	Waterpipes and Electronic Cigarettes: Increasing Prevalence and Expanding Science. Chemical Research in Toxicology, 2014, 27, 1336-1343.	1.7	29
165	The acute effects of waterpipe smoking on lung function and exercise capacity in a pilot study of healthy participants. Inhalation Toxicology, 2013, 25, 492-497.	0.8	41
166	Indoor air quality in Virginia waterpipe cafés. Tobacco Control, 2013, 22, 338-343.	1.8	73
167	Randomized trial of the effectiveness of combined behavioral/pharmacological smoking cessation treatment in Syrian primary care clinics. Addiction, 2013, 108, 394-403.	1.7	37
168	Electronic Cigarettes: Effective Nicotine Delivery After Acute Administration. Nicotine and Tobacco Research, 2013, 15, 267-270.	1.4	288
169	CO Exposure and Puff Topography Are Associated With Lebanese Waterpipe Dependence Scale Score. Nicotine and Tobacco Research, 2013, 15, 1782-1786.	1.4	25
170	Waterpipe Smoking Among U.S. University Students. Nicotine and Tobacco Research, 2013, 15, 29-35.	1.4	144
171	Exposure of Pregnant Women to Waterpipe and Cigarette Smoke. Nicotine and Tobacco Research, 2013, 15, 231-237.	1.4	58
172	What can waterpipe tobacco smoking teach us about the need for a more rapid response to emerging non-communicable disease risks?. Addiction, 2013, 108, 1885-1886.	1.7	3
173	A Multiple Indicators and Multiple Causes Model of Alternative Tobacco Use. American Journal of Health Behavior, 2013, 37, 25-31.	0.6	10
174	AANA journal course: update for nurse anesthetistsPart3Tobacco smoking using a waterpipe (hookah): what you need to know. AANA Journal, 2013, 81, 308-13.	0.4	14
175	Waterpipe tobacco and cigarette smoking among university students in Jordan. International Journal of Tuberculosis and Lung Disease, 2012, 16, 986-992.	0.6	72
176	Waterpipe tobacco products: nicotine labelling versus nicotine delivery. Tobacco Control, 2012, 21, 377-379.	1.8	43
177	Dependence on Tobacco and Nicotine Products: A Case for Product-Specific Assessment. Nicotine and Tobacco Research, 2012, 14, 1382-1390.	1.4	92
178	Acute exposure to waterpipe tobacco smoke induces changes in the oxidative and inflammatory markers in mouse lung. Inhalation Toxicology, 2012, 24, 667-675.	0.8	83
179	Patterns of Water-Pipe and Cigarette Smoking Initiation in Schoolchildren: Irbid Longitudinal Smoking Study. Nicotine and Tobacco Research, 2012, 14, 448-454.	1.4	102
180	A Multiyear Survey of Waterpipe and Cigarette Smoking on a US University Campus. Journal of American College Health, 2012, 60, 521-527.	0.8	26

#	Article	IF	Citations
181	Trends in alternative tobacco use among light, moderate, and heavy smokers in adolescence, 1999–2009. Addictive Behaviors, 2012, 37, 866-870.	1.7	30
182	Does switching to a tobacco-free waterpipe product reduce toxicant intake? A crossover study comparing CO, NO, PAH, volatile aldehydes, "tar―and nicotine yields. Food and Chemical Toxicology, 2012, 50, 1494-1498.	1.8	107
183	Patterns of alternative tobacco use among adolescent cigarette smokers. Drug and Alcohol Dependence, 2012, 124, 26-33.	1.6	25
184	Acute toxicant exposure and cardiac autonomic dysfunction from smoking a single narghile waterpipe with tobacco and with a "healthy―tobacco-free alternative. Toxicology Letters, 2012, 215, 70-75.	0.4	98
185	Clinical laboratory assessment of the abuse liability of an electronic cigarette. Addiction, 2012, 107, 1493-1500.	1.7	125
186	Cigar use misreporting among youth: data from the 2009 Youth Tobacco Survey, Virginia. Preventing Chronic Disease, 2012, 9, E42.	1.7	29
187	Electronic nicotine delivery systems: a research agenda. Tobacco Control, 2011, 20, 243-248.	1.8	196
188	Nicotine exposure in daily waterpipe smokers and its relation to puff topography. Addictive Behaviors, 2011, 36, 397-399.	1.7	70
189	Comparative analysis of waterpipe and cigarette suppression of abstinence and craving symptoms. Addictive Behaviors, 2011, 36, 555-559.	1.7	47
190	Acute effects of waterpipe tobacco smoking: A double-blind, placebo-control study. Drug and Alcohol Dependence, 2011, 116, 102-109.	1.6	99
191	Effects of transdermal nicotine and concurrent smoking on cognitive performance in tobacco-abstinent smokers Experimental and Clinical Psychopharmacology, 2011, 19, 75-84.	1.3	12
192	Significance of Smoking Machine Toxicant Yields to Blood-Level Exposure in Water Pipe Tobacco Smokers. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 2457-2460.	1.1	38
193	Acute Effects of Cigarillo Smoking. Nicotine and Tobacco Research, 2011, 13, 874-879.	1.4	38
194	Affecting Perceptions of Harm and Addiction among College Waterpipe Tobacco Smokers. Nicotine and Tobacco Research, 2011, 13, 599-610.	1.4	100
195	Waterpipe Tobacco Smoking and Cigarette Smoking: A Direct Comparison of Toxicant Exposure and Subjective Effects. Nicotine and Tobacco Research, 2011, 13, 78-87.	1.4	193
196	Design, baseline results of Irbid longitudinal, school-based smoking study. American Journal of Health Behavior, 2011, 35, 746-55.	0.6	11
197	Waterpipe Tobacco Smoking: An Emerging Health Crisis in the United States. American Journal of Health Behavior, 2010, 34, 275-285.	0.6	320
198	Evaluating the acute effects of oral, non-combustible potential reduced exposure products marketed to smokers. Tobacco Control, 2010, 19, 367-373.	1.8	41

#	Article	IF	CITATIONS
199	Electronic nicotine delivery devices: ineffective nicotine delivery and craving suppression after acute administration. Tobacco Control, 2010, 19, 87-88.	1.8	163
200	Water pipe tobacco smoking among university students in Jordan. Nicotine and Tobacco Research, 2010, 12, 606-612.	1.4	84
201	Evaluating oral noncombustible potential-reduced exposure products for smokers. Nicotine and Tobacco Research, 2010, 12, 336-343.	1.4	22
202	Nonâ€eigarette tobacco use among women and adverse pregnancy outcomes. Acta Obstetricia Et Gynecologica Scandinavica, 2010, 89, 454-464.	1.3	53
203	A Clinical Laboratory Model for Evaluating the Acute Effects of Electronic "Cigarettes― Nicotine Delivery Profile and Cardiovascular and Subjective Effects. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1945-1953.	1.1	323
204	Criteria for evaluating tobacco control research funding programs and their application to models that include financial support from the tobacco industry. Tobacco Control, 2009, 18, 228-234.	1.8	33
205	Water-Pipe Tobacco Smoking Among Middle and High School Students in Arizona. Pediatrics, 2009, 123, e282-e288.	1.0	118
206	CO exposure, puff topography, and subjective effects in waterpipe tobacco smokers. Nicotine and Tobacco Research, 2009, 11, 806-811.	1.4	142
207	Comparison of methods for measurement of smoking behavior: Mouthpiece-based computerized devices versus direct observation. Nicotine and Tobacco Research, 2009, 11, 896-903.	1.4	103
208	Waterpipe Tobacco and Cigarette Smoking. American Journal of Preventive Medicine, 2009, 37, 518-523.	1.6	401
209	Prevalence of and Associations with Waterpipe Tobacco Smoking among U.S. University Students. Annals of Behavioral Medicine, 2008, 36, 81-86.	1.7	286
210	Waterpipe Tobacco Smoking on a U.S. College Campus: Prevalence and Correlates. Journal of Adolescent Health, 2008, 42, 526-529.	1.2	236
211	Characterizing early cigarette use episodes in novice smokers. Addictive Behaviors, 2008, 33, 106-121.	1.7	30
212	Fear reactivity to bodily sensations among heavy smokers and nonsmokers Experimental and Clinical Psychopharmacology, 2008, 16, 230-239.	1.3	15
213	Exposure to Secondhand Smoke at Home and in Public Places in Syria: A Developing Country's Perspective. Inhalation Toxicology, 2008, 20, 17-24.	0.8	25
214	Waterpipe tobacco smoking: Knowledge, attitudes, beliefs, and behavior in two U.S. samples. Nicotine and Tobacco Research, 2008, 10, 393-398.	1.4	295
215	Waterpipe-associated particulate matter emissions. Nicotine and Tobacco Research, 2008, 10, 519-523.	1.4	45
216	Nicotine delivery, cardiovascular profile, and subjective effects of an oral tobacco product for smokers. Nicotine and Tobacco Research, 2008, 10, 417-421.	1.4	29

#	Article	IF	Citations
217	Potential reduced exposure products (PREPs) for smokeless tobacco users: Clinical evaluation methodology. Nicotine and Tobacco Research, 2008, 10, 1441-1448.	1.4	22
218	The influence of transdermal nicotine on tobacco/nicotine abstinence and the effects of a concurrently administered cigarette in women and men Experimental and Clinical Psychopharmacology, 2008, 16, 99-112.	1.3	23
219	Outcomes and adherence in Syria's first smoking cessation trial. American Journal of Health Behavior, 2008, 32, 146-56.	0.6	27
220	Characteristics of U.S. waterpipe users: A preliminary report. Nicotine and Tobacco Research, 2007, 9, 1339-1346.	1.4	141
221	Interventions for waterpipe smoking cessation. , 2007, , CD005549.		68
222	Caffeine's Influence on Nicotine's Effects in Nonsmokers. American Journal of Health Behavior, 2007, 31, 473-483.	0.6	14
223	Cardiovascular Health among Adults in Syria: A Model from Developing Countries. Annals of Epidemiology, 2007, 17, 713-720.	0.9	56
224	Smoking Topography in Response to Denicotinized and High-Yield Nicotine Cigarettes in Adolescent Smokers. Journal of Adolescent Health, 2007, 40, 54-60.	1.2	34
225	Caffeine's influence on nicotine's effects in nonsmokers. American Journal of Health Behavior, 2007, 31, 473-83.	0.6	6
226	Measuring exposure to environmental tobacco smoke (ETS): A developing country's perspective. Preventive Medicine, 2006, 42, 409-414.	1.6	14
227	Transdermal nicotine-induced tobacco abstinence symptom suppression: Nicotine dose and smokers' gender Experimental and Clinical Psychopharmacology, 2006, 14, 121-135.	1.3	53
228	The time for tobacco industry sponsored PREP evaluation has arrived. Tobacco Control, 2006, 15, 1-2.	1.8	19
229	Clinical laboratory evaluation of potential reduced exposure products for smokers. Nicotine and Tobacco Research, 2006, 8, 727-738.	1.4	79
230	The Effects of Nicotine on Attention and Working Memory in Never-Smokers Psychology of Addictive Behaviors, 2005, 19, 433-438.	1.4	46
231	Tobacco abstinence symptom suppression: the role played by the smoking-related stimuli that are delivered by denicotinized cigarettes. Addiction, 2005, 100, 550-559.	1.7	98
232	Patterns of waterpipe use and dependence: implications for intervention development. Pharmacology Biochemistry and Behavior, 2005, 80, 173-179.	1.3	172
233	Comparison of patterns of use, beliefs, and attitudes related to waterpipe between beginning and established smokers. BMC Public Health, 2005, 5, 19.	1.2	138
234	Are waterpipe users interested in quitting?. Nicotine and Tobacco Research, 2005, 7, 149-156.	1.4	104

#	Article	IF	CITATIONS
235	Methods to assess potential reduced exposure products. Nicotine and Tobacco Research, 2005, 7, 827-844.	1.4	48
236	Standardizing questionnaire items for the assessment of waterpipe tobacco use in epidemiological studies. Public Health, 2005, 119, 400-404.	1.4	84
237	Extent of exposure to environmental tobacco smoke (ETS) and its dose-response relation to respiratory health among adults. Respiratory Research, 2005, 6, 13.	1.4	33
238	Urine cotinine as an index of smoking status in smokers during 96-hr abstinence: Comparison between gas chromatography/mass spectrometry and immunoassay test strips. Nicotine and Tobacco Research, 2004, 6, 615-620.	1.4	56
239	Measuring the emergence of tobacco dependence: the contribution of negative reinforcement models. Addiction, 2004, 99, 5-29.	1.7	114
240	Estimating the beginning of the waterpipe epidemic in Syria. BMC Public Health, 2004, 4, 32.	1.2	111
241	Tobacco smoking using a waterpipe: a re-emerging strain in a global epidemic. Tobacco Control, 2004, 13, 327-333.	1.8	429
242	Factors related to frequency of narghile (waterpipe) use: the first insights on tobacco dependence in narghile users. Drug and Alcohol Dependence, 2004, 76, 101-106.	1.6	129
243	Gender and smoking status-based analysis of views regarding waterpipe and cigarette smoking in Aleppo, Syria. Preventive Medicine, 2004, 38, 479-484.	1.6	84
244	Characteristics of cigarette smoking and quitting among university students in Syria. Preventive Medicine, 2004, 39, 330-336.	1.6	42
245	Beliefs and attitudes related to narghile (waterpipe) smoking among university students in Syria. Annals of Epidemiology, 2004, 14, 646-654.	0.9	147
246	The Syrian Center for Tobacco Studies: a model of international partnership for the creation of sustainable research capacity in developing countries. Global Health Promotion, 2004, 11, 93-7, 116, 134.	0.8	7
247	The clinical pharmacology of buprenorphine: extrapolating from the laboratory to the clinic. Drug and Alcohol Dependence, 2003, 70, S13-S27.	1.6	179
248	Tobacco specific nitrosamines and potential reduced exposure products for smokers: a preliminary evaluation of AdvanceTM. Tobacco Control, 2003, 12, 317-321.	1.8	35
249	Acute effects of AdvanceTM: a potential reduced exposure product for smokers. Tobacco Control, 2002, 11, 376-378.	1.8	20
250	Evaluating acute effects of potential reduced-exposure products for smokers: Clinical laboratory methodology. Nicotine and Tobacco Research, 2002, 4, 131-140.	1.4	61
251	Flavor improvement does not increase abuse liability of nicotine chewing gum. Pharmacology Biochemistry and Behavior, 2002, 72, 559-568.	1.3	37
252	High-dose methadone produces superior opioid blockade and comparable withdrawal suppression to lower doses in opioid-dependent humans. Psychopharmacology, 2002, 161, 202-212.	1.5	90

#	Article	IF	Citations
253	Effects of abstinence and smoking on information processing in adolescent smokers. Psychopharmacology, 2001, 153, 249-257.	1.5	92
254	Acute subjective and physiological responses to smoking in adolescents. Addiction, 2001, 96, 1409-1417.	1.7	35
255	Withdrawal-suppressing effects of a novel smoking system: comparison with own brand, not own brand, and de-nicotinized cigarettes. Nicotine and Tobacco Research, 2001, 3, 111-118.	1.4	52
256	Placebo control study of acute smokeless tobacco abstinence in young adult men Psychology of Addictive Behaviors, 2000, 14, 356-366.	1.4	11
257	Naltrexone Alters Subjective and Psychomotor Responses to Alcohol in Heavy Drinking Subjects. Neuropsychopharmacology, 2000, 22, 480-492.	2.8	104
258	Initial tobacco use episodes in children and adolescents: current knowledge, future directions. Drug and Alcohol Dependence, 2000, 59, 41-60.	1.6	156
259	A clinical laboratory model for direct assessment of medication-induced antihyperalgesia and subjective effects: initial validation study. Experimental and Clinical Psychopharmacology, 2000, 8, 47-60.	1.3	1
260	Smokers' sex and the effects of tobacco cigarettes: Subject-rated and physiological measures. Nicotine and Tobacco Research, 1999, 1, 317-324.	1.4	92
261	Relative potency of levo-alpha-acetylmethadol and methadone in humans under acute dosing conditions. Journal of Pharmacology and Experimental Therapeutics, 1999, 289, 936-45.	1.3	15
262	Induction With Levomethadyl Acetate. Archives of General Psychiatry, 1998, 55, 729.	13.8	27
263	Controlled opioid withdrawal evaluation during 72 h dose omission in buprenorphine-maintained patients. Drug and Alcohol Dependence, 1997, 45, 81-91.	1.6	41
264	Isoluminance and contingent color aftereffects. Perception & Psychophysics, 1997, 59, 1327-1334.	2.3	5
265	Mecamylamine does not precipitate withdrawal in cigarette smokers. Psychopharmacology, 1996, 127, 328-336.	1.5	52
266	A placebo controlled clinical trial of buprenorphine as a treatment for opioid dependence. Drug and Alcohol Dependence, 1995, 40, 17-25.	1.6	179
267	Buprenorphine treatment of opioid dependence: clinical trial of daily versus alternate-day dosing. Drug and Alcohol Dependence, 1995, 40, 27-35.	1.6	89
268	Scanning and form-contingent color aftereffects Journal of Experimental Psychology: General, 1994, 123, 91-94.	1.5	10
269	The effects of practice on mechanisms of attention. Bulletin of the Psychonomic Society, 1992, 30, 77-80.	0.2	18
270	The associative basis of contingent color aftereffects Journal of Experimental Psychology: General, 1992, 121, 79-94.	1.5	25

#	Article	IF	CITATIONS
271	Spatial contingency and the McCollough effect. Perception & Psychophysics, 1990, 48, 307-312.	2.3	7
272	Standard-setting practices for teacher tests. Educational Assessment, Evaluation and Accountability, 1990, 3, 143-149.	0.2	1