

# Evgenia Blagodatskaya

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6359850/publications.pdf>

Version: 2024-02-01

108  
papers

10,671  
citations

38742

50  
h-index

32842

100  
g-index

109  
all docs

109  
docs citations

109  
times ranked

8890  
citing authors

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 1  | Oxygen matters: Short- and medium-term effects of aeration on hydrolytic enzymes in a paddy soil. <i>Geoderma</i> , 2022, 407, 115548.   | 5.1 | 11        |
| 2  | Nitrogen fixing bacteria facilitate microbial biodegradation of a bio-based and biodegradable plastic in soils under ambient and future climatic conditions. <i>Environmental Sciences: Processes and Impacts</i> , 2022, 24, 233-241. | 3.5 | 12        |
| 3  | Soil enzymes in response to climate warming: Mechanisms and feedbacks. <i>Functional Ecology</i> , 2022, 36, 1378-1395.  | 3.6 | 44        |
| 4  | An improved Amplex Red-based fluorometric assay of phenol oxidases and peroxidases activity: A case study on Haplic Chernozem. <i>European Journal of Soil Science</i> , 2022, 73, .   | 3.9 | 4         |
| 5  | Soil oxidoreductase zymography: Visualizing spatial distributions of peroxidase and phenol oxidase activities at the root-soil interface. <i>Soil Biology and Biochemistry</i> , 2022, 167, 108610.                                    | 8.8 | 12        |
| 6  | Land use impact on carbon mineralization in well aerated soils is mainly explained by variations of particulate organic matter rather than of soil structure. <i>Soil</i> , 2022, 8, 253-267.  | 4.9 | 7         |
| 7  | Are enzymes transported in soils by water fluxes?. <i>Soil Biology and Biochemistry</i> , 2022, 168, 108633.   | 8.8 | 10        |
| 8  | Keep oxygen in check: Contrasting effects of short-term aeration on hydrolytic versus oxidative enzymes in paddy soils. <i>Soil Biology and Biochemistry</i> , 2022, 169, 108690.  | 8.8 | 11        |
| 9  | Fertilization promotes microbial growth and minimum tillage increases nutrient-acquiring enzyme activities in a semiarid agro-ecosystem. <i>Applied Soil Ecology</i> , 2022, 177, 104529.  | 4.3 | 9         |
| 10 | Links among Microbial Communities, Soil Properties and Functions: Are Fungi the Sole Players in Decomposition of Bio-Based and Biodegradable Plastic?. <i>Polymers</i> , 2022, 14, 2801.   | 4.5 | 6         |
| 11 | Development of micro-zymography: Visualization of enzymatic activity at the microscopic scale for aggregates collected from the rhizosphere. <i>Plant and Soil</i> , 2022, 478, 253-271.   | 3.7 | 5         |
| 12 | Strong priming of soil organic matter induced by frequent input of labile carbon. <i>Soil Biology and Biochemistry</i> , 2021, 152, 108069.  | 8.8 | 70        |
| 13 | Spatiotemporal Dynamics of Maize ( <i>Zea mays</i> L.) Root Growth and Its Potential Consequences for the Assembly of the Rhizosphere Microbiota. <i>Frontiers in Microbiology</i> , 2021, 12, 619499.                                 | 3.5 | 21        |
| 14 | Time-lapse approach to correct deficiencies of 2D soil zymography. <i>Soil Biology and Biochemistry</i> , 2021, 157, 108225.   | 8.8 | 21        |
| 15 | Microbial tradeoffs in internal and external use of resources regulated by phosphorus and carbon availability. <i>European Journal of Soil Biology</i> , 2021, 106, 103353.  | 3.2 | 11        |
| 16 | Bridging Microbial Functional Traits With Localized Process Rates at Soil Interfaces. <i>Frontiers in Microbiology</i> , 2021, 12, 625697.   | 3.5 | 12        |
| 17 | Microbial growth and enzyme kinetics in rhizosphere hotspots are modulated by soil organics and nutrient availability. <i>Soil Biology and Biochemistry</i> , 2020, 141, 107662.   | 8.8 | 77        |
| 18 | Temperature sensitivity of soil organic matter mineralization decreases with long-term N fertilization: Evidence from four Q <sub>10</sub> estimation approaches. <i>Land Degradation and Development</i> , 2020, 31, 683-693.         | 3.9 | 29        |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 19 | Organic Nutrients Induced Coupled C- and P-Cycling Enzyme Activities During Microbial Growth in Forest Soils. <i>Frontiers in Forests and Global Change</i> , 2020, 3, .   | 2.3 | 16        |
| 20 | Impact of manure on soil biochemical properties: A global synthesis. <i>Science of the Total Environment</i> , 2020, 745, 141003.  | 8.0 | 77        |
| 21 | Management of grasslands by mowing versus grazing " impacts on soil organic matter quality and microbial functioning. <i>Applied Soil Ecology</i> , 2020, 156, 103701.   | 4.3 | 40        |
| 22 | Compatibility of X-ray computed tomography with plant gene expression, rhizosphere bacterial communities and enzyme activities. <i>Journal of Experimental Botany</i> , 2020, 71, 5603-5614.                                   | 4.8 | 17        |
| 23 | Root trait plasticity and plant nutrient acquisition in phosphorus limited soil. <i>Journal of Plant Nutrition and Soil Science</i> , 2019, 182, 945-952.  | 1.9 | 36        |
| 24 | Organic N deposition favours soil C sequestration by decreasing priming effect. <i>Plant and Soil</i> , 2019, 445, 439-451.  | 3.7 | 11        |
| 25 | Microbial C:N:P stoichiometry and turnover depend on nutrients availability in soil: A <sup>14</sup> C, <sup>15</sup> N and <sup>33</sup> P triple labelling study. <i>Soil Biology and Biochemistry</i> , 2019, 131, 206-216. | 8.8 | 96        |
| 26 | Coupling zymography with pH mapping reveals a shift in lupine phosphorus acquisition strategy driven by cluster roots. <i>Soil Biology and Biochemistry</i> , 2019, 135, 420-428.  | 8.8 | 36        |
| 27 | Spatial patterns of extracellular enzymes: Combining X-ray computed micro-tomography and 2D zymography. <i>Soil Biology and Biochemistry</i> , 2019, 135, 411-419.   | 8.8 | 40        |
| 28 | Editorial for soil organic matter 2019 special issue. <i>European Journal of Soil Science</i> , 2019, 70, 713-714.   | 3.9 | 0         |
| 29 | Dominant extracellular enzymes in priming of SOM decomposition depend on temperature. <i>Geoderma</i> , 2019, 343, 187-195.  | 5.1 | 34        |
| 30 | Universality of priming effect: An analysis using thirty five soils with contrasted properties sampled from five continents. <i>Soil Biology and Biochemistry</i> , 2019, 134, 162-171.  | 8.8 | 86        |
| 31 | Review and synthesis of the effects of elevated atmospheric CO <sub>2</sub> on soil processes: No changes in pools, but increased fluxes and accelerated cycles. <i>Soil Biology and Biochemistry</i> , 2019, 128, 66-78.      | 8.8 | 142       |
| 32 | Calibration of <sup>2</sup> â€ soil zymography for correct analysis of enzyme distribution. <i>European Journal of Soil Science</i> , 2019, 70, 715-726.   | 3.9 | 21        |
| 33 | Depth rather than microrelief controls microbial biomass and kinetics of C-, N-, P- and S-cycle enzymes in peatland. <i>Geoderma</i> , 2018, 324, 67-76.   | 5.1 | 29        |
| 34 | Maize phenology alters the distribution of enzyme activities in soil: Field estimates. <i>Applied Soil Ecology</i> , 2018, 125, 233-239.   | 4.3 | 19        |
| 35 | Spatial patterns of enzyme activities in the rhizosphere: Effects of root hairs and root radius. <i>Soil Biology and Biochemistry</i> , 2018, 118, 69-78.  | 8.8 | 86        |
| 36 | Priming effects induced by glucose and decaying plant residues on SOM decomposition: A three-source <sup>13</sup> C/ <sup>14</sup> C partitioning study. <i>Soil Biology and Biochemistry</i> , 2018, 121, 138-146.            | 8.8 | 55        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 37 | Contrasting responses of phosphatase kinetic parameters to nitrogen and phosphorus additions in forest soils. <i>Functional Ecology</i> , 2018, 32, 106-116.  | 3.6 | 44        |
| 38 | DNA-based determination of soil microbial biomass in alkaline and carbonaceous soils of semi-arid climate. <i>Journal of Arid Environments</i> , 2018, 150, 54-61.  | 2.4 | 33        |
| 39 | Soil microorganisms exhibit enzymatic and priming response to root mucilage under drought. <i>Soil Biology and Biochemistry</i> , 2018, 116, 410-418.   | 8.8 | 35        |
| 40 | Functional soil organic matter fractions in response to long-term fertilization in upland and paddy systems in South China. <i>Catena</i> , 2018, 162, 270-277.   | 5.0 | 33        |
| 41 | Carbon sequestration and turnover in soil under the energy crop <i>Miscanthus</i> : repeated <sup>13</sup> C natural abundance approach and literature synthesis. <i>GCB Bioenergy</i> , 2018, 10, 262-271.               | 5.6 | 44        |
| 42 | Soil organic matter availability and climate drive latitudinal patterns in bacterial diversity from tropical to cold temperate forests. <i>Functional Ecology</i> , 2018, 32, 61-70.                                      | 3.6 | 106       |
| 43 | ORCHIMIC (v1.0), a microbe-mediated model for soil organic matter decomposition. <i>Geoscientific Model Development</i> , 2018, 11, 2111-2138.  | 3.6 | 39        |
| 44 | Effects of Elevated CO <sub>2</sub> in the Atmosphere on Soil C and N Turnover. <i>Developments in Soil Science</i> , 2018, , 207-219.  | 0.5 | 5         |
| 45 | Quantitative soil zymography: Mechanisms, processes of substrate and enzyme diffusion in porous media. <i>Soil Biology and Biochemistry</i> , 2018, 127, 156-167.   | 8.8 | 55        |
| 46 | Interactive priming effect of labile carbon and crop residues on SOM depends on residue decomposition stage: Three-source partitioning to evaluate mechanisms. <i>Soil Biology and Biochemistry</i> , 2018, 126, 179-190. | 8.8 | 38        |
| 47 | Towards a conversion factor for soil microbial phosphorus. <i>European Journal of Soil Biology</i> , 2018, 87, 1-8.   | 3.2 | 20        |
| 48 | Effect of biochar origin and soil pH on greenhouse gas emissions from sandy and clay soils. <i>Applied Soil Ecology</i> , 2018, 129, 121-127.   | 4.3 | 98        |
| 49 | Spatiotemporal patterns of enzyme activities in the rhizosphere: effects of plant growth and root morphology. <i>Biology and Fertility of Soils</i> , 2018, 54, 819-828.  | 4.3 | 31        |
| 50 | Shift from dormancy to microbial growth revealed by RNA:DNA ratio. <i>Ecological Indicators</i> , 2018, 85, 603-612.  | 6.3 | 30        |
| 51 | Microbial decomposition of soil organic matter is mediated by quality and quantity of crop residues: mechanisms and thresholds. <i>Biology and Fertility of Soils</i> , 2017, 53, 287-301.                                | 4.3 | 182       |
| 52 | Warming increases hotspot areas of enzyme activity and shortens the duration of hot moments in the root-detritusphere. <i>Soil Biology and Biochemistry</i> , 2017, 107, 226-233.   | 8.8 | 62        |
| 53 | Spatio-temporal patterns of enzyme activities after manure application reflect mechanisms of niche differentiation between plants and microorganisms. <i>Soil Biology and Biochemistry</i> , 2017, 112, 100-109.          | 8.8 | 72        |
| 54 | Response of soil organic matter fractions and composition of microbial community to long-term organic and mineral fertilization. <i>Biology and Fertility of Soils</i> , 2017, 53, 523-532.                               | 4.3 | 118       |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 55 | Nitrogen fertilization increases rhizodeposit incorporation into microbial biomass and reduces soil organic matter losses. <i>Biology and Fertility of Soils</i> , 2017, 53, 419-429.             | 4.3 | 65        |
| 56 | Hydrolase kinetics to detect temperature-related changes in the rates of soil organic matter decomposition. <i>European Journal of Soil Biology</i> , 2017, 81, 108-115.                          | 3.2 | 17        |
| 57 | Mapping the footprint of nematodes in the rhizosphere: Cluster root formation and spatial distribution of enzyme activities. <i>Soil Biology and Biochemistry</i> , 2017, 115, 213-220.           | 8.8 | 22        |
| 58 | Effect of snowpack pattern on cold-season CO <sub>2</sub> efflux from soils under temperate continental climate. <i>Geoderma</i> , 2017, 304, 28-39.  | 5.1 | 9         |
| 59 | A preview of perennial grain agriculture: knowledge gain from biotic interactions in natural and agricultural ecosystems. <i>Ecosphere</i> , 2017, 8, e02048.                                     | 2.2 | 20        |
| 60 | Changes in the Size of the Active Microbial Pool Explain Short-Term Soil Respiratory Responses to Temperature and Moisture. <i>Frontiers in Microbiology</i> , 2016, 7, 524.                      | 3.5 | 29        |
| 61 | Carbon and nitrogen additions induce distinct priming effects along an organic-matter decay continuum. <i>Scientific Reports</i> , 2016, 6, 19865.  | 3.3 | 81        |
| 62 | Microbial immobilisation of phosphorus in soils exposed to drying-rewetting and freeze-thawing cycles. <i>Biology and Fertility of Soils</i> , 2016, 52, 685-696.                                 | 4.3 | 50        |
| 63 | Earthworm burrows: Kinetics and spatial distribution of enzymes of C-, N- and P- cycles. <i>Soil Biology and Biochemistry</i> , 2016, 99, 94-103.   | 8.8 | 110       |
| 64 | Enzyme properties down the soil profile - A matter of substrate quality in rhizosphere and detritusphere. <i>Soil Biology and Biochemistry</i> , 2016, 103, 274-283.                              | 8.8 | 61        |
| 65 | Aggregate size and glucose level affect priming sources: A three-source-partitioning study. <i>Soil Biology and Biochemistry</i> , 2016, 97, 199-210.   | 8.8 | 42        |
| 66 | Substrate quality affects microbial and enzyme activities in rooted soil. <i>Journal of Plant Nutrition and Soil Science</i> , 2016, 179, 39-47.  | 1.9 | 40        |
| 67 | How do microbial communities in top- and subsoil respond to root litter addition under field conditions?. <i>Soil Biology and Biochemistry</i> , 2016, 103, 28-38.                                | 8.8 | 43        |
| 68 | Biochar affects soil organic matter cycling and microbial functions but does not alter microbial community structure in a paddy soil. <i>Science of the Total Environment</i> , 2016, 556, 89-97. | 8.0 | 206       |
| 69 | Temperature selects for static soil enzyme systems to maintain high catalytic efficiency. <i>Soil Biology and Biochemistry</i> , 2016, 97, 15-22.   | 8.8 | 85        |
| 70 | Spatial distribution and catalytic mechanisms of $\beta$ -glucosidase activity at the root-soil interface. <i>Biology and Fertility of Soils</i> , 2016, 52, 505-514.                             | 4.3 | 80        |
| 71 | Rhizosphere shape of lentil and maize: Spatial distribution of enzyme activities. <i>Soil Biology and Biochemistry</i> , 2016, 96, 229-237.   | 8.8 | 148       |
| 72 | Substrate quality affects kinetics and catalytic efficiency of exo-enzymes in rhizosphere and detritusphere. <i>Soil Biology and Biochemistry</i> , 2016, 92, 111-118.                            | 8.8 | 90        |

| #  | ARTICLE   | IF  | CITATIONS |
|----|---|-----|-----------|
| 73 | Oily waste containing natural radionuclides: does it cause stimulation or inhibition of soil bacterial community?. <i>Journal of Plant Nutrition and Soil Science</i> , 2015, 178, 825-833.                                     | 1.9 | 11        |
| 74 | Nonlinear temperature sensitivity of enzyme kinetics explains canceling effect—a case study on loamy haplic Luvisol. <i>Frontiers in Microbiology</i> , 2015, 6, 1126.  | 3.5 | 91        |
| 75 | Microbial hotspots and hot moments in soil: Concept & review. <i>Soil Biology and Biochemistry</i> , 2015, 83, 184-199.   | 8.8 | 1,141     |
| 76 | Aggregate size and their disruption affect <sup>14</sup> C-labeled glucose mineralization and priming effect. <i>Applied Soil Ecology</i> , 2015, 90, 1-10.   | 4.3 | 77        |
| 77 | Microbial community structure and resource availability drive the catalytic efficiency of soil enzymes under land-use change conditions. <i>Soil Biology and Biochemistry</i> , 2015, 89, 226-237.                              | 8.8 | 102       |
| 78 | Linkages between the soil organic matter fractions and the microbial metabolic functional diversity within a broad-leaved Korean pine forest. <i>European Journal of Soil Biology</i> , 2015, 66, 57-64.                        | 3.2 | 61        |
| 79 | Microbial Growth and Carbon Use Efficiency in the Rhizosphere and Root-Free Soil. <i>PLoS ONE</i> , 2014, 9, e93282.  | 2.5 | 169       |
| 80 | Extracellular enzyme activities in a tropical mountain rainforest region of southern Ecuador affected by low soil P status and land-use change. <i>Applied Soil Ecology</i> , 2014, 74, 1-11.                                   | 4.3 | 37        |
| 81 | Microbial interactions affect sources of priming induced by cellulose. <i>Soil Biology and Biochemistry</i> , 2014, 74, 39-49.  | 8.8 | 147       |
| 82 | Plant traits regulating N capture define microbial competition in the rhizosphere. <i>European Journal of Soil Biology</i> , 2014, 61, 41-48.   | 3.2 | 36        |
| 83 | Soil C and N availability determine the priming effect: microbial N mining and stoichiometric decomposition theories. <i>Global Change Biology</i> , 2014, 20, 2356-2367.   | 9.5 | 758       |
| 84 | Labile carbon retention compensates for CO <sub>2</sub> released by priming in forest soils. <i>Global Change Biology</i> , 2014, 20, 1943-1954.  | 9.5 | 171       |
| 85 | Microbial response to rhizodeposition depending on water regimes in paddy soils. <i>Soil Biology and Biochemistry</i> , 2013, 65, 195-203.  | 8.8 | 76        |
| 86 | Active microorganisms in soil: Critical review of estimation criteria and approaches. <i>Soil Biology and Biochemistry</i> , 2013, 67, 192-211.   | 8.8 | 657       |
| 87 | Soil microbial carbon turnover decreases with increasing molecular size. <i>Soil Biology and Biochemistry</i> , 2013, 62, 115-118.  | 8.8 | 39        |
| 88 | Effects of polyacrylamide, biopolymer and biochar on the decomposition of <sup>14</sup> C-labelled maize residues and on their stabilization in soil aggregates. <i>European Journal of Soil Science</i> , 2013, 64, 488-499.   | 3.9 | 114       |
| 89 | Effects of polyacrylamide, biopolymer, and biochar on decomposition of soil organic matter and plant residues as determined by <sup>14</sup> C and enzyme activities. <i>European Journal of Soil Biology</i> , 2012, 48, 1-10. | 3.2 | 147       |
| 90 | Decomposition of biogas residues in soil and their effects on microbial growth kinetics and enzyme activities. <i>Biomass and Bioenergy</i> , 2012, 45, 221-229.  | 5.7 | 90        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Soil microbial biomass and its activity estimated by kinetic respiration analysis – Statistical guidelines. <i>Soil Biology and Biochemistry</i> , 2012, 45, 102-112.  | 8.8 | 36        |
| 92  | Priming Effects in Relation to Soil Conditions – Mechanisms. <i>Encyclopedia of Earth Sciences Series</i> , 2011, , 657-667.   | 0.1 | 14        |
| 93  | Drought effects on microbial biomass and enzyme activities in the rhizosphere of grasses depend on plant community composition. <i>Applied Soil Ecology</i> , 2011, 48, 38-44.   | 4.3 | 186       |
| 94  | Turnover of soil organic matter and of microbial biomass under C3–C4 vegetation change: Consideration of <sup>13</sup> C fractionation and preferential substrate utilization. <i>Soil Biology and Biochemistry</i> , 2011, 43, 159-166.   | 8.8 | 176       |
| 95  | Three-source-partitioning of microbial biomass and of CO <sub>2</sub> efflux from soil to evaluate mechanisms of priming effects. <i>Soil Biology and Biochemistry</i> , 2011, 43, 778-786.  | 8.8 | 129       |
| 96  | Nitrogen uptake and utilisation as a competition factor between invasive <i>Duchesnea indica</i> and native <i>Fragaria vesca</i> . <i>Plant and Soil</i> , 2010, 331, 105-114.  | 3.7 | 36        |
| 97  | Model of apparent and real priming effects: Linking microbial activity with soil organic matter decomposition. <i>Soil Biology and Biochemistry</i> , 2010, 42, 1275-1283.   | 8.8 | 172       |
| 98  | Elevated atmospheric CO <sub>2</sub> increases microbial growth rates in soil: results of three CO <sub>2</sub> enrichment experiments. <i>Global Change Biology</i> , 2010, 16, 836-848.  | 9.5 | 153       |
| 99  | Growth rates of rhizosphere microorganisms depend on competitive abilities of plants and N supply. <i>Plant Biosystems</i> , 2010, 144, 408-413.   | 1.6 | 16        |
| 100 | Comments on the paper by Kemmitt et al. (2008) – “Mineralization of native soil organic matter is not regulated by the size, activity or composition of the soil microbial biomass – A new perspective” [Soil Biology & Biochemistry 40, 61–73]: The biology of the Regulatory Gate. <i>Soil Biology and Biochemistry</i> , 2009, 41, 435-439. | 8.8 | 87        |
| 101 | Contrasting effects of glucose, living roots and maize straw on microbial growth kinetics and substrate availability in soil. <i>European Journal of Soil Science</i> , 2009, 60, 186-197.   | 3.9 | 202       |
| 102 | Stimulation of microbial extracellular enzyme activities by elevated CO <sub>2</sub> depends on soil aggregate size. <i>Global Change Biology</i> , 2009, 15, 1603-1614.   | 9.5 | 185       |
| 103 | Stimulation of r- vs. K-selected microorganisms by elevated atmospheric CO <sub>2</sub> depends on soil aggregate size. <i>FEMS Microbiology Ecology</i> , 2009, 69, 43-52.  | 2.7 | 73        |
| 104 | Mechanisms of real and apparent priming effects and their dependence on soil microbial biomass and community structure: critical review. <i>Biology and Fertility of Soils</i> , 2008, 45, 115-131.  | 4.3 | 1,113     |
| 105 | Priming effects in Chernozem induced by glucose and N in relation to microbial growth strategies. <i>Applied Soil Ecology</i> , 2007, 37, 95-105.  | 4.3 | 355       |
| 106 | Adaptive responses of soil microbial communities under experimental acid stress in controlled laboratory studies. <i>Applied Soil Ecology</i> , 1999, 11, 207-216.   | 4.3 | 53        |
| 107 | Interactive effects of pH and substrate quality on the fungal-to-bacterial ratio and qCO <sub>2</sub> of microbial communities in forest soils. <i>Soil Biology and Biochemistry</i> , 1998, 30, 1269-1274.  | 8.8 | 301       |
| 108 | Two-Phase Conceptual Framework of Phosphatase Activity and Phosphorus Bioavailability. <i>Frontiers in Plant Science</i> , 0, 13, .  | 3.6 | 4         |