

Adrian Israelson

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6362414/publications.pdf>

Version: 2024-02-01

36
papers

3,334
citations

279798

23
h-index

361022

35
g-index

36
all docs

36
docs citations

36
times ranked

4358
citing authors

#	ARTICLE	IF	CITATIONS
1	MIF homolog d-dopachrome tautomerase (D-DT/MIF-2) does not inhibit accumulation and toxicity of misfolded SOD1. <i>Scientific Reports</i> , 2022, 12, .	3.3	3
2	Exposure of β 26/ β 27-Loop in Zn/Cu Superoxide Dismutase (SOD1) Is Coupled to Metal Loss and Is Transiently Reversible During Misfolding. <i>ACS Chemical Neuroscience</i> , 2021, 12, 49-62.	3.5	3
3	All Roads Lead to Rome: Different Molecular Players Converge to Common Toxic Pathways in Neurodegeneration. <i>Cells</i> , 2021, 10, 2438.	4.1	22
4	Early upregulation of cytosolic phospholipase A2 β in motor neurons is induced by misfolded SOD1 in a mouse model of amyotrophic lateral sclerosis. <i>Journal of Neuroinflammation</i> , 2021, 18, 274.	7.2	5
5	Empty mesoporous silica particles significantly delay disease progression and extend survival in a mouse model of ALS. <i>Scientific Reports</i> , 2020, 10, 20675.	3.3	7
6	Potential roles of gut microbiome and metabolites in modulating ALS in mice. <i>Nature</i> , 2019, 572, 474-480.	27.8	454
7	A VDAC1-Derived N-Terminal Peptide Inhibits Mutant SOD1-VDAC1 Interactions and Toxicity in the SOD1 Model of ALS. <i>Frontiers in Cellular Neuroscience</i> , 2019, 13, 346.	3.7	23
8	Cu/Zn-superoxide dismutase and wild-type like fALS SOD1 mutants produce cytotoxic quantities of H ₂ O ₂ via cysteine-dependent redox short-circuit. <i>Scientific Reports</i> , 2019, 9, 10826.	3.3	27
9	AAV2/9-mediated overexpression of MIF inhibits SOD1 misfolding, delays disease onset, and extends survival in mouse models of ALS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 14755-14760.	7.1	33
10	MIF inhibits the formation and toxicity of misfolded SOD1 amyloid aggregates: implications for familial ALS. <i>Cell Death and Disease</i> , 2018, 9, 107.	6.3	50
11	Macrophage migration inhibitory factor: A multifaceted cytokine implicated in multiple neurological diseases. <i>Experimental Neurology</i> , 2018, 301, 83-91.	4.1	59
12	Misfolded SOD1 Accumulation and Mitochondrial Association Contribute to the Selective Vulnerability of Motor Neurons in Familial ALS: Correlation to Human Disease. <i>ACS Chemical Neuroscience</i> , 2017, 8, 2225-2234.	3.5	26
13	Assay to Measure Nucleocytoplasmic Transport in Real Time within Motor Neuron-like NSC-34 Cells. <i>Journal of Visualized Experiments</i> , 2017, , .	0.3	6
14	Superoxide Dismutase 1 (SOD1)-Derived Peptide Inhibits Amyloid Aggregation of Familial Amyotrophic Lateral Sclerosis SOD1 Mutants. <i>ACS Chemical Neuroscience</i> , 2016, 7, 1595-1606.	3.5	32
15	Endogenous macrophage migration inhibitory factor reduces the accumulation and toxicity of misfolded SOD1 in a mouse model of ALS. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2016, 113, 10198-10203.	7.1	36
16	Macrophage migration inhibitory factor as a component of selective vulnerability of motor neurons in ALS. <i>Rare Diseases (Austin, Tex)</i> , 2015, 3, e1061164.	1.8	2
17	Macrophage Migration Inhibitory Factor as a Chaperone Inhibiting Accumulation of Misfolded SOD1. <i>Neuron</i> , 2015, 86, 218-232.	8.1	98
18	A Chemical Chaperone-Based Drug Candidate is Effective in a Mouse Model of Amyotrophic Lateral Sclerosis (ALS). <i>ChemMedChem</i> , 2015, 10, 850-861.	3.2	20

#	ARTICLE	IF	CITATIONS
19	Why lithium studies for ALS treatment should not be halted prematurely. <i>Frontiers in Neuroscience</i> , 2014, 8, 267.	2.8	4
20	New fluorescent reagents specific for Ca ²⁺ -binding proteins. <i>Biochemical and Biophysical Research Communications</i> , 2012, 426, 158-164.	2.1	1
21	ALS-linked mutant superoxide dismutase 1 (SOD1) alters mitochondrial protein composition and decreases protein import. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 21146-21151.	7.1	155
22	Misfolded Mutant SOD1 Directly Inhibits VDAC1 Conductance in a Mouse Model of Inherited ALS. <i>Neuron</i> , 2010, 67, 575-587.	8.1	256
23	The VDAC1 N-terminus is essential both for apoptosis and the protective effect of anti-apoptotic proteins. <i>Journal of Cell Science</i> , 2009, 122, 1906-1916.	2.0	201
24	Methyl jasmonate binds to and detaches mitochondria-bound hexokinase. <i>Oncogene</i> , 2008, 27, 4636-4643.	5.9	175
25	Mapping the ruthenium red-binding site of the voltage-dependent anion channel-1. <i>Cell Calcium</i> , 2008, 43, 196-204.	2.4	43
26	Hexokinase-I Protection against Apoptotic Cell Death Is Mediated via Interaction with the Voltage-dependent Anion Channel-1. <i>Journal of Biological Chemistry</i> , 2008, 283, 13482-13490.	3.4	226
27	Localization of the voltage-dependent anion channel-1 Ca ²⁺ -binding sites. <i>Cell Calcium</i> , 2007, 41, 235-244.	2.4	66
28	Azido ruthenium: a new photoreactive probe for calcium-binding proteins. <i>Nature Protocols</i> , 2006, 1, 111-117.	12.0	6
29	The Voltage-Dependent Anion Channel (VDAC): Function in Intracellular Signalling, Cell Life and Cell Death. <i>Current Pharmaceutical Design</i> , 2006, 12, 2249-2270.	1.9	283
30	A Photoactivable Probe for Calcium Binding Proteins. <i>Chemistry and Biology</i> , 2005, 12, 1169-1178.	6.0	25
31	The voltage-dependent anion channel-1 modulates apoptotic cell death. <i>Cell Death and Differentiation</i> , 2005, 12, 751-760.	11.2	268
32	The Voltage-dependent Anion Channel in Endoplasmic/Sarcoplasmic Reticulum: Characterization, Modulation and Possible Function. <i>Journal of Membrane Biology</i> , 2005, 204, 57-66.	2.1	76
33	Fluoxetine (Prozac) interaction with the mitochondrial voltage-dependent anion channel and protection against apoptotic cell death. <i>FEBS Letters</i> , 2005, 579, 5105-5110.	2.8	85
34	Oligomeric states of the voltage-dependent anion channel and cytochrome c release from mitochondria. <i>Biochemical Journal</i> , 2005, 386, 73-83.	3.7	194
35	In self-defence: hexokinase promotes voltage-dependent anion channel closure and prevents mitochondria-mediated apoptotic cell death. <i>Biochemical Journal</i> , 2004, 377, 347-355.	3.7	363
36	Methyl jasmonate binds to and detaches mitochondria-bound hexokinase. , 0, .		1