

# Jian Zhou

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6362961/publications.pdf>

Version: 2024-02-01

138  
papers

2,662  
citations

218677

26  
h-index

254184

43  
g-index

146  
all docs

146  
docs citations

146  
times ranked

1496  
citing authors

#	ARTICLE	IF	CITATIONS
1	Rare examples of hybrid chalcogenoarsenate( $\text{III}$ ) incorporating trivalent vanadium complexes. <i>Dalton Transactions</i> , 2022, 51, 6876-6883.	3.3	1
2	Two luminescent cuprous iodides with hitherto-unknown free imidazolate sites for efficiently sensing $\text{Fe}^{3+}$ and $\text{Cr}^{2+}$ . <i>Journal of Materials Chemistry C</i> , 2022, 10, 6365-6373.	5.5	6
3	Deep-Red Luminescent Cuprous-Lead Bromide as a Dual-Responsive Sensor for $\text{Fe}^{3+}$ and $\text{Cr}^{2+}$ . <i>Inorganic Chemistry</i> , 2022, 61, 5957-5964.	4.0	10
4	A series of new lanthanide benzoates: Syntheses, crystal structures, and luminescent properties. <i>Dyes and Pigments</i> , 2022, 201, 110182.	3.7	7
5	Two luminescent lanthanide coordination polymers incorporating free pyridyl sites as the multi-responsive sensors for hazardous ions. <i>Dyes and Pigments</i> , 2022, 203, 110384.	3.7	8
6	One Octasubstituted Trisalkoxotetradecavanadate Cluster. <i>Inorganic Chemistry</i> , 2021, 60, 14-18.	4.0	3
7	A novel 3-D lead-iodide polymer based on the linkage of rare binuclear $[\text{Pb}_2\text{I}]^{3+}$ cations and anionic bis(pyrazinyl)-triazole bridges. <i>Dalton Transactions</i> , 2021, 50, 4486-4489.	3.3	4
8	Vanadoborates: cluster-based architectures, preparation and properties. <i>Dalton Transactions</i> , 2021, 50, 1550-1568.	3.3	17
9	One-Dimensional Vanadium(III) Chalcogenidostannates Incorporating $[\text{V}(\text{tepa})]^{3+}$ Complexes as Bridging Groups. <i>Inorganic Chemistry</i> , 2021, 60, 2127-2132.	4.0	5
10	Two Organic Hybrid Iodoplumbates Directed by a Bifunctional Bis(pyrazinyl)triazole. <i>Inorganic Chemistry</i> , 2021, 60, 5362-5366.	4.0	10
11	A Copper(I)-Thioarsenate(III) Inorganic Framework Directed by $[\text{Ni}(\text{en})_3]^{2+}$ . <i>Inorganic Chemistry</i> , 2021, 60, 6813-6819.	4.0	7
12	An Organic Hybrid Indium-Telluride Incorporating Binuclear Complexes $[\text{In}_2(\text{ea})_4]^{2+}$ with a Bridging Oxygen Donor. <i>Inorganic Chemistry</i> , 2021, 60, 12724-12729.	4.0	1
13	The first selenidostannate directed by low-valent vanadium(II) complex: Photocurrent response and magnetic properties. <i>Inorganic Chemistry Communication</i> , 2021, 133, 108862.	3.9	6
14	A series of organic hybrid polyoxovanadate clusters incorporating tris(hydroxymethyl)methane derivatives. <i>Dalton Transactions</i> , 2021, 50, 15224-15232.	3.3	0
15	Two Organic Hybrid Manganese Selenoarsenates: The Discovery of One-Dimensional Low-Valent Selenoarsenate(II). <i>Inorganic Chemistry</i> , 2021, 60, 19226-19232.	4.0	5
16	A series of new polynuclear lanthanide(III) clusters prepared in alkylol amine. <i>Inorganica Chimica Acta</i> , 2020, 499, 119201.	2.4	5
17	Thermochromic luminescent properties of a tetrazole-functionalized iodocuprate without cuphophilic interaction. <i>Dyes and Pigments</i> , 2020, 174, 108039.	3.7	13
18	Hydrothermal syntheses, structures and properties of a series of new hybrid iodometallates containing rare cross-shaped spirobifluorene derivatives. <i>Materials Science and Engineering B: Solid-State Materials for Advanced Technology</i> , 2020, 262, 114693.	3.5	2

#	ARTICLE	IF	CITATIONS
19	Two Hybrid Polymeric Iodoargentates Incorporating Aromatic N-Heterocycle Derivatives as Electron Acceptors. <i>Inorganic Chemistry</i> , 2020, 59, 16814-16818.	4.0	12
20	Syntheses and luminescent properties of a series of new lanthanide azelates. <i>Dyes and Pigments</i> , 2020, 182, 108638.	3.7	10
21	Unique Two-Dimensional Indium Telluride Templated by a Rare Wheel-Shaped Heterobimetallic Mn/In Cluster. <i>Inorganic Chemistry</i> , 2020, 59, 5818-5822.	4.0	3
22	A series of new hybrid chalcogenogermanates: the rare examples of chalcogenogermanates combined with trivalent vanadium complexes. <i>Dalton Transactions</i> , 2019, 48, 10907-10914.	3.3	5
23	Three new metal coordination polymers of bifunctional imidazolate/tetrazolate bridges: the only example of a three-dimensional framework based on rare $[\text{Co}_{4}(\text{I}^{3/4}\text{-OH})_{2}(\text{I}^{1/4}\text{-Cl})_{2}]^{4+}$ mixed oxo-chloro-clusters. <i>RSC Advances</i> , 2019, 9, 13082-13087.	3.6	2
24	A series of new oxo-vanadium(IV) complexes with octahedral coordinated vanadium centers. <i>Journal of Coordination Chemistry</i> , 2019, 72, 1064-1074.	2.2	7
25	A series of new vanadium(III) chalcogenido-antimonates: an unusual seven-coordinate nitro-selenidovanadium(III) complex. <i>Dalton Transactions</i> , 2019, 48, 3090-3097.	3.3	7
26	A unique formyl iodoargentate exhibiting luminescent and photocurrent response properties. <i>Dalton Transactions</i> , 2019, 48, 15762-15766.	3.3	8
27	A new 3-D cuprous thiogermanate with rare 3-D $[\text{Cu-S-Cu}]_n$ network. <i>Materials Today Communications</i> , 2018, 15, 88-93.	1.9	5
28	Two new 3-D cadmium bromoplumbates: the only example of heterometallic bromoplumbate based on crown $[\text{Cd}(\text{Pb}_{4}\text{O}_{4}\text{Br})_{2}]$ clusters. <i>Dalton Transactions</i> , 2018, 47, 4833-4839.	3.3	9
29	A novel 3-D cuprous iodide polymer with a high Cu/I ratio. <i>Dalton Transactions</i> , 2018, 47, 3253-3257.	3.3	13
30	A Series of Lanthanide Selenidogermanates: The First Coexistence of Three Types of Selenidogermanate Units in the Same Architecture. <i>Inorganic Chemistry</i> , 2018, 57, 1242-1250.	4.0	10
31	Metal-Free Azidation of $\alpha$ -Hydroxy Esters and $\alpha$ -Hydroxy Ketones Using Azidotrimethylsilane. <i>Advanced Synthesis and Catalysis</i> , 2018, 360, 1116-1122.	4.3	16
32	Two new 1-D lanthanide selenidogermanates with the $[\text{Ge}_2\text{Se}_6]^{4-}$ anion as a bridging ligand to a lanthanide complex cation. <i>Journal of Coordination Chemistry</i> , 2018, 71, 1093-1101.	2.2	1
33	An unusual cuprous iodide polymer incorporating $\text{I}^{\text{I}}$ , $\text{I}^{\text{II}}$ and $\text{I}^{\text{III}}$ structural units. <i>Dalton Transactions</i> , 2018, 47, 17216-17220.	3.3	12
34	A New Type of Three-Dimensional Hybrid Polymeric Haloplumbate Based on Rare High-Nuclear Heterometallic Clusters. <i>Inorganic Chemistry</i> , 2018, 57, 12860-12868.	4.0	31
35	A series of new hybrid selenidostannates with metal complexes prepared in alkylol amines. <i>Dalton Transactions</i> , 2018, 47, 14751-14759.	3.3	9
36	A 2-D dysprosium glutarate exhibiting slow magnetic relaxation and luminescent properties. <i>Journal of Coordination Chemistry</i> , 2018, 71, 2722-2731.	2.2	5

#	ARTICLE	IF	CITATIONS
37	A Series of Lanthanide Chalcogenidogermanates Displaying Two Types of 1-D Polymeric Chains. <i>Journal of Cluster Science</i> , 2018, 29, 777-783.	3.3	4
38	Two new oxyiodoplumbates: the unique 3-D hybrid oxyiodoplumbate based on neutral 2-D [Pb <sub>2</sub> I <sub>4</sub> ]n layers. <i>Dalton Transactions</i> , 2018, 47, 8442-8447.	3.3	7
39	The only examples of cationic lanthanide pimelate frameworks decorated by $\pi$ -conjugated 1,10-phenanthrolines. <i>Inorganica Chimica Acta</i> , 2018, 471, 377-383.	2.4	6
40	Syntheses, structures and properties of a series of new lanthanide chalcogenates(III) containing crown-shaped [As <sub>3</sub> Q <sub>6</sub> ]3 <sup>n-</sup> (Q = As, Se) clusters. <i>Journal of Alloys and Compounds</i> , 2017, 702, 594-600.	5.5	9
41	A novel 2-D heterometallic polymer containing two types of 1-D cuprous polymeric chains and circular [V <sub>4</sub> O <sub>12</sub> ]4 <sup>n-</sup> clusters. <i>Journal of Alloys and Compounds</i> , 2017, 713, 46-50.	5.5	3
42	A unique dysprosium selenoarsenate (<sc>iii</sc>) exhibiting a photocurrent response and slow magnetic relaxation behavior. <i>Dalton Transactions</i> , 2017, 46, 342-346.	3.3	10
43	A series of lanthanide glutarates: lanthanide contraction effect on crystal frameworks of lanthanide glutarates. <i>RSC Advances</i> , 2017, 7, 17934-17940.	3.6	17
44	A novel 3-D photoluminescent cuprous chloride polymer based on bifunctional imidazolate/tetrazolate bridges. <i>Dalton Transactions</i> , 2017, 46, 1372-1376.	3.3	15
45	Few-layer arsenic trichalcogenides: Emerging two-dimensional semiconductors with tunable indirect-direct band-gaps. <i>Journal of Alloys and Compounds</i> , 2017, 699, 554-560.	5.5	33
46	A novel 2-D Mn selenidostannate(IV) incorporating high-nuclear Mn clusters with spin canting behavior. <i>Dalton Transactions</i> , 2017, 46, 16009-16013.	3.3	6
47	A Series of Lanthanide Germanate Oxo Clusters Decorated by 1,10-Phenanthroline Chromophores. <i>Inorganic Chemistry</i> , 2017, 56, 10361-10369.	4.0	24
48	Hydrothermal Syntheses and Crystal Structure of a New Organic Hybrid Holmium Germanate Oxo-Cluster. <i>Journal of Cluster Science</i> , 2017, 28, 3209-3215.	3.3	5
49	Two New 3-D Lead(II) Coordination Polymers of Glycolic Acid with Luminescent Properties. <i>Journal of Inorganic and Organometallic Polymers and Materials</i> , 2017, 27, 181-188.	3.7	2
50	A Series of Dimeric Selenidogermanates with Lanthanide Complexes of Multidentate Chelating Amines. <i>Journal of Cluster Science</i> , 2017, 28, 2589-2600.	3.3	2
51	Catalytic Enantioselective Construction of Sulfur-Containing Tetrasubstituted Carbon Stereocenters. <i>ACS Catalysis</i> , 2016, 6, 5319-5344.	11.2	118
52	A 3-D net based on weak metallophilic (Cu <sup>+</sup> -Cu) interactions. <i>Dalton Transactions</i> , 2016, 45, 11292-11296.	3.3	4
53	Incorporation of manganese complexes into thioarsenates(V), displaying a new structural motif. <i>Journal of Coordination Chemistry</i> , 2016, 69, 3726-3734.	2.2	5
54	Synthesis, Crystal Structures and Properties of a Series of Lanthanide Adipates [Ln <sub>2</sub> (ad) <sub>3</sub> (H <sub>2</sub> O) <sub>4</sub> ] (Ln = Y <sup>3+</sup> , Ho <sup>3+</sup> , Er <sup>3+</sup> , Tm <sup>3+</sup> ). <i>Journal of Cluster Science</i> , 2016, 27, 2025-2033.	3.3	7

#	ARTICLE	IF	CITATIONS
55	Solvothermal Syntheses and Characterization of a Series of New Selenidostannates with Lanthanide Complexes as Counterions. <i>Journal of Cluster Science</i> , 2016, 27, 1475-1484.	3.3	3
56	Syntheses, structures and properties of two new 3-D vanadoborates based on V O B clusters. <i>Journal of Alloys and Compounds</i> , 2016, 684, 537-543.	5.5	10
57	Synthesis of heterometallic chalcogenides containing lanthanide and group 13-15 metal elements. <i>Coordination Chemistry Reviews</i> , 2016, 315, 112-134.	18.8	81
58	A series of new lanthanide fumarates displaying three types of 3-D frameworks. <i>Dalton Transactions</i> , 2016, 45, 5253-5261.	3.3	15
59	Two Quaternary Copper Thiostannates with Lanthanum(III) Complexes. <i>Journal of Cluster Science</i> , 2016, 27, 257-265.	3.3	12
60	The first examples of 1-D organic hybrid lanthanoid thioarsenates based on two [AsVS <sub>4</sub> ] <sup>3-</sup> linkage modes. <i>Dalton Transactions</i> , 2016, 45, 6015-6022.	3.3	7
61	Solvothermal Syntheses and Characterization of Three New Thioantimonates Combined with Lanthanide Complexes. <i>Journal of Cluster Science</i> , 2015, 26, 1333-1341.	3.3	1
62	A series of lanthanoid selenidoantimonates(v): rare examples of lanthanoid selenidoantimonates based on dinuclear lanthanide complexes. <i>Dalton Transactions</i> , 2015, 44, 6032-6039.	3.3	19
63	Two types of lanthanide selenidostannates(iv) first prepared under the same solvothermal conditions. <i>Dalton Transactions</i> , 2015, 44, 1350-1357.	3.3	19
64	Two New Lanthanide Complexes with Cluster [Ln <sub>2</sub> O <sub>2</sub> ] Units. <i>Journal of Cluster Science</i> , 2015, 26, 1503-1510.	3.3	2
65	One-Step Preparation of 1-D Copper(I) Polymer of Pyridyl-Ester with Fluorescence Properties. <i>Journal of Cluster Science</i> , 2015, 26, 1735-1742.	3.3	0
66	A series of new lanthanoid thioarsenates: insights into the influence of lanthanide contraction on the formation of new lanthanoid thioarsenates. <i>Dalton Transactions</i> , 2015, 44, 7203-7212.	3.3	23
67	A series of new manganese thioarsenates( <sup>v</sup> ) based on different unsaturated [Mn(amine) <sub>x</sub> ] <sup>2+</sup> complexes. <i>Dalton Transactions</i> , 2015, 44, 16430-16438.	3.3	13
68	A new solvothermal route to crystalline proustite Ag <sub>3</sub> AsS <sub>3</sub> with photocatalytic properties. <i>Inorganic Chemistry Communication</i> , 2014, 46, 17-20.	3.9	11
69	Three new vanadoborates functionalized with zinc complexes. <i>Inorganic Chemistry Communication</i> , 2014, 43, 101-104.	3.9	15
70	[Ni(dap) <sub>3</sub> ] <sub>4</sub> [As <sub>10</sub> Cu <sub>2</sub> S <sub>18</sub> ]: a new thioarsenate containing the rare [As <sub>3</sub> CuS <sub>6</sub> ] cluster with mixed-valence As <sup>2+</sup> /As <sup>3+</sup> ions. <i>Dalton Transactions</i> , 2014, 43, 3055-3058.	3.3	24
71	A series of new 3-D boratopolyoxovanadates containing five types of [KxOy] <sub>n</sub> building units. <i>CrystEngComm</i> , 2014, 16, 4236.	2.6	19
72	Solvothermal syntheses of lanthanide thiogermanates displaying three new structural moieties. <i>RSC Advances</i> , 2014, 4, 38682.	3.6	17

#	ARTICLE	IF	CITATIONS
73	Solvothermal syntheses and characterizations of three new holmium selenidostannates(IV): a rare example of adamantane-like [Sn <sub>4</sub> Se <sub>10</sub> ]4 <sup>+</sup> selenidostannate(IV) with lanthanide complexes. Dalton Transactions, 2014, 43, 12306.	3.3	13
74	Two Tetra-Cd <sup>II</sup> -Substituted Vanadogermanate Frameworks. Journal of the American Chemical Society, 2014, 136, 5065-5071.	13.7	89
75	The syntheses, structures and properties of three new lanthanoid thioarsenates: the only example of thioarsenate acting as a ligand to a lanthanide complex. Dalton Transactions, 2013, 42, 11155.	3.3	20
76	New 3-D polyoxovanadoborate architectures based on [V <sub>12</sub> B <sub>18</sub> O <sub>60</sub> ]16 <sup>+</sup> clusters. CrystEngComm, 2013, 15, 5057.	2.6	30
77	Two new 3-D boratopolyoxovanadate architectures based on the [V <sub>12</sub> B <sub>16</sub> O <sub>50</sub> (OH) <sub>8</sub> ]12 <sup>+</sup> cluster with different metal linkers. New Journal of Chemistry, 2013, 37, 4077.	2.8	19
78	A novel 1-D telluridoindate based on rare tetramer [In <sub>4</sub> Te <sub>10</sub> ] <sup>4+</sup> unit with photocatalytic properties. CrystEngComm, 2013, 15, 1194-1198.	2.6	10
79	Solvothermal synthesis and characterization of thioindate-thioantimonates with transition-metal complexes: The first examples of the incorporation of transition metal ions into In-Sb frameworks. Dalton Transactions, 2013, 42, 1735-1742.	3.3	22
80	The first examples of thiogermanate anion [GeS <sub>3</sub> (SH)] <sup>3-</sup> as a bridging ligand to a lanthanide complex. Dalton Transactions, 2013, 42, 1961-1964.	3.3	14
81	[Ni(dien) <sub>2</sub> ] <sub>3</sub> [Ge <sub>3</sub> Sb <sub>8</sub> S <sub>21</sub> ]·0.5H <sub>2</sub> O: A new 2-D layered thiogermanate-thioantimonate with metal complexes as template ions. Inorganic Chemistry Communication, 2013, 27, 92-96.	3.9	16
82	A new polymorph telluridoindate [In(en) <sub>3</sub> ][In <sub>5</sub> Te <sub>9</sub> (en) <sub>2</sub> ] with photocatalytic properties. Inorganic Chemistry Communication, 2013, 28, 55-59.	3.9	13
83	Hydrothermal syntheses, crystal structures and characterization of new vanadoborates: The novel decorated cage cluster [V <sub>6</sub> B <sub>22</sub> O <sub>44</sub> (OH) <sub>10</sub> ]. Journal of Solid State Chemistry, 2013, 201, 79-84.	2.9	26
84	A 3-D chiral organic-inorganic hybrid zinc vanadate assembled from helical units. Dalton Transactions, 2013, 42, 5603-5606.	3.3	20
85	A novel 3-D chiral polyoxovanadate architecture based on breaking high symmetry of spherical [V <sub>15</sub> O <sub>36</sub> Cl] <sub>8</sub> cluster. CrystEngComm, 2013, 15, 4593.	2.6	20
86	Solvothermal Syntheses and Characterization of Three Lanthanide Thioantimonates(V) with Mixed Ethylene Polyamines. Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2013, 68, 133-137.	0.7	6
87	A new 1-D extended vanadoborate containing triply bridged metal complex units. Inorganic Chemistry Communication, 2012, 25, 51-54.	3.9	23
88	One unprecedented 1-D europium thioindate-thioantimonate based on heterometallic mixed nitro-thioclusters with photoluminescent properties. Chemical Communications, 2012, 48, 2537.	4.1	35
89	A series of new lanthanoid thioantimonates: a rare example of organic-decorated cationic lanthanoid thioantimonate chains based on asymmetric dinuclear lanthanide complexes. CrystEngComm, 2012, 14, 5544.	2.6	21
90	Solvothermal Synthesis and Characterization of a Series of Lanthanide Thioantimonates(IV): The First Examples of Inorganic-Organic Hybrid Cationic Lanthanide Thioantimonates(IV). Inorganic Chemistry, 2012, 51, 2283-2290.	4.0	36

#	ARTICLE	IF	CITATIONS
91	Solvothermal synthesis, crystal structures and properties of three new thiogermanates: the only example of the thiogermanate anion $[\text{Ge}_2\text{S}_6]^{4-}$ as a bridging ligand to a lanthanide complex ion. <i>CrystEngComm</i> , 2012, 14, 3464.	2.6	26
92	One novel 3-D vanadoborate with unusual 3-D $\text{Na}^+\text{O}^2-\text{Na}$ network. <i>RSC Advances</i> , 2012, 2, 10937.	3.6	29
93	A New 1D Polyoxovanadate $[\text{Cu}(\text{en})_2\text{V}_{10}\text{O}_{28}] [\text{Cu}(\text{en})_2(\text{H}_2\text{O})_2] \cdot 2\text{H}_3\text{BO}_3 \cdot 2\text{H}_2\text{O}$ Containing the Rarely Non-condensed Boric acid. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2012, 67, 860-864.	0.7	3
94	Novel lanthanoid thioantimonates: the first coexistence of different types of thioantimonate anions in the same framework. <i>Dalton Transactions</i> , 2012, 41, 11760.	3.3	24
95	Solvothermal synthesis and characterization of two 2-D layered germanium thioantimonates with transition-metal complexes. <i>Dalton Transactions</i> , 2011, 40, 11419.	3.3	33
96	A novel 3-D thioindate-thioantimonate based on the linkages of large heterometallic $\{\text{In}_2\text{Sb}_2\text{S}_9\}$ clusters and 1-D $[\text{In}_2\text{Sb}_2\text{S}_8]_n$ chains. <i>CrystEngComm</i> , 2011, 13, 5924.	2.6	22
97	Solvothermal synthesis and characterization of two novel europium thioantimonates(iii) containing $[\text{SbIII}\text{S}_3]$ unit as an unusual chelating ligand. <i>CrystEngComm</i> , 2011, 13, 4806.	2.6	19
98	$[\text{M}(\text{dap})_3]\text{InSb}_3\text{S}_7$ (M = Co, Ni): Two Novel Open-Framework Thioindate~Thioantimonates with 8-, 12-, and 16-Ring Intersecting Channels. <i>Inorganic Chemistry</i> , 2011, 50, 415-417.	4.0	41
99	Two Organic Hybrid Thiogermanates $[\text{Ni}(\text{dien})_2]_2(\text{H}_2\text{dien})\text{Ge}_2\text{S}_6$ and $[\text{Ni}(\text{teta})_2]_2\text{Ge}_4\text{S}_{10}$ . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2011, 66, 659-663.	0.7	3
100	Hydrothermal Synthesis and Structure of Two 1-D Organic HybridMetal Sulfates. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2011, 66, 1127-1130.	0.7	0
101	Solvothermal Syntheses and Crystal Structures of Two Thioarsenate Metal Complexes $[\text{Co}(\text{dien})_2]_3[\text{As}_3\text{S}_6]_2$ and $[\text{Mn}(\text{teta})_2]\text{As}_2\text{S}_5$ . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2011, 66, 366-370.	0.7	1
102	Hydrothermal Syntheses and Crystal Structures of Two New Heteropolyoxovanadoborates Containing $\{(\text{VO})_{12}\text{O}_6[\text{B}_3\text{O}_6(\text{OH})_6(\text{H}_2\text{O})]\}$ Cluster. <i>Journal of Cluster Science</i> , 2011, 22, 65-72.	3.3	25
103	Solvothermal syntheses and crystal structures of two new thiogermanates $[\text{M}(\text{dap})_3]_4\text{Ge}_4\text{S}_{10}\text{Cl}_4$ (M = Co, Ni) with metal complexes as counterions. <i>Monatshefte Für Chemie</i> , 2011, 142, 763-768.	1.8	16
104	Two Novel Adamantane~Like Thio/Selenidogermanates with Complex Cations. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2011, 637, 1388-1393.	1.2	19
105	Solvothermal synthesis of two new thioantimonates with transition-metal complexes $[\text{Co}(\text{dien})_2]_4[\text{CoSb}_6\text{S}_{14}]$ and $[\text{Co}(\text{dien})_2]_2[\text{Sb}_4\text{S}_9]$ . <i>Inorganic Chemistry Communication</i> , 2011, 14, 1286-1289.	3.9	18
106	The New Vanadoborate-supported Hexanuclear Zinc Complex $[\text{Zn}(\text{teta})_6][(\text{VO})_{12}\text{O}_{36}\text{B}_{18}\text{O}_{36}(\text{OH})_6] \cdot 4(\text{H}_2\text{O}) \cdot 8\text{H}_2\text{O}$ . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2011, 66, 115-118.	0.7	0
107	Determination of Cd in Water Samples by Hollow-Fiber~Supported Liquid-Membrane Extraction Coupled with Thermospray-Flame~Furnace Atomic-Absorption Spectrometry. <i>Spectroscopy Letters</i> , 2011, 44, 278-284.	1.0	5
108	Two New Hemidirected Lead(II) Complexes: $[\text{Pb}(\text{pcih})(\text{bha})]$ and $[\text{Pb}(\text{pcih})(\text{NO}_3)_3]$ . <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2010, 65, 1084-1088.	0.7	9

#	ARTICLE	IF	CITATIONS
109	Solvothermal Syntheses and Crystal Structures of Two Thiostannates(IV) $[M(\text{tepa})]_2(\frac{1}{4}\text{-Sn}_2\text{S}_6)$ ( $M = \text{Fe}^{2+}$ ) <i>Tj ETQq1</i> 1 0.784314 rgB	1.1	17
110	Two 3-D supramolecular architecture based on the linkages of Co(II) complexes and lattice water molecules. <i>Structural Chemistry</i> , 2010, 21, 159-164.	2.0	8
111	A Series of Open-Frame Aluminoborates Templated by Transition-Metal Complexes. <i>Chemistry - A European Journal</i> , 2010, 16, 4852-4863.	3.3	103
112	A Series of Vanadogermanates from 1D Chain to 3D Framework Built by $\text{Ge}_4\text{VO}$ Clusters and Transition-Metal-Complex Bridges. <i>Chemistry - A European Journal</i> , 2010, 16, 13253-13261.	3.3	54
113	Two Supramolecular Architectures Containing Dinuclear Thiostannate $[\text{Sn}_2\text{S}_6]$ Units. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2010, 65, 1229-1234.	0.7	17
114	Two Novel Thioindate-Thioantimonate Compounds $[\text{Ni}(\text{dien})_2]_2\text{In}_2\text{Sb}_4\text{S}_{11}$ and $[\text{Ni}(\text{dien})_2]_3(\text{In}_3\text{Sb}_2\text{S}_9)_2 \cdot 2\text{H}_2\text{O}$ with Transition Metal Complexes. <i>Inorganic Chemistry</i> , 2010, 49, 9671-9676.	4.0	39
115	A New 2-D Network Containing $\{\text{As}_4\text{V}_6\text{O}_4(\text{H}_2\text{O})\}$ Cluster Units. <i>European Journal of Inorganic Chemistry</i> , 2009, 2009, 5075-5078.	2.0	31
116	Two 3-D Supramolecular Networks Containing Dimeric $\{\text{Cu}_2\text{X}_2\}$ Cluster Units. <i>Journal of Cluster Science</i> , 2009, 20, 555-563.	3.3	8
117	Solvothermal Synthesis of Two Cationic Indium Selenides with $\text{I}^+$ Ion as Counterion. <i>Zeitschrift Fur Anorganische Und Allgemeine Chemie</i> , 2009, 635, 151-155.	1.2	8
118	Solvothermal synthesis of Group 13-15 chalcogenidometalates with chelating organic amines. <i>Coordination Chemistry Reviews</i> , 2009, 253, 1221-1247.	18.8	247
119	A New 2D Hybrid Indate-Germanate Based on the Linkages of $\text{Ge}_4\text{O}_{10}\text{F}_2$ Clusters and $\{\text{In}_2\text{O}_6\}$ Dimers. <i>Inorganic Chemistry</i> , 2009, 48, 10895-10897.	4.0	11
120	Three 1-D selenidogallates $[\text{GaSe}_2]_n$ , displaying conformational variations. <i>Journal of Coordination Chemistry</i> , 2009, 62, 1112-1120.	2.2	6
121	A new layered aluminoborate $[\text{Zn}(\text{dien})_2][\{\text{Al}(\text{OH})\}\{\text{B}_5\text{O}_9\text{F}\}]$ templated by transition metal complexes. <i>CrystEngComm</i> , 2009, 11, 2597.	2.6	55
122	A New Type of 1-D Thioindates, $[\text{M}(\text{en})_3]_0.5[\text{InS}_2]$ ( $M = \text{Co}, \text{Ni}$ ), Synthesized by Solvothermal Reaction. <i>Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences</i> , 2009, 64, 504-508.	0.7	9
123	Two novel extended lead(II) coordination polymers generated from bridging Schiff-base ligands. <i>Inorganic Chemistry Communication</i> , 2008, 11, 367-371.	3.9	20
124	The first polymeric thiogallate with lanthanide-containing counter cation, $[\text{Dy}_2(\text{en})_6(\frac{1}{4}\text{-OH})_2]\text{Ga}_4\text{S}_8$ . <i>Inorganic Chemistry Communication</i> , 2008, 11, 1327-1329.	3.9	9
125	Structural Study of Organic-Inorganic Hybrid Thiogallates and Selenidogallates in View of Effects of the Chelate Amines. <i>Crystal Growth and Design</i> , 2008, 8, 2235-2240.	3.0	37
126	Cationic Main-Group Metal Chalcogenide with a 1-D Polymeric Structure, $[\{\text{In}(\text{dien})\}_2(\text{InTe})_4]\cdot\text{Cl}$ . <i>Inorganic Chemistry</i> , 2008, 47, 8586-8588.	4.0	21

#	ARTICLE	IF	CITATIONS
127	A Photoluminescent zig-zag 1D Coordination Polymer with Mixed Ligands [Zn(absa)(pcih)](CH <sub>3</sub> OH). Zeitschrift Fur Naturforschung - Section B Journal of Chemical Sciences, 2008, 63, 1343-1346.	0.7	4
128	Synthesis of a Selenidostannate(IV), [Mn(tepa)·Sn <sub>3</sub> Se <sub>7</sub> ] <sub>n</sub> , Demonstrating the Transformation from Achiral to Chiral and Dimeric to Polymeric Structure. Inorganic Chemistry, 2007, 46, 1541-1543.	4.0	69
129	One-Dimensional Indium Sulfides with Transition Metal Complexes of Polyamines. Inorganic Chemistry, 2007, 46, 6347-6352.	4.0	67
130	Synthesis, crystal structures of [M(tepa)] <sub>2</sub> ( <sup>1/4</sup> Sn <sub>2</sub> Se <sub>6</sub> )(M=Fe and Co), showing a selenidostannate bridge for transition metal complex cations. Inorganic Chemistry Communication, 2007, 10, 348-351.	3.9	36
131	A new hemidirected lead(II) complex converted into holodirected by secondary Pb···N interactions. Inorganic Chemistry Communication, 2007, 10, 475-478.	3.9	17
132	Solvothermal Synthesis of two 2D Thioantimonates(III) with Metal Complexes as Template Ions, [M(dap) <sub>3</sub> ]Sb <sub>4</sub> S <sub>7</sub> (M = Ni <sup>2+</sup> and Co <sup>2+</sup> ). Zeitschrift Fur Anorganische Und Allgemeine Chemie, 2007, 633, 2701-2705.	1.2	29
133	Solvothermal Synthesis of a Series of Telluridoindate Compounds Displaying Three Types of One-Dimensional Polymeric Anion Chains with the Formula {[InTe <sub>2</sub> ]} <sup>n</sup> . Crystal Growth and Design, 2007, 7, 1889-1892.	3.0	42
134	Synthesis and crystal structure of a three-dimensional network coordination polymer: [Pb(C <sub>5</sub> H <sub>4</sub> NCOO) <sub>2</sub> (H <sub>2</sub> O)] <sub>n</sub> . Journal of Coordination Chemistry, 2006, 59, 1477-1482.	2.2	20
135	Luminescent 2-D Double-layered Polymer, [(CuI) <sub>4</sub> (CH <sub>3</sub> SCH <sub>3</sub> ) <sub>3</sub> ] <sup>n</sup> , Containing Helical Chains Constructed by Flower-Basket-Shaped Cu <sub>4</sub> Clusters. Inorganic Chemistry, 2006, 45, 8486-8488.	4.0	58
136	Solvothermal Synthesis, Crystal Structures, and Properties of New Selenidoantimonates [Ln(en) <sub>4</sub> (SbSe <sub>4</sub> )] (Ln = La, Nd) and [Sm(en) <sub>4</sub> ]SbSe <sub>4</sub> ·0.5en: The First Example of an SbSe <sub>4</sub> <sup>3-</sup> Anion Acting as a Ligand to a Lanthanide Complex. European Journal of Inorganic Chemistry, 2006, 2006, 2760-2765.	2.0	30
137	Synthesis and crystal structure of a two-dimensional bi-layered supramolecular network compound [Cu <sub>2</sub> (C <sub>7</sub> H <sub>8</sub> N <sub>4</sub> O) <sub>4</sub> ](ClO <sub>4</sub> ) <sub>2</sub> (C <sub>7</sub> H <sub>8</sub> N <sub>4</sub> O=pyridine-3-carbaldehyde semicarbazone). Journal of Coordination Chemistry, 2006, 59, 1711-1717.	2.2	2
138	Catalytic behavior of silica-supported chitosan-platinum-iron complex for asymmetric hydrogenation of ketones. Polymers for Advanced Technologies, 2004, 15, 287-290.	3.2	15