

Nagendra P Luitel

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6363025/publications.pdf>

Version: 2024-02-01

46
papers

2,351
citations

279798

23
h-index

223800

46
g-index

56
all docs

56
docs citations

56
times ranked

2094
citing authors

#	ARTICLE	IF	CITATIONS
1	COVID-19 mental health impact and responses in low-income and middle-income countries: reimagining global mental health. <i>Lancet Psychiatry</i> , 2021, 8, 535-550.	7.4	455
2	Therapist competence in global mental health: Development of the ENhancing Assessment of Common Therapeutic factors (ENACT) rating scale. <i>Behaviour Research and Therapy</i> , 2015, 69, 11-21.	3.1	207
3	Detection of depression in low resource settings: validation of the Patient Health Questionnaire (PHQ-9) and cultural concepts of distress in Nepal. <i>BMC Psychiatry</i> , 2016, 16, 58.	2.6	145
4	Conflict and mental health: a cross-sectional epidemiological study in Nepal. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2013, 48, 183-193.	3.1	118
5	Mental health care in Nepal: current situation and challenges for development of a district mental health care plan. <i>Conflict and Health</i> , 2015, 9, 3.	2.7	108
6	Reducing stigma among healthcare providers to improve mental health services (RESHAPE): protocol for a pilot cluster randomized controlled trial of a stigma reduction intervention for training primary healthcare workers in Nepal. <i>Pilot and Feasibility Studies</i> , 2018, 4, 36.	1.2	105
7	Treatment gap and barriers for mental health care: A cross-sectional community survey in Nepal. <i>PLoS ONE</i> , 2017, 12, e0183223.	2.5	100
8	Reducing mental illness stigma in healthcare settings: Proof of concept for a social contact intervention to address what matters most for primary care providers. <i>Social Science and Medicine</i> , 2020, 250, 112852.	3.8	95
9	Suicide in South Asia: a scoping review. <i>BMC Psychiatry</i> , 2014, 14, 358.	2.6	77
10	Accuracy of proactive case finding for mental disorders by community informants in Nepal. <i>British Journal of Psychiatry</i> , 2015, 207, 501-506.	2.8	62
11	Treatment Contact Coverage for Probable Depressive and Probable Alcohol Use Disorders in Four Low- and Middle-Income Country Districts: The PRIME Cross-Sectional Community Surveys. <i>PLoS ONE</i> , 2016, 11, e0162038.	2.5	62
12	Using workshops to develop theories of change in five low and middle income countries: lessons from the programme for improving mental health care (PRIME). <i>International Journal of Mental Health Systems</i> , 2014, 8, 15.	2.7	60
13	Community-, facility-, and individual-level outcomes of a district mental healthcare plan in a low-resource setting in Nepal: A population-based evaluation. <i>PLoS Medicine</i> , 2019, 16, e1002748.	8.4	58
14	Effectiveness of psychological treatments for depression and alcohol use disorder delivered by community-based counsellors: two pragmatic randomised controlled trials within primary healthcare in Nepal. <i>British Journal of Psychiatry</i> , 2019, 215, 485-493.	2.8	57
15	How competent are non-specialists trained to integrate mental health services in primary care? Global health perspectives from Uganda, Liberia, and Nepal. <i>International Review of Psychiatry</i> , 2018, 30, 182-198.	2.8	49
16	Prevalence and Patterns of Hazardous and Harmful Alcohol Consumption Assessed Using the AUDIT among Bhutanese Refugees in Nepal. <i>Alcohol and Alcoholism</i> , 2013, 48, 349-355.	1.6	47
17	Setting priorities for mental health care in Nepal: a formative study. <i>BMC Psychiatry</i> , 2013, 13, 332.	2.6	46
18	Detection and treatment initiation for depression and alcohol use disorders: facility-based cross-sectional studies in five low-income and middle-income country districts. <i>BMJ Open</i> , 2018, 8, e023421.	1.9	45

#	ARTICLE	IF	CITATIONS
19	Proactive community case-finding to facilitate treatment seeking for mental disorders, Nepal. <i>Bulletin of the World Health Organization</i> , 2017, 95, 531-536.	3.3	41
20	Effectiveness of Group Problem Management Plus, a brief psychological intervention for adults affected by humanitarian disasters in Nepal: A cluster randomized controlled trial. <i>PLoS Medicine</i> , 2021, 18, e1003621.	8.4	38
21	Demand and access to mental health services: a qualitative formative study in Nepal. <i>BMC International Health and Human Rights</i> , 2014, 14, 22.	2.5	35
22	Impact of district mental health care plans on symptom severity and functioning of patients with priority mental health conditions: the Programme for Improving Mental Health Care (PRIME) cohort protocol. <i>BMC Psychiatry</i> , 2018, 18, 61.	2.6	33
23	Situational analysis to inform development of primary care and community-based mental health services for severe mental disorders in Nepal. <i>International Journal of Mental Health Systems</i> , 2017, 11, 69.	2.7	28
24	Development of the mental health cultural adaptation and contextualization for implementation (mhCACI) procedure: a systematic framework to prepare evidence-based psychological interventions for scaling. <i>Global Mental Health (Cambridge, England)</i> , 2021, 8, e6.	2.5	27
25	Improving detection of mental health problems in community settings in Nepal: development and pilot testing of the community informant detection tool. <i>Conflict and Health</i> , 2017, 11, 28.	2.7	24
26	Collaboration With People With Lived Experience of Mental Illness to Reduce Stigma and Improve Primary Care Services. <i>JAMA Network Open</i> , 2021, 4, e2131475.	5.9	24
27	Prevalence and correlates of depression and alcohol use disorder among adults attending primary health care services in Nepal: a cross sectional study. <i>BMC Health Services Research</i> , 2018, 18, 215.	2.2	21
28	Perception of healthcare workers on mobile app-based clinical guideline for the detection and treatment of mental health problems in primary care: a qualitative study in Nepal. <i>BMC Medical Informatics and Decision Making</i> , 2021, 21, 21.	3.0	21
29	Persistent Complex Bereavement Disorder and Culture: Early and Prolonged Grief in Nepali Widows. <i>Psychiatry (New York)</i> , 2017, 80, 1-16.	0.7	20
30	Resilience Among Nepali Widows After the Death of a Spouse: "That Was My Past and Now I Have to See My Present". <i>Qualitative Health Research</i> , 2018, 28, 466-478.	2.1	15
31	Mental health and psychosocial support services in primary health care in Nepal: perceived facilitating factors, barriers and strategies for improvement. <i>BMC Psychiatry</i> , 2020, 20, 64.	2.6	15
32	Effectiveness of Group Problem Management Plus (Group-PM+) for adults affected by humanitarian crises in Nepal: study protocol for a cluster randomized controlled trial. <i>Trials</i> , 2020, 21, 343.	1.6	15
33	Building back better? Taking stock of the post-earthquake mental health and psychosocial response in Nepal. <i>International Journal of Mental Health Systems</i> , 2018, 12, 44.	2.7	14
34	Evaluation of Proactive Community Case Detection to Increase Help Seeking for Mental Health Care: A Pragmatic Randomized Controlled Trial. <i>Psychiatric Services</i> , 2020, 71, 810-815.	2.0	14
35	Process evaluation of a district mental healthcare plan in Nepal: a mixed-methods case study. <i>BJPsych Open</i> , 2020, 6, e77.	0.7	13
36	Change in treatment coverage and barriers to mental health care among adults with depression and alcohol use disorder: a repeat cross sectional community survey in Nepal. <i>BMC Public Health</i> , 2019, 19, 1350.	2.9	11

#	ARTICLE	IF	CITATIONS
37	Impact of a district mental health care plan on suicidality among patients with depression and alcohol use disorder in Nepal. PLoS ONE, 2020, 15, e0231158.	2.5	9
38	Healthcare utilization and out-of-pocket expenditures associated with depression in adults: a cross-sectional analysis in Nepal. BMC Health Services Research, 2020, 20, 250.	2.2	8
39	Perception of service users and their caregivers on primary care-based mental health services: a qualitative study in Nepal. BMC Family Practice, 2020, 21, 202.	2.9	7
40	Adaptation and psychometric validation of the Prolonged Grief Disorder scale among widows in central Nepal. Journal of Affective Disorders, 2021, 281, 397-405.	4.1	4
41	Adaptation of the World Health Organization Electronic Mental Health Gap Action Programme Intervention Guide App for Mobile Devices in Nepal and Nigeria: Protocol for a Feasibility Cluster Randomized Controlled Trial. JMIR Research Protocols, 2021, 10, e24115.	1.0	4
42	Developing the Group Facilitation Assessment of Competencies Tool for Group-Based Mental Health and Psychosocial Support Interventions in Humanitarian and Low-Resource Settings. Journal on Education in Emergencies, 2021, 7, 334.	0.2	4
43	Understanding Nepali widowsâ€™ experiences for the adaptation of an instrument to assess Prolonged Grief Disorder. Transcultural Psychiatry, 2023, 60, 891-904.	1.6	3
44	Treatment Preferences for Pharmacological versus Psychological Interventions among Primary Care Providers in Nepal: Mixed Methods Analysis of a Pilot Cluster Randomized Controlled Trial. International Journal of Environmental Research and Public Health, 2022, 19, 2149.	2.6	3
45	Implementation strategy in collaboration with people with lived experience of mental illness to reduce stigma among primary care providers in Nepal (RESHAPE): protocol for a type 3 hybrid implementation effectiveness cluster randomized controlled trial. Implementation Science, 2022, 17, .	6.9	3
46	Feasibility of implementing a culturally adapted Prolonged Grief Disorder scale in the mental healthcare system in Nepal. Global Mental Health (Cambridge, England), 2021, 8, e36.	2.5	1