Roberto Felice Caporali

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/637296/publications.pdf

Version: 2024-02-01

282 papers

13,952 citations

20817 60 h-index 27406 106 g-index

286 all docs

286 docs citations

times ranked

286

14380 citing authors

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | EULAR recommendations for the management of rheumatoid arthritis with synthetic and biological disease-modifying antirheumatic drugs: 2019 update. Annals of the Rheumatic Diseases, 2020, 79, 685-699. | 0.9 | 1,860 |
| 2 | Update of EULAR recommendations for the treatment of systemic sclerosis. Annals of the Rheumatic Diseases, 2017, 76, 1327-1339. | 0.9 | 794 |
| 3 | COVID-19 infection and rheumatoid arthritis: Faraway, so close!. Autoimmunity Reviews, 2020, 19, 102523. | 5.8 | 353 |
| 4 | Preliminary criteria for the very early diagnosis of systemic sclerosis: results of a Delphi Consensus Study from EULAR Scleroderma Trials and Research Group. Annals of the Rheumatic Diseases, 2011, 70, 476-481. | 0.9 | 330 |
| 5 | Osteoarthritis: An Overview of the Disease and Its Treatment Strategies. Seminars in Arthritis and Rheumatism, 2005, 35, 1-10. | 3.4 | 316 |
| 6 | Ultrasonographic evaluation of joint involvement in early rheumatoid arthritis in clinical remission: power Doppler signal predicts short-term relapse. Rheumatology, 2009, 48, 1092-1097. | 1.9 | 274 |
| 7 | Systematic microanatomical analysis of CXCL13 and CCL21in situ production and progressive lymphoid organization in rheumatoid synovitis. European Journal of Immunology, 2005, 35, 1347-1359. | 2.9 | 232 |
| 8 | EULAR Sjogren's syndrome disease activity index (ESSDAI): a user guide. RMD Open, 2015, 1, e000022-e000022. | 3.8 | 229 |
| 9 | Defining disease activity states and clinically meaningful improvement in primary Sjögren's syndrome with EULAR primary SjÁ¶gren's syndrome disease activity (ESSDAI) and patient-reported indexes (ESSPRI). Annals of the Rheumatic Diseases, 2016, 75, 382-389. | 0.9 | 225 |
| 10 | Prednisone plus Methotrexate for Polymyalgia Rheumatica. Annals of Internal Medicine, 2004, 141, 493. | 3.9 | 204 |
| 11 | Validation of EULAR primary Sjögren's syndrome disease activity (ESSDAI) and patient indexes (ESSPRI). Annals of the Rheumatic Diseases, 2015, 74, 859-866. | 0.9 | 193 |
| 12 | Baricitinib for COVID-19: a suitable treatment?. Lancet Infectious Diseases, The, 2020, 20, 1012-1013. | 9.1 | 178 |
| 13 | Characteristics of Joint Involvement and Relationships with Systemic Inflammation in Systemic Sclerosis: Results from the EULAR Scleroderma Trial and Research Group (EUSTAR) Database. Journal of Rheumatology, 2010, 37, 1488-1501. | 2.0 | 161 |
| 14 | Pregnancy Outcomes in Patients with Autoimmune Diseases and Anti-Ro/SSA Antibodies. Clinical Reviews in Allergy and Immunology, 2011, 40, 27-41. | 6.5 | 155 |
| 15 | COVID-19 revisiting inflammatory pathways of arthritis. Nature Reviews Rheumatology, 2020, 16, 465-470. | 8.0 | 149 |
| 16 | Serious infections during anti-TNF $\hat{l}\pm$ treatment in rheumatoid arthritis patients. Autoimmunity Reviews, 2009, 8, 266-273. | 5.8 | 148 |
| 17 | Autoantibody profile in rheumatoid arthritis during long-term infliximab treatment. Arthritis Research, 2004, 6, R264-72. | 2.0 | 140 |
| 18 | Brief Report: Successful pregnancies but a higher risk of preterm births in patients with systemic sclerosis: An Italian multicenter study. Arthritis and Rheumatism, 2012, 64, 1970-1977. | 6.7 | 134 |

| # | Article | IF | Citations |
|----|--|-----|--------------------|
| 19 | Clinical Spectrum Time Course in Anti Jo-1 Positive Antisynthetase Syndrome. Medicine (United States), 2015, 94, e1144. | 1.0 | 133 |
| 20 | TNFâ€Î± Antagonist Survival Rate in a Cohort of Rheumatoid Arthritis Patients Observed under Conditions of Standard Clinical Practice. Annals of the New York Academy of Sciences, 2009, 1173, 837-846. | 3.8 | 130 |
| 21 | Mature antigenâ€experienced T helper cells synthesize and secrete the B cell chemoattractant CXCL13 in the inflammatory environment of the rheumatoid joint. Arthritis and Rheumatism, 2008, 58, 3377-3387. | 6.7 | 124 |
| 22 | B Cells in Rheumatoid Arthritis: From Pathogenic Players to Disease Biomarkers. BioMed Research International, 2014, 2014, 1-14. | 1.9 | 121 |
| 23 | Influence of Antisynthetase Antibodies Specificities on Antisynthetase Syndrome Clinical Spectrum Time Course. Journal of Clinical Medicine, 2019, 8, 2013. | 2.4 | 118 |
| 24 | Presenting features of polymyalgia rheumatica (PMR) and rheumatoid arthritis with PMR-like onset: a prospective study. Annals of the Rheumatic Diseases, 2001, 60, 1021-1024. | 0.9 | 114 |
| 25 | High IgA rheumatoid factor levels are associated with poor clinical response to tumour necrosis factor inhibitors in rheumatoid arthritis. Annals of the Rheumatic Diseases, 2007, 66, 302-307. | 0.9 | 114 |
| 26 | Very early rheumatoid arthritis as a predictor of remission: a multicentre real life prospective study. Annals of the Rheumatic Diseases, 2013, 72, 858-862. | 0.9 | 112 |
| 27 | Safety of tumor necrosis factor î± blockers in hepatitis B virus occult carriers (hepatitis B surface) Tj ETQq1 1 0.784 Research, 2010, 62, 749-754. | | /Overlock 1 110 |
| 28 | Treatment of rheumatoid arthritis with anti-TNF-alpha agents: A reappraisal. Autoimmunity Reviews, 2009, 8, 274-280. | 5.8 | 101 |
| 29 | Guidelines for biomarkers in autoimmune rheumatic diseases - evidence based analysis. Autoimmunity Reviews, 2019, 18, 93-106. | 5.8 | 101 |
| 30 | Safety and usefulness of minor salivary gland biopsy: Retrospective analysis of 502 procedures performed at a single center. Arthritis and Rheumatism, 2008, 59, 714-720. | 6.7 | 100 |
| 31 | Rheumatoid arthritis treatment: the earlier the better to prevent joint damage. RMD Open, 2015, 1, e000057. | 3.8 | 98 |
| 32 | Prediction of worsening of skin fibrosis in patients with diffuse cutaneous systemic sclerosis using the EUSTAR database. Annals of the Rheumatic Diseases, 2015, 74, 1124-1131. | 0.9 | 96 |
| 33 | Incidence of COVIDâ€19 in Patients With Rheumatic Diseases Treated With Targeted Immunosuppressive Drugs: What Can We Learn From Observational Data?. Arthritis and Rheumatology, 2020, 72, 1600-1606. | 5.6 | 95 |
| 34 | CCL21 Expression Pattern of Human Secondary Lymphoid Organ Stroma Is Conserved in Inflammatory Lesions with Lymphoid Neogenesis. American Journal of Pathology, 2007, 171, 1549-1562. | 3.8 | 94 |
| 35 | Involvement of subchondral bone marrow in rheumatoid arthritis: Lymphoid neogenesis and in situ relationship to subchondral bone marrow osteoclast recruitment. Arthritis and Rheumatism, 2005, 52, 3448-3459. | 6.7 | 93 |
| 36 | Joint and tendon involvement predict disease progression in systemic sclerosis: a EUSTAR prospective study. Annals of the Rheumatic Diseases, 2016, 75, 103-109. | 0.9 | 93 |

| # | Article | IF | CITATIONS |
|----|---|------|-----------|
| 37 | What is the true incidence of COVID-19 in patients with rheumatic diseases?. Annals of the Rheumatic Diseases, 2021, 80, e18-e18. | 0.9 | 89 |
| 38 | Anti-citrullinated protein antibodies and high levels of rheumatoid factor are associated with systemic bone loss in patients with early untreated rheumatoid arthritis. Arthritis Research and Therapy, 2016, 18, 226. | 3.5 | 87 |
| 39 | Randomized controlled trials and real-world data: differences and similarities to untangle literature data. Rheumatology, 2018, 57, vii54-vii58. | 1.9 | 83 |
| 40 | Cyclosporine in Anti-Jo1-positive Patients with Corticosteroid-refractory Interstitial Lung Disease. Journal of Rheumatology, 2013, 40, 484-492. | 2.0 | 82 |
| 41 | The Multifaceted Aspects of Interstitial Lung Disease in Rheumatoid Arthritis. BioMed Research International, 2013, 2013, 1-13. | 1.9 | 82 |
| 42 | A gender gap in primary and secondary heart dysfunctions in systemic sclerosis: a EUSTAR prospective study. Annals of the Rheumatic Diseases, 2016, 75, 163-169. | 0.9 | 82 |
| 43 | Definition of remission and relapse in polymyalgia rheumatica: data from a literature search compared with a Delphi-based expert consensus. Annals of the Rheumatic Diseases, 2011, 70, 447-453. | 0.9 | 81 |
| 44 | Tumour necrosis factor antagonist therapy and cancer development: Analysis of the LORHEN registry. Autoimmunity Reviews, 2010, 9, 175-180. | 5.8 | 80 |
| 45 | In patients with early rheumatoid arthritis, the new ACR/EULAR definition of remission identifies patients with persistent absence of functional disability and suppression of ultrasonographic synovitis. Annals of the Rheumatic Diseases, 2013, 72, 245-249. | 0.9 | 80 |
| 46 | Continuing versus tapering glucocorticoids after achievement of low disease activity or remission in rheumatoid arthritis (SEMIRA): a double-blind, multicentre, randomised controlled trial. Lancet, The, 2020, 396, 267-276. | 13.7 | 78 |
| 47 | Incidence and Clinical Course of COVID-19 in Patients with Connective Tissue Diseases: A Descriptive Observational Analysis. Journal of Rheumatology, 2020, 47, 1296-1296. | 2.0 | 78 |
| 48 | The effect of pharmacological therapy on the cardiovascular system of patients with systemic rheumatic diseases. Autoimmunity Reviews, 2010, 9, 835-839. | 5.8 | 75 |
| 49 | Methotrexate and Rheumatoid Arthritis: Current Evidence Regarding Subcutaneous Versus Oral Routes of Administration. Advances in Therapy, 2016, 33, 369-378. | 2.9 | 75 |
| 50 | Phenotypes Determined by Cluster Analysis and Their Survival in the Prospective European Scleroderma Trials and Research Cohort of Patients With Systemic Sclerosis. Arthritis and Rheumatology, 2019, 71, 1553-1570. | 5.6 | 75 |
| 51 | Inappropriate exercise-induced increase in pulmonary artery pressure in patients with systemic sclerosis. Heart, 2011, 97, 112-117. | 2.9 | 74 |
| 52 | B cells in rheumatoid arthritis. Autoimmunity Reviews, 2007, 7, 137-142. | 5.8 | 70 |
| 53 | DMARDS and infections in rheumatoid arthritis. Autoimmunity Reviews, 2008, 8, 139-143. | 5.8 | 70 |
| 54 | The Role of Tumour Necrosis Factor in the Pathogenesis of Immune-Mediated Diseases. International Journal of Immunopathology and Pharmacology, 2014, 27, 1-10. | 2.1 | 69 |

| # | Article | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Comparison of Brain Natriuretic Peptide (BNP) and NT-proBNP in Screening for Pulmonary Arterial Hypertension in Patients with Systemic Sclerosis. Journal of Rheumatology, 2010, 37, 2064-2070. | 2.0 | 68 |
| 56 | The management of first-line biologic therapy failures in rheumatoid arthritis: Current practice and future perspectives. Autoimmunity Reviews, 2017, 16, 1185-1195. | 5.8 | 67 |
| 57 | Adalimumab in the Treatment of Immune-Mediated Diseases. International Journal of Immunopathology and Pharmacology, 2014, 27, 33-48. | 2.1 | 65 |
| 58 | Comorbid Conditions in the AMICA Study Patients: Effects on the Quality of Life and Drug Prescriptions by General Practitioners and Specialists. Seminars in Arthritis and Rheumatism, 2005, 35, 31-37. | 3.4 | 64 |
| 59 | Anti-cyclic citrullinated peptide antibodies in primary Sjogren's syndrome may be associated with non-erosive synovitis. Arthritis Research and Therapy, 2008, 10, R51. | 3.5 | 64 |
| 60 | The Clinical Value of Autoantibodies in Rheumatoid Arthritis. Frontiers in Medicine, 2018, 5, 339. | 2.6 | 64 |
| 61 | Immunohistological assessment of the synovial tissue in small joints in rheumatoid arthritis: validation of a minimally invasive ultrasound-guided synovial biopsy procedure. Arthritis Research and Therapy, 2007, 9, R101. | 3.5 | 63 |
| 62 | Efficacy and Safety of Anti-Tumour Necrosis Factor in Elderly Patients with Rheumatoid Arthritis: An Observational Study. Clinical Reviews in Allergy and Immunology, 2010, 38, 90-96. | 6.5 | 63 |
| 63 | High expression levels of the B cell chemoattractant CXCL13 in rheumatoid synovium are a marker of severe disease. Rheumatology, 2014, 53, 1886-1895. | 1.9 | 63 |
| 64 | Risk of hepatitis B virus reactivation in rheumatoid arthritis patients undergoing biologic treatment: Extending perspective from old to newer drugs. World Journal of Hepatology, 2015, 7, 344. | 2.0 | 61 |
| 65 | Serum Jo-1 Autoantibody and Isolated Arthritis in the Antisynthetase Syndrome: Review of the Literature and Report of the Experience of AENEAS Collaborative Group. Clinical Reviews in Allergy and Immunology, 2017, 52, 71-80. | 6.5 | 60 |
| 66 | Low-dose oral prednisone improves clinical and ultrasonographic remission rates in early rheumatoid arthritis. Results of a 12 month open-label randomized study Arthritis Research and Therapy, 2012, 14, R112. | 3.5 | 59 |
| 67 | Multicentre, randomised, open-label, parallel-group study evaluating the efficacy and safety of ixekizumab versus adalimumab in patients with psoriatic arthritis na \tilde{A} -ve to biological disease-modifying antirheumatic drug: final results by week 52. Annals of the Rheumatic Diseases, 2020, 79, 1310-1319. | 0.9 | 56 |
| 68 | Clinical Presentation of Osteoarthritis in General Practice: Determinants of Pain in Italian Patients in the AMICA Study. Seminars in Arthritis and Rheumatism, 2005, 35, 17-23. | 3.4 | 53 |
| 69 | Telemedicine in rheumatology: a reliable approach beyond the pandemic. Rheumatology, 2021, 60, 366-370. | 1.9 | 53 |
| 70 | The 158VV Fcgamma receptor 3A genotype is associated with response to rituximab in rheumatoid arthritis: results of an Italian multicentre study. Annals of the Rheumatic Diseases, 2014, 73, 716-721. | 0.9 | 52 |
| 71 | Cardiovascular Comorbidities Relate More than Others with Disease Activity in Rheumatoid Arthritis. PLoS ONE, 2016, 11, e0146991. | 2.5 | 52 |
| 72 | Patient-reported impact of spondyloarthritis on work disability and working life: the ATLANTIS survey. Arthritis Research and Therapy, 2016, 18, 78. | 3.5 | 52 |

| # | Article | IF | Citations |
|----|--|--------------|-----------|
| 73 | COVID-19 in systemic lupus erythematosus: Data from a survey on 417 patients. Seminars in Arthritis and Rheumatism, 2020, 50, 1150-1157. | 3.4 | 52 |
| 74 | Predicting response to anti-TNF treatment in rheumatoid arthritis patients. Autoimmunity Reviews, 2009, 8, 431-437. | 5.8 | 50 |
| 75 | Disease-related malnutrition in outpatients with systemic sclerosis. Clinical Nutrition, 2012, 31, 666-671. | 5.0 | 50 |
| 76 | Stress Doppler Echocardiography in Systemic Sclerosis: Evidence for a Role in the Prediction of Pulmonary Hypertension. Arthritis and Rheumatism, 2013, 65, 2403-2411. | 6.7 | 50 |
| 77 | Anti-TNF Agents as Therapeutic Choice in Immune-Mediated Inflammatory Diseases: Focus on Adalimumab. International Journal of Immunopathology and Pharmacology, 2014, 27, 11-32. | 2.1 | 50 |
| 78 | Atherosclerosis and Rheumatoid Arthritis: More Than a Simple Association. Mediators of Inflammation, 2012, 2012, 1-8. | 3.0 | 49 |
| 79 | Low Risk of Hepatitis B Virus Reactivation in HBsAg-negative/Anti-HBc–positive Carriers Receiving Rituximab for Rheumatoid Arthritis: A Retrospective Multicenter Italian Study. Journal of Rheumatology, 2016, 43, 869-874. | 2.0 | 49 |
| 80 | Serum levels of CXCL13 are associated with ultrasonographic synovitis and predict power Doppler persistence in early rheumatoid arthritis treated with non-biological disease-modifying anti-rheumatic drugs. Arthritis Research and Therapy, 2012, 14, R34. | 3 . 5 | 47 |
| 81 | Multilevel examination of minor salivary gland biopsy for Sjogren's syndrome significantly improves diagnostic performance of AECG classification criteria. Arthritis Research, 2005, 7, R343. | 2.0 | 46 |
| 82 | Systemic vasculitis and pregnancy: A multicenter study on maternal and neonatal outcome of 65 prospectively followed pregnancies. Autoimmunity Reviews, 2015, 14, 686-691. | 5.8 | 46 |
| 83 | Disease activity assessment of rheumatic diseases during pregnancy: a comprehensive review of indices used in clinical studies. Autoimmunity Reviews, 2019, 18, 164-176. | 5.8 | 44 |
| 84 | Inflammatory lesions in the bone marrow of rheumatoid arthritis patients: a morphological perspective. Arthritis Research and Therapy, 2012, 14, 229. | 3.5 | 43 |
| 85 | Antibodies from patients with rheumatoid arthritis and systemic lupus erythematosus recognize different epitopes of a single heterogeneous nuclear rnp core protein. Arthritis and Rheumatism, 1990, 33, 180-186. | 6.7 | 42 |
| 86 | Critical role of water in the direct oxidation of CO and hydrocarbons in diesel exhaust after treatment catalysis. Applied Catalysis B: Environmental, 2014, 147, 764-769. | 20.2 | 42 |
| 87 | B cells in rheumatoid arthritis. Autoimmunity Reviews, 2007, 6, 482-487. | 5.8 | 39 |
| 88 | Use of Ultrasoundâ€Guided Small Joint Biopsy to Evaluate the Histopathologic Response to Rheumatoid Arthritis Therapy: Recommendations for Application to Clinical Trials. Arthritis and Rheumatology, 2015, 67, 2601-2610. | 5.6 | 39 |
| 89 | TNF inhibitors in rheumatoid arthritis and spondyloarthritis: Are they the same?. Autoimmunity Reviews, 2018, 17, 24-28. | 5.8 | 39 |
| 90 | Switching TNF-alpha antagonists in rheumatoid arthritis: The experience of the LORHEN registry. Autoimmunity Reviews, 2010, 9, 465-469. | 5.8 | 38 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Early disease control by lowâ€dose prednisone comedication may affect the quality of remission in patients with early rheumatoid arthritis. Annals of the New York Academy of Sciences, 2010, 1193, 139-145. | 3.8 | 38 |
| 92 | Long term treatment of rheumatoid arthritis with rituximab. Autoimmunity Reviews, 2009, 8, 591-594. | 5.8 | 37 |
| 93 | Impact of corticosteroids and immunosuppressive therapies on symptomatic SARS-CoV-2 infection in a large cohort of patients with chronic inflammatory arthritis. Arthritis Research and Therapy, 2020, 22, 290. | 3.5 | 37 |
| 94 | Prescribing pattern of drugs in the treatment of osteoarthritis in italian general practice: The effect of rofecoxib withdrawal. Arthritis and Rheumatism, 2008, 59, 568-574. | 6.7 | 36 |
| 95 | Subclinical remodelling of draining lymph node structure in early and established rheumatoid arthritis assessed by power Doppler ultrasonography. Rheumatology, 2011, 50, 1395-1400. | 1.9 | 36 |
| 96 | Prevalence and significance of previously undiagnosed rheumatic diseases in pregnancy. Annals of the Rheumatic Diseases, 2012, 71, 918-923. | 0.9 | 36 |
| 97 | Do Physicians Treat Symptomatic Osteoarthritis Patients Properly? Results of the AMICA Experience. Seminars in Arthritis and Rheumatism, 2005, 35, 38-42. | 3.4 | 35 |
| 98 | Predictive Value of Antibodies to Citrullinated Peptides and Rheumatoid Factors in Anti‶NFâ€Ĵ± Treated Patients. Annals of the New York Academy of Sciences, 2007, 1109, 287-295. | 3.8 | 35 |
| 99 | Anti-TNFα therapy in a cohort of rheumatoid arthritis patients: Clinical outcomes. Autoimmunity Reviews, 2009, 8, 260-265. | 5.8 | 35 |
| 100 | Primary anti-phospholipid syndrome: any role for serum complement levels in predicting pregnancy complications?. Rheumatology, 2012, 51, 2186-2190. | 1.9 | 35 |
| 101 | Current Considerations for the Treatment of Severe Chronic Pain: The Potential for Tapentadol. Pain Practice, 2012, 12, 290-306. | 1.9 | 35 |
| 102 | The correct prednisone starting dose in polymyalgia rheumatica is related to body weight but not to disease severity. BMC Musculoskeletal Disorders, 2011, 12, 94. | 1.9 | 34 |
| 103 | 20 years of experience with tumour necrosis factor inhibitors: what have we learned?. Rheumatology, 2018, 57, vii5-vii10. | 1.9 | 34 |
| 104 | Practical suggestions on intravenous iloprost in Raynaud's phenomenon and digital ulcer secondary to systemic sclerosis: Systematic literature review and expert consensus. Seminars in Arthritis and Rheumatism, 2019, 48, 686-693. | 3.4 | 34 |
| 105 | Biologic therapy and spinal radiographic progression in patients with axial spondyloarthritis: A structured literature review. Therapeutic Advances in Musculoskeletal Disease, 2020, 12, 1759720X2090604. | 2.7 | 34 |
| 106 | Is the Course of Steroid-Treated Polymyalgia Rheumatica More Severe in Women?. Annals of the New York Academy of Sciences, 2006, 1069, 315-321. | 3.8 | 33 |
| 107 | Switching rheumatoid arthritis treatments: An update. Autoimmunity Reviews, 2011, 10, 397-403. | 5.8 | 33 |
| 108 | Evidence for caveolin-1 as a new susceptibility gene regulating tissue fibrosis in systemic sclerosis. Annals of the Rheumatic Diseases, 2012, 71, 1034-1041. | 0.9 | 33 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Serum prealbumin is an independent predictor of mortality in systemic sclerosis outpatients. Rheumatology, 2016, 55, 315-319. | 1.9 | 32 |
| 110 | Subcutaneous tocilizumab in rheumatoid arthritis: findings from the common-framework phase 4 study programme TOZURA conducted in 22 countries. Rheumatology, 2018, 57, 499-507. | 1.9 | 32 |
| 111 | Drug survival of the first course of anti-TNF agents in patients with rheumatoid arthritis and seronegative spondyloarthritis: analysis from the MonitorNet database. Clinical and Experimental Rheumatology, 2013, 31, 857-63. | 0.8 | 32 |
| 112 | Autoantibodies to heterogeneous nuclear ribonucleoproteins. Autoimmunity, 2005, 38, 25-32. | 2.6 | 31 |
| 113 | Early treatment in early undifferentiated arthritis. Autoimmunity Reviews, 2012, 11, 589-592. | 5.8 | 31 |
| 114 | Back to the future: forget ultrasound and focus on clinical assessment in rheumatoid arthritis management. Annals of the Rheumatic Diseases, 2018, 77, 18-20. | 0.9 | 31 |
| 115 | Recommendations for the use of biologic therapy in rheumatoid arthritis: update from the Italian Society for Rheumatology II. Safety. Clinical and Experimental Rheumatology, 2011, 29, S15-27. | 0.8 | 31 |
| 116 | Long-term safety of abatacept in patients with rheumatoid arthritis. Autoimmunity Reviews, 2013, 12, 1115-1117. | 5.8 | 30 |
| 117 | Treatment of rheumatic diseases in patients with HCV and HIV infection. Autoimmunity Reviews, 2008, 8, 100-103. | 5.8 | 29 |
| 118 | Modulating the co-stimulatory signal for T cell activation in rheumatoid arthritis: Could it be the first step of the treatment?. Autoimmunity Reviews, 2014, 13, 49-53. | 5.8 | 28 |
| 119 | Factors influencing the choice of first- and second-line biologic therapy for the treatment of rheumatoid arthritis: real-life data from the Italian LORHEN Registry. Clinical Rheumatology, 2017, 36, 753-761. | 2.2 | 28 |
| 120 | Antibodies to hnRNP core protein A1 in connective tissue diseases. Journal of Cellular Biochemistry, 1989, 40, 43-47. | 2.6 | 27 |
| 121 | Anticyclic Citrullinated Peptide Antibodies as Markers of Erosive Arthritis in Antisynthetase Syndrome: Table 1 Journal of Rheumatology, 2010, 37, 1967.2-1967. | 2.0 | 27 |
| 122 | The Draining Lymph Node in Rheumatoid Arthritis: Current Concepts and Research Perspectives. BioMed Research International, 2015, 2015, 1-10. | 1.9 | 27 |
| 123 | The impact of unrecognized autoimmune rheumatic diseases on the incidence of preeclampsia and fetal growth restriction: a longitudinal cohort study. BMC Pregnancy and Childbirth, 2016, 16, 313. | 2.4 | 27 |
| 124 | Identification of autoantibodies to the I protein of the heterogeneous nuclear ribonucleoprotein complex in patients with systemic sclerosis. Arthritis and Rheumatism, 1996, 39, 1669-1676. | 6.7 | 26 |
| 125 | The role of extra-corporeal membrane oxygenation (ECMO) in the treatment of diffuse alveolar haemorrhage secondary to ANCA-associated vasculitis: report of two cases and review of the literature. Rheumatology International, 2019, 39, 367-375. | 3.0 | 26 |
| 126 | Assessment of synovitis to predict bone erosions in rheumatoid arthritis. Therapeutic Advances in Musculoskeletal Disease, 2012, 4, 235-244. | 2.7 | 25 |

| # | Article | IF | Citations |
|-----|--|-----|-----------|
| 127 | Treatment Comparison in Rheumatoid Arthritis: Head-to-Head Trials and Innovative Study Designs. BioMed Research International, 2014, 2014, 1-17. | 1.9 | 25 |
| 128 | "Disease knowledge index―and perspectives on reproductive issues: A nationwide study on 398 women with autoimmune rheumatic diseases. Joint Bone Spine, 2019, 86, 475-481. | 1.6 | 25 |
| 129 | Prevalence of COVID infections in a population of rheumatic patients from Lombardy and Marche treated with biological drugs or small molecules: A multicentre retrospective study. Journal of Autoimmunity, 2021, 116, 102545. | 6.5 | 25 |
| 130 | Switch or swap strategy in rheumatoid arthritis patients failing TNF inhibitors? Results of a modified Italian Expert Consensus. Rheumatology, 2018, 57, vii42-vii53. | 1.9 | 24 |
| 131 | Ideal food pyramid for patients with rheumatoid arthritis: A narrative review. Clinical Nutrition, 2021, 40, 661-689. | 5.0 | 24 |
| 132 | The effect of newly diagnosed undifferentiated connective tissue disease on pregnancy outcome. American Journal of Obstetrics and Gynecology, 2008, 199, 632.e1-632.e6. | 1.3 | 23 |
| 133 | Predictors of response to anti-TNF therapy in RA patients with moderate or high DAS28Âscores. Joint Bone Spine, 2014, 81, 37-40. | 1.6 | 23 |
| 134 | Recommendations for the use of biologic therapy in rheumatoid arthritis: update from the Italian Society for Rheumatology I. Efficacy. Clinical and Experimental Rheumatology, 2011, 29, S7-14. | 0.8 | 23 |
| 135 | Prevalence of undiagnosed autoimmune rheumatic diseases in the first trimester of pregnancy. Results of a twoâ€steps strategy using a selfâ€administered questionnaire and autoantibody testing. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 51-57. | 2.3 | 22 |
| 136 | The TTTT B lymphocyte stimulator promoter haplotype is associated with good response to rituximab therapy in seropositive rheumatoid arthritis resistant to tumor necrosis factor blockers. Arthritis and Rheumatism, 2013, 65, 88-97. | 6.7 | 22 |
| 137 | How I treat idiopathic patients with inflammatory myopathies in the clinical practice. Autoimmunity Reviews, 2017, 16, 999-1007. | 5.8 | 22 |
| 138 | Twoâ€year persistence of golimumab as secondâ€line biologic agent in rheumatoid arthritis as compared to other subcutaneous tumor necrosis factor inhibitors: realâ€life data from the <scp>LORHEN</scp> registry. International Journal of Rheumatic Diseases, 2018, 21, 422-430. | 1.9 | 22 |
| 139 | Association between age at disease onset of anti-neutrophil cytoplasmic antibody–associated vasculitis and clinical presentation and short-term outcomes. Rheumatology, 2021, 60, 617-628. | 1.9 | 22 |
| 140 | Efficacy and Safety of Anti-TNF-α Therapy Combined with Cyclosporine a in Patients with Rheumatoid Arthritis and Concomitant Hepatitis C Virus Infection. International Journal of Immunopathology and Pharmacology, 2009, 22, 543-546. | 2.1 | 21 |
| 141 | Systemic sclerosis in aquaporin-4 antibody-positive longitudinally extensive transverse myelitis. Journal of the Neurological Sciences, 2011, 303, 139-141. | 0.6 | 21 |
| 142 | Overuse of Prescription and OTC Non-Steroidal Anti-Inflammatory Drugs in Patients with Rheumatoid Arthritis and Osteoarthritis. International Journal of Immunopathology and Pharmacology, 2013, 26, 279-281. | 2.1 | 21 |
| 143 | The impact of disease extent and severity detected by quantitative ultrasound analysis in the diagnosis and outcome of giant cell arteritis. Rheumatology, 2020, 59, 2299-2307. | 1.9 | 21 |
| 144 | Shrinking lung syndrome in systemic sclerosis. Arthritis and Rheumatism, 2003, 48, 2999-3000. | 6.7 | 20 |

| # | Article | IF | Citations |
|-----|--|------|-----------|
| 145 | Clinical and electrophysiological evaluation of peripheral neuropathy in rheumatoid arthritis. Journal of the Peripheral Nervous System, 2006, 11, 174-175. | 3.1 | 20 |
| 146 | Clinical characteristics and patient-reported outcomes in patients with inadequately controlled rheumatoid arthritis despite ongoing treatment. RMD Open, 2018, 4, e000615. | 3.8 | 20 |
| 147 | Real-world experience with tofacitinib for the treatment of rheumatoid arthritis. Clinical and Experimental Rheumatology, 2019, 37, 485-495. | 0.8 | 20 |
| 148 | Disease-related nutritional risk and mortality in systemic sclerosis. Clinical Nutrition, 2014, 33, 558-561. | 5.0 | 19 |
| 149 | Drug survival of adalimumab in patients with rheumatoid arthritis over 10Âyears in the real-world settings: high rate remission together with normal function ability. Clinical Rheumatology, 2016, 35, 2649-2656. | 2.2 | 19 |
| 150 | Connective tissue diseases and autoimmune thyroid disorders in the first trimester of pregnancy. Journal of Reproductive Immunology, 2016, 114, 32-37. | 1.9 | 19 |
| 151 | Ultrasonographic and MRI characterisation of the palindromic phase of rheumatoid arthritis. Annals of the Rheumatic Diseases, 2012, 71, 625-626. | 0.9 | 18 |
| 152 | Glucocorticoids in Rheumatoid Arthritis. Drugs, 2013, 73, 31-43. | 10.9 | 18 |
| 153 | Performance of the 2010 Classification Criteria for Rheumatoid Arthritis: A Systematic Literature Review and a Meta-Analysis. PLoS ONE, 2013, 8, e56528. | 2.5 | 18 |
| 154 | What have multicentre registries across the world taught us about the disease features of systemic sclerosis?. Journal of Scleroderma and Related Disorders, 2017, 2, 169-182. | 1.7 | 18 |
| 155 | Prospectively-followed pregnancies in patients with inflammatory arthritis taking biological drugs: an Italian multicentre study. Clinical and Experimental Rheumatology, 2015, 33, 688-93. | 0.8 | 18 |
| 156 | Low Preconception Complement Levels Are Associated with Adverse Pregnancy Outcomes in a Multicenter Study of 260 Pregnancies in 197 Women with Antiphospholipid Syndrome or Carriers of Antiphospholipid Antibodies. Biomedicines, 2021, 9, 671. | 3.2 | 17 |
| 157 | Two-year retention rate of golimumab in rheumatoid arthritis, psoriatic arthritis and ankylosing spondylitis: data from the LORHEN registry. Clinical and Experimental Rheumatology, 2017, 35, 804-809. | 0.8 | 17 |
| 158 | Pulmonary arterial hypertension in antisynthetase syndrome: Comment on the article by Chatterjee and Farver. Arthritis Care and Research, 2011, 63, 633-634. | 3.4 | 16 |
| 159 | Epigenetics, pregnancy and autoimmune rheumatic diseases. Autoimmunity Reviews, 2020, 19, 102685. | 5.8 | 16 |
| 160 | Does methotrexate influence COVID-19 infection? Case series and mechanistic data. Arthritis Research and Therapy, 2021, 23, 166. | 3.5 | 16 |
| 161 | COVID-19 related poor mental health and sleep disorders in rheumatic patients: a citizen science project. BMC Psychiatry, 2021, 21, 385. | 2.6 | 16 |
| 162 | Recommendations for infectious disease screening in migrants to Western Europe with inflammatory arthropathies before starting biologic agents. Results from a multidisciplinary task force of four European societies (SIR, SER, SIMET, SEMTSI) facing the largest impact of the flow of migrants today. Clinical and Experimental Rheumatology, 2017, 35, 752-765. | 0.8 | 16 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 163 | Inflammatory myopathy in a patient with cutaneous findings of pityriasis rubra pilaris: a case of Wong?s dermatomyositis. Clinical Rheumatology, 2004, 23, 63-65. | 2.2 | 15 |
| 164 | Undiagnosed connective tissue diseases. Medicine (United States), 2016, 95, e4827. | 1.0 | 15 |
| 165 | Brief Report: Smoking in Systemic Sclerosis: A Longitudinal European Scleroderma Trials and Research Group Study. Arthritis and Rheumatology, 2018, 70, 1829-1834. | 5.6 | 15 |
| 166 | The role of extracellular vesicles in rheumatoid arthritis: a systematic review. Clinical Rheumatology, 2021, 40, 3481-3497. | 2.2 | 15 |
| 167 | The role of low-dose glucocorticoids for rheumatoid arthritis in the biologic era. Clinical and Experimental Rheumatology, 2013, 31, S9-13. | 0.8 | 15 |
| 168 | Novel COronaVirus Disease 2019 (COVID-19) epidemic: What are the risks for systemic sclerosis patients?. Autoimmunity Reviews, 2020, 19, 102558. | 5.8 | 14 |
| 169 | Golimumab effectiveness in biologic inadequate responding patients with rheumatoid arthritis, psoriatic arthritis and spondyloarthritis in real-life from the Italian registry GISEA. Joint Bone Spine, 2021, 88, 105062. | 1.6 | 14 |
| 170 | Efficacy and safety of subcutaneous infliximab versus adalimumab, etanercept and intravenous infliximab in patients with rheumatoid arthritis: a systematic literature review and meta-analysis. Expert Review of Clinical Immunology, 2021, 17, 85-100. | 3.0 | 14 |
| 171 | Treating rheumatoid arthritis to target: an Italian rheumatologists' survey on the acceptance of the treat-to-target recommendations. Clinical and Experimental Rheumatology, 2014, 32, 471-6. | 0.8 | 14 |
| 172 | A comparison between nailfold capillaroscopy patterns in adulthood in juvenile and adult-onset systemic sclerosis: A EUSTAR exploratory study. Microvascular Research, 2015, 102, 19-24. | 2.5 | 13 |
| 173 | Power Doppler ultrasonographic assessment of the joint-draining lymph node complex in rheumatoid arthritis: a prospective, proof-of-concept study on treatment with tumor necrosis factor inhibitors. Arthritis Research and Therapy, 2016, 18, 242. | 3.5 | 13 |
| 174 | Early, Incomplete, or Preclinical Autoimmune Systemic Rheumatic Diseases and Pregnancy Outcome. Arthritis and Rheumatology, 2016, 68, 2555-2562. | 5.6 | 13 |
| 175 | Modulating the wayward T cell: New horizons with immune checkpoint inhibitor treatments in autoimmunity, transplant, and cancer. Journal of Autoimmunity, 2020, 115, 102546. | 6.5 | 13 |
| 176 | Occurrence of pulmonary embolism in a patient with mild clinical expression of COVID-19. Thrombosis Research, 2020, 192, 21-22. | 1.7 | 13 |
| 177 | Personalized medicine in rheumatoid arthritis: How immunogenicity impacts use of TNF inhibitors. Autoimmunity Reviews, 2020, 19, 102509. | 5.8 | 13 |
| 178 | Comparative efficacy of subcutaneous (CT-P13) and intravenous infliximab in adult patients with rheumatoid arthritis: a network meta-regression of individual patient data from two randomised trials. Arthritis Research and Therapy, 2021, 23, 119. | 3.5 | 13 |
| 179 | Allopurinal mouthwashes in methotraxate-induced stomatitis. Arthritis and Rheumatism, 1994, 37, 777-778. | 6.7 | 12 |
| 180 | Cardiovascular effects of coxibs. Lupus, 2005, 14, 785-788. | 1.6 | 12 |

| # | Article | IF | CITATIONS |
|-----|--|------|-----------|
| 181 | Oral Low-Dose Glucocorticoids Should Be Included in Any Recommendation for the Use of Non-Biologic and Biologic Disease-Modifying Antirheumatic Drugs in the Treatment of Rheumatoid Arthritis. NeuroImmunoModulation, 2015, 22, 104-111. | 1.8 | 12 |
| 182 | Undifferentiated connective tissue diseases and adverse pregnancy outcomes. An undervalued association?. American Journal of Reproductive Immunology, 2017, 78, e12762. | 1.2 | 12 |
| 183 | A Posteriori Dietary Patterns and Rheumatoid Arthritis Disease Activity: A Beneficial Role of Vegetable and Animal Unsaturated Fatty Acids. Nutrients, 2020, 12, 3856. | 4.1 | 12 |
| 184 | Treatment journey in rheumatoid arthritis with biosimilars: from better access to good disease control through cost savings and prevention of nocebo effects. RMD Open, 2021, 7, e001637. | 3.8 | 12 |
| 185 | Patterns of tocilizumab use, effectiveness and safety in patients with rheumatoid arthritis: core data results from a set of multinational observational studies. Clinical and Experimental Rheumatology, 2017, 35, 899-906. | 0.8 | 12 |
| 186 | Analysis of Pharmacologic and Nonpharmacologic Prescription Patterns of General Practitioners and Specialists in the AMICA Study. Seminars in Arthritis and Rheumatism, 2005, 35, 24-30. | 3.4 | 11 |
| 187 | Uterine artery Doppler velocimetry and obstetric outcomes in connective tissue diseases diagnosed during the first trimester of pregnancy. Prenatal Diagnosis, 2012, 32, 1094-1101. | 2.3 | 11 |
| 188 | Impact of COVID-19 outbreak in an Italian cohort of patients with systemic sclerosis. Therapeutic Advances in Musculoskeletal Disease, 2020, 12, 1759720X2095335. | 2.7 | 11 |
| 189 | Adherence to Mediterranean diet and patient perception of rheumatoid arthritis. Complementary Therapies in Medicine, 2020, 52, 102519. | 2.7 | 11 |
| 190 | The Crucial Questions on Synovial Biopsy: When, Why, Who, What, Where, and How?. Frontiers in Medicine, 2021, 8, 705382. | 2.6 | 11 |
| 191 | The role of ultrasound in the diagnosis and follow-up of large-vessel vasculitis: an update. Clinical and Experimental Rheumatology, 2017, 35 Suppl 103, 194-198. | 0.8 | 11 |
| 192 | Glucocorticoid Effects on Adrenal Steroids and Cytokine Responsiveness in Polymyalgia Rheumatica and Elderly Onset Rheumatoid Arthritis. Annals of the New York Academy of Sciences, 2006, 1069, 307-314. | 3.8 | 10 |
| 193 | Soluble HLA-G in pregnancies complicated by autoimmune rheumatic diseases. Journal of Reproductive Immunology, 2015, 110, 67-73. | 1.9 | 10 |
| 194 | Aging in Primary Systemic Vasculitis: Implications for Diagnosis, Clinical Manifestations, and Management. Drugs and Aging, 2019, 36, 53-63. | 2.7 | 10 |
| 195 | Clinical management of patients with rheumatoid arthritis during the COVID-19 pandemic. Expert Review of Clinical Immunology, 2021, 17, 561-571. | 3.0 | 10 |
| 196 | What can we learn from treatment-induced changes in rheumatoid factor and anti-citrullinated Peptide antibodies?. Journal of Rheumatology, 2008, 35, 1903-5. | 2.0 | 10 |
| 197 | In early inflammatory polyarthritis more intensive management according to the 2010 ACR/EULAR criteria leads to higher rates of clinical remission: comparison of two cohorts treated according to different treat-to-target protocols. Clinical and Experimental Rheumatology, 2017, 35, 401-405. | 0.8 | 10 |
| 198 | Antiphospholipid antibodies in children with idiopathic cerebral ischaemia. Lancet, The, 1994, 344, 1232. | 13.7 | 9 |

| # | Article | lF | CITATIONS |
|-----|---|------|-----------|
| 199 | Rheumatoid arthritis in beta-thalassemic trait: clinical, serologic and immunogenetic profile. Joint Bone Spine, 2004, 71, 117-120. | 1.6 | 9 |
| 200 | Pain and rheumatology: An overview of the problem. European Journal of Pain Supplements, 2009, 3, 105-109. | 0.0 | 9 |
| 201 | An observational multicentre study on the efficacy and safety of assisted reproductive technologies in women with rheumatic diseases. Rheumatology Advances in Practice, 2019, 3, rkz005. | 0.7 | 9 |
| 202 | Tofacitinib: Real-World Data and Treatment Persistence in Rheumatoid Arthritis. Open Access Rheumatology: Research and Reviews, 2021, Volume 13, 221-237. | 1.6 | 9 |
| 203 | Beyond Systemic Lupus Erythematosus and Anti-Phospholipid Syndrome: The Relevance of Complement From Pathogenesis to Pregnancy Outcome in Other Systemic Rheumatologic Diseases. Frontiers in Pharmacology, 2022, 13, 841785. | 3.5 | 9 |
| 204 | Comment on: parotid gland biopsy compared with labial biopsy in the diagnosis of patients with primary Sjogren's Syndrome. Rheumatology, 2007, 46, 1625-1625. | 1.9 | 8 |
| 205 | Effects of Anti-TNF Alpha Drugs on Disability in Patients with Rheumatoid Arthritis: Long-Term Real-Life Data from the Lorhen Registry. BioMed Research International, 2014, 2014, 1-8. | 1.9 | 8 |
| 206 | Prevalence of Ankylosing Spondylitis Disease Activity Score (ASDAS) inactive disease in a cohort of patients treated with TNF-alpha inhibitors. Modern Rheumatology, 2018, 28, 542-549. | 1.8 | 8 |
| 207 | Tocilizumab Patterns of Use, Effectiveness, and Safety in Patients with Rheumatoid Arthritis: Final Results from a Set of Multi-National Non-Interventional Studies. Rheumatology and Therapy, 2019, 6, 231-243. | 2.3 | 8 |
| 208 | Effects of concomitant glucocorticoids in TOZURA, a common-framework study programme of subcutaneous tocilizumab in rheumatoid arthritis. Rheumatology, 2019, 58, 1056-1064. | 1.9 | 8 |
| 209 | Relevant nonâ€pharmacologic topics for clinical research in rheumatic musculoskeletal diseases: The patient perspective. International Journal of Rheumatic Diseases, 2020, 23, 1305-1310. | 1.9 | 8 |
| 210 | Disease-related malnutrition in systemic sclerosis: evidences and implications. Clinical and Experimental Rheumatology, 2015, 33, S190-4. | 0.8 | 8 |
| 211 | Fetal programming and systemic sclerosis. American Journal of Obstetrics and Gynecology, 2015, 213, 839.e1-839.e8. | 1.3 | 7 |
| 212 | Histopathology of the synovial tissue: perspectives for biomarker development in chronic inflammatory arthritides. Reumatismo, 2018, 70, 121-132. | 0.9 | 7 |
| 213 | Patients with rheumatoid arthritis facing sick leave or work disability meet varying regulations: a study among rheumatologists and patients from 44 European countries. Annals of the Rheumatic Diseases, 2019, 78, 1472-1479. | 0.9 | 7 |
| 214 | Biomarkers and prognostic stratification in psoriatic arthritis. Reumatismo, 2012, 64, 88-98. | 0.9 | 7 |
| 215 | Retention of subcutaneous abatacept for the treatment of rheumatoid arthritis: real-world results from the ASCORE study: an international 2-year observational study. Clinical Rheumatology, 2022, , 1. | 2.2 | 7 |
| 216 | Iron status in Still's disease. Lancet, The, 1995, 345, 58-59. | 13.7 | 6 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 217 | Pain in arthritis. European Journal of Pain Supplements, 2009, 3, 123-127. | 0.0 | 6 |
| 218 | Budget impact analysis of infliximab biosimilar: the Italian scenery. Global & Regional Health Technology Assessment, 2015, 2, GRHTA.5000194. | 0.1 | 6 |
| 219 | Biosimilars vs originators: Are they the same?. Autoimmunity Reviews, 2019, 18, 102404. | 5.8 | 6 |
| 220 | Serum calprotectin as a marker of ultrasound-detected synovitis in early psoriatic and rheumatoid arthritis: results from a cross-sectional retrospective study. Clinical and Experimental Rheumatology, 2019, 37, 429-436. | 0.8 | 6 |
| 221 | Inflammatory correlates of the Patient Global Assessment of Disease Activity vary in relation to disease duration and autoantibody status in patients with rheumatoid arthritis. Annals of the Rheumatic Diseases, 2022, 81, 1206-1213. | 0.9 | 6 |
| 222 | The Characteristics of Symptomatic Osteoarthritis in General and Specialist Practice in Italy: Design and Methods of the AMICA Study. Seminars in Arthritis and Rheumatism, 2005, 35, 11-16. | 3.4 | 5 |
| 223 | Clinical features of ANCAâ€positive systemic lupus erythematosus: report of two cases. Scandinavian Journal of Rheumatology, 2007, 36, 74-76. | 1.1 | 5 |
| 224 | Safety of Mud-Bath Applications in Moderately Active Rheumatoid Arthritis. Journal of Musculoskeletal Pain, 2010, 18, 81-87. | 0.3 | 5 |
| 225 | Switching from Intravenous to Subcutaneous Formulation of Abatacept: Different Results in a Series of 21 Patients. Journal of Rheumatology, 2015, 42, 1993-1994. | 2.0 | 5 |
| 226 | Spinal non-Hodgkin's lymphoma mimicking a flare of disease in a patient with ankylosing spondylitis treated with anti-TNF agents: case report and review of the literature. Clinical Rheumatology, 2016, 35, 275-280. | 2.2 | 5 |
| 227 | Factors influencing use of biologic therapy and adoption of treat-to-target recommendations in current European rheumatology practice. Patient Preference and Adherence, 2018, Volume 12, 2007-2014. | 1.8 | 5 |
| 228 | Subcutaneous tocilizumab alone or with a csDMARD in rheumatoid arthritis patients: subanalysis of Italian data from a multicenter phase IIIb/IV trial. Clinical Rheumatology, 2019, 38, 841-849. | 2.2 | 5 |
| 229 | Ensuring tight control in patients with rheumatoid arthritis treated with targeted therapies during the COVID-19 pandemic using a telehealth strategy. Annals of the Rheumatic Diseases, 2021, 80, 1243-1245. | 0.9 | 5 |
| 230 | Comparison of efficacy of first-versus second-line adalimumab in patients with rheumatoid arthritis: experience of the Italian biologics registries. Clinical and Experimental Rheumatology, 2017, 35, 660-665. | 0.8 | 5 |
| 231 | Retrospective evaluation of patient profiling and effectiveness of apremilast in an Italian multicentric cohort of psoriatic arthritis patients. Clinical and Experimental Rheumatology, 2020, 38, 19-26. | 0.8 | 5 |
| 232 | Managing patients with rheumatic conditions during the covid-19 pandemic. BMJ, The, 2020, 369, m1633. | 6.0 | 4 |
| 233 | What is the real role of ultrasound in the management of juvenile idiopathic arthritis?. Annals of the Rheumatic Diseases, 2020, 79, 437-439. | 0.9 | 4 |
| 234 | Predicting and managing the progression of structural damage in rheumatoid arthritis: where do we stand?. Clinical and Experimental Rheumatology, 2012, 30, 459-63. | 0.8 | 4 |

| # | Article | IF | Citations |
|-----|---|-----|-----------|
| 235 | Pregnancy in juvenile idiopathic arthritis: maternal and foetal outcome, and impact on disease activity. Therapeutic Advances in Musculoskeletal Disease, 2022, 14, 1759720X2210803. | 2.7 | 4 |
| 236 | B cell distribution and activation-induced cytidine deaminase expression in rheumatoid synovitis: clinical and bio-molecular correlates. Annals of the Rheumatic Diseases, 2011, 70, A55-A55. | 0.9 | 3 |
| 237 | Therapeutic Options in Anti–Joâ€1 Antisynthetase Syndrome With Interstitial Lung Disease: Comment on the Article by Marie et al. Arthritis Care and Research, 2013, 65, 1548-1548. | 3.4 | 3 |
| 238 | Unmet Needs in the Treatment of RA in the Era of Jak-i: IDRA (Italian Delphi Rheumatoid Arthritis) Consensus. BioMed Research International, 2018, 2018, 1-10. | 1.9 | 3 |
| 239 | Factors Predicting Early Failure of Etanercept in Rheumatoid Arthritis: An Analysis From the Gruppo Italiano di Studio sulla Early Arthritis (Italian Group for the Study of Early Arthritis) Registry. Archives of Rheumatology, 2020, 35, 163-169. | 0.9 | 3 |
| 240 | Controversies in rheumatology: ultrasound for monitoring of RA—do we need it?. Rheumatology, 2022, 61, 4245-4251. | 1.9 | 3 |
| 241 | Lessons learned from the preclinical discovery and development of sarilumab for the treatment of rheumatoid arthritis. Expert Opinion on Drug Discovery, 2022, 17, 799-813. | 5.0 | 3 |
| 242 | Autoantibody profile in thrombotic thrombocytopenic purpura. Transfusion Science, 1992, 13, 33-36. | 0.6 | 2 |
| 243 | Characterization of immunoglobulin variable regions of two human pathogenic monoclonal cryocrystalglobulins. Molecular Immunology, 2008, 45, 1519-1524. | 2.2 | 2 |
| 244 | Sinonasal surgery in Wegener's granulomatosis: Is it time to go on?. Laryngoscope, 2011, 121, 2717-2718. | 2.0 | 2 |
| 245 | Perivascular fibrosis and IgG4-related disease: a case report. Reumatismo, 2014, 66, 245-248. | 0.9 | 2 |
| 246 | Pneumocephalus due to granulomatosis with polyangiitis. Rheumatology, 2014, 53, 2269-2269. | 1.9 | 2 |
| 247 | The profiling of axial spondyloarthritis patient candidate to a biologic therapy: Consensus from a Delphi-panel of Italian experts. Autoimmunity Reviews, 2018, 17, 1251-1258. | 5.8 | 2 |
| 248 | Comments on "Short-term reasons for withdrawal and adverse events associated with apremilast therapy for psoriasis in real-world practice compared with in clinical trials: A multicenter retrospective studyâ€. Journal of the American Academy of Dermatology, 2018, 79, e119-e120. | 1.2 | 2 |
| 249 | New Rheumatoid Arthritis Treatments for †Old†Patients: Results of a Systematic Review. Advances in Therapy, 2020, 37, 3676-3691. | 2.9 | 2 |
| 250 | Long-term Outcome of Children Born to Women with Autoimmune Rheumatic Diseases: A Multicentre, Nationwide Study on 299 Randomly Selected Individuals. Clinical Reviews in Allergy and Immunology, 2022, 62, 346-353. | 6.5 | 2 |
| 251 | Clinical pharmacology of filgotinib in the treatment of rheumatoid arthritis: current insights. Expert Review of Clinical Pharmacology, 2021, 14, 661-670. | 3.1 | 2 |
| 252 | Long-term methotrexate use in rheumatoid arthritis patients: real-world data from the MARTE study. Minerva Medica, 2021, 112, 246-254. | 0.9 | 2 |

| # | Article | IF | CITATIONS |
|-----|--|-----|-----------|
| 253 | Updating the Italian Society for Rheumatology recommendations for biologic therapy in adult patients with inflammatory rheumatic diseases. Clinical and Experimental Rheumatology, 2011, 29, S3-6. | 0.8 | 2 |
| 254 | Tocilizumab in the treatment of patients with rheumatoid arthritis in real clinical practice: results of an Italian observational study. Clinical and Experimental Rheumatology, 2017, 35, 919-928. | 0.8 | 2 |
| 255 | Clinical implications of peripheral new bone formation in psoriatic arthritis: a literature-based review. Clinical and Experimental Rheumatology, 2019, 37, 310-317. | 0.8 | 2 |
| 256 | Thrombocytopenia in idiopathic inflammatory myopathies: a case series analysis. Clinical and Experimental Rheumatology, 2020, 38, 891-895. | 0.8 | 2 |
| 257 | Analysis of the apolipoprotein(a) size polymorphism in patients with systemic lupus erythematosus. International Journal of Molecular Medicine, 2005, 15, 661. | 4.0 | 1 |
| 258 | Chromosomally integrated human herpesvirus 6 in a patient with systemic lupus erythematosus. Lupus, 2013, 22, 1087-1088. | 1.6 | 1 |
| 259 | Diffuse alveolar hemorrhage as a manifestation of Behçet disease. Reumatismo, 2013, 65, 138-41. | 0.9 | 1 |
| 260 | Biosimilars: lights and shadows in rheumatology. Rheumatology Reports, 2014, 6, . | 0.1 | 1 |
| 261 | Tailored approach to rheumatoid arthritis treatment with TNF inhibitors: where do we stand?. Rheumatology, 2018, 57, vii1-vii4. | 1.9 | 1 |
| 262 | AB0361â€ASCORE, A 2-YEAR, OBSERVATIONAL, PROSPECTIVE MULTICENTRE STUDY OF SUBCUTANEOUS ABATACEPT FOR THE TREATMENT OF RHEUMATOID ARTHRITIS IN ROUTINE CLINICAL PRACTICE: 1-YEAR INTERIM ANALYSIS., 2019, , . | | 1 |
| 263 | Instruments for Outcome Evaluation of Specific Domains in Primary Sjögren's Syndrome. Biomolecules, 2021, 11, 953. | 4.0 | 1 |
| 264 | Myocardial involvement in anti-phospholipid syndrome: Beyond acute myocardial infarction. Autoimmunity Reviews, 2022, 21, 102990. | 5.8 | 1 |
| 265 | Ultrasound versus physical examination in predicting disease flare in children with juvenile idiopathic arthritis: a systematic literature review and qualitative synthesis. Medical Ultrasonography, 2022, , . | 0.8 | 1 |
| 266 | Methotrexate in Italian patients wiTh Rheumatoid Arthritis (MITRA study): an observational study about the use of methotrexate in early RA patients and the adherence to the EULAR 2013 recommendations. A project of the Italian Society for Rheumatology. Clinical and Experimental Rheumatology, 2021, 39, 1077-1084. | 0.8 | 1 |
| 267 | Anticardiolipin antibodies in children and adolescents with insulin-dependent diabetes mellitus. Diabetes Research and Clinical Practice, 1994, 23, 63-64. | 2.8 | O |
| 268 | Polyarthrite rhumatoÃ ⁻ de associée à un trait bêta-thalassémique : aspect clinique, sérologique et immunogénétique. Revue Du Rhumatisme (Edition Francaise), 2004, 71, 203-207. | 0.0 | 0 |
| 269 | Chapter 23 Glucocorticoid Therapy for Polymyalgia Rheumatica. Handbook of Systemic Autoimmune Diseases, 2008, 9, 257-263. | 0.1 | O |
| 270 | Rheumatoid arthritis and renal light-chain deposition disease: long-term effectiveness of TNF- $\hat{l}\pm$ blockade with etanercept. International Urology and Nephrology, 2011, 43, 909-912. | 1.4 | 0 |

| # | Article | IF | CITATIONS |
|-----|---|-----|-----------|
| 271 | Serum levels of CXCL13 are associated with ultrasonographic synovitis and predict power doppler persistence in early rheumatoid arthritis treated with non-biological disease-modifying antirheumatic drugs. Annals of the Rheumatic Diseases, 2012, 71, A12.3-A13. | 0.9 | 0 |
| 272 | Biotechnological Drugs: The Breakthrough in Autoimmune Rheumatic Conditions. BioMed Research International, 2014, 2014, 1-2. | 1.9 | 0 |
| 273 | FRIOO42â€CERTOLIZUMAB PEGOL EFFECTIVENESS IN WOMEN OF CHILDBEARING AGE WITH RHEUMATOID ARTHRITIS: RETROSPECTIVE ANALYSIS OF AN INTERNATIONAL MULTICENTRE COHORT., 2019, , . | | 0 |
| 274 | THU0290â \in DISEASE AND TREATMENT-RELATED MORBIDITY IN YOUNG AND ELDERLY PATIENTS WITH ANCA-ASSOCIATED VASCULITIS. , 2019, , . | | 0 |
| 275 | FRIO145â€FACTORS ASSOCIATED WITH NEAR REMISSION DIFFER BETWEEN AUTOANTIBODY-POSITIVE AND -NEGATIVE PATIENTS WITH EARLY RHEUMATOID ARTHRITIS TREATED WITH CONVENTIONAL SYNTHETIC DISEASE-MODIFYING ANTIRHEUMATIC DRUGS. , 2019, , . | | O |
| 276 | THU0164â€THE DAS28 BASED ON THE ERYTHROCYTE SEDIMENTATION RATE MAY OVERESTIMATE DISEASE ACTIVITY IN EARLY, TREATMENT-NAÃVE PATIENTS WITH RHEUMATOID ARTHRITIS WITH HIGH LEVELS OF RHEUMATOID FACTOR. , 2019, , . | | 0 |
| 277 | THU0079â€AUTOANTIBODY-NEGATIVE PATIENTS, THE CUT-OFF OF SIX POINTS ACCORDING TO THE 2010 ACR/EULAR CRITERIA FOR RHEUMATOID ARTHRITIS MAY MISS A POPULATION OF SEVERE, PERSISTENT POLYARTHRITIS. , 2019, , . | | O |
| 278 | Ultrasound assessment of lacrimal glands: a cross-sectional study in healthy subjects and a preliminary study in primary Sjögren's syndrome patients. Clinical and Experimental Rheumatology, 2020, 38 Suppl 126, 203-209. | 0.8 | 0 |
| 279 | Adherence of Italian rheumatologists to the EULAR recommendations and outcomes in early rheumatoid arthritis patients after starting conventional DMARDs: Methotrexate in Italian patients wiTh Rheumatoid Arthritis (the MITRA study). A cohort study of the I. Clinical and Experimental Rheumatology. O | 0.8 | O |
| 280 | Adherence of Italian rheumatologists to the EULAR recommendations and outcomes in early rheumatoid arthritis patients after starting conventional DMARDs: Methotrexate in Italian patients wiTh Rheumatoid Arthritis (the MITRA study). A cohort study of the I Clinical and Experimental Rheumatology, 2022, , . | 0.8 | 0 |
| 281 | Subcutaneously-Administered Infliximab in the Management of Rheumatoid Arthritis: A Short Narrative Review of Current Clinical Evidence. Journal of Inflammation Research, 0, Volume 15, 3259-3267. | 3.5 | 0 |
| 282 | Immunosuppressant Treatment in Rheumatic Musculoskeletal Diseases Does Not Inhibit Elicitation of Humoral Response to SARS-CoV-2 Infection and Preserves Effector Immune Cell Populations. Frontiers in Immunology, $0,13,1$ | 4.8 | 0 |