
Marjorie Poggi

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/637342/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Metabolic Endotoxemia Initiates Obesity and Insulin Resistance. Diabetes, 2007, 56, 1761-1772.	0.6	4,964
2	C3H/HeJ mice carrying a toll-like receptor 4 mutation are protected against the development of insulin resistance in white adipose tissue in response to a high-fat diet. Diabetologia, 2007, 50, 1267-1276.	6.3	309
3	Plasminogen activator inhibitor-1, adipose tissue and insulin resistance. Current Opinion in Lipidology, 2007, 18, 240-245.	2.7	174
4	Characterization of human mesenchymal stem cell secretome at early steps of adipocyte and osteoblast differentiation. BMC Molecular Biology, 2008, 9, 26.	3.0	117
5	Plasmacytoid Dendritic Cells Protect Against Atherosclerosis by Tuning T-Cell Proliferation and Activity. Circulation Research, 2011, 109, 1387-1395.	4.5	115
6	Blocking CD40-TRAF6 signaling is a therapeutic target in obesity-associated insulin resistance. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 2686-2691.	7.1	112
7	The inflammatory receptor CD40 is expressed on human adipocytes: contribution to crosstalk between lymphocytes and adipocytes. Diabetologia, 2009, 52, 1152-1163.	6.3	104
8	CD40L Deficiency Ameliorates Adipose Tissue Inflammation and Metabolic Manifestations of Obesity in Mice. Arteriosclerosis, Thrombosis, and Vascular Biology, 2011, 31, 2251-2260.	2.4	74
9	Germline variants in <i>ETV6</i> underlie reduced platelet formation, platelet dysfunction and increased levels of circulating CD34 ⁺ progenitors. Haematologica, 2017, 102, 282-294.	3.5	70
10	The immunobiology of CD154–CD40–TRAF interactions in atherosclerosis. Seminars in Immunology, 2009, 21, 308-312.	5.6	65
11	Progression of atherosclerosis in ApoEâ€deficient mice that express distinct molecular forms of TNFâ€alpha. Journal of Pathology, 2008, 214, 574-583.	4.5	41
12	HDLs activate ADAM17â€dependent shedding. Journal of Cellular Physiology, 2008, 214, 687-693.	4.1	38
13	Down-regulation of Tissue Inhibitor of Metalloproteinase-3 (TIMP-3) Expression Is Necessary for Adipocyte Differentiation. Journal of Biological Chemistry, 2010, 285, 6508-6514.	3.4	38
14	Palmitoylation of TNF alpha is involved in the regulation of TNF receptor 1 signalling. Biochimica Et Biophysica Acta - Molecular Cell Research, 2013, 1833, 602-612.	4.1	37
15	Macrothrombocytopenia and dense granule deficiency associated with FLI1 variants: ultrastructural and pathogenic features. Haematologica, 2017, 102, 1006-1016.	3.5	34
16	Expression of adrenomedullin in adipose tissue of lean and obese women. European Journal of Endocrinology, 2006, 155, 177-185.	3.7	27
17	Diet Modulates Endogenous Thrombin Generation, A Biological Estimate of Thrombosis Risk, Independently of the Metabolic Status. Arteriosclerosis, Thrombosis, and Vascular Biology, 2012, 32, 2394-2404.	2.4	26
18	Inflammation, but not recruitment, of adipose tissue macrophages requires signalling through Mac-1 (CD11b/CD18) in diet-induced obesity (DIO). Thrombosis and Haemostasis, 2017, 117, 325-338.	3.4	25

Marjorie Poggi

#	Article	IF	CITATIONS
19	The Paired Basic Amino Acid-cleaving Enzyme 4 (PACE4) Is Involved in the Maturation of Insulin Receptor Isoform B. Journal of Biological Chemistry, 2015, 290, 2812-2821.	3.4	20
20	Long-term management of leukocyte adhesion deficiency type III without hematopoietic stem cell transplantation. Haematologica, 2018, 103, e264-e267.	3.5	20
21	Modulation of T Cell Activation in Obesity. Antioxidants and Redox Signaling, 2017, 26, 489-500.	5.4	17

Severe thrombophilia in a factor V $\hat{a} \in deficient$ patient homozygous for the Ala2086Asp mutation (FV) Tj ETQq0 0 0 ggBT /Overlock 10 Tf 15

23	Chronic plasminogen activator inhibitor-1 (PAI-1) overexpression dampens CD25+ lymphocyte recruitment after lipopolysaccharide endotoxemia in mouse lung. Journal of Thrombosis and Haemostasis, 2007, 5, 2467-2475.	3.8	14
24	CD28 deletion improves obesity-induced liver steatosis but increases adiposity in mice. International Journal of Obesity, 2015, 39, 977-985.	3.4	13
25	Increased levels of the megakaryocyte and platelet expressed cysteine proteases stefin A and cystatin A prevent thrombosis. Scientific Reports, 2019, 9, 9631.	3.3	11
26	Polymorphism A36G of the tumor necrosis factor receptor 1 gene is associated with PAI-1 levels in obese women. Thrombosis and Haemostasis, 2007, 97, 62-66.	3.4	10
27	A nonradioisotope chemiluminescent assay for evaluation of 2-deoxyglucose uptake in 3T3-L1 adipocytes. Effect of various carbonyls species on insulin action. Biochimie, 2012, 94, 2569-2576.	2.6	8
28	CD40L-CD40 fuel ignites obesity. Thrombosis and Haemostasis, 2010, 103, 694-695.	3.4	6
29	Subcellular localization of Rap1 GTPase activator CalDAGâ€GEFI is orchestrated by interaction of its atypical C1 domain with membrane phosphoinositides. Journal of Thrombosis and Haemostasis, 2020, 18, 693-705.	3.8	6
30	GATA1 pathogenic variants disrupt MYH10 silencing during megakaryopoiesis. Journal of Thrombosis and Haemostasis, 2021, 19, 2287-2301.	3.8	6
31	Peripartum bleeding management in a patient with Cal <scp>DAG</scp> â€ <scp>GEFI</scp> deficiency. Haemophilia, 2017, 23, e533-e535.	2.1	5
32	Novel <i>ACTN1</i> variants in cases of thrombocytopenia. Human Mutation, 2019, 40, 2258-2269.	2.5	5
33	Platelet CD 40 ligand and bleeding during P2Y12 inhibitor treatment in acute coronary syndrome. Research and Practice in Thrombosis and Haemostasis, 2019, 3, 684-694.	2.3	4
34	The first intracellular loop of GLUT4 contains a retention motif. Journal of Cell Science, 2016, 129, 2273-84.	2.0	2