

# Marjorie Poggi

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/637342/publications.pdf>

Version: 2024-02-01

34  
papers

6,532  
citations

430874

18  
h-index

377865

34  
g-index

35  
all docs

35  
docs citations

35  
times ranked

10764  
citing authors

#	ARTICLE	IF	CITATIONS
1	Severe thrombophilia in a factor Vâ€deficient patient homozygous for the Ala2086Asp mutation (FV) Tj ETQq1 1 0,784314 rgBT /Overdo	3.8	95
2	GATA1 pathogenic variants disrupt MYH10 silencing during megakaryopoiesis. Journal of Thrombosis and Haemostasis, 2021, 19, 2287-2301.	3.8	6
3	Subcellular localization of Rap1 GTPase activator CalDAGâ€GEFI is orchestrated by interaction of its atypical C1 domain with membrane phosphoinositides. Journal of Thrombosis and Haemostasis, 2020, 18, 693-705.	3.8	6
4	Novel<i>ACTN1</i> variants in cases of thrombocytopenia. Human Mutation, 2019, 40, 2258-2269.	2.5	5
5	Increased levels of the megakaryocyte and platelet expressed cysteine proteases stefin A and cystatin A prevent thrombosis. Scientific Reports, 2019, 9, 9631.	3.3	11
6	Platelet CD 40 ligand and bleeding during P2Y12 inhibitor treatment in acute coronary syndrome. Research and Practice in Thrombosis and Haemostasis, 2019, 3, 684-694.	2.3	4
7	Long-term management of leukocyte adhesion deficiency type III without hematopoietic stem cell transplantation. Haematologica, 2018, 103, e264-e267.	3.5	20
8	Modulation of T Cell Activation in Obesity. Antioxidants and Redox Signaling, 2017, 26, 489-500.	5.4	17
9	Germline variants in <i>ETV6</i> underlie reduced platelet formation, platelet dysfunction and increased levels of circulating CD34 <sup>+</sup> progenitors. Haematologica, 2017, 102, 282-294.	3.5	70
10	Macrothrombocytopenia and dense granule deficiency associated with FLI1 variants: ultrastructural and pathogenic features. Haematologica, 2017, 102, 1006-1016.	3.5	34
11	Peripartum bleeding management in a patient with Cal<sc>DAG</sc>â€<sc>GEFI</sc> deficiency. Haemophilia, 2017, 23, e533-e535.	2.1	5
12	Inflammation, but not recruitment, of adipose tissue macrophages requires signalling through Mac-1 (CD11b/CD18) in diet-induced obesity (DIO). Thrombosis and Haemostasis, 2017, 117, 325-338.	3.4	25
13	The first intracellular loop of GLUT4 contains a retention motif. Journal of Cell Science, 2016, 129, 2273-84.	2.0	2
14	The Paired Basic Amino Acid-cleaving Enzyme 4 (PACE4) Is Involved in the Maturation of Insulin Receptor Isoform B. Journal of Biological Chemistry, 2015, 290, 2812-2821.	3.4	20
15	CD28 deletion improves obesity-induced liver steatosis but increases adiposity in mice. International Journal of Obesity, 2015, 39, 977-985.	3.4	13
16	Blocking CD40-TRAF6 signaling is a therapeutic target in obesity-associated insulin resistance. Proceedings of the National Academy of Sciences of the United States of America, 2014, 111, 2686-2691.	7.1	112
17	Palmitoylation of TNF alpha is involved in the regulation of TNF receptor 1 signalling. Biochimica Et Biophysica Acta - Molecular Cell Research, 2013, 1833, 602-612.	4.1	37
18	Diet Modulates Endogenous Thrombin Generation, A Biological Estimate of Thrombosis Risk, Independently of the Metabolic Status. Arteriosclerosis, Thrombosis, and Vascular Biology, 2012, 32, 2394-2404.	2.4	26

#	ARTICLE	IF	CITATIONS
19	A nonradioisotope chemiluminescent assay for evaluation of 2-deoxyglucose uptake in 3T3-L1 adipocytes. Effect of various carbonyls species on insulin action. <i>Biochimie</i> , 2012, 94, 2569-2576.	2.6	8
20	Plasmacytoid Dendritic Cells Protect Against Atherosclerosis by Tuning T-Cell Proliferation and Activity. <i>Circulation Research</i> , 2011, 109, 1387-1395.	4.5	115
21	CD40L Deficiency Ameliorates Adipose Tissue Inflammation and Metabolic Manifestations of Obesity in Mice. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2011, 31, 2251-2260.	2.4	74
22	CD40L-CD40 fuel ignites obesity. <i>Thrombosis and Haemostasis</i> , 2010, 103, 694-695.	3.4	6
23	Down-regulation of Tissue Inhibitor of Metalloproteinase-3 (TIMP-3) Expression Is Necessary for Adipocyte Differentiation. <i>Journal of Biological Chemistry</i> , 2010, 285, 6508-6514.	3.4	38
24	The inflammatory receptor CD40 is expressed on human adipocytes: contribution to crosstalk between lymphocytes and adipocytes. <i>Diabetologia</i> , 2009, 52, 1152-1163.	6.3	104
25	The immunobiology of CD154-CD40-TRAF interactions in atherosclerosis. <i>Seminars in Immunology</i> , 2009, 21, 308-312.	5.6	65
26	Characterization of human mesenchymal stem cell secretome at early steps of adipocyte and osteoblast differentiation. <i>BMC Molecular Biology</i> , 2008, 9, 26.	3.0	117
27	Progression of atherosclerosis in ApoE-deficient mice that express distinct molecular forms of TNF- $\alpha$ . <i>Journal of Pathology</i> , 2008, 214, 574-583.	4.5	41
28	HDLs activate ADAM17-dependent shedding. <i>Journal of Cellular Physiology</i> , 2008, 214, 687-693.	4.1	38
29	Plasminogen activator inhibitor-1, adipose tissue and insulin resistance. <i>Current Opinion in Lipidology</i> , 2007, 18, 240-245.	2.7	174
30	Metabolic Endotoxemia Initiates Obesity and Insulin Resistance. <i>Diabetes</i> , 2007, 56, 1761-1772.	0.6	4,964
31	Chronic plasminogen activator inhibitor-1 (PAI-1) overexpression dampens CD25+ lymphocyte recruitment after lipopolysaccharide endotoxemia in mouse lung. <i>Journal of Thrombosis and Haemostasis</i> , 2007, 5, 2467-2475.	3.8	14
32	C3H/HeJ mice carrying a toll-like receptor 4 mutation are protected against the development of insulin resistance in white adipose tissue in response to a high-fat diet. <i>Diabetologia</i> , 2007, 50, 1267-1276.	6.3	309
33	Polymorphism A36G of the tumor necrosis factor receptor 1 gene is associated with PAI-1 levels in obese women. <i>Thrombosis and Haemostasis</i> , 2007, 97, 62-66.	3.4	10
34	Expression of adrenomedullin in adipose tissue of lean and obese women. <i>European Journal of Endocrinology</i> , 2006, 155, 177-185.	3.7	27