

# Robert Stranger

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/637345/publications.pdf>

Version: 2024-02-01

112  
papers

2,933  
citations

126907

33  
h-index

214800

47  
g-index

117  
all docs

117  
docs citations

117  
times ranked

2157  
citing authors

#	ARTICLE	IF	CITATIONS
1	Electronic structure modelling of the edge-functionalisation of graphene by Mn <sub>x</sub> O <sub>y</sub> particles. Physical Chemistry Chemical Physics, 2021, 23, 514-527.	2.8	2
2	Insights into the phenomenon of "bubble-free" electrocatalytic oxygen evolution from water. Sustainable Energy and Fuels, 2021, 5, 808-819.	4.9	13
3	Interaction of graphene, MnO <sub>2</sub> , and Ca <sup>2+</sup> for enhanced biomimetic, "bubble-free" oxygen evolution reaction at mild pH. International Journal of Hydrogen Energy, 2021, 46, 28397-28405.	7.1	1
4	The prospects of developing a highly energy-efficient water electrolyser by eliminating or mitigating bubble effects. Sustainable Energy and Fuels, 2021, 5, 1280-1310.	4.9	35
5	Rationalizing the Geometries of the Water Oxidising Complex in the Atomic Resolution, Nominal S <sub>3</sub> State Crystal Structures of Photosystem II. ChemPhysChem, 2020, 21, 785-801.	2.1	12
6	DFT Prediction and Experimental Investigation of Valence Tautomerism in Cobalt-Dioxolene Complexes. Inorganic Chemistry, 2019, 58, 4230-4243.	4.0	53
7	Linear Optical, Quadratic and Cubic Nonlinear Optical, Electrochemical, and Theoretical Studies of "Rigid-Bis-Alkynyl Ruthenium Complexes. ChemPlusChem, 2018, 83, 630-642.	2.8	11
8	Long-Range Corrected DFT Calculations of First Hyperpolarizabilities and Excitation Energies of Metal Alkynyl Complexes. ChemPhysChem, 2018, 19, 1537-1546.	2.1	17
9	Quadratic and cubic hyperpolarizabilities of nitro-phenyl/naphthalenyl-anthracenyl alkynyl complexes. Dalton Transactions, 2018, 47, 4560-4571.	3.3	15
10	Explaining the Different Geometries of the Water Oxidising Complex in the Nominal S <sub>3</sub> State Crystal Structures of Photosystem II at 2.25 Å and 2.35 Å. ChemPhysChem, 2018, 19, 3296-3309. <sup>2,1</sup>		8
11	Quadratic and Cubic Optical Nonlinearities of Y-Shaped and Distorted H-Shaped Arylalkynylruthenium Complexes. Chemistry - A European Journal, 2018, 24, 16332-16341.	3.3	10
12	Organometallic Complexes for Non-Linear Optics. 59. Syntheses and Optical Properties of Some Octupolar (N-Heterocyclic Carbene)gold Complexes. Australian Journal of Chemistry, 2017, 70, 79.	0.9	3
13	Vibrational intensities in the mobile block Hessian approximation. Physical Chemistry Chemical Physics, 2017, 19, 6654-6664.	2.8	2
14	What Mn K <sub>L23</sub> spectroscopy reveals concerning the oxidation states of the Mn cluster in photosystem II. Physical Chemistry Chemical Physics, 2017, 19, 27682-27693.	2.8	22
15	Rationalizing the 2.25 Å Resolution Crystal Structure of the Water Oxidising Complex of Photosystem II in the S <sub>3</sub> State. ChemPhysChem, 2017, 18, 2924-2931.	2.1	13
16	Synthesis, Optical, Electrochemical, and Theoretical Studies of Dipolar Ruthenium Alkynyl Complexes with Oligo(phenylenevinylene) Bridges. ChemPlusChem, 2016, 81, 613-620.	2.8	5
17	Effect of concomitant oxidation and deprotonation of hydrated Mn centres in rationalising the FTIR difference silence of D1-Asp170 in Photosystem II. Journal of Inorganic Biochemistry, 2016, 155, 101-104.	3.5	6
18	What computational chemistry and magnetic resonance reveal concerning the oxygen evolving centre in Photosystem II. Journal of Inorganic Biochemistry, 2016, 162, 178-189.	3.5	16



#	ARTICLE	IF	CITATIONS
37	Why nature chose Mn for the water oxidase in Photosystem II. Dalton Transactions, 2012, 41, 7179.	3.3	59
38	Rationalizing the 1.9 Å... Crystal Structure of Photosystem II—A Remarkable Jahn–Teller Balancing Act Induced by a Single Proton Transfer. Angewandte Chemie - International Edition, 2012, 51, 12025-12028.	13.8	67
39	The interaction of His337 with the Mn <sub>4</sub> Ca cluster of photosystem II. Physical Chemistry Chemical Physics, 2012, 14, 4651.	2.8	32
40	Dinitrogen metal complexes with a strongly activated N≡N bond: a computational investigation of [(Cy <sub>2</sub> N) <sub>3</sub> Nb-( $\frac{1}{4}$ -NN)-Nb(NCy <sub>2</sub> ) <sub>3</sub> ] and related [Nb-( $\frac{1}{4}$ -NN)-Nb] systems. Dalton Transactions, 2012, 41, 13948.	3.3	4
41	What spectroscopy reveals concerning the Mn oxidation levels in the oxygen evolving complex of photosystem II: X-ray to near infra-red. Dalton Transactions, 2012, 41, 11145.	3.3	54
42	Modelling the metal atom positions of the Photosystem II water oxidising complex: a density functional theory appraisal of the 1.9 Å... resolution crystal structure. Physical Chemistry Chemical Physics, 2012, 14, 11333.	2.8	50
43	Multistate Redox-Active Metalated Triarylaminos. European Journal of Inorganic Chemistry, 2012, 2012, 65-75.	2.0	41
44	Structural similarities in enzymatic, homogeneous and heterogeneous catalysts of water oxidation. Chemical Science, 2011, 2, 2254.	7.4	32
45	Tuning the Laplaza-Cummins 3-coordinate M[N(R)Ph] <sub>3</sub> catalyst to activate and cleave CO <sub>2</sub> . Dalton Transactions, 2011, 40, 5569.	3.3	12
46	Achieving C≡N bond cleavage in dinuclear metal cyanide complexes. Dalton Transactions, 2011, 40, 7327.	3.3	11
47	Structural and Electronic Models of the Water Oxidizing Complex in the S <sub>0</sub> State of Photosystem II: A Density Functional Study.. Journal of Physical Chemistry B, 2011, 115, 4484-4499.	2.6	14
48	DFT Study on the Mechanism of the Activation and Cleavage of CO <sub>2</sub> by (NHC)CuEPh <sub>3</sub> (E = Si, Ge, Sn). Organometallics, 2011, 30, 1340-1349.	2.3	66
49	DFT Studies on the Carboxylation of the C–H Bond of Heteroarenes by Copper(I) Complexes. Organometallics, 2011, 30, 6218-6224.	2.3	38
50	Toward the Assignment of the Manganese Oxidation Pattern in the Water-Oxidizing Complex of Photosystem II: A Time-Dependent DFT Study of XANES Energies. Chemistry - A European Journal, 2011, 17, 5699-5713.	3.3	39
51	Application of computational chemistry to understanding the structure and mechanism of the Mn catalytic site in photosystem II—A review. Journal of Photochemistry and Photobiology B: Biology, 2011, 104, 80-93.	3.8	60
52	Scission of Carbon Monoxide Using TaR <sub>3</sub> , R=( <i>i</i> -Bu)Ph or OSi( <i>i</i> -Bu) <sub>3</sub> : A DFT Investigation. Chemistry - A European Journal, 2010, 16, 8117-8132.	3.3	7
53	Hydration Preferences for Mn <sub>4</sub> Ca Cluster Models of Photosystem II: Location of Potential Substrate Water Binding Sites. Chemistry - A European Journal, 2010, 16, 14026-14042.	3.3	21
54	Location of Potential Substrate Water Binding Sites in the Water Oxidizing Complex of Photosystem II. Angewandte Chemie - International Edition, 2010, 49, 4233-4236.	13.8	41

#	ARTICLE	IF	CITATIONS
55	Factors Dictating Carbene Formation at (PNP)Ir. <i>Organometallics</i> , 2010, 29, 4239-4250.	2.3	16
56	Activation and cleavage of the N≡N bond in side-on bound [L <sub>2</sub> M-NN-ML <sub>2</sub> ] (L = NH <sub>2</sub> , NMe <sub>2</sub> , NiPr <sub>2</sub> , C <sub>5</sub> H <sub>5</sub> ,) <i>J. Am. Chem. Soc.</i> 2010, 132, 4529.	3.3	19
57	A Comparison of N <sub>2</sub> Cleavage in Schrock's Mo[N <sub>3</sub> ] and Laplaza's Cummins' Mo[N(R)Ar] <sub>3</sub> Systems. <i>Chemistry - A European Journal</i> , 2009, 15, 646-655.	3.3	16
58	Dinitrogen Activation by Fryzuk's [Nb(P <sub>2</sub> N <sub>2</sub> )] Complex and Comparison with the Laplaza's Cummins [Mo{N(R)Ar} <sub>3</sub> ] and Schrock [Mo(N <sub>3</sub> )] Systems. <i>Chemistry - A European Journal</i> , 2009, 15, 11373-11383.	3.3	9
59	Organometallic Complexes for Nonlinear Optics. 42. Syntheses, Linear, and Nonlinear Optical Properties of Ligated Metal-Functionalized Oligo(phenyleneethynylene)s. <i>Inorganic Chemistry</i> , 2009, 48, 6534-6547.	4.0	35
60	Organometallic Complexes for Nonlinear Optics. 43. Quadratic Optical Nonlinearities of Dipolar Alkynylruthenium Complexes with Phenyleneethynylene/Phenylenevinylene Bridges. <i>Inorganic Chemistry</i> , 2009, 48, 3562-3572.	4.0	37
61	The effect of Mn oxidation state on metal core electron excitations in manganese dimers: a time-dependent density functional investigation. <i>Physical Chemistry Chemical Physics</i> , 2009, 11, 5634.	2.8	20
62	Activation and cleavage of the N≡O bond in dinuclear mixed-metal nitrosyl systems and comparative analysis of carbon monoxide, dinitrogen, and nitric oxide activation. <i>Dalton Transactions</i> , 2009, , 956-964.	3.3	10
63	Reactivity of CO <sub>2</sub> towards Mo[N(R)Ph] <sub>3</sub> . <i>Dalton Transactions</i> , 2009, , 9266.	3.3	13
64	Length-Dependent Convergence and Saturation Behavior of Electrochemical, Linear Optical, Quadratic Nonlinear Optical, and Cubic Nonlinear Optical Properties of Dipolar Alkynylruthenium Complexes with Oligo(phenyleneethynylene) Bridges. <i>Journal of the American Chemical Society</i> , 2009, 131, 10293-10307.	13.7	80
65	Structural, Magnetic Coupling and Oxidation State Trends in Models of the CaMn <sub>4</sub> Cluster in Photosystem II. <i>Chemistry - A European Journal</i> , 2008, 14, 5482-5494.	3.3	30
66	Activation of CS <sub>2</sub> and CS by ML <sub>3</sub> Complexes. <i>Journal of the American Chemical Society</i> , 2008, 130, 11928-11938.	13.7	37
67	Time-Dependent DFT Studies of Metal Core-Electron Excitations in Mn Complexes. <i>Journal of Physical Chemistry A</i> , 2008, 112, 11223-11234.	2.5	20
68	Investigating CN≡ cleavage by three-coordinate M[N(R)Ar] <sub>3</sub> complexes. <i>Dalton Transactions</i> , 2008, , 338-344.	3.3	18
69	Electronic Structure and Metal-Metal Interactions in Trinuclear Face-Shared [M <sub>3</sub> X <sub>12</sub> ] <sub>3</sub> (M = Mo, W; X) <i>J. Am. Chem. Soc.</i> 2007, 129, 11882-11883.	4.0	14
70	Independent Switching of Cubic Nonlinear Optical Properties in a Ruthenium Alkynyl Cruciform Complex by Employing Protic and Electrochemical Stimuli. <i>Journal of the American Chemical Society</i> , 2007, 129, 11882-11883.	13.7	84
71	Breaking Chemistry's Strongest Bond: Can Three-Coordinate [M{N(R)Ar} <sub>3</sub> ] Complexes Cleave Carbon Monoxide?. <i>Chemistry - A European Journal</i> , 2007, 13, 4264-4272.	3.3	24
72	Bridge Over Troubled Water: Resolving the Competing Photosystem II Crystal Structures. <i>Chemistry - A European Journal</i> , 2007, 13, 5082-5089.	3.3	45

#	ARTICLE	IF	CITATIONS
73	Cleavage of CO by Mo[N(R)Ar] <sub>3</sub> Complexes. <i>European Journal of Inorganic Chemistry</i> , 2007, 2007, 3736-3741.	2.0	15
74	Periodic trends in metal-metal bonding in edge-shared [M <sub>2</sub> Cl <sub>10</sub> ] <sup>4-</sup> systems. <i>Polyhedron</i> , 2007, 26, 2942-2948.	2.2	9
75	Periodic trends in metal-metal interactions in face-shared [M <sub>2</sub> Cl <sub>9</sub> ] <sup>3-</sup> systems. <i>Dalton Transactions</i> , 2006, , 2017-2025.	3.3	13
76	Optimizing Small Molecule Activation and Cleavage in Three-Coordinate M[N(R)Ar] <sub>3</sub> Complexes. <i>Inorganic Chemistry</i> , 2006, 45, 6851-6859.	4.0	25
77	Ligand rotation in [Ar(R)N] <sub>3</sub> M-N <sub>2</sub> -M <sup>2+</sup> [N(R)Ar] <sub>3</sub> (M, M <sup>2+</sup> = Mo <sup>III</sup> , Nb <sup>III</sup> ; R = <i>i</i> Pr and <i>t</i> Bu) dimers. <i>Dalton Transactions</i> , 2005, , 962-968.	3.3	21
78	Metal-Metal Interactions in Mixed-Valence [M <sub>2</sub> Cl <sub>9</sub> ] <sup>2-</sup> Species: Electronic Structure of d <sup>1</sup> d <sup>2</sup> (V, Nb, Ta) and d <sup>4</sup> d <sup>5</sup> (Fe, Ru, Os) Face-Shared Systems. <i>Inorganic Chemistry</i> , 2005, 44, 5081-5091.	4.0	12
79	Activation and cleavage of dinitrogen by three-coordinate metal complexes involving Mo(III) and Nb(III). <i>Dalton Transactions</i> , 2004, , 2492.	3.3	19
80	Theoretical analysis of the [Mn <sub>2</sub> ( $\frac{1}{4}$ -oxo) <sub>2</sub> ( $\frac{1}{4}$ -carboxylato) <sub>2</sub> ] <sup>+</sup> core. <i>Physical Chemistry Chemical Physics</i> , 2004, 6, 4871-4877.	2.8	9
81	Density Functional Investigation of Metal-Metal Interactions in Mixed-Valence d <sup>2</sup> d <sup>3</sup> (Cr, Mo, W) and d <sup>3</sup> d <sup>4</sup> (Mn, Tc, Re) Face-Shared [M <sub>2</sub> Cl <sub>9</sub> ] <sup>2-</sup> Systems. <i>Inorganic Chemistry</i> , 2004, 43, 6734-6744.	4.0	15
82	Density Functional Investigation of Metal-Metal Interactions in d <sup>4</sup> d <sup>4</sup> Face-Shared [M <sub>2</sub> Cl <sub>9</sub> ] <sup>3-</sup> (M = Mn, Tj ETQq0 0.0 rgBT / Overlock 10	4.0	14
83	DFT and Metal-Metal Bonding: A Dys-Functional Treatment for Multiply Charged Complexes?. <i>Inorganic Chemistry</i> , 2004, 43, 2597-2610.	4.0	50
84	Organometallic complexes for nonlinear optics.. <i>Inorganica Chimica Acta</i> , 2003, 352, 9-18.	2.4	81
85	Influence of the Ligand on the Coupling between the Metal-Based Electrons in Face-Shared [M <sub>2</sub> X <sub>9</sub> ] <sup>3-</sup> (M) Tj ETQq1 1.0.784314 rgBT /	4.0	10
86	Organometallic Complexes for Nonlinear Optics. 30.1 Electrochromic Linear and Nonlinear Optical Properties of Alkynylbis(diphosphine)ruthenium Complexes. <i>Journal of the American Chemical Society</i> , 2003, 125, 602-610.	13.7	199
87	Cl <sub>3</sub> V( $\frac{1}{4}$ -S(CH <sub>3</sub> ) <sub>2</sub> ) <sub>3</sub> VCl <sub>3</sub> : A First-Row, Face-Shared Bioctahedral Complex with Multiple Metal-Metal Bonding. <i>Inorganic Chemistry</i> , 2003, 42, 4417-4424.	4.0	4
88	Mixed-Metal Cluster Chemistry. 22. Synthesis and Crystallographic, Electrochemical, and Theoretical Studies of Alkyne-Coordinated Group 6 Iridium Clusters Linked by Phenyleneethynylene Groups. <i>Organometallics</i> , 2003, 22, 708-721.	2.3	34
89	Dinitrogen activation in sterically-hindered three-coordinate transition metal complexes. <i>Faraday Discussions</i> , 2003, 124, 331.	3.2	35
90	Magnetic Coupling and Intermetallic Electron Transfer in the Heterodinuclear Bioctahedral Complexes M <sup>III</sup> Cl <sub>9</sub> <sup>n-</sup> (M = VII, Cr <sup>III</sup> , Mn <sup>IV</sup> ): Tweaking the Balance between Ferromagnetism and Antiferromagnetism. <i>Inorganic Chemistry</i> , 2002, 41, 2341-2347.	4.0	19

#	ARTICLE	IF	CITATIONS
91	Factors Affecting Metal-Metal Bonding in the Face-Shared d <sup>3</sup> d <sup>3</sup> Bioctahedral Dimer Systems, M <sub>2</sub> Cl <sub>9</sub> (M, M' = V, Nb, Ta). <i>Inorganic Chemistry</i> , 2002, 41, 6291-6297.	4.0	4
92	Electronic structure and metal-metal bonding in nominal d <sup>3</sup> d <sup>3</sup> M <sub>2</sub> Cl <sub>9</sub> (M = V, Nb, Ta; M' = Mn, Tc, Re) complexes. <i>Inorganic Chemistry</i> , 2002, 41, 1163-1175.	2.3	7
93	Metal-metal bonding trends in mixed-group, face-shared d <sup>3</sup> d <sup>3</sup> bioctahedral dimer systems, M <sub>2</sub> Cl <sub>9</sub> . <i>Polyhedron</i> , 2002, 21, 1163-1175.	2.2	16
94	Quantifying the effect of high-spin/low-spin crossover on electron delocalization in d <sup>5</sup> d <sup>5</sup> M <sub>2</sub> Cl <sub>9</sub> (M = Fe, Ru, Os) dimers. <i>Polyhedron</i> , 2002, 21, 1969-1977.	2.2	11
95	Mutual Interdependence of Spin Crossover and Metal-Metal Bond Formation in M <sub>2</sub> Cl <sub>9</sub> (M = Fe, Ru, Os) complexes. <i>Inorganic Chemistry</i> , 2002, 41, 7843-7848.	4.0	28
96	Ligand Dependence of Metal-Metal Bonding in the d <sup>3</sup> d <sup>3</sup> Dimers M <sub>2</sub> X <sub>9</sub> (M = Cr, Mo, W; M' = Mn, Tc, Re). <i>Inorganic Chemistry</i> , 2002, 41, 827-832.	4.0	27
97	Oxidation State Dependence of the Geometry, Electronic Structure, and Magnetic Coupling in Mixed Oxo- and Carboxylato-Bridged Manganese Dimers. <i>Inorganic Chemistry</i> , 2001, 40, 3061-3076.	4.0	42
98	Magnetic Exchange in [Mn <sub>2</sub> (μ <sub>4</sub> -O) <sub>3</sub> (tmtacn) <sub>2</sub> ] <sup>2+</sup> : Metal-Metal Bonding or Superexchange?. <i>Inorganic Chemistry</i> , 2000, 39, 491-495.	4.0	20
99	Metal-Metal Bonding in M <sub>2</sub> Cl <sub>6</sub> (H <sub>2</sub> PCH <sub>2</sub> PH <sub>2</sub> ) <sub>2</sub> , M <sub>2</sub> Cl <sub>6</sub> (PH <sub>3</sub> ) <sub>4</sub> , and M <sub>2</sub> Cl <sub>10</sub> (M = Cr, Mo, W) Edge-Shared Dimer Systems. <i>Inorganic Chemistry</i> , 1999, 38, 5510-5518.	4.0	19
100	Electronic Structure of Face- and Edge-Shared Bioctahedral Systems: A Comparison of M <sub>2</sub> Cl <sub>9</sub> and M <sub>2</sub> Cl <sub>10</sub> , M = Cr, Mo, W. <i>Inorganic Chemistry</i> , 1998, 37, 3802-3808.	4.0	48
101	Metal-Metal Bonding in d <sup>1</sup> d <sup>1</sup> and d <sup>2</sup> d <sup>2</sup> Bioctahedral Dimer Systems: A Density Functional Study of Face-Shared M <sub>2</sub> X <sub>9</sub> (M = Ti, Zr, Hf, V, Nb, Ta) Complexes. <i>Inorganic Chemistry</i> , 1998, 37, 6795-6806.	4.0	38
102	Dissociative and Nondissociative Pathways in the end-to-end dimerization of Tetramethyl-o-xylene Complexes of Ruthenium and Osmium, ML <sub>3</sub> {μ <sub>4</sub> -o-C <sub>6</sub> Me <sub>4</sub> (CH <sub>2</sub> ) <sub>2</sub> } (M = Ru, L = PMe <sub>3</sub> ; M = Os, L = PMe <sub>3</sub> ). <i>Inorganic Chemistry</i> , 1998, 37, 3784-3797.	2.3	12
103	Assignment of Electronic Spectra of the Platinum(III) Dimer Complexes [Pt <sub>2</sub> (SO <sub>4</sub> ) <sub>4</sub> (H <sub>2</sub> O) <sub>2</sub> ] <sup>2-</sup> and [Pt <sub>2</sub> (HPO <sub>4</sub> ) <sub>4</sub> (H <sub>2</sub> O) <sub>2</sub> ] <sup>2-</sup> . <i>Inorganic Chemistry</i> , 1997, 36, 937-939.	4.0	8
104	Bonding of μ <sub>2</sub> -Acetylide Ligands to Electron-Rich Ruthenium Centers: Can Electron-Withdrawing Ligands Induce Significant Metal-to-Ligand Back-Bonding?. <i>Organometallics</i> , 1997, 16, 4004-4011.	2.3	80
105	Probing the Balance between Localization and Delocalization of the Metal-Based Electrons in Face-Shared Bioctahedral Complexes. <i>Inorganic Chemistry</i> , 1997, 36, 3242-3247.	4.0	61
106	Spin-Orbit Mixing and Nephelauxetic Effects in the Electronic Spectra of Nickel(II)-Encapsulating Complexes Involving Nitrogen and Sulfur Donors. <i>Inorganic Chemistry</i> , 1997, 36, 3466-3475.	4.0	27
107	Broken-Symmetry and Approximate Spin-Projected Potential Energy Curves for Bimetallic Systems: A Density Functional Study of M <sub>2</sub> Cl <sub>9</sub> , M = Cr(III), Mo(III), W(III), and Re(IV). <i>Journal of Physical Chemistry A</i> , 1997, 101, 6265-6272.	2.5	66
108	Electronic Structure of [Pt <sub>2</sub> (μ <sub>4</sub> -O <sub>2</sub> CCH <sub>3</sub> ) <sub>4</sub> (H <sub>2</sub> O) <sub>2</sub> ] <sup>2+</sup> Using the Quasi-Relativistic X <sub>1</sub> -SW Method: Analysis of Metal-Metal Bonding, Assignment of Electronic Spectra, and Comparison with Rh <sub>2</sub> (μ <sub>4</sub> -O <sub>2</sub> CCH <sub>3</sub> ) <sub>4</sub> (H <sub>2</sub> O) <sub>2</sub> . <i>Inorganic Chemistry</i> , 1996, 35, 2268-2275.	4.0	20

#	ARTICLE	IF	CITATIONS
109	Optimized Structures of Bimetallic Systems: A Comparison of Full- and Broken-Symmetry Density Functional Calculations. <i>Inorganic Chemistry</i> , 1996, 35, 3079-3080.	4.0	70
110	Magneto-Optical Investigation of the Exchange-Coupled Dimer Cs <sub>3</sub> Mo <sub>2</sub> Br <sub>9</sub> . <i>Inorganic Chemistry</i> , 1996, 35, 4218-4226.	4.0	34
111	Octahedral monomeric molybdenum(III). <i>Molecular Physics</i> , 1990, 69, 11-31.	1.7	12
112	Towards a computational understanding of water oxidation at graphene-bound Mn <sub>x</sub> O <sub>y</sub> and Mn <sub>x</sub> O <sub>y</sub> M <sup>2+</sup> particles. <i>Sustainable Energy and Fuels</i> , 0, , .	4.9	0