

# Fuqiang Wang

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6373559/publications.pdf>

Version: 2024-02-01

520  
papers

22,574  
citations

9756

73  
h-index

20307

116  
g-index

547  
all docs

547  
docs citations

547  
times ranked

9705  
citing authors

#	ARTICLE	IF	CITATIONS
1	Measuring neutron skin by grazing isobaric collisions. Physical Review C, 2022, 105, .	1.1	11
2	Inclusive and differential cross section measurements of single top quark production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
3	Search for flavor-changing neutral current interactions of the top quark and the Higgs boson decaying to a bottom quark-antiquark pair at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
4	Two- and three-particle nonflow contributions to the chiral magnetic effect measurement by spectator and participant planes in relativistic heavy ion collisions. Physical Review C, 2022, 105, .	1.1	12
5	Search for long-lived particles decaying to leptons with large impact parameter in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2022, 82, 153.	1.4	14
6	Study of dijet events with large rapidity separation in proton-proton collisions at $\sqrt{s} = 2.76$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	1
7	Search for low-mass dilepton resonances in Higgs boson decays to four-lepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2022, 82, 290.	1.4	18
8	Search for supersymmetry in final states with two or three soft leptons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	13
9	Search for long-lived particles decaying into muon pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV collected with a dedicated high-rate data stream. Journal of High Energy Physics, 2022, 2022, .	1.6	5
10	Search for a right-handed W boson and a heavy neutrino in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	12
11	Search for a heavy resonance decaying into a top quark and a W boson in the lepton+jets final state at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
12	Search for heavy resonances decaying to ZZ or ZW and axion-like particles mediating nonresonant ZZ or ZH production at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	6
13	Measurement and QCD analysis of double-differential inclusive jet cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
14	Search for electroweak production of charginos and neutralinos in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	5
15	Measurement of the inclusive $\overline{t}t$ production cross section in proton-proton collisions at $\sqrt{s} = 5.02$ TeV. Journal of High Energy Physics, 2022, 2022, 1.	1.6	2
16	Search for heavy resonances decaying to a pair of Lorentz-boosted Higgs bosons in final states with leptons and a bottom quark pair at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	2
17	Search for higgsinos decaying to two Higgs bosons and missing transverse momentum in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2022, 2022, .	1.6	4
18	Observation of $B^0 \rightarrow \psi(2S) K^0_{\text{S}} \mu^+ \mu^-$ and $B^0_{\text{S}} \rightarrow \psi(2S) K^0_{\text{S}} \mu^+ \mu^-$ decays. European Physical Journal C, 2022, 82, .	1.4	1

#	ARTICLE	IF	CITATIONS
19	Importance of non-flow background on the chiral magnetic wave search. Nuclear Physics A, 2021, 1005, 121770.	0.6	6
20	Measurement of hadronic event shapes in high-pT multijet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	4
21	Search for dark matter produced in association with a leptonically decaying $Z$ boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 13.	1.4	33
22	Search for top squark pair production using dilepton final states in collision data collected at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 3.	1.4	33
23	Differential cross-section measurements for the electroweak production of dijets in association with a Z boson in proton-proton collisions at ATLAS. European Physical Journal C, 2021, 81, 1.	1.4	12
24	Measurements of WH and ZH production in the $H \rightarrow \bar{b}b$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	38
25	Search for dark matter in association with an energetic photon in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	18
26	Search for type-III seesaw heavy leptons in dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	17
27	Measurement of light-by-light scattering and search for axion-like particles with $2.2 \text{ nb}^{-1}$ of Pb+Pb data with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	19
28	Measurements of $pp \rightarrow Z\gamma Z$ production cross sections and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 200.	1.4	24
29	Deciphering the $R^m$ correlator in search for the chiral magnetic effect in relativistic heavy ion collisions. Physical Review C, 2021, 103, .	1.1	3
30	Search for new phenomena with top quark pairs in final states with one lepton, jets, and missing transverse momentum in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
31	Development and validation of HERWIG tunes from CMS underlying-event measurements. European Physical Journal C, 2021, 81, 312.	1.4	12
32	Measurement of the Higgs boson production rate in association with top quarks in final states with electrons, muons, and hadronically decaying tau leptons at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 378.	1.4	40
33	Methods for a blind analysis of isobar data collected by the STAR collaboration. Nuclear Science and Techniques/Hewuli, 2021, 32, 1.	1.3	25
34	Measurements of production cross sections of the Higgs boson in the four-lepton final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 488.	1.4	35
35	Measurements of Higgs boson production cross sections and couplings in the diphoton decay channel at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2021, 2021, 1.	1.6	27
36	MUSIC: a model-unspecific search for new physics in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2021, 81, 629.	1.4	18

#	ARTICLE	IF	CITATIONS
37	Measurement of single top-quark production in association with a W boson in the single-lepton channel at $\sqrt{s} = 8, \text{ext \{TeV\}}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	3
38	Determine the neutron skin type by relativistic isobaric collisions. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 819, 136453.	1.5	37
39	Jet energy scale and resolution measured in proton-proton collisions at $\sqrt{s}=13 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2021, 81, 1.	1.4	64
40	Search for a heavy vector resonance decaying to a $\mathcal{Z}_\mu \mathcal{Z}^\mu$ boson and a Higgs boson in proton-proton collisions at $\sqrt{s} = 13, \text{ext \{TeV\}}$ . European Physical Journal C, 2021, 81, 688.	1.4	9
41	Search for charged Higgs bosons produced in vector boson fusion processes and decaying into vector boson pairs in proton-proton collisions at $\sqrt{s} = 13, \text{ext \{TeV\}}$ . European Physical Journal C, 2021, 81, 723.	1.4	19
42	Statistical uncertainties of the $\langle \mathcal{M} \rangle$ harmonics from $\langle \mathcal{M} \rangle$ cumulants. Physical Review C, 2021, 104, .	1.1	3
43	Measurements of angular distance and momentum ratio distributions in three-jet and $\mathcal{Z} + \text{two-jet}$ final states in $p\bar{p}$ collisions. European Physical Journal C, 2021, 81, 852.	1.4	2
44	Revisit the chiral magnetic effect expectation in isobaric collisions at the relativistic heavy ion collider. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2021, 820, 136549.	1.5	11
45	Precision luminosity measurement in proton-proton collisions at $\sqrt{s} = 13, \text{ext \{TeV\}}$ in 2015 and 2016 at CMS. European Physical Journal C, 2021, 81, 800.	1.4	123
46	Measurements of top-quark pair single- and double-differential cross-sections in the all-hadronic channel in pp collisions at $\sqrt{s} = 13 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2021, 2021, 1.	1.6	14
47	Search for phenomena beyond the Standard Model in events with large b-jet multiplicity using the ATLAS detector at the LHC. European Physical Journal C, 2021, 81, 1.	1.4	5
48	Combined searches for the production of supersymmetric top quark partners in proton-proton collisions at $\sqrt{s} = 13, \text{ext \{TeV\}}$ . European Physical Journal C, 2021, 81, 970.	1.4	18
49	Measurements of inclusive and differential cross-sections of combined $\overline{t}\gamma$ and $tW^3$ production in the $e^+e^-$ channel at 13 TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
50	Performance of the missing transverse momentum triggers for the ATLAS detector during Run-2 data taking. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
51	Search for new non-resonant phenomena in high-mass dilepton final states with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	24
52	Measurements of the Higgs boson inclusive and differential fiducial cross sections in the $4\ell$ decay channel at $\sqrt{s} = 13 \text{ TeV}$ . European Physical Journal C, 2020, 80, 1.	1.4	32
53	Fluctuations of anisotropic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	28
54	Measurement of differential cross sections for single diffractive dissociation in $\sqrt{s} = 8 \text{ TeV}$ pp collisions using the ATLAS ALFA spectrometer. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8

#	ARTICLE	IF	CITATIONS
55	Measurement of isolated-photon plus two-jet production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	3
56	Performance of the reconstruction and identification of high-momentum muons in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of Instrumentation, 2020, 15, P02027-P02027.	0.5	27
57	Measurements of the production cross-section for a Z boson in association with b-jets in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	11
58	Search for the HH $\rightarrow$ $b\bar{b}$ process via vector-boson fusion production using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	17
59	Observation of the associated production of a top quark and a Z boson in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
60	Measurement of the transverse momentum distribution of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	28
61	Search for direct production of electroweakinos in final states with missing transverse momentum and a Higgs boson decaying into photons in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	4
62	Measurements of top-quark pair spin correlations in the $t\bar{t}$ channel at $\sqrt{s} = 13$ TeV using pp collisions in the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	22
63	Performance of the CMS Level-1 trigger in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of Instrumentation, 2020, 15, P10017-P10017.	0.5	84
64	Search for new phenomena in final states with large jet multiplicities and missing transverse momentum using $\sqrt{s} = 13$ TeV proton-proton collisions recorded by ATLAS in Run 2 of the LHC. Journal of High Energy Physics, 2020, 2020, 1.	1.6	12
65	Search for direct top squark pair production in events with one lepton, jets, and missing transverse momentum at 13 TeV with the CMS experiment. Journal of High Energy Physics, 2020, 2020, 1.	1.6	21
66	Probing the Neutron Skin with Ultrarelativistic Isobaric Collisions. Physical Review Letters, 2020, 125, 222301.	2.9	35
67	Higgs boson production cross-section measurements and their EFT interpretation in the $t\bar{t}$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	41
68	Search for pairs of scalar leptoquarks decaying into quarks and electrons or muons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	36
69	Measurement of top quark pair production in association with a Z boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	20
70	Search for squarks and gluinos in final states with same-sign leptons and jets using 139 fb $^{-1}$ of data collected with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	19
71	Search for dijet resonances in events with an isolated charged lepton using $\sqrt{s} = 13$ TeV proton-proton collision data collected by the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	7
72	Back-to-back relative-excess observable to identify the chiral magnetic effect. Physical Review C, 2020, 101, .	1.1	0

#	ARTICLE	IF	CITATIONS
73	Elliptic flow coalescence to identify the $\langle \mathbf{p}_T \rangle$ (980) content. Physical Review C, 2020, 101, .		
74	Search for production of four top quarks in final states with same-sign or multiple leptons in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2020, 80, 75.	1.4	78
75	Searches for physics beyond the standard model with the $M_{T2}$ variable in hadronic final states with and without disappearing tracks in proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2020, 80, 3.	1.4	70
76	Extraction and validation of a new set of CMS pythia8 tunes from underlying-event measurements. European Physical Journal C, 2020, 80, 4.	1.4	198
77	Complications in the interpretation of the charge-asymmetry-dependent $\langle \mathbf{p}_T \rangle$ flow for the chiral magnetic wave. Physical Review C, 2020, 101, .	1.1	6
78	Measurement of the $Z(\rightarrow \mu^+\mu^-)$ production cross-section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	9
79	hijing can describe the anisotropy-scaled charge-dependent correlations at the BNL Relativistic Heavy Ion Collider. Physical Review C, 2020, 101, .	1.1	11
80	Measurement of long-range two-particle azimuthal correlations in Z-boson tagged pp collisions at $\sqrt{s}=8$ and 13 TeV. European Physical Journal C, 2020, 80, 1.	1.4	5
81	Transverse momentum and process dependent azimuthal anisotropies in $\sqrt{s}_{\text{NN}}=8.16$ TeV p+Pb collisions with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	12
82	Search for dark matter particles produced in association with a Higgs boson in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
83	Measurement of $J/\psi$ production in association with a $W_{\pm}$ boson with pp data at 8 TeV. Journal of High Energy Physics, 2020, 2020, 1.	1.6	10
84	Search for new resonances in mass distributions of jet pairs using 139 fb <sup>-1</sup> of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	68
85	Search for $\overline{t}t$ resonances in fully hadronic final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2020, 2020, 1.	1.6	14
86	Reconstruction and identification of boosted di- $\tau$ systems in a search for Higgs boson pairs using 13 TeV proton-proton collision data in ATLAS. Journal of High Energy Physics, 2020, 2020, 1.	1.6	8
87	Performance of electron and photon triggers in ATLAS during LHC Run 2. European Physical Journal C, 2020, 80, 1.	1.4	93
88	Search for electroweak production of charginos and sleptons decaying into final states with two leptons and missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	124
89	Search for top squarks in events with a Higgs or Z boson using 139 fb <sup>-1</sup> of pp collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	4
90	Evidence for $\text{Star}t\text{-}t$ production in the multilepton final state in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	30

#	ARTICLE	IF	CITATIONS
91	Search for heavy diboson resonances in semileptonic final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	29
92	Search for light long-lived neutral particles produced in pp collisions at $\sqrt{s} = 13$ TeV and decaying into collimated leptons or light hadrons with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	21
93	Search for a scalar partner of the top quark in the all-hadronic $t\bar{t}$ plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	36
94	Alignment of the ATLAS Inner Detector in Run 2. European Physical Journal C, 2020, 80, 1.	1.4	12
95	Determination of jet calibration and energy resolution in proton-proton collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. European Physical Journal C, 2020, 80, 1.	1.4	15
96	Constraints on mediator-based dark matter and scalar dark energy models using $\sqrt{s} = 13$ TeV pp collision data collected by the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	49
97	Search for dark matter produced in association with a single top quark or a top quark pair in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	17
98	Search for long-lived neutral particles in pp collisions at $\sqrt{s} = 13$ TeV that decay into displaced hadronic jets in the ATLAS calorimeter. European Physical Journal C, 2019, 79, 1.	1.4	28
99	Search for Higgs boson pair production in the $WW^{(*)}WW^{(*)}$ decay channel using ATLAS data recorded at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	21
100	Data-driven subtraction of anisotropic flows in jet-like correlation studies in heavy-ion collisions. Physical Review C, 2019, 100, .	1.1	1
101	Charm quarks are more hydrodynamic than light quarks in final-state elliptic flow. Physical Review C, 2019, 99, .	1.1	9
102	Search for large missing transverse momentum in association with one top-quark in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	8
103	Measurement of $W^{\pm}Z$ production cross sections and gauge boson polarisation in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	41
104	Searches for third-generation scalar leptoquarks in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	30
105	Search for scalar resonances decaying into $\tau^+\tau^-$ in events with and without b-tagged jets produced in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	15
106	Search for diboson resonances in hadronic final states in $139 \text{ fb}^{-1}$ of pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	20
107	Search for excited electrons singly produced in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS experiment at the LHC. European Physical Journal C, 2019, 79, .	1.4	4
108	Identification of boosted Higgs bosons decaying into b-quark pairs with the ATLAS detector at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2019, 79, .	1.4	21

#	ARTICLE	IF	CITATIONS
109	Measurement of the cross-section and charge asymmetry of W bosons produced in proton-proton collisions at $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
110	Measurement of jet-substructure observables in top quark, W boson and light jet production in proton-proton collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	13
111	Electron reconstruction and identification in the ATLAS experiment using the 2015 and 2016 LHC proton-proton collision data at $\sqrt{s} = 13\text{ TeV}$ . European Physical Journal C, 2019, 79, 1.	1.4	77
112	Measurement of distributions sensitive to the underlying event in inclusive Z boson production in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	3
113	A novel invariant mass method to isolate resonance backgrounds from the chiral magnetic effect. Nuclear Physics A, 2019, 982, 563-566.	0.6	6
114	Re-examining the premise of isobaric collisions and a novel method to measure the chiral magnetic effect. Nuclear Physics A, 2019, 982, 531-534.	0.6	2
115	Search for the pair production of light top squarks in the $e^+e^- \rightarrow t\bar{t}$ final state in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
116	Search for single production of vector-like quarks decaying into Wb in pp collisions at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
117	Search for top-quark decays $t \rightarrow Hq$ with $36\text{ fb}^{-1}$ of pp collision data at $\sqrt{s} = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	19
118	Experimental searches for the chiral magnetic effect in heavy-ion collisions. Progress in Particle and Nuclear Physics, 2019, 107, 200-236.	5.6	81
119	Measurement of $VH$ , $\text{H} \rightarrow \text{b}\bar{\text{b}}$ production as a function of the vector-boson transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
120	Measurements of the pp $\rightarrow WZ$ inclusive and differential production cross sections and constraints on charged anomalous triple gauge couplings at $\sqrt{s} = 13\text{ TeV}$ . Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
121	Measurement of the $t\bar{t}$ production cross section, the top quark mass, and the strong coupling constant using dilepton events in pp collisions at. European Physical Journal C, 2019, 79, 368.	1.4	68
122	Measurements of W and Z boson production in pp collisions at $\sqrt{s}=5.02\text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
123	Performance of top-quark and $W$ -boson tagging with ATLAS in Run 2 of the LHC. European Physical Journal C, 2019, 79, 1.	1.4	42
124	Measurements of inclusive and differential fiducial cross-sections of $\text{t}\bar{\text{t}}\gamma$ production in leptonic final states at $\sqrt{s}=13\text{ TeV}$ in ATLAS. European Physical Journal C, 2019, 79, 1.	1.4	14
125	Search for dark matter produced in association with a Higgs boson decaying to a pair of bottom quarks in proton-proton collisions at $\sqrt{s}=13\text{ TeV}$ . European Physical Journal C, 2019, 79, 280.	1.4	29
126	Electron and photon energy calibration with the ATLAS detector using 2015-2016 LHC proton-proton collision data. Journal of Instrumentation, 2019, 14, P03017-P03017.	0.5	37



#	ARTICLE	IF	CITATIONS
127	Search for $\overline{t}t$ production in the $\overline{b}b$ decay channel with leptonic $\overline{t}t$ decays in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2019, 1.	1.6	28
128	Search for doubly charged scalar bosons decaying into same-sign W boson pairs with the ATLAS detector. European Physical Journal C, 2019, 79, 58.	1.4	61
129	Search for heavy Majorana or Dirac neutrinos and right-handed W gauge bosons in final states with two charged leptons and two jets at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	39
130	In situ calibration of large-radius jet energy and mass in $13\text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	28
131	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run 2 data collected in 2015 and 2016. European Physical Journal C, 2019, 79, 1.	1.4	46
132	Isolating the chiral magnetic effect from backgrounds by pair invariant mass. European Physical Journal C, 2019, 79, 1.	1.4	32
133	Measurement of the ratio of cross sections for inclusive isolated-photon production in pp collisions at $\sqrt{s} = 13$ and 8 TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
134	Measurement of the top quark mass in the $t \rightarrow t \bar{t}$ . European Physical Journal C, 2019, 79, 1.	1.4	47
135	Search for pair production of Higgs bosons in the $\overline{b}b$ final state using proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	55
136	Search for heavy resonances decaying into two Higgs bosons or into a Higgs boson and a W or Z boson in proton-proton collisions at 13 TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	12
137	A strategy for a general search for new phenomena using data-derived signal regions and its application within the ATLAS experiment. European Physical Journal C, 2019, 79, 1.	1.4	25
138	Measurement of the top-quark mass in $\overline{t}t + 1$ -jet events collected with the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	27
139	Measurement of fiducial and differential $W^+W^-$ production cross-sections at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	24
140	Measurement of ZZ production in the $\gamma\gamma$ final state with the ATLAS detector in pp collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	6
141	Measurement of $W^{\pm}$ -boson and Z-boson production cross-sections in pp collisions at $\sqrt{s}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	8
142	Search for heavy neutral leptons in decays of W bosons produced in 13 TeV pp collisions using prompt and displaced signatures with the ATLAS detector. Journal of High Energy Physics, 2019, 2019, 1.	1.6	50
143	Measurement of $W^{\pm}$ boson production in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	17
144	ATLAS b-jet identification performance and efficiency measurement with $t\bar{t}$ events in pp collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2019, 79, 1.	1.4	130

#	ARTICLE	IF	CITATIONS
145	Measurement of flow harmonics correlations with mean transverse momentum in lead-lead and proton-lead collisions at $\sqrt{s_{\mathrm{NN}}} = 5.02$ – $7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	36
146	Measurement of the differential Drell-Yan cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	18
147	Measurements of top-quark pair differential and double-differential cross-sections in the $t\bar{t} + \text{jets}$ channel with pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	34
148	Search for bottom-squark pair production with the ATLAS detector in final states containing Higgs bosons, b-jets and missing transverse momentum. Journal of High Energy Physics, 2019, 2019, 1.	1.6	14
149	Measurement of the inclusive isolated-photon cross section in pp collisions at $\sqrt{s} = 13$ TeV using $36 \text{ fb}^{-1}$ of ATLAS data. Journal of High Energy Physics, 2019, 2019, 1.	1.6	5
150	Measurements of differential Z boson production cross sections in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2019, 2019, 1.	1.6	28
151	Measurement of $K_S^0$ and $\Lambda^0$ production in $t\bar{t}$ dileptonic events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2019, 79, 1.	1.4	4
152	Elliptic flow from Coulomb interaction and low density elastic scattering. Physical Review C, 2018, 97, .	1.1	0
153	Search for additional heavy neutral Higgs and gauge bosons in the ditau final state produced in $36 \text{ fb}^{-1}$ of pp collisions at $s = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	116
154	Measurement of the cross-section for producing a W boson in association with a single top quark in pp collisions at $s = 13$ TeV with ATLAS. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
155	Measurement of the W-boson mass in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 110.	1.4	218
156	Search for new physics in events with a leptonically decaying Z boson and a large transverse momentum imbalance in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 291.	1.4	27
157	Search for new phenomena in high-mass final states with a photon and a jet from pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 102.	1.4	13
158	Measurements of the $\sigma(\text{pp} \rightarrow \text{ZZ})$ production cross section and the $\sigma(\text{pp} \rightarrow \text{Z}\ell\ell)$ branching fraction, and constraints on anomalous triple gauge couplings at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 165.	1.4	52
159	Search for the direct production of charginos and neutralinos in final states with tau leptons in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 154.	1.4	52
160	Measurement of longitudinal flow decorrelations in Pb+Pb collisions at $\sqrt{s_{\mathrm{NN}}} = 2.76$ and 5.0 TeV. European Physical Journal C, 2018, 78, 142.	1.4	59
161	Measurement of quarkonium production in proton-lead and proton-proton collisions at $\sqrt{s} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 171.	1.4	75
162	Measurement of differential cross-sections of a single top quark produced in association with a W boson at $\sqrt{s} = 13$ TeV with ATLAS. European Physical Journal C, 2018, 78, 186.	1.4	20

#	ARTICLE	IF	CITATIONS
163	Search for heavy ZZ resonances in the $e^+e^-e^+e^-$ , $e^+e^-e^+e^-$ and $e^+e^-e^+e^-$ final states using proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 293.	1.4	101
164	A search for pair-produced resonances in four-jet final states at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 250.	1.4	66
165	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
166	Search for heavy resonances decaying into WW in the $e^+e^-e^+e^-$ final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 24.	1.4	108
167	Direct top-quark decay width measurement in the $t \rightarrow \text{lepton} + \text{jets}$ channel at $\sqrt{s} = 8$ TeV with the ATLAS experiment. European Physical Journal C, 2018, 78, 129.	1.4	17
168	Search for electroweak production of charginos and neutralinos in multilepton final states in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	63
169	Search for WW/Z resonance production in $q\bar{q}$ final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
170	Measurement of the Higgs boson coupling properties in the $H \rightarrow Z\gamma$ decay channel at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	46
171	Search for $t\bar{t}H$ production in the all-jet final state in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20
172	Search for the Higgs boson produced in association with a vector boson and decaying into two spin-zero particles in the $H \rightarrow a\bar{a} + b\bar{b}$ channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	28
173	Measurement of the $Z\gamma \rightarrow u\bar{u}$ production cross section in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector and limits on anomalous triple gauge-boson couplings. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
174	Prompt and non-prompt $J/\psi$ elliptic flow in Pb+Pb collisions at $\sqrt{s_{NN}} = 5.02$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 784.	1.4	19
175	Search for Higgs boson pair production in the $\gamma\gamma WW$ channel using pp collision data recorded at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 1007.	1.4	53
176	Search for heavy resonances decaying into a vector boson and a Higgs boson in final states with charged leptons, neutrinos and b quarks at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	11
177	Measurement of colour flow using jet-pull observables in $t\bar{t}$ events with the ATLAS experiment at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 847.	1.4	16
178	Angular analysis of $B^0 \rightarrow \bar{D}^* K^* \rightarrow \bar{D}^* K^* \gamma$ decays in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	76
179	Search for decays of stopped exotic long-lived particles produced in proton-proton collisions at $\sqrt{s} = 13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
180	Search for a new heavy gauge-boson resonance decaying into a lepton and missing transverse momentum in $36 \text{ fb}^{-1}$ of pp collisions at. European Physical Journal C, 2018, 78, 401.	1.4	50

#	ARTICLE	IF	CITATIONS
181	Search for dark matter in events with a hadronically decaying vector boson and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
182	Measurements of differential cross sections of top quark pair production in association with jets in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	9
183	Search for Higgs boson pair production in the $\gamma\gamma$ final state with 13 TeV pp collision data collected by the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
184	Search for new phenomena in events with same-charge leptons and b-jets in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	30
185	Measurement of the azimuthal anisotropy of charged particles produced in $\sqrt{s_{NN}} = 5.02$ TeV Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 997.	1.4	51
186	Measurements of Higgs boson properties in the diphoton decay channel in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	57
187	Performance of missing transverse momentum reconstruction with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 903.	1.4	181
188	Search for electroweak production of supersymmetric particles in final states with two or three leptons at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 995.	1.4	125
189	Search for $Z^0$ resonances using leptonic and hadronic final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
190	Search for charged Higgs bosons decaying into top and bottom quarks at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	56
191	Search for black holes and sphalerons in high-multiplicity final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	14
192	Operation and performance of the ATLAS Tile Calorimeter in Run 1. European Physical Journal C, 2018, 78, 987.	1.4	25
193	Multiphase transport model predictions of isobaric collisions with nuclear structure from density functional theory. Physical Review C, 2018, 98, .	1.1	23
194	Measurement of differential cross sections for $Z$ boson production in association with jets in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2018, 78, 965.	1.4	39
195	Search for supersymmetry in final states with missing transverse momentum and multiple b-jets in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	37
196	Search for a heavy resonance decaying into a Z boson and a Z or W boson in $2q$ final states at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	8
197	Search for pair production of heavy vector-like quarks decaying into high- $p_T$ W bosons and top quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	22
198	Search for top-squark pair production in final states with one lepton, jets, and missing transverse momentum using 36 fb $^{-1}$ of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	48

#	ARTICLE	IF	CITATIONS
199	Search for long-lived charginos based on a disappearing-track signature in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	67
200	Search for supersymmetry in final states with charm jets and missing transverse momentum in 13 TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	15
201	Search for high-mass resonances in final states with a lepton and missing transverse momentum at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	25
202	Heavy quark flow as better probes of QGP properties. EPJ Web of Conferences, 2018, 171, 19005.	0.1	2
203	Measurement of the underlying event activity in inclusive Z boson production in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
204	Search for charged Higgs bosons decaying via $H_{\pm} \rightarrow \tilde{l}, \tilde{l}^* \tilde{l}^{\pm 1/2}$ , in the $\tilde{l}, +jets$ and $\tilde{l}, +lepton$ final states with $36 \text{ fb}^{-1}$ of pp collision data recorded at $\sqrt{s}=13$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2018, 2018, 1.	1.6	59
205	Search for dark matter produced in association with a Higgs boson decaying to $\tilde{\chi}^0_3$ or $\tilde{l}, +\tilde{l}, \hat{a}^0$ at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	12
206	Prompt and non-prompt $J/\psi$ and $\psi(2S)$ suppression at high transverse momentum in $5.02-5.02$ TeV Pb+Pb collisions with the ATLAS experiment. European Physical Journal C, 2018, 78, 762.	1.4	61
207	Responses of the chiral-magnetic-effect sensitive sine observable to resonance backgrounds in heavy-ion collisions. Physical Review C, 2018, 98, .	1.1	12
208	Search for a heavy resonance decaying into a Z boson and a vector boson in the $u \overline{u} \text{ or } d \overline{d}$ final state. Journal of High Energy Physics, 2018, 2018, 1.	1.6	10
209	Search for Higgs boson decays to beyond-the-Standard-Model light bosons in four-lepton events with the ATLAS detector at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	31
210	Search for exclusive Higgs and Z boson decays to $\tilde{l} \tilde{l}^*$ and $\tilde{l} \tilde{l}^*$ with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
211	Measurements of b-jet tagging efficiency with the ATLAS detector using $t \overline{t}$ events at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	40
212	Search for flavour-changing neutral current top-quark decays $t \rightarrow q Z$ in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
213	Measurement of the inclusive and fiducial $t \overline{t} \tilde{A}^0$ production cross-sections in the. European Physical Journal C, 2018, 78, 487.	1.4	10
214	Evidence for associated production of a Higgs boson with a top quark pair in final states with electrons, muons, and hadronically decaying $\tilde{l},$ leptons at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	38
215	Search for heavy particles decaying into top-quark pairs using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2018, 78, 565.	1.4	79
216	Search for dark matter in events with energetic, hadronically decaying top quarks and missing transverse momentum at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	20

#	ARTICLE	IF	CITATIONS
217	Measurements of differential cross sections of top quark pair production as a function of kinematic event variables in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	13
218	Measurement of the inelastic proton-proton cross section at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	62
219	Search for high-mass resonances in dilepton final states in proton-proton collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2018, 2018, 1.	1.6	86
220	Search for new phenomena using the invariant mass distribution of same-flavour opposite-sign dilepton pairs in events with missing transverse momentum in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 625.	1.4	27
221	Search for dark matter and other new phenomena in events with an energetic jet and large missing transverse momentum using the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	136
222	Measurement of inclusive jet and dijet cross-sections in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	17
223	Importance of Isobar Density Distributions on the Chiral Magnetic Effect Search. Physical Review Letters, 2018, 121, 022301.	2.9	62
224	Search for dark matter produced in association with bottom or top quarks in $\sqrt{s}=13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2018, 78, 18.	1.4	60
225	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at $\sqrt{s}=13$ TeV. European Physical Journal C, 2018, 78, 199.	1.4	132
226	Measurement of $\sigma(\text{pp} \rightarrow \text{Z} \gamma^* \rightarrow \text{e}^+ \text{e}^-)$ , polarisation in $\text{Z}/\gamma^* \rightarrow \text{e}^+ \text{e}^-$ . European Physical Journal C, 2018, 78, 163.	1.4	7
227	Searches for heavy ZZ and ZW resonances in the $\text{e}^+ \text{e}^-$ , $\text{qq}$ and $\text{Z}/\gamma^* \rightarrow \text{qq}$ final states in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	29
228	Search for pair production of up-type vector-like quarks and for four-top-quark events in final states with multiple b-jets with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	33
229	Measurement of differential cross sections and $W^+/W^0$ cross-section ratios for W boson production in association with jets at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2018, 2018, 1.	1.6	16
230	Search for heavy resonances decaying into a W or Z boson and a Higgs boson in final states with leptons and b-jets in $36 \text{ fb}^{-1}$ of ( $\sqrt{s}=13$ ) TeV pp collisions with the ATLAS detector. , 2018, 2018, 1.		1
231	Measurement of the W-boson mass in pp collisions at ( $\sqrt{s}=7$ , $\sqrt{s}=13$ TeV) with the ATLAS detector. , 2018, 78, 1.		1
232	Measurements of the $\text{pp} \rightarrow \text{ZZ}$ production cross section and the $\text{Z} \rightarrow 4\ell$ branching fraction, and constraints on anomalous triple gauge couplings at ( $\sqrt{s}=13$ , $\sqrt{s}=13$ TeV). , 2018, 78, 1.		3
233	Search for doubly charged Higgs boson production in multi-lepton final states with the ATLAS detector using proton-proton collisions at ( $\sqrt{s}=13$ , $\sqrt{s}=13$ TeV). , 2018, 78, 1.		1
234	Measurement of the $\text{pp} \rightarrow \text{t} \bar{\text{t}} \text{Z}$ and $\text{pp} \rightarrow \text{t} \bar{\text{t}} \text{W}$ production cross sections in multilepton final states using $3.2 \text{ fb}^{-1}$ of $\text{pp}$ collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 40.	1.4	41

#	ARTICLE	IF	CITATIONS
235	A measurement of the calorimeter response to single hadrons and determination of the jet energy scale uncertainty using LHC Run-1 pp-collision data with the ATLAS detector. European Physical Journal C, 2017, 77, 26.	1.4	29
236	Measurement and QCD analysis of double-differential inclusive jet cross sections in pp collisions at $\sqrt{s} = 8$ TeV and cross section ratios to 2.76 and 7 TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	54
237	Measurement of the inclusive cross-sections of single top-quark and top-antiquark t-channel production in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
238	Measurement of jet activity produced in top-quark events with an electron, a muon and two b-tagged jets in the final state in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 220.	1.4	11
239	Measurement of the W boson polarisation in $t\bar{t}$ events from pp collisions at $\sqrt{s} = 8$ TeV in the lepton+ $\bar{t}$ jets channel with ATLAS. European Physical Journal C, 2017, 77, 264.	1.4	37
240	Collisional broadening of angular correlations in a multiphase transport model. Nuclear Physics A, 2017, 966, 124-134.	0.6	3
241	The physics mechanisms of light and heavy flavor $\langle v \rangle$ and mass ordering in AMPT. Journal of Physics: Conference Series, 2017, 779, 012063.	0.3	2
242	Electron efficiency measurements with the ATLAS detector using 2012 LHC proton-proton collision data. European Physical Journal C, 2017, 77, 195.	1.4	87
243	Measurements of top-quark pair differential cross-sections in the $e\bar{e}$ channel in pp collisions at $\sqrt{s} = 13$ TeV using the ATLAS detector. European Physical Journal C, 2017, 77, 292.	1.4	27
244	Performance of algorithms that reconstruct missing transverse momentum in $\sqrt{s} = 8$ TeV proton-proton collisions in the ATLAS detector. European Physical Journal C, 2017, 77, 241.	1.4	61
245	Measurement of the prompt $J/\psi$ pair production cross-section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 76.	1.4	81
246	Search for triboson $W^{\pm}W^{\pm}W^{\mp}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2017, 77, 141.	1.4	25
247	Topological cell clustering in the ATLAS calorimeters and its performance in LHC Run 1. European Physical Journal C, 2017, 77, 490.	1.4	325
248	Fiducial, total and differential cross-section measurements of t-channel single top-quark production in pp collisions at 8 TeV using data collected by the ATLAS detector. European Physical Journal C, 2017, 77, 531.	1.4	56
249	Measurements of electroweak $Wj$ production and constraints on anomalous gauge couplings with the ATLAS detector. European Physical Journal C, 2017, 77, 474.	1.4	26
250	Jet reconstruction and performance using particle flow with the ATLAS Detector. European Physical Journal C, 2017, 77, 466.	1.4	145
251	Challenges in flow background removal in search for the chiral magnetic effect. Physical Review C, 2017, 95, .	1.1	34
252	Measurement of multi-particle azimuthal correlations in pp, p+Pb and low-multiplicity Pb+Pb collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 428.	1.4	86

#	ARTICLE	IF	CITATIONS
253	Measurement of inclusive and differential cross sections in the $H \rightarrow ZZ^* \rightarrow 4\ell$ decay channel in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
254	Measurement of lepton differential distributions and the top quark mass in $t\bar{t}$ . European Physical Journal C, 2017, 77, 804.	1.4	28
255	Measurement of the $\gamma$ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
256	Measurements of charge and CP asymmetries in b-hadron decays using top-quark events collected by the ATLAS detector in pp collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	9
257	Performance of the ATLAS track reconstruction algorithms in dense environments in LHC Run 2. European Physical Journal C, 2017, 77, 673.	1.4	75
258	Origin of the mass splitting of azimuthal anisotropies in a multiphase transport model. Physical Review C, 2017, 96, .	1.1	16
259	Search for new phenomena in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s} = 13$ TeV pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 144.	1.4	12
260	Measurement of the ZZ production cross section in proton-proton collisions at $\sqrt{s} = 8$ TeV using the $ZZ \rightarrow \ell\ell\ell\ell$ , $ZZ \rightarrow \ell\ell\gamma\gamma$ , $ZZ \rightarrow \ell\ell\gamma\ell$ , $ZZ \rightarrow \ell\ell\ell\gamma$ , $ZZ \rightarrow \ell\ell\ell\ell$ , $ZZ \rightarrow \ell\ell\ell\ell$ , $ZZ \rightarrow \ell\ell\ell\ell$ and $ZZ \rightarrow \ell\ell\ell\ell$ decay channels with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.		
261	Probing the $Wtb$ vertex structure in t-channel single-top-quark production and decay in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
262	Measurements of $\tilde{\chi}(2S)$ and $\tilde{\chi}(3872) \rightarrow J/\psi + \tilde{\chi}$ production in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	33
263	Measurements of top-quark pair to Z-boson cross-section ratios at $\sqrt{s} = 13, 8, 7$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	13
264	Search for lepton-flavour-violating decays of the Higgs and Z bosons with the ATLAS detector. European Physical Journal C, 2017, 77, 70.	1.4	79
265	Performance of the ATLAS trigger system in 2015. European Physical Journal C, 2017, 77, 317.	1.4	489
266	Searches for pair production of third-generation squarks in $\sqrt{s} = 13$ TeV pp collisions. European Physical Journal C, 2017, 77, 327.	1.4	32
267	Reconstruction of primary vertices at the ATLAS experiment in Run 1 proton-proton collisions at the LHC. European Physical Journal C, 2017, 77, 332.	1.4	71
268	Measurements of the production cross section of a Z boson in association with jets in pp collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2017, 77, 361.	1.4	47
269	Precision measurement and interpretation of inclusive $W^+W^+$ , $W^+W^-$ . European Physical Journal C, 2017, 77, 367.	1.4	145
270	Measurement of jet fragmentation in Pb+Pb and pp collisions at $\sqrt{s_{NN}} = 2.76$ TeV. European Physical Journal C, 2017, 77, 379.	1.4	51



#	ARTICLE	IF	CITATIONS
271	Search for dark matter at $\sqrt{s}=13\text{-}\mathit{TeV}$ $s = 13\text{ TeV}$ in final states containing an energetic photon and large missing transverse momentum with the ATLAS detector. European Physical Journal C, 2017, 77, 393.	1.4	80
272	Measurement of charged-particle distributions sensitive to the underlying event in $s = 13\text{ TeV}$ proton-proton collisions with the ATLAS detector at the LHC. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14
273	Search for direct top squark pair production in final states with two leptons in $\sqrt{s} = 13\text{ TeV}$ $s = 13\text{ TeV}$ pp collisions with the ATLAS detector. European Physical Journal C, 2017, 77, 898.	1.4	50
274	Search for direct top squark pair production in events with a Higgs or Z boson, and missing transverse momentum in $s = 13\text{ TeV}$ $\sqrt{s}=13\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
275	Measurement of detector-corrected observables sensitive to the anomalous production of events with jets and large missing transverse momentum in $\vec{pp}$ collisions at $\sqrt{s}=13\text{ TeV}$ $s = 13\text{ TeV}$ using the ATLAS detector. European Physical Journal C, 2017, 77, 765.	1.4	19
276	Search for direct production of supersymmetric partners of the top quark in the all-jets final state in proton-proton collisions at $s = 13\text{ TeV}$ $\sqrt{s}=13\text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	1.6	22
277	Measurement of b-hadron pair production with the ATLAS detector in proton-proton collisions at $\sqrt{s}=8\text{ TeV}$ $s = 8\text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
278	Search for supersymmetry in events with b-tagged jets and missing transverse momentum in pp collisions at $\sqrt{s}=13\text{ TeV}$ $s = 13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	17
279	Effect of collisional energy loss on particle correlations in AMPT. Nuclear and Particle Physics Proceedings, 2017, 289-290, 325-328.	0.2	0
280	Search for top squark pair production in pp collisions at $s = 13\text{ TeV}$ $\sqrt{s}=13\text{ TeV}$ using single lepton events. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
281	Measurement of the inclusive jet cross-sections in proton-proton collisions at $s = 8\text{ TeV}$ $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	23
282	Measurement of the $t\bar{t}\hat{A}$ $\mathit{t}\overline{\mathit{t}}$ production cross section using events with one lepton and at least one jet in pp collisions at $s = 13\text{ TeV}$ $\sqrt{s}=13\text{ TeV}$ . Journal of High Energy Physics, 2017, 2017, 1.	1.6	15
283	Search for pair production of vector-like top quarks in events with one lepton, jets, and missing transverse momentum in $s = 13\text{ TeV}$ $\sqrt{s}=13\text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	38
284	Identification and rejection of pile-up jets at high pseudorapidity with the ATLAS detector. European Physical Journal C, 2017, 77, 580.	1.4	35
285	Measurement of $WW/WZ \rightarrow \ell u q^{\prime}$ $WW/WZ \rightarrow \ell u q^{\prime}$ production with the hadronically decaying boson reconstructed as one or two jets in pp collisions at $\sqrt{s}=8\text{-ext TeV}$ $s = 8\text{ TeV}$ with ATLAS, and constraints on anomalous gauge couplings. European Physical Journal C, 2017, 77, 563.	1.4	28
286	Search for new phenomena in a lepton plus high jet multiplicity final state with the ATLAS experiment using $s = 13\text{ TeV}$ $\sqrt{s}=13\text{ TeV}$ proton-proton collision data. Journal of High Energy Physics, 2017, 2017, 1.	1.6	12
287	Searches for the $Z\tilde{1}^3$ decay mode of the Higgs boson and for new high-mass resonances in pp collisions at $s = 13\text{ TeV}$ $\sqrt{s}=13\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	30
288	Studies of $Z\tilde{1}^3$ production in association with a high-mass dijet system in pp collisions at $s = 8\text{ TeV}$ $\sqrt{s}=8\text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	14

#	ARTICLE	IF	CITATIONS
289	Search for light bosons in decays of the 125 GeV Higgs boson in proton-proton collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	29
290	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
291	Search for top quark decays $t \rightarrow qH$ , with $H \rightarrow \tau\tau$ , in $\sqrt{s}=13$ TeV pp collisions using the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	18
292	Study of $WW\gamma$ and $WZ$ production and $WZ\gamma$ production. European Physical Journal C, 2017, 77, 646.	1.4	30
293	Search for heavy resonances that decay into a vector boson and a Higgs boson in hadronic final states at $\sqrt{s}=13$ TeV. European Physical Journal C, 2017, 77, 636.	1.4	38
294	Measurements of top quark spin observables in $t\bar{t}$ events using dilepton final states in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	20
295	Search for new phenomena with large jet multiplicities and missing transverse momentum using large-radius jets and flavour-tagging at ATLAS in 13 TeV pp collisions. Journal of High Energy Physics, 2017, 2017, 1.	1.6	11
296	Top-quark mass measurement in the all-hadronic $t\bar{t}$ decay channel at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	16
297	Measurement of the Drell-Yan triple-differential cross section in pp collisions at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	28
298	Search for a scalar partner of the top quark in the jets plus missing transverse momentum final state at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	45
299	Search for supersymmetry in final states with two same-sign or three leptons and jets using 36 fb <sup>-1</sup> of $\sqrt{s}=13$ TeV pp collision data with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	31
300	Search for pair production of heavy vector-like quarks decaying to high-p T W bosons and b quarks in the lepton-plus-jets final state in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	36
301	Measurement of the $k_t$ splitting scales in $Z\tau\tau$ events in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	3
302	Analysis of the $Wtb$ vertex from the measurement of triple-differential angular decay rates of single top quarks produced in the t-channel at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	8
303	Evidence for the $H \rightarrow b\bar{b}$ decay with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	64
304	Search for new high-mass phenomena in the dilepton final state using 36 fb <sup>-1</sup> of proton-proton collision data at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2017, 2017, 1.	1.6	168
305	Determination of the strong coupling constant $\alpha_s$ from transverse energy-energy correlations in multijet events at $\sqrt{s}=8$ TeV. European Physical Journal C, 2017, 77, 872.	1.4	32
306	Measurements of properties of the Higgs boson decaying into the four-lepton final state in pp collisions at $\sqrt{s}=13$ TeV. Journal of High Energy Physics, 2017, 2017, 1.	1.6	101

#	ARTICLE	IF	CITATIONS
307	Study of hard double-parton scattering in four-jet events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	30
308	Search for the Standard Model Higgs boson produced by vector-boson fusion and decaying to bottom quarks in $\sqrt{s} = 8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	10
309	Measurement of event-shape observables in $Z \rightarrow \ell^+ \ell^- Z \rightarrow \ell^+ \ell^-$ events in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 375.	1.4	15
310	Charged-particle distributions in pp interactions at $\sqrt{s} = 8$ TeV measured with the ATLAS detector. European Physical Journal C, 2016, 76, 403.	1.4	30
311	Measurement of the double-differential inclusive jet cross section in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 451.	1.4	55
312	Charged-particle distributions at low transverse momentum in $\sqrt{s} = 13$ TeV pp interactions measured with the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 502.	1.4	61
313	Search for bottom squark pair production in proton-proton collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 547.	1.4	37
314	Search for minimal supersymmetric standard model Higgs Bosons $H_{\pm}$ and for a $Z^{\prime}$ boson in the $\tau^+ \tau^-$ final state produced in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 585.	1.4	51
315	Measurement of the photon identification efficiencies with the ATLAS detector using LHC Run-1 data. European Physical Journal C, 2016, 76, 666.	1.4	73
316	Measurement of the $b\bar{b}$ dijet cross section in pp collisions at $\sqrt{s} = 7$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 670.	1.4	12
317	The performance of the jet trigger for the ATLAS detector during 2011 data taking. European Physical Journal C, 2016, 76, 526.	1.4	21
318	Search for new phenomena in different-flavour high-mass dilepton final states in pp collisions at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 541.	1.4	23
319	Search for the Higgs boson produced in association with a W boson and decaying to four b-quarks via two spin-zero particles in pp collisions at 13 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 605.	1.4	24
320	Muon reconstruction performance of the ATLAS detector in proton-proton collision data at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 292.	1.4	453
321	Test of CP invariance in vector-boson fusion production of the Higgs boson using the Optimal Observable method in the ditau decay channel with the ATLAS detector. European Physical Journal C, 2016, 76, 658.	1.4	48
322	Search for gluinos in events with an isolated lepton, jets and missing transverse momentum at $\sqrt{s} = 13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 565.	1.4	31
323	Measurement of the inclusive isolated prompt photon cross section in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	44
324	Search for a high-mass Higgs boson decaying to a W boson pair in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	71

#	ARTICLE	IF	CITATIONS
325	Anisotropic parton escape is the dominant source of azimuthal anisotropy in transport models. Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics, 2016, 753, 506-510.	1.5	102
326	Search for flavour-changing neutral current top-quark decays to $qZ$ in $pp$ collision data collected with the ATLAS detector at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 12.	1.4	39
327	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $pp$ collision data at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 87.	1.4	39
328	Search for direct top squark pair production in final states with two tau leptons in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 81.	1.4	10
329	Search for charged Higgs bosons in the $H^{\pm} \rightarrow tb$ decay channel in $pp$ collisions at $\sqrt{s} = 8$ TeV using the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	43
330	Search for direct pair production of scalar top quarks in the single- and dilepton channels in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	7
331	Study of the rare decays of $B^0_s \rightarrow B^0 \mu^+ \mu^-$ and $B^0 \rightarrow B^0 \mu^+ \mu^-$ into muon pairs from data collected during the LHC Run 1 with the ATLAS detector. European Physical Journal C, 2016, 76, 513.	1.4	46
332	Search for supersymmetry in a final state containing two photons and missing transverse momentum in $pp$ collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 517.	1.4	24
333	Search for resonances in diphoton events at $\sqrt{s} = 13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	70
334	Elliptic Anisotropy $v_2$ May Be Dominated by Particle Escape instead of Hydrodynamic Flow. Nuclear Physics A, 2016, 956, 316-319.	0.6	23
335	Search for single production of vector-like quarks decaying into $Wb$ in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 442.	1.4	43
336	Measurement of the relative width difference of the $B^0 \rightarrow B^0$ system with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	8
337	Search for the associated production of a Higgs boson with a single top quark in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
338	Search for new physics in same-sign dilepton events in proton-proton collisions at $\sqrt{s} = 13$ TeV. European Physical Journal C, 2016, 76, 439.	1.4	64
339	Origin of the mass splitting of elliptic anisotropy in a multiphase transport model. Physical Review C, 2016, 93, .	1.1	16
340	Reconstruction of hadronic decay products of tau leptons with the ATLAS experiment. European Physical Journal C, 2016, 76, 295.	1.4	50
341	Performance of pile-up mitigation techniques for jets in $pp$ collisions at $\sqrt{s} = 8$ TeV. European Physical Journal C, 2016, 76, 581.	1.4	298
342	Measurement of the charged-particle multiplicity inside jets from $\sqrt{s} = 8$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2016, 76, 322.	1.4	51

#	ARTICLE	IF	CITATIONS
343	Measurement of jet activity in top quark events using the $e^+e^-$ final state with two b-tagged jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	4
344	Measurement of the transverse momentum and $\phi^*$ distributions of Drell-Yan lepton pairs in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 291.	1.4	154
345	Measurement of fiducial differential cross sections of gluon-fusion production of Higgs bosons decaying to $WW \rightarrow e^+e^-$ with the ATLAS detector at $\sqrt{s}=8$ TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
346	Measurement of differential and integrated fiducial cross sections for Higgs boson production in the four-lepton decay channel in pp collisions at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
347	Search for new phenomena in events with a photon and missing transverse momentum in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	20
348	A search for top squarks with R-parity-violating decays to all-hadronic final states with the ATLAS detector in $\sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
349	Identification of high transverse momentum top quarks in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	17
350	Measurement of the $t\bar{t}$ production cross section in the $e^+e^-$ channel in proton-proton collisions at $\sqrt{s}=7$ and 8 TeV. Journal of High Energy Physics, 2016, 2016, 1.	1.6	41
351	A search for an excited muon decaying to a muon and two jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. New Journal of Physics, 2016, 18, 073021.	1.2	2
352	Beam-induced and cosmic-ray backgrounds observed in the ATLAS detector during the LHC 2012 proton-proton running period. Journal of Instrumentation, 2016, 11, P05013-P05013.	0.5	11
353	Measurements of top-quark pair differential cross-sections in the lepton+jets channel in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2016, 76, 538.	1.4	115
354	Factorization of event-plane correlations over transverse momentum in relativistic heavy ion collisions in a multiphase transport model. Physical Review C, 2016, 94, .	1.1	6
355	Measurement of the differential cross-sections of prompt and non-prompt production of $\psi(2S)$ and $\psi(1S)$ in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 283.	1.4	63
356	Luminosity determination in pp collisions at $\sqrt{s}=8$ TeV using the ATLAS detector at the LHC. European Physical Journal C, 2016, 76, 653.	1.4	279
357	Search for squarks and gluinos in events with hadronically decaying tau leptons, jets and missing transverse momentum in proton-proton collisions at $\sqrt{s}=13$ TeV recorded with the ATLAS detector. European Physical Journal C, 2016, 76, 683.	1.4	11
358	Addendum to "Measurement of the $t\bar{t}$ production cross-section using $e^+e^-$ events with b-tagged jets in pp collisions at $\sqrt{s}=7$ and 8 TeV with the ATLAS detector". European Physical Journal C, 2016, 76, 1.	1.4	19
359	Measurement of the angular coefficients in Z-boson events using electron and muon pairs from data taken at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	33
360	Searches for heavy diboson resonances in pp collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	25

#	ARTICLE	IF	CITATIONS
361	Dark matter interpretations of ATLAS searches for the electroweak production of supersymmetric particles in $\sqrt{s}=8$ TeV proton-proton collisions. Journal of High Energy Physics, 2016, 2016, 1.	1.6	16
362	Search for the Standard Model Higgs boson decaying into $b\bar{b}$ produced in association with top quarks decaying hadronically in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	21
363	Measurement of the CP-violating phase $\arg(\lambda_{cb})$ and the $B_s^0$ meson decay width difference with $B_s^0 \rightarrow \tau^+\tau^-$ decays in ATLAS. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
364	Search for squarks and gluinos in final states with jets and missing transverse momentum at $\sqrt{s}=13$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 392.	1.4	73
365	Measurement of the double-differential high-mass Drell-Yan cross section in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	38
366	A search for prompt lepton-jets in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	31
367	Search for new phenomena with photon+jet events in proton-proton collisions at $\sqrt{s}=13$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	13
368	Measurement of the centrality dependence of the charged-particle pseudorapidity distribution in proton-lead collisions at $\sqrt{s_{NN}}=5.02$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 199.	1.4	60
369	Measurement of the production cross-section of a single top quark in association with a W boson at 8 TeV with the ATLAS experiment. Journal of High Energy Physics, 2016, 2016, 1.	1.6	14
370	Search for the production of single vector-like and excited quarks in the $Wt$ final state in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	19
371	Search for strong gravity in multijet final states produced in pp collisions at $\sqrt{s}=13$ TeV using the ATLAS detector at the LHC. Journal of High Energy Physics, 2016, 2016, 1.	1.6	15
372	Identification of boosted, hadronically decaying W bosons and comparisons with ATLAS data taken at $\sqrt{s}=8$ TeV. European Physical Journal C, 2016, 76, 154.	1.4	62
373	Event generator tunes obtained from underlying event and multiparton scattering measurements. European Physical Journal C, 2016, 76, 155.	1.4	499
374	Search for new phenomena in events with at least three photons collected in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2016, 76, 210.	1.4	95
375	Probing lepton flavour violation via neutrinoless $\mu\mu\mu$ decays with the ATLAS detector. European Physical Journal C, 2016, 76, 232.	1.4	19
376	A new method to distinguish hadronically decaying boosted Z bosons from W bosons using the ATLAS detector. European Physical Journal C, 2016, 76, 238.	1.4	9
377	Search for supersymmetry at $\sqrt{s}=13$ TeV in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. European Physical Journal C, 2016, 76, 259.	1.4	72
378	Search for invisible decays of a Higgs boson using vector-boson fusion in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2016, 2016, 1.	1.6	49

#	ARTICLE	IF	CITATIONS
379	Search for anomalous couplings in the $Wtb$ vertex from the measurement of double differential angular decay rates of single top quarks produced in the $t$ -channel with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2016, 2016, 1-46.	1.6	13
380	Searches for scalar leptoquarks in $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 5.	1.4	109
381	Measurements of the Higgs boson production and decay rates and coupling strengths using $pp$ collision data at $\sqrt{s} = 7$ and $8 \text{ TeV}$ in the ATLAS experiment. <i>European Physical Journal C</i> , 2016, 76, 6.	1.4	274
382	Measurements of fiducial cross-sections for $t\bar{t}$ production with one or two additional $b$ -jets in $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ using the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 11.	1.4	54
383	Study of the $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{t}^+ J/\psi D_s^+$ and $B_c^+ \rightarrow J/\psi D_s^+ B_c^+ \hat{t}^+ J/\psi D_s^+ \hat{t}^-$ decays with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 4.	1.4	40
384	Search for a very light NMSSM Higgs boson produced in decays of the 125 GeV scalar boson and decaying into $l, \nu$ leptons in $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2016, 2016, 1.	1.6	19
385	Measurement of differential cross sections for Higgs boson production in the diphoton decay channel in $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ . <i>European Physical Journal C</i> , 2016, 76, 13.	1.4	62
386	Search for single top-quark production via flavour-changing neutral currents at $8 \text{ TeV}$ with the ATLAS detector. <i>European Physical Journal C</i> , 2016, 76, 55.	1.4	43
387	Measurement of the charge asymmetry in top-quark pair production in the lepton-plus-jets final state in $pp$ collision data at $(\sqrt{s} = 8, \text{ TeV})$ with the ATLAS detector. , 2016, 76, 1.		1
388	Survival rate of initial azimuthal anisotropy in a multiphase transport model. <i>Physical Review C</i> , 2015, 92, .	1.1	2
389	Search for low-scale gravity signatures in multi-jet final states with the ATLAS detector at $\sqrt{s} = 8 \text{ TeV}$ . <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	4
390	A search for high-mass resonances decaying to $\tilde{l}, \tilde{l}^*$ in $pp$ collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	23
391	Summary of the ATLAS experiment's sensitivity to supersymmetry after LHC Run 1 interpreted in the phenomenological MSSM. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	55
392	Search for lepton-flavour-violating $H \rightarrow \tilde{l}_i \tilde{l}_j$ decays of the Higgs boson with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	52
393	Measurement of four-jet differential cross sections in $\sqrt{s} = 8 \text{ TeV}$ proton-proton collisions using the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1-76.	1.6	11
394	A search for $t\bar{t}$ resonances using lepton-plus-jets events in proton-proton collisions at $\sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	66
395	Measurement of the forward-backward asymmetry of electron and muon pair-production in $pp$ collisions at $\sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	28
396	Measurement of charged-particle spectra in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector at the LHC. <i>Journal of High Energy Physics</i> , 2015, 2015, 1.	1.6	67

#	ARTICLE	IF	CITATIONS
397	Analysis of events with b-jets and a pair of leptons of the same charge in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
398	Constraints on new phenomena via Higgs boson couplings and invisible decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	108
399	Search for high-mass diboson resonances with boson-tagged jets in proton-proton collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-39.	1.6	78
400	Differential top-antitop cross-section measurements as a function of observables constructed from final-state particles using pp collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ in the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	40
401	Search for heavy Majorana neutrinos with the ATLAS detector in pp collisions at $\sqrt{s} = 8 \text{ TeV}$ . Journal of High Energy Physics, 2015, 2015, 1.	1.6	84
402	Search for production of vector-like quark pairs and of four top quarks in the lepton-plus-jets final state in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	71
403	Search for new phenomena in events with three or more charged leptons in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	20
404	Summary of the searches for squarks and gluinos using $s = 8 \sqrt{s} = 8 \text{ TeV}$ pp collisions with the ATLAS experiment at the LHC. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
405	Determination of the top-quark pole mass using $t \bar{t} \hat{A} W + 1\text{-jet}$ events collected with the ATLAS experiment in 7 TeV pp collisions. Journal of High Energy Physics, 2015, 2015, 1.	1.6	25
406	Search for a Higgs boson in the mass range from 145 to 1000 GeV decaying to a pair of W or Z bosons. Journal of High Energy Physics, 2015, 2015, 1.	1.6	92
407	Measurement of the $t \bar{t} \hat{A} W$ and $t \bar{t} \hat{A} Z$ production cross sections in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
408	Search for flavour-changing neutral current top quark decays $t \hat{a} \bar{t}' H q$ in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1-65.	1.6	19
409	Search for heavy lepton resonances decaying to a Z boson and a lepton in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	36
410	Precise determination of the mass of the Higgs boson and tests of compatibility of its couplings with the standard model predictions using proton collisions at 7 and 8 $\sqrt{s} = 8 \text{ TeV}$ . European Physical Journal C, 2015, 75, 212.	1.4	541
411	Search for squarks and gluinos in events with isolated leptons, jets and missing transverse momentum at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	42
412	Evidence for the Higgs-boson Yukawa coupling to tau leptons with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	116
413	Measurement of the charge asymmetry in dileptonic decays of top quark pairs in pp collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	17
414	Jet-quenching and correlations. Pramana - Journal of Physics, 2015, 84, 801-819.	0.9	1



#	ARTICLE	IF	CITATIONS
415	Search for $W' \rightarrow tb \rightarrow qqbb$ $W \rightarrow \tau^+ \tau^- b \bar{q} q$ decays in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 165.	1.4	35
416	Measurement of the top-quark mass in the fully hadronic decay channel from ATLAS data at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2015, 75, 158.	1.4	17
417	Search for direct pair production of a chargino and a neutralino decaying to the 125 GeV Higgs boson in $\sqrt{s} = 8$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 208.	1.4	67
418	Study of (W/Z)H production and Higgs boson couplings using $H \rightarrow WW$ decays with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	22
419	Search for metastable heavy charged particles with large ionisation energy loss in $pp$ collisions at $\sqrt{s} = 8$ TeV using the ATLAS experiment. European Physical Journal C, 2015, 75, 407.	1.4	27
420	Measurements of the $Z Z$ production cross sections in the $2u \rightarrow 2l \gamma$ channel in proton-proton collisions at $\sqrt{s} = 7$ and $8$ TeV. European Physical Journal C, 2015, 75, 511.	1.4	32
421	Measurement of the production and lepton charge asymmetry of $W$ bosons in Pb+Pb collisions at $\sqrt{s_{NN}} = 2.76$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 23.	1.4	41
422	Search for invisible particles produced in association with single-top-quarks in proton-proton collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 79.	1.4	30
423	Search for resonant diboson production in the $q\bar{q} \rightarrow \gamma^* \rightarrow q\bar{q}$ final state in $pp$ collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 69.	1.4	74
424	Measurements of the $W$ production cross sections in association with jets with the ATLAS detector. European Physical Journal C, 2015, 75, 82.	1.4	92
425	Search for dark matter in events with heavy quarks and missing transverse momentum in $pp$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 92.	1.4	77
426	Measurement of the $t\bar{t} \rightarrow t\bar{t} + \text{jet}$ production cross-section as a function of jet multiplicity and jet transverse momentum in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	30
427	Measurement of the $WW + WZ$ cross section and limits on anomalous triple gauge couplings using final states with one lepton, missing transverse momentum, and two jets with the ATLAS detector at $\sqrt{s} = 7$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	27
428	Searches for heavy long-lived charged particles with the ATLAS detector in proton-proton collisions at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2015, 2015, 1.	1.6	33
429	Search for the $b\bar{b} \rightarrow b\bar{b} + \text{jet}$ decay of the Standard Model Higgs boson in associated (W/Z)H production with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	89
430	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s} = 7$ TeV using 4.5 fb <sup>-1</sup> of data with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	35
431	Search for anomalous production of prompt same-sign lepton pairs and pair-produced doubly charged Higgs bosons with $\sqrt{s} = 8$ TeV $pp$ collisions using the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	60
432	Search for charged Higgs bosons decaying via $H \rightarrow \tau^+ \tau^- \nu, \tau^+ \tau^- \nu$ in fully hadronic final states using $pp$ collision data at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2015, 2015, 1.	1.6	69

#	ARTICLE	IF	CITATIONS
433	Search for production of $WW/WZ$ resonances decaying to a lepton, neutrino and jets in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 209.	1.4	79
434	Performance of the ATLAS muon trigger in $pp$ collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 120.	1.4	62
435	Search for Higgs boson pair production in the $b\bar{b}b\bar{b}$ final state from $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 412.	1.4	90
436	Determination of spin and parity of the Higgs boson in the $WW \rightarrow e\mu u$ decay channel with the ATLAS detector. European Physical Journal C, 2015, 75, 231.	1.4	21
437	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 299.	1.4	238
438	Search for a new resonance decaying to a $W$ or $Z$ boson and a Higgs boson in the $u\bar{u} + b\bar{b}$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 263.	1.4	60
439	Measurement of three-jet production cross-sections in $pp$ collisions at $\sqrt{s}=7$ TeV centre-of-mass energy using the ATLAS detector. European Physical Journal C, 2015, 75, 228.	1.4	23
440	Constraints on the off-shell Higgs boson signal strength in the high-mass $ZZ$ and $WW$ final states with the ATLAS detector. European Physical Journal C, 2015, 75, 335.	1.4	95
441	Identification and energy calibration of hadronically decaying tau leptons with the ATLAS experiment in $pp$ collisions at $\sqrt{s}=8$ TeV. European Physical Journal C, 2015, 75, 303.	1.4	70
442	Observation and measurements of the production of prompt and non-prompt $J/\psi$ mesons in association with a $Z$ boson in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 229.	1.4	64
443	Search for the Standard Model Higgs boson produced in association with top quarks and decaying into $b\bar{b}$ in $pp$ collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2015, 75, 349.	1.4	123
444	Search for supersymmetry in events containing a same-flavour opposite-sign dilepton pair, jets, and large missing transverse momentum in $\sqrt{s}=8$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2015, 75, 318.	1.4	56
445	Search for heavy long-lived multi-charged particles in $pp$ collisions at $\sqrt{s}=8$ TeV using the ATLAS detector. European Physical Journal C, 2015, 75, 362.	1.4	36
446	Two-particle Bose-Einstein correlations in $pp$ collisions at $\sqrt{s}=0.9$ and $7$ TeV measured with the ATLAS detector. European Physical Journal C, 2015, 75, 466.	1.4	42
447	Measurement of the top quark mass in the $t \rightarrow \text{lepton+jets}$ and $t \rightarrow \text{dilepton}$ channels using $\sqrt{s}=7$ TeV ATLAS data. European Physical Journal C, 2015, 75, 330.	1.4	52
448	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. European Physical Journal C, 2015, 75, 510.	1.4	138
449	Measurement of the inclusive jet cross-section in proton-proton collisions at $\sqrt{s}=7$ TeV using $4.5 \text{ fb}^{-1}$ of data with the ATLAS detector. , 2015, 2015, 1.		3
450	Search for production of $(WW/WZ)$ resonances decaying to a lepton, neutrino and jets in $(pp)$ collisions at $(\sqrt{s}=8)$ TeV with the ATLAS detector. , 2015, 75, 1.		1

#	ARTICLE	IF	CITATIONS
451	Search for new phenomena in final states with an energetic jet and large missing transverse momentum in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. , 2015, 75, 1.		2
452	ATLAS Run 1 searches for direct pair production of third-generation squarks at the Large Hadron Collider. , 2015, 75, 1.		3
453	Search for neutral Higgs bosons of the minimal supersymmetric standard model in pp collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	82
454	Measurement of the muon reconstruction performance of the ATLAS detector using 2011 and 2012 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 3130.	1.4	213
455	Measurements of jet vetoes and azimuthal decorrelations in dijet events produced in pp collisions at $\sqrt{s}=7$ TeV using the ATLAS detector. European Physical Journal C, 2014, 74, 3117.	1.4	40
456	A measurement of the ratio of the production cross sections for $W^+W^-$ and $ZZ$ bosons in association with jets with the ATLAS detector. European Physical Journal C, 2014, 74, 3168.	1.4	23
457	Measurements of fiducial and differential cross sections for Higgs boson production in the diphoton decay channel at $\sqrt{s}=8$ TeV with ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
458	Search for supersymmetry in events with large missing transverse momentum, jets, and at least one tau lepton in $20 \text{ fb}^{-1}$ of $\sqrt{s}=8$ TeV proton-proton collision data with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	12
459	Search for squarks and gluinos with the ATLAS detector in final states with jets and missing transverse momentum using $\sqrt{s}=8$ TeV proton-proton collision data. Journal of High Energy Physics, 2014, 2014, 1.	1.6	128
460	Measurement of the $t\bar{t}\hat{A}^-$ production cross-section using $e^+e^-$ events with $b$ -tagged jets in pp collisions at $\sqrt{s}=7$ and $8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3109.	1.4	143
461	Search for top squark pair production in final states with one isolated lepton, jets, and missing transverse momentum in $\sqrt{s}=8$ TeV pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	66
462	Electron and photon energy calibration with the ATLAS detector using LHC Run 1 data. European Physical Journal C, 2014, 74, 1.	1.4	172
463	Search for contact interactions and large extra dimensions in the dilepton channel using proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3134.	1.4	48
464	Measurement of flow harmonics with multi-particle cumulants in Pb+Pb collisions at $\sqrt{s_{NN}}=2.76$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3157.	1.4	68
465	Measurement of distributions sensitive to the underlying event in inclusive Z-boson production in pp collisions at $\sqrt{s}=7$ TeV with the ATLAS detector. European Physical Journal C, 2014, 74, 3195.	1.4	46
466	Search for direct pair production of the top squark in all-hadronic final states in proton-proton collisions at $\sqrt{s}=8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	41
467	Measurement of the production cross-section of $\tilde{t}(2S) \hat{A}^+ J/\psi(\hat{A}^+\hat{A}^- + \hat{A}^+ \hat{A}^-) \tilde{t} + \tilde{t} \hat{A}^-$ in pp collisions at $\sqrt{s}=7$ TeV at ATLAS. Journal of High Energy Physics, 2014, 2014, 1.	1.6	21
468	Search for the associated production of the Higgs boson with a top-quark pair. Journal of High Energy Physics, 2014, 2014, 1.	1.6	51

#	ARTICLE	IF	CITATIONS
469	Measurement of the $Z/\tilde{\nu}^*$ boson transverse momentum distribution in pp collisions at $s = 7 \sqrt{s} = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	131
470	Search for strong production of supersymmetric particles in final states with missing transverse momentum and at least three b-jets at $s = 8 \sqrt{s} = 8 \text{ TeV}$ proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	38
471	Measurement of differential production cross-sections for a Z boson in association with b-jets in 7 TeV proton-proton collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
472	Search for long-lived neutral particles decaying into lepton jets in proton-proton collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	47
473	Search for pair and single production of new heavy quarks that decay to a Z boson and a third-generation quark in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	35
474	Identification techniques for highly boosted W bosons that decay into hadrons. Journal of High Energy Physics, 2014, 2014, 1.	1.6	43
475	Studies of azimuthal dihadron correlations in ultra-central PbPb collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ . Journal of High Energy Physics, 2014, 2014, 1.	1.6	77
476	Novel phenomena in particle correlations in relativistic heavy-ion collisions. Progress in Particle and Nuclear Physics, 2014, 74, 35-54.	5.6	25
477	Search for the direct production of charginos, neutralinos and staus in final states with at least two hadronically decaying taus and missing transverse momentum in pp collisions at $s = 8 \sqrt{s} = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	40
478	Electron reconstruction and identification efficiency measurements with the ATLAS detector using the 2011 LHC proton-proton collision data. European Physical Journal C, 2014, 74, 2941.	1.4	204
479	Measurement of the underlying event in jet events from $7 \text{ TeV}$ proton-proton collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 1.	1.4	23
480	Measurement of the centrality and pseudorapidity dependence of the integrated elliptic flow in lead-lead collisions at $\sqrt{s_{NN}} = 2.76 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 2982.	1.4	22
481	Light-quark and gluon jet discrimination in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. European Physical Journal C, 2014, 74, 3023.	1.4	77
482	Measurement of the electroweak production of dijets in association with a Z-boson and distributions sensitive to vector boson fusion in proton-proton collisions at $s = 8 \text{ TeV}$ using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	22
483	Search for direct production of charginos and neutralinos in events with three leptons and missing transverse momentum in $s = 8 \text{ TeV}$ pp collisions with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	88
484	Measurement of the production of a W boson in association with a charm quark in pp collisions at $s = 7 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
485	Search for direct production of charginos, neutralinos and sleptons in final states with two leptons and missing transverse momentum in pp collisions at $s = 8 \text{ TeV}$ with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	145
486	Search for supersymmetry at $s = 8 \text{ TeV}$ in final states with jets and two same-sign leptons or three leptons with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45

#	ARTICLE	IF	CITATIONS
487	Measurement of the low-mass Drell-Yan differential cross section at $\sqrt{s} = 7$ TeV using the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	25
488	Search for direct top-squark pair production in final states with two leptons in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	59
489	Search for microscopic black holes and string balls in final states with leptons and jets with the ATLAS detector at $\sqrt{s} = 8$ TeV. Journal of High Energy Physics, 2014, 2014, 1.	1.6	10
490	Search for new particles in events with one lepton and missing transverse momentum in pp collisions at $\sqrt{s} = 8$ TeV with the ATLAS detector. Journal of High Energy Physics, 2014, 2014, 1.	1.6	45
491	Search for direct top squark pair production in events with a $Z$ boson, $b$ -jets and missing transverse momentum in $\sqrt{s} = 8$ TeV $pp$ collisions with the ATLAS detector. European Physical Journal C, 2014, 74, 2883.	1.4	55
492	Probing color coherence effects in pp collisions at $\sqrt{s} = 7$ TeV. European Physical Journal C, 2014, 74, 2901.	1.4	17
493	Search for the associated production of the Higgs boson with a top-quark pair. , 2014, 2014, 1.		6
494	Measurement of the $(\overline{t})$ production cross-section using $(\mu\mu)$ events with $(b)$ -tagged jets in $(pp)$ collisions at $(\sqrt{s} = 7)$ and 8 TeV with the ATLAS detector. , 2014, 74, 1.		2
495			

#	ARTICLE	IF	CITATIONS
505	Cumulant versus jet-like three-particle correlations. <i>Physical Review C</i> , 2009, 79, .	1.1	0
506	Analysis method for jet-like three-particle azimuthal correlations. <i>Nuclear Instruments and Methods in Physics Research, Section A: Accelerators, Spectrometers, Detectors and Associated Equipment</i> , 2008, 595, 502-511.	0.7	10
507	FORWARD- AND MID-RAPIDITY JET-LIKE CORRELATIONS. <i>International Journal of Modern Physics E</i> , 2007, 16, 3168-3175.	0.4	5
508	Supersonic Jets in Relativistic Heavy-Ion Collisions. <i>AIP Conference Proceedings</i> , 2007, , .	0.3	2
509	Jet-Like Correlations between Forward and Mid-Rapidity. <i>Nuclear Physics A</i> , 2007, 783, 157-164.	0.6	0
510	Soft Physics From STAR. <i>Nuclear Physics A</i> , 2006, 774, 129-138.	0.6	7
511	Distributions of charged hadrons associated with high $p_T$ particles. <i>Journal of Physics: Conference Series</i> , 2005, 27, 32-41.	0.3	9
512	Measurement of Jet Modification at RHIC. <i>Acta Physica Hungarica A Heavy Ion Physics</i> , 2005, 24, 299-306.	0.4	0
513	Measurement of jet modification at RHIC. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2004, 30, S1299-S1303.	1.4	93
514	Mid-rapidity $\bar{K}^0$ , $K^+$ and spectra and particle ratios from STAR. <i>Nuclear Physics A</i> , 2003, 715, 458c-461c.	0.6	20
515	Systematics of mid-rapidity $K^-/\pi^-$ ratio in heavy-ion collisions. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2002, 28, 2109-2113.	1.4	4
516	Strangeness in dense nuclear matter: a review of AGS results. <i>Journal of Physics G: Nuclear and Particle Physics</i> , 2001, 27, 283-292.	1.4	12
517	Correlation between the charged kaon ratio and the baryon phase-space density in heavy-ion collisions. <i>Physics Letters, Section B: Nuclear, Elementary Particle and High-Energy Physics</i> , 2000, 489, 273-279.	1.5	9
518	Baryon phase-space density in heavy-ion collisions. <i>Physical Review C</i> , 2000, 61, .	1.1	12
519	Lambda-Proton Correlations in Relativistic Heavy Ion Collisions. <i>Physical Review Letters</i> , 1999, 83, 3138-3141.	2.9	32
520	Residual correlation in two-proton interferometry from $\Lambda$ -proton strong interactions. <i>Physical Review C</i> , 1999, 60, .	1.1	6