

Oscar Bertetto

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/63755/publications.pdf>

Version: 2024-02-01

48
papers

2,712
citations

304743

22
h-index

214800

47
g-index

49
all docs

49
docs citations

49
times ranked

3075
citing authors

#	ARTICLE	IF	CITATIONS
1	Chemotherapy for Elderly Patients With Advanced Non-Small-Cell Lung Cancer: The Multicenter Italian Lung Cancer in the Elderly Study (MILES) Phase III Randomized Trial. <i>Journal of the National Cancer Institute</i> , 2003, 95, 362-372.	6.3	768
2	Pretreatment Quality of Life and Functional Status Assessment Significantly Predict Survival of Elderly Patients With Advanced Non-Small-Cell Lung Cancer Receiving Chemotherapy: A Prognostic Analysis of the Multicenter Italian Lung Cancer in the Elderly Study. <i>Journal of Clinical Oncology</i> , 2005, 23, 6865-6872.	1.6	452
3	Gemcitabine plus Cisplatin versus Gemcitabine plus Carboplatin as First-Line Chemotherapy in Advanced Transitional Cell Carcinoma of the Urothelium: Results of a Randomized Phase 2 Trial. <i>European Urology</i> , 2007, 52, 134-141.	1.9	286
4	Adjuvant Treatment of High-Risk, Radically Resected Gastric Cancer Patients With 5-Fluorouracil, Leucovorin, Cisplatin, and Epidoxorubicin in a Randomized Controlled Trial. <i>Journal of the National Cancer Institute</i> , 2007, 99, 601-607.	6.3	96
5	Mechanisms of spontaneous osteoclastogenesis in cancer with bone involvement. <i>FASEB Journal</i> , 2005, 19, 1-24.	0.5	88
6	Autoantibody Signature in Human Ductal Pancreatic Adenocarcinoma. <i>Journal of Proteome Research</i> , 2007, 6, 4025-4031.	3.7	88
7	Continuous 5-fluorouracil infusion plus long acting octreotide in advanced well-differentiated neuroendocrine carcinomas. A phase II trial of the Piemonte Oncology Network. <i>BMC Cancer</i> , 2009, 9, 388.	2.6	62
8	Episodic (Breakthrough) Pain Prevalence in a Population of Cancer Pain Patients. Comparison of Clinical Diagnoses With the QUIDE Italian Questionnaire for Intense Episodic Pain. <i>Journal of Pain and Symptom Management</i> , 2012, 43, 833-841.	1.2	62
9	Single-Agent Gemcitabine in Previously Untreated Elderly Patients with Advanced Bladder Carcinoma: Response to Treatment and Correlation with the Comprehensive Geriatric. <i>Oncology</i> , 2004, 67, 27-32.	1.9	55
10	Predicting gefitinib responsiveness in lung cancer by fluorescence in situ hybridization/chromogenic in situ hybridization analysis of EGFR and HER2 in biopsy and cytology specimens. <i>Molecular Cancer Therapeutics</i> , 2007, 6, 1223-1229.	4.1	54
11	Multicentric, Randomized Phase III Trial of Two Different Adjuvant Chemotherapy Regimens plus Three Versus Twelve Months of Trastuzumab in Patients with HER2-Positive Breast Cancer (Short-HER Trial); <i>TJ ETQq1 1 0z784314 82 /Over</i>	1.9	55
12	The Effects of Reiki Therapy on Pain and Anxiety in Patients Attending a Day Oncology and Infusion Services Unit. <i>American Journal of Hospice and Palliative Medicine</i> , 2012, 29, 290-294.	1.4	50
13	Factors affecting pattern of care and survival in a population-based cohort of non-small-cell lung cancer incident cases. <i>Cancer Epidemiology</i> , 2010, 34, 483-489.	1.9	46
14	TWO SUDDEN DEATHS DURING PROPHYLACTIC ANTIEMETIC TREATMENT WITH HIGH DOSES OF DOMPERIDONE AND METHYLPREDNISOLONE. <i>Lancet, The</i> , 1984, 324, 1336-1337.	13.7	42
15	Accessibility as a major determinant of radiotherapy underutilization: A population based study. <i>Health Policy</i> , 2007, 80, 483-491.	3.0	41
16	Osteonecrosis of the Jaw After Zoledronic Acid and Denosumab Treatment. <i>Journal of Clinical Oncology</i> , 2011, 29, e521-e522.	1.6	37
17	PCR-Detectable Nonneoplastic Bcl-2/IgH Rearrangements Are Common in Normal Subjects and Cancer Patients at Diagnosis but Rare in Subjects Treated With Chemotherapy. <i>Journal of Clinical Oncology</i> , 2003, 21, 1398-1403.	1.6	35
18	Predictors of treatment failures during chemotherapy: A prospective study on 110 older cancer patients. <i>Archives of Gerontology and Geriatrics</i> , 2009, 48, 222-226.	3.0	35

#	ARTICLE	IF	CITATIONS
19	Gemcitabine and vinorelbine as second-line treatment in patients with metastatic breast cancer: a phase II study. <i>Cancer Chemotherapy and Pharmacology</i> , 2003, 52, 147-152.	2.3	34
20	Capecitabine versus Bolus Fluorouracil plus Leucovorin (Folinic Acid) as Adjuvant Chemotherapy for Patients with Dukes' C Colon Cancer. <i>Clinical Drug Investigation</i> , 2008, 28, 645-655.	2.2	28
21	Chemotherapy with or without low-dose interleukin-2 in advanced non-small cell lung cancer: results from a phase III randomized multicentric trial. <i>International Journal of Oncology</i> , 2011, 39, 1011-7.	3.3	25
22	Pain in cancer. An outcome research project to evaluate the epidemiology, the quality and the effects of pain treatment in cancer patients. <i>Health and Quality of Life Outcomes</i> , 2006, 4, 7.	2.4	23
23	Specific Detection of Cytokeratin 20-Positive Cells in Blood of Colorectal and Breast Cancer Patients by a High Sensitivity Real-Time Reverse Transcriptase-Polymerase Chain Reaction Method. <i>Journal of Molecular Diagnostics</i> , 2006, 8, 105-112.	2.8	20
24	Variability of clinical target volume delineation for rectal cancer patients planned for neoadjuvant radiotherapy with the aid of the platform Anatom-e. <i>Clinical and Translational Radiation Oncology</i> , 2018, 11, 33-39.	1.7	20
25	Comment on Medication-Related Osteonecrosis of the Jaw: MASCC/ISOO/ASCO Clinical Practice Guideline Summary. <i>JCO Oncology Practice</i> , 2020, 16, 142-145.	2.9	18
26	Prospective, Multicenter, Randomized Trial of a New Organizational Modality for Providing Information and Support to Cancer Patients. <i>Journal of Clinical Oncology</i> , 2009, 27, 1794-1799.	1.6	17
27	FOLFOX-4 Regimen or Single-agent Gemcitabine as First-line Chemotherapy in Advanced Biliary Tract Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2013, 36, 466-471.	1.3	17
28	Hospital factors and patient characteristics in the treatment of colorectal cancer: a population based study. <i>BMC Public Health</i> , 2012, 12, 775.	2.9	16
29	Decreasing Frequency of Osteonecrosis of the Jaw in Cancer and Myeloma Patients Treated with Bisphosphonates: The Experience of the Oncology Network of Piedmont and Aosta Valley (North-Western Italy). <i>ISRN Oncology</i> , 2013, 2013, 1-8.	2.1	14
30	Second-line chemotherapy with weekly paclitaxel and gemcitabine in patients with small-cell lung cancer pretreated with platinum and etoposide: a single institution phase II trial. <i>Cancer Chemotherapy and Pharmacology</i> , 2006, 58, 203-209.	2.3	12
31	Population-based analyses of radical cystectomy and urinary diversion for bladder cancer in northern Italy. <i>BJU International</i> , 2011, 108, E266-E271.	2.5	12
32	Oral estramustine plus oral etoposide in the treatment of hormone refractory prostate cancer patients: A phase II study with a 5-year follow-up. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2005, 23, 1-7.	1.6	11
33	Prospective phase II trial of neoadjuvant chemo-radiotherapy with Oxaliplatin and Capecitabine in locally advanced rectal cancer (XELOXART). <i>Medical Oncology</i> , 2013, 30, 581.	2.5	11
34	A multicenter, randomized, Phase II study of cisplatin, etoposide, and gemcitabine or cisplatin plus gemcitabine as first-line treatment in patients with poor-prognosis small cell lung carcinoma. <i>Cancer</i> , 2005, 103, 772-779.	4.1	10
35	The impact of anemia on quality of life and hospitalisation in elderly cancer patients undergoing chemotherapy. <i>Critical Reviews in Oncology/Hematology</i> , 2011, 77, 70-77.	4.4	10
36	Fractionated dose of cisplatin (CDDP) and vinorelbine (VNB) chemotherapy for elderly patients with advanced non-small cell lung cancer: Phase II trial. <i>Lung Cancer</i> , 2006, 54, 353-357.	2.0	9

#	ARTICLE	IF	CITATIONS
37	Combination regimen of epirubicin, vinorelbine and 5-fluorouracil continuous infusion as first-line chemotherapy in anthracycline-naïve metastatic breast cancer patients. <i>European Journal of Cancer</i> , 2005, 41, 249-255.	2.8	8
38	Sequential chemotherapy of cisplatin and vinorelbine followed by paclitaxel and gemcitabine in advanced non-small-cell lung cancer. <i>Lung Cancer</i> , 2005, 47, 269-275.	2.0	8
39	Effects of Transdermal Buprenorphine on Patients-reported Outcomes in Cancer Patients. <i>Clinical Journal of Pain</i> , 2009, 25, 671-682.	1.9	8
40	A phase II trial of weekly paclitaxel and gemcitabine in non-small cell lung cancer patients previously treated with platinum and vinorelbine. <i>Anticancer Research</i> , 2004, 24, 2567-72.	1.1	7
41	Comparison of Methylprednisolone and Metoclopramide in the Prophylactic Treatment of CIS-Platin-Induced Nausea and Vomiting. <i>Tumori</i> , 1984, 70, 237-241.	1.1	6
42	Activity of Weekly Paclitaxel in Advanced Hormone-Refractory Prostate Cancer. <i>American Journal of Clinical Oncology: Cancer Clinical Trials</i> , 2007, 30, 234-238.	1.3	6
43	Pain Control with Zoledronic Acid in Patients with Breast Cancer and Metastatic Bone Disease. <i>American Journal of Cancer</i> , 2004, 3, 257-263.	0.4	4
44	Phase II study of divided-dose vinblastine in advanced breast cancer patients. <i>Cancer Chemotherapy and Pharmacology</i> , 1988, 21, 65-7.	2.3	3
45	Histopathological findings after preoperative chemo-radiotherapy in oral and oropharyngeal carcinoma. A study of 28 resected specimens. <i>European Journal of Cancer Part B, Oral Oncology</i> , 1993, 29, 113-117.	0.9	2
46	Nonmyeloablative allogeneic blood stem cell transplantation in patients with metastatic solid tumors. <i>Hematology</i> , 2006, 11, 171-177.	1.5	2
47	Impact of initial pattern of care on hospital costs in a cohort of incident lung cancer cases. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 269-275.	1.8	2
48	Phase II trial of VP16-213 in squamous cell carcinoma of the head and neck. <i>European Journal of Cancer & Clinical Oncology</i> , 1987, 23, 577.	0.7	0