Ademar Al Lopes

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6375590/publications.pdf

Version: 2024-02-01

136950 161849 134 3,626 32 54 citations h-index g-index papers 136 136 136 3835 docs citations times ranked citing authors all docs

#	Article	IF	CITATIONS
1	Cost-effectiveness analysis of robotic-assisted versus retropubic radical prostatectomy: a single cancer center experience. Journal of Robotic Surgery, 2021, 15, 859-868.	1.8	6
2	Penile Cancer-Derived Cells Molecularly Characterized as Models to Guide Targeted Therapies. Cells, 2021, 10, 814.	4.1	9
3	Prostate Cancer Screening in Brazil: a single center experience in the public health system. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2021, 47, 558-565.	1.5	6
4	Neoadjuvant hypofractionated radiotherapy and chemotherapy for extremity soft tissue sarcomas: Safety, feasibility, and early oncologic outcomes of a phase 2 trial. Radiotherapy and Oncology, 2021, 159, 161-167.	0.6	8
5	Desmoplastic Small Round Cell Tumor: A Review of Main Molecular Abnormalities and Emerging Therapy. Cancers, 2021, 13, 498.	3.7	25
6	Clinical Characteristics, Management, and Outcomes of 19 Nonpediatric Patients with Desmoplastic Small Round Cell Tumor: A Cohort of Brazilian Patients. Sarcoma, 2020, 2020, 1-7.	1.3	6
7	Analysis of PTEN Methylation Pattern by Pyrosequencing in Renal Cell Carcinoma. Journal of Cancer Therapy, 2020, 11, 793-802.	0.4	O
8	Solitary Bone Metastasis as the First Presentation of Germ Cell Testicular Cancer Treated with Internal Hemipelvectomy: A Case Report. Urologia Internationalis, 2019, 103, 116-119.	1.3	2
9	Late assessment of quality of life in patients with rectal carcinoma: comparison between sphincter preservation and definitive colostomy. International Journal of Colorectal Disease, 2018, 33, 1039-1045.	2.2	13
10	Estrogen Receptor \hat{l}^2 as a Prognostic Marker of Tumor Progression in Colorectal Cancer with Familial Adenomatous Polyposis and Sporadic Polyps. Pathology and Oncology Research, 2018, 24, 533-540.	1.9	29
11	Epidermal growth factor receptor as an adverse survival predictor in squamous cell carcinoma of the penis. Human Pathology, 2017, 61, 97-104.	2.0	14
12	Multidimensional integrative analysis uncovers driver candidates and biomarkers in penile carcinoma. Scientific Reports, 2017, 7, 6707.	3.3	35
13	A proposal of Brazilian Society of Surgical Oncology (BSSO/SBCO) for standardizing cytoreductive surgery (CRS) plus hyperthermic intraperitoneal chemotherapy (HIPEC) procedures in Brazil: pseudomixoma peritonei, appendiceal tumors and malignant peritoneal mesothelioma. Revista Do Colegio Brasileiro De Cirurgioes, 2017, 44, 530-544.	0.6	12
14	Oestrogen receptor beta isoform expression in sporadic colorectal cancer, familial adenomatous polyposis and progressive stages of colorectal cancer. BMC Cancer, 2017, 17, 754.	2.6	7
15	Integrative miRNA and mRNA analysis in penile carcinomas reveals markers and pathways with potential clinical impact. Oncotarget, 2017, 8, 15294-15306.	1.8	39
16	Neoadjuvant Hypofractionated Radiotherapy and Chemotherapy in High-Grade Extremity Soft Tissue Sarcomas: Phase 2 Clinical Trial Protocol. JMIR Research Protocols, 2017, 6, e97.	1.0	10
17	HER-2 Expression and Response to Radiotherapy in Patients with Advanced Cervical Cancer. Journal of reproductive medicine, The, 2017, 62, 234-40.	0.2	0
18	Tissue-Associated Bacterial Alterations in Rectal Carcinoma Patients Revealed by 16S rRNA Community Profiling. Frontiers in Cellular and Infection Microbiology, 2016, 6, 179.	3.9	125

#	Article	IF	Citations
19	Epithelial-mesenchymal transition (EMT) phenotype at invasion front of squamous cell carcinoma of the penis influences oncological outcomes. Urologic Oncology: Seminars and Original Investigations, 2016, 34, 433.e19-433.e26.	1.6	17
20	A genomic case study of desmoplastic small round cell tumor: comprehensive analysis reveals insights into potential therapeutic targets and development of a monitoring tool for a rare and aggressive disease. Human Genomics, 2016, 10, 36.	2.9	28
21	Hyperthermic Intraperitoneal Chemotherapy after Secondary Cytoreduction in Epithelial Ovarian Cancer: A Single-center Comparative Analysis. Annals of Surgical Oncology, 2016, 23, 1294-1301.	1.5	36
22	A comprehensive characterization of cell cultures and xenografts derived from a human verrucous penile carcinoma. Tumor Biology, 2016, 37, 11375-11384.	1.8	16
23	Prognostic factors in patients with penile carcinoma and inguinal lymph node metastasis. International Journal of Urology, 2015, 22, 669-673.	1.0	21
24	Surgical complications and metachronous rectal cancer risk in patients with classic familial adenomatous polyposis. Journal of Coloproctology, 2015, 35, 008-013.	0.1	0
25	Pathologic and imunohistochemical characterization of tumoral inflammatory cell infiltrate in invasive penile squamous cell carcinomas: Fox-P3 expression is an independent predictor of recurrence. Tumor Biology, 2015, 36, 2509-2516.	1.8	28
26	Pattern of invasion is the most important prognostic factor in patients with penile cancer submitted to lymph node dissection and pathological absence of lymph node metastasis. BJU International, 2015, 116, 584-589.	2.5	17
27	SOD2 immunoexpression predicts lymph node metastasis in penile cancer. BMC Clinical Pathology, 2015, 15, 3.	1.8	28
28	Can a Sentinel Node Mapping Algorithm Detect All Positive Lymph Nodes in Cervical Cancer?. Annals of Surgical Oncology, 2015, 22, 1564-1569.	1.5	11
29	Genomic Profiling of Human Penile Carcinoma Predicts Worse Prognosis and Survival. Cancer Prevention Research, 2015, 8, 149-156.	1.5	52
30	Genome-wide methylation and transcriptome analysis in penile carcinoma: uncovering new molecular markers. Clinical Epigenetics, 2015, 7, 46.	4.1	48
31	Down-Regulation of <i>SLC8A1</i> as a Putative Apoptosis Evasion Mechanism by Modulation of Calcium Levels in Penile Carcinoma. Journal of Urology, 2015, 194, 245-251.	0.4	36
32	Natural history and surgical treatment of chordoma: a retrospective cohort study. Sao Paulo Medical Journal, 2014, 132, 297-302.	0.9	6
33	Genomic screening of testicular germ cell tumors from monozygotic twins. Orphanet Journal of Rare Diseases, 2014, 9, 181.	2.7	7
34	Gene Expression Profiling in Leiomyosarcomas and Undifferentiated Pleomorphic Sarcomas: SRC as a New Diagnostic Marker. PLoS ONE, 2014, 9, e102281.	2.5	28
35	The impact of immunohistochemical expression of nitric oxide synthases on clinical and pathological features of renal cell carcinoma. World Journal of Urology, 2013, 31, 1197-1203.	2.2	4
36	Does Histologic Type Correlate to Outcome after Pelvic Exenteration for Cervical and Vaginal Cancer?. Annals of Surgical Oncology, 2013, 20, 1694-1700.	1.5	12

#	Article	IF	CITATIONS
37	Tyrosine kinase receptor expression in chordomas: phosphorylated AKT correlates inversely with outcome. Human Pathology, 2013, 44, 1747-1755.	2.0	39
38	Análise do gene PTEN por hibridização in situ fluorescente no carcinoma de células renais. Revista Do Colegio Brasileiro De Cirurgioes, 2013, 40, 471-475.	0.6	6
39	Genomic Signatures Predict Poor Outcome in Undifferentiated Pleomorphic Sarcomas and Leiomyosarcomas. PLoS ONE, 2013, 8, e67643.	2.5	24
40	Results of preoperative electrical stimulation of pelvic floor muscles in the continence status following radical retropubic prostatectomy. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2013, 39, 182-188.	1.5	15
41	Prognostic value of nuclear factor $\hat{\mathbb{P}}$ B expression in patients with advanced cervical cancer undergoing radiation therapy followed by hysterectomy. Journal of Clinical Pathology, 2012, 65, 614-618.	2.0	4
42	A clinical, pathologic, and molecular study of p53 and murine double minute 2 in penile carcinogenesis and its relation to prognosis. Human Pathology, 2012, 43, 481-488.	2.0	21
43	Prognostic factors in pelvic exenteration for gynecological malignancies. European Journal of Surgical Oncology, 2012, 38, 948-954.	1.0	50
44	Biópsia percutânea por agulha grossa de tumores de partes moles guiada por tomografia computadorizada: resultados e correlação com análise da peça cirúrgica. Radiologia Brasileira, 2012, 45, 259-262.	0.7	12
45	Metastases to retroperitoneal or lateral pelvic lymph nodes indicated unfavorable survival and high pelvic recurrence rates in a cohort of 102 patients with low rectal adenocarcinoma. Journal of Surgical Oncology, 2012, 106, 653-658.	1.7	25
46	Sex with Animals (SWA): Behavioral Characteristics and Possible Association with Penile Cancer. A Multicenter Study. Journal of Sexual Medicine, 2012, 9, 1860-1867.	0.6	42
47	Prognostication of Soft Tissue Sarcomas Based on Chromosome 17q Gene and Protein Status: Evaluation of TOP2A, HER-2/neu, and Survivin. Annals of Surgical Oncology, 2012, 19, 1790-1799.	1.5	11
48	Palliative pelvic exenteration for patients with gynecological malignancies. Archives of Gynecology and Obstetrics, 2011, 283, 1107-1112.	1.7	32
49	The Role of Surgical Treatment in Orbital Vascular Anomalies. Aesthetic Plastic Surgery, 2011, 35, 1087-1096.	0.9	2
50	High-dose-rate brachytherapy combined with hypofractionated external beam radiotherapy for men with intermediate or high risk prostate cancer: analysis of short- and medium-term urinary toxicity and biochemical control. International Journal of Clinical and Experimental Medicine, 2011, 4, 43-52.	1.3	9
51	Genomic expression, chemotherapy response, and molecular targets in soft tissue sarcomas of the extremities: Promising strategies for treatment selection. Journal of Surgical Oncology, 2010, 101, 92-96.	1.7	1
52	Suggestion of optimal patient characteristics for sentinel lymph node mapping in colorectal adenocarcinoma. Arquivos De Gastroenterologia, 2010, 47, 344-347.	0.8	2
53	The Use of the American Society of Anesthesiology Classification as a Prognostic Factor in Patients with Renal Cell Carcinoma. Urologia Internationalis, 2010, 84, 67-72.	1.3	21
54	Retroperitoneal and Lateral Pelvic Lymphadenectomy Mapped by Lymphoscintigraphy for Rectal Adenocarcinoma Staging. Japanese Journal of Clinical Oncology, 2010, 40, 746-753.	1.3	10

#	Article	IF	Citations
55	Nitric Oxide Synthases, Cyclooxygenase-2, Nitrotyrosine, and Angiogenesis in Chondrosarcoma and Their Relation to Prognosis. Journal of Bone and Joint Surgery - Series A, 2010, 92, 1738-1746.	3.0	22
56	Prognostic impact of adenomatous polyposis coli gene expression in osteosarcoma of the extremities. European Journal of Cancer, 2010, 46, 3307-3315.	2.8	7
57	Evaluation of estrogen receptor alpha, estrogen receptor beta, progesterone receptor, and cKIT expression in desmoids tumors and their role in determining treatment options. BioScience Trends, 2010, 4, 25-30.	3.4	35
58	Neoadjuvant chemoradiation therapy for soft tissue sarcomas of the extremities. Clinics, 2009, 64, 1059-1064.	1.5	11
59	Extent of pelvic lymphadenectomy in women with squamous cell carcinoma of the uterine cervix: Is there any prognostic value?. Journal of Surgical Oncology, 2009, 100, 252-257.	1.7	2
60	ErbB family immunohistochemical expression in colorectal cancer patients with higher risk of recurrence after radical surgery. International Journal of Colorectal Disease, 2009, 24, 1059-1068.	2.2	40
61	Glial fibrillary acidic protein in tumor types with cartilaginous differentiation. Modern Pathology, 2009, 22, 1321-1327.	5.5	18
62	Menopausal status: A possible predictive factor for recurrence in women with cancer of the uterine cervix without pelvic lymph node metastasis. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2009, 146, 204-209.	1.1	0
63	Fillet flap for reconstruction after hemipelvectomy: report of three cases. Journal of Plastic, Reconstructive and Aesthetic Surgery, 2009, 62, e110-e111.	1.0	11
64	Penile Squamous Cell Carcinoma Clinicopathological Features, Nodal Metastasis and Outcome in 333 Cases. Journal of Urology, 2009, 182, 528-534.	0.4	136
65	Upstaging benefits and accuracy of sentinel lymph node mapping in colorectal adenocarcinoma nodal staging. Journal of Surgical Oncology, 2008, 98, 324-330.	1.7	26
66	Antibodies against the cancerâ€testis antigen CTSPâ€1 are frequently found in prostate cancer patients and are an independent prognostic factor for biochemicalâ€recurrence. International Journal of Cancer, 2008, 122, 2385-2390.	5.1	13
67	Comparison of biological behavior between early-stage adenocarcinoma and squamous cell carcinoma of the uterine cervix. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2008, 136, 215-223.	1.1	23
68	Prognostic factors and biomarkers of penile carcinoma. Expert Opinion on Medical Diagnostics, 2008, 2, 925-936.	1.6	0
69	Primary Invasive versus Progressive Invasive Transitional Cell Bladder Cancer: Multicentric Study of Overall Survival Rate. Urologia Internationalis, 2007, 79, 200-203.	1.3	26
70	Do Proliferating Cell Nuclear Antigen and MIB-1/Ki-67 Have Prognostic Value in Penile Squamous Cell Carcinoma?. Urology, 2007, 70, 137-142.	1.0	38
71	The use of silicone expander and cecal transposition after pelvic exenteration. European Journal of Surgical Oncology, 2007, 33, 586-589.	1.0	8
72	The TP53 mutation, R337H, is associated with Li-Fraumeni and Li-Fraumeni-like syndromes in Brazilian families. Cancer Letters, 2007, 245, 96-102.	7.2	170

#	Article	IF	CITATIONS
73	Response to "Germline TP53 R337H mutation is not sufficient to establish Li-Fraumeni or Li-Fraumeni-like syndromeâ€, by Ribeiro et al Cancer Letters, 2007, 247, 356-358.	7.2	1
74	Intensity of cervical inflammatory reaction as a risk factor for recurrence of carcinoma of the uterine cervix in stages IB and IIA. Sao Paulo Medical Journal, 2007, 125, 231-236.	0.9	7
75	E-cadherin, MMP-2, and MMP-9 as prognostic markers in penile cancer: Analysis of 125 patients. Urology, 2006, 67, 797-802.	1.0	7 5
76	Front pattern of invasion in squamous cell carcinoma of the penis: New prognostic factor for predicting risk of lymph node metastases. Urology, 2006, 68, 148-153.	1.0	52
77	Sarcomas Often Express Constitutive Nitric Oxide Synthases (NOS) But Infrequently Inducible NOS. Applied Immunohistochemistry and Molecular Morphology, 2006, 14, 404-410.	1.2	19
78	Neoadjuvant radiochemotherapy in the treatment of fixed and semi-fixed rectal tumors. Analysis of results and prognostic factors. Radiation Oncology, 2006, 1 , 5 .	2.7	10
79	Assessment of pelvic lymph node micrometastatic disease in stages IB and IIA of carcinoma of the uterine cervix. International Journal of Gynecological Cancer, 2006, 16, 1188-1194.	2.5	39
80	Retroperitoneal and Lateral Pelvic Lymphadenectomy Mapped by Lymphoscintigraphy and Blue Dye for Rectal Adenocarcinoma Staging: Preliminary Results. Annals of Surgical Oncology, 2006, 13, 1617-1621.	1.5	8
81	The expression of metaloproteinases-2 and -9 is different according to the patterns of growth and invasion in squamous cell carcinoma of the penis. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2006, 449, 637-646.	2.8	7
82	Double-barreled wet colostomy is a safe option for simultaneous urinary and fecal diversion. Analysis of 56 procedures from a single institution. Journal of Surgical Oncology, 2006, 93, 206-211.	1.7	28
83	Relationship of the methylenetetrahydrofolate reductase C677T polymorphism with microsatellite instability and promoter hypermethylation in sporadic colorectal cancer. Genetics and Molecular Research, 2006, 5, 315-22.	0.2	21
84	Radiochemotherapy in the conservative treatment of anal canal carcinoma: Retrospective analysis of results and radiation dose effectiveness. International Journal of Radiation Oncology Biology Physics, 2005, 61, 1136-1142.	0.8	76
85	The double-barreled wet ileostomy: an alternative method for simultaneous urinary and intestinal diversion without intestinal anastomosis after total colectomy and pelvic exenteration. International Journal of Colorectal Disease, 2005, 20, 190-193.	2.2	2
86	Tratamento conservador do carcinoma do canal anal. Revista Do Colegio Brasileiro De Cirurgioes, 2005, 32, 23-31.	0.6	2
87	Colorectal Cancer "Methylator Phenotype": Fact or Artifact?. Neoplasia, 2005, 7, 331-335.	5.3	63
88	Prognostic and predictive value of the thymidylate synthase expression in patients with non-metastatic colorectal cancer. European Journal of Surgical Oncology, 2005, 31, 863-868.	1.0	19
89	Sarcoma sinovial de extremidades com doenÃSa localizada ao diagnóstico: tratamento e padrões de recidiva em 57 casos. Revista Do Colegio Brasileiro De Cirurgioes, 2005, 32, 304-309.	0.6	1
90	Condrossarcoma de ramo púbico superior simulando hérnia inguinal. Revista Do Colegio Brasileiro De Cirurgioes, 2005, 32, 353-354.	0.6	2

#	Article	IF	CITATIONS
91	Development and application of a multiplex PCR procedure for the detection of DNA methylation in colorectal cancer. Oncology Reports, 2005, 13, 325-8.	2.6	7
92	Vascular Reconstruction in Limbs with Malignant Tumors. Vascular and Endovascular Surgery, 2004, 38, 423-429.	0.7	16
93	Pelvic exenteration and sphincter preservation: An analysis of 96 cases. Journal of Surgical Oncology, 2004, 86, 122-127.	1.7	12
94	Nuclear markers (star volume, mitotic index, AgNOR and Ki-67) of the primary tumor and its metastasis in non-small cell lung carcinomas. Pathology Research and Practice, 2004, 200, 13-23.	2.3	12
95	Pelvic exenteration and sphincter preservation in the treatment of soft tissue sarcomas. European Journal of Surgical Oncology, 2004, 30, 972-975.	1.0	7
96	Prognostic factors in locally advanced colon cancer treated by extended resection. Revista Do Hospital Das Clinicas, 2004, 59, 361-368.	0.5	19
97	Vascular Reconstruction in Limbs Associated with Resection of Tumors. Annals of Vascular Surgery, 2003, 17, 411-416.	0.9	27
98	Idiopathic aneurysm of inferior vena cava associated with retroperitoneal ganglioneuroma: Case report. Journal of Vascular Surgery, 2003, 37, 895-898.	1.1	19
99	A simple cost-effective lactate dehydrogenase level measurement can stratify patients with Ewing's tumor into low and high risk. Annals of Oncology, 2003, 14, 656.	1.2	7
100	The generation and utilization of a cancer-oriented representation of the human transcriptome by using expressed sequence tags. Proceedings of the National Academy of Sciences of the United States of America, 2003, 100, 13418-13423.	7.1	105
101	Cirurgia de tikhoff-linberg para tratamento de condrossarcoma localmente avançado da região escápulo-umeral. Revista Do Colegio Brasileiro De Cirurgioes, 2003, 30, 241-243.	0.6	0
102	p53 as a New Prognostic Factor for Lymph Node Metastasis in Penile Carcinoma: Analysis of 82 Patients Treated with Amputation and Bilateral Lymphadenectomy. Journal of Urology, 2002, 168, 81-86.	0.4	134
103	Chemoradiation instead of surgery to treat mid and low rectal tumors: Is it safe?. Annals of Surgical Oncology, 2002, 9, 568-573.	1.5	74
104	Frequency of extra-colonic tumors in hereditary nonpolyposis colorectal cancer (HNPCC) and familial colorectal cancer (FCC) Brazilian families: An analysis by a Brazilian Hereditary Colorectal Cancer Institutional Registry. Familial Cancer, 2002, 3, 41-47.	1.9	35
105	p53 as a New Prognostic Factor for Lymph Node Metastasis in Penile Carcinoma: Analysis of 82 Patients Treated with Amputation and Bilateral Lymphadenectomy. Journal of Urology, 2002, , 81-86.	0.4	5
106	hMLH1 and hMSH2 Gene Mutation in Brazilian Families With Suspected Hereditary Nonpolyposis Colorectal Cancer. Annals of Surgical Oncology, 2002, 9, 555-561.	1.5	24
107	Chemoradiation Instead of Surgery To Treat Mid and Low Rectal Tumors: Is It Safe?. Annals of Surgical Oncology, 2002, 9, 568-573.	1.5	2
108	p53 as a new prognostic factor for lymph node metastasis in penile carcinoma: analysis of 82 patients treated with amputation and bilateral lymphadenectomy. Journal of Urology, 2002, 168, 81-6.	0.4	33

#	Article	IF	Citations
109	Treatment of patients with superficial bladder cancer stratified by risk groups treated with lyophilized Moreau-Rio de Janeiro BCG strain. International Braz J Urol: Official Journal of the Brazilian Society of Urology, 2002, 28, 426-35; discussion 435-6.	1.5	8
110	Anal paracoccidioidomycosis: an unusual presentation of disseminated disease. Revista Da Sociedade Brasileira De Medicina Tropical, 2001, 34, 583-586.	0.9	4
111	Clinicopathologic Features and Human Papillomavirus DNA Prevalence of Warty and Squamous Cell Carcinoma of the Penis. American Journal of Surgical Pathology, 2001, 25, 673-678.	3.7	103
112	Iliac nodal metastases from carcinoma of the penis treated surgically. BJU International, 2001, 86, 690-693.	2.5	51
113	Human papillomavirus as a prognostic factor in carcinoma of the penis. Cancer, 2001, 91, 2315-2321.	4.1	185
114	Human papillomavirus as a prognostic factor in carcinoma of the penis. Cancer, 2001, 91, 2315-2321.	4.1	23
115	Tratamento do carcinoma do canal anal com radioterapia e quimioterapia concomitantes: resultados preliminares do Hospital do Câncer A. C. Camargo. Revista Do Colegio Brasileiro De Cirurgioes, 2001, 28, 30-38.	0.6	1
116	Intestinal paracoccidioidomycosis simulating colon cancer. Revista Da Sociedade Brasileira De Medicina Tropical, 2000, 33, 309-312.	0.9	21
117	Radiation and chemotherapy instead of surgery for low infiltrative rectal adenocarcinoma: A prospective trial. Annals of Surgical Oncology, 1998, 5, 113-118.	1.5	38
118	RHABDOMYOSARCOMA OF THE PENIS IN A 15-MONTH-OLD BOY. Journal of Urology, 1998, 160, 2200-2201.	0.4	8
119	Tumores colorretais hereditÃ _i rios. Revista Do Colegio Brasileiro De Cirurgioes, 1998, 25, 271-280.	0.6	2
120	Radioterapia e cirurgia na abordagem do câncer do reto: revisão de literatura, fatores prognósticos e resultados de tratamento. Revista Do Colegio Brasileiro De Cirurgioes, 1998, 25, 81-90.	0.6	1
121	Evaluation of prostate specific antigen in the prognosis of patients with advanced prostate cancer. Sao Paulo Medical Journal, 1998, 116, 1798-1802.	0.9	1
122	Treatment of severe actinic rectitis. Sao Paulo Medical Journal, 1998, 116, 1629-1633.	0.9	0
123	Chondrosarcoma secondary to hereditary multiple exostosis treated by extended internal hemiplevectomy. Sao Paulo Medical Journal, 1997, 115, 1440-1443.	0.9	3
124	Internal hemipelvectomy in the treatment of recurrent carcinoma of the colon. Diseases of the Colon and Rectum, 1997, 40, 1504-1507.	1.3	9
125	Prognostic Factors in Carcinoma of the Penis: Multivariate Analysis of 145 Patients Treated with Amputation and Lymphadenectomy. Journal of Urology, 1996, 156, 1637-1642.	0.4	226
126	Chordoma: retrospective analysis of 24 cases. Sao Paulo Medical Journal, 1996, 114, 1312-1316.	0.9	7

#	Article	IF	CITATIONS
127	Unreliability of modified inguinal lymphadenectomy for clinical staging of penile carcinoma. , 1996, 77, 2099-2102.		82
128	Prognostic Factors in Carcinoma of the Penis. Journal of Urology, 1996, , 1637-1642.	0.4	6
129	Prognostic factors in 291 patients with pulmonary metastases submitted to thoracotomy. Sao Paulo Medical Journal, 1995, 113, 910-916.	0.9	3
130	A retrospective study of the use of bovine pericardium, dura mater, and polypropylene mesh as reinforcement materials in abdominal and thoracic wall reconstruction. Current Therapeutic Research, 1995, 56, 492-497.	1.2	4
131	Surgical treatment of colon and rectum adenocarcinoma in elderly patients. Journal of Surgical Oncology, 1992, 51, 203-206.	1.7	14
132	Increased survival, limb preservation, and prognostic factors for osteosarcoma. Cancer, 1991, 68, 733-737.	4.1	83
133	Human papillomavirus DNA sequences in penile carcinomas in Brazil. International Journal of Cancer, 1986, 37, 853-855.	5.1	115
134	Interplay Between Immune and Cancer-Associated Fibroblasts: A Path to Target Metalloproteinases in Penile Cancer. Frontiers in Oncology, $0,12,.$	2.8	2