

# Robin Haring

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6382736/publications.pdf>

Version: 2024-02-01

80  
papers

5,131  
citations

109321

35  
h-index

88630

70  
g-index

82  
all docs

82  
docs citations

82  
times ranked

8969  
citing authors

#	ARTICLE	IF	CITATIONS
1	Cohort Profile: The Study of Health in Pomerania. <i>International Journal of Epidemiology</i> , 2011, 40, 294-307.	1.9	876
2	Association of Non-alcoholic Fatty Liver Disease with Chronic Kidney Disease: A Systematic Review and Meta-analysis. <i>PLoS Medicine</i> , 2014, 11, e1001680.	8.4	507
3	Low serum testosterone levels are associated with increased risk of mortality in a population-based cohort of men aged 20-79. <i>European Heart Journal</i> , 2010, 31, 1494-1501.	2.2	281
4	A genome-wide association study of metabolic traits in human urine. <i>Nature Genetics</i> , 2011, 43, 565-569.	21.4	224
5	Ultrasonographic hepatic steatosis increases prediction of mortality risk from elevated serum gamma-glutamyl transpeptidase levels. <i>Hepatology</i> , 2009, 50, 1403-1411.	7.3	208
6	Genetic Determinants of Serum Testosterone Concentrations in Men. <i>PLoS Genetics</i> , 2011, 7, e1002313.	3.5	178
7	Testosterone, Sex Hormone-Binding Globulin and the Metabolic Syndrome in Men: An Individual Participant Data Meta-Analysis of Observational Studies. <i>PLoS ONE</i> , 2014, 9, e100409.	2.5	162
8	A Genome-Wide Association Meta-Analysis of Circulating Sex Hormone-Binding Globulin Reveals Multiple Loci Implicated in Sex Steroid Hormone Regulation. <i>PLoS Genetics</i> , 2012, 8, e1002805.	3.5	151
9	Prediction of Metabolic Syndrome by Low Serum Testosterone Levels in Men. <i>Diabetes</i> , 2009, 58, 2027-2031.	0.6	150
10	Age-Specific Reference Ranges for Serum Testosterone and Androstenedione Concentrations in Women Measured by Liquid Chromatography-Tandem Mass Spectrometry. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2012, 97, 408-415.	3.6	148
11	Heart valve sclerosis predicts all-cause and cardiovascular mortality. <i>Atherosclerosis</i> , 2010, 209, 606-610.	0.8	92
12	Prevalence, incidence and risk factors of testosterone deficiency in a population-based cohort of men: results from the study of health in Pomerania. <i>Aging Male</i> , 2010, 13, 247-257.	1.9	88
13	Eight Common Genetic Variants Associated with Serum DHEAS Levels Suggest a Key Role in Ageing Mechanisms. <i>PLoS Genetics</i> , 2011, 7, e1002025.	3.5	87
14	Inverse Association Between Serum Free Thyroxine Levels and Hepatic Steatosis: Results from the Study of Health in Pomerania. <i>Thyroid</i> , 2012, 22, 568-574.	4.5	85
15	Extended recruitment efforts minimize attrition but not necessarily bias. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 252-260.	5.0	78
16	Serum prolactin concentrations as risk factor of metabolic syndrome or type 2 diabetes?. <i>BMC Endocrine Disorders</i> , 2013, 13, 12.	2.2	77
17	Positive association of serum prolactin concentrations with all-cause and cardiovascular mortality. <i>European Heart Journal</i> , 2014, 35, 1215-1221.	2.2	75
18	Causal relationship between obesity and serum testosterone status in men: A bi-directional mendelian randomization analysis. <i>PLoS ONE</i> , 2017, 12, e0176277.	2.5	72

#	ARTICLE	IF	CITATIONS
19	Inverse association between total testosterone concentrations, incident hypertension and blood pressure. <i>Aging Male</i> , 2011, 14, 176-182.	1.9	71
20	Association of sex steroids, gonadotrophins, and their trajectories with clinical cardiovascular disease and all-cause mortality in elderly men from the Framingham Heart Study. <i>Clinical Endocrinology</i> , 2013, 78, 629-634.	2.4	69
21	Missing, unreplaced teeth and risk of all-cause and cardiovascular mortality. <i>International Journal of Cardiology</i> , 2013, 167, 1430-1437.	1.7	68
22	Self-perceived quality of life predicts mortality risk better than a multi-biomarker panel, but the combination of both does best. <i>BMC Medical Research Methodology</i> , 2011, 11, 103.	3.1	65
23	The association between fatty liver disease and blood pressure in a population-based prospective longitudinal study. <i>Journal of Hypertension</i> , 2010, 28, 1829-1835.	0.5	64
24	Prospective association of low total testosterone concentrations with an adverse lipid profile and increased incident dyslipidemia. <i>European Journal of Cardiovascular Prevention and Rehabilitation</i> , 2011, 18, 86-96.	2.8	63
25	Decreased serum TSH levels are not associated with mortality in the adult northeast German population. <i>European Journal of Endocrinology</i> , 2010, 162, 579-585.	3.7	59
26	The association of serum testosterone levels and ventricular repolarization. <i>European Journal of Epidemiology</i> , 2010, 25, 21-28.	5.7	57
27	Association of Testosterone Levels With Endothelial Function in Men. <i>Arteriosclerosis, Thrombosis, and Vascular Biology</i> , 2012, 32, 481-486.	2.4	53
28	Diving Through the "Omics": The Case for Deep Phenotyping and Systems Epidemiology. <i>OMICS A Journal of Integrative Biology</i> , 2012, 16, 231-234.	2.0	52
29	Low Serum Testosterone Is Associated with Increased Mortality in Men with Stage 3 or Greater Nephropathy. <i>American Journal of Nephrology</i> , 2011, 33, 209-217.	3.1	49
30	Prospective Inverse Associations of Sex Hormone Concentrations in Men With Biomarkers of Inflammation and Oxidative Stress. <i>Journal of Andrology</i> , 2012, 33, 944-950.	2.0	47
31	Mendelian randomization suggests non-causal associations of testosterone with cardiometabolic risk factors and mortality. <i>Andrology</i> , 2013, 1, 17-23.	3.5	44
32	Cohort profile: Greifswald approach to individualized medicine (GANI_MED). <i>Journal of Translational Medicine</i> , 2014, 12, 144.	4.4	43
33	Endogenous Androgens and Sex Hormone-Binding Globulin in Women and Risk of Metabolic Syndrome and Type 2 Diabetes. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2015, 100, 4595-4603.	3.6	42
34	Low total testosterone is associated with increased risk of incident type 2 diabetes mellitus in men: results from the Study of Health in Pomerania (SHIP). <i>Aging Male</i> , 2011, 14, 168-175.	1.9	41
35	Osteocalcin is associated with testosterone in the general population and selected patients with bone disorders. <i>Andrology</i> , 2013, 1, 469-474.	3.5	37
36	Plasma Fibroblast Growth Factor 23: Clinical Correlates and Association With Cardiovascular Disease and Mortality in the Framingham Heart Study. <i>Journal of the American Heart Association</i> , 2016, 5, .	3.7	34

#	ARTICLE	IF	CITATIONS
37	Sex Hormones and Sleep in Men and Women From the General Population: A Cross-Sectional Observational Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2016, 101, 3968-3977.	3.6	34
38	Associations of androgens with depressive symptoms and cognitive status in the general population. <i>PLoS ONE</i> , 2017, 12, e0177272.	2.5	34
39	Relation between Sex Hormone Concentrations, Peripheral Arterial Disease, and Change in Ankle-Brachial Index: Findings from the Framingham Heart Study. <i>Journal of Clinical Endocrinology and Metabolism</i> , 2011, 96, 3724-3732.	3.6	30
40	Association of sex hormones with incident 10-year cardiovascular disease and mortality in women. <i>Maturitas</i> , 2015, 82, 424-430.	2.4	30
41	The association of serum prolactin concentration with inflammatory biomarkers – cross-sectional findings from the population-based Study of Health in Pomerania. <i>Clinical Endocrinology</i> , 2011, 75, 561-566.	2.4	29
42	Total and Cardiovascular Disease Mortality Predicted by Metabolic Syndrome is Inferior Relative to its Components. <i>Experimental and Clinical Endocrinology and Diabetes</i> , 2010, 118, 685-691.	1.2	28
43	Low Testosterone Concentrations in Men Contribute to the Gender Gap in Cardiovascular Morbidity and Mortality. <i>Gender Medicine</i> , 2012, 9, 557-568.	1.4	28
44	The role of sex hormone-binding globulin and testosterone in the risk of incident metabolic syndrome. <i>European Journal of Preventive Cardiology</i> , 2013, 20, 1061-1068.	1.8	28
45	Testosterone and cardiometabolic risk in the general population – the impact of measurement method on risk associations: a comparative study between immunoassay and mass spectrometry. <i>European Journal of Endocrinology</i> , 2013, 169, 463-470.	3.7	27
46	Glycated hemoglobin as a marker of subclinical atherosclerosis and cardiac remodeling among non-diabetic adults from the general population. <i>Diabetes Research and Clinical Practice</i> , 2014, 105, 416-423.	2.8	25
47	Clinical correlates of sex hormones in women: The study of health in Pomerania. <i>Metabolism: Clinical and Experimental</i> , 2016, 65, 1286-1296.	3.4	25
48	Positive association between testosterone, blood pressure, and hypertension in women. <i>Journal of Hypertension</i> , 2013, 31, 1106-1113.	0.5	24
49	Associations of Serum Testosterone and Sex Hormone-Binding Globulin With Incident Cardiovascular Events in Middle-Aged to Older Men. <i>Annals of Internal Medicine</i> , 2022, 175, 159-170.	3.9	23
50	Longitudinal change instead of baseline testosterone predicts depressive symptoms. <i>Psychoneuroendocrinology</i> , 2018, 89, 7-12.	2.7	22
51	The androgen receptor CAG repeat polymorphism as a risk factor of low serum testosterone and its cardiometabolic effects in men. <i>Journal of Developmental and Physical Disabilities</i> , 2012, 35, 511-520.	3.6	20
52	A Network-Based Approach to Visualize Prevalence and Progression of Metabolic Syndrome Components. <i>PLoS ONE</i> , 2012, 7, e39461.	2.5	20
53	Association of sex hormones with physical, laboratory, and imaging markers of anthropometry in men and women from the general population. <i>PLoS ONE</i> , 2018, 13, e0189042.	2.5	20
54	Clinical correlates of sex steroids and gonadotropins in men over the late adulthood: the Framingham Heart Study. <i>Journal of Developmental and Physical Disabilities</i> , 2012, 35, 775-782.	3.6	19

#	ARTICLE	IF	CITATIONS
55	Lower serum testosterone concentrations are associated with a higher incidence of dementia in men: The UK Biobank prospective cohort study. <i>Alzheimer's and Dementia</i> , 2022, 18, 1907-1918.	0.8	19
56	Prospective associations of androgens and sex hormone-binding globulin with 12-month, lifetime and incident anxiety and depressive disorders in men and women from the general population. <i>Journal of Affective Disorders</i> , 2019, 245, 905-911.	4.1	18
57	Sex-specific associations of serum prolactin concentrations with cardiac remodeling: Longitudinal results from the Study of Health Pomerania (SHIP). <i>Atherosclerosis</i> , 2012, 221, 570-576.	0.8	17
58	Serum androgen concentrations and subclinical measures of cardiovascular disease in men and women. <i>Atherosclerosis</i> , 2016, 247, 193-200.	0.8	17
59	Prospective association of low serum total testosterone levels with health care utilization and costs in a population-based cohort of men. <i>Journal of Developmental and Physical Disabilities</i> , 2010, 33, 800-809.	3.6	15
60	Perspectives for metabolomics in testosterone replacement therapy. <i>Journal of Endocrinology</i> , 2012, 215, 3-16.	2.6	9
61	Improved prediction of all-cause mortality by a combination of serum total testosterone and insulin-like growth factor I in adult men. <i>Steroids</i> , 2012, 77, 52-58.	1.8	9
62	Does Response Bias Influence Population Studies of Thyroid Disorders?. <i>Thyroid</i> , 2008, 18, 873-878.	4.5	7
63	Sex Hormones and Hair Loss in Men From the General Population of Northeastern Germany. <i>JAMA Dermatology</i> , 2017, 153, 935.	4.1	7
64	The association between fatty liver disease and blood pressure in a population-based cohort study. <i>Journal of Hypertension</i> , 2012, 30, 1260-1261.	0.5	5
65	No evidence found for an association between trial characteristics and treatment effects in randomized trials of testosterone therapy in men: a meta-epidemiological study. <i>Journal of Clinical Epidemiology</i> , 2020, 122, 12-19.	5.0	5
66	Associations between Serum Sex Hormone Concentrations and Whole Blood Gene Expression Profiles in the General Population. <i>PLoS ONE</i> , 2015, 10, e0127466.	2.5	4
67	Sex hormones and quantitative ultrasound parameters at the heel in men and women from the general population. <i>Bone Reports</i> , 2017, 7, 51-56.	0.4	2
68	Methodische Aspekte zur Bestimmung der Testosteronkonzentration als Biomarker der Gesundheit des Mannes/Challenges in the measurement of serum testosterone concentrations as a biomarker of men's health. <i>Laboratoriums Medizin</i> , 2011, 35, 29-33.	0.6	1
69	Serum hemoglobin is associated with all-cause and cardiovascular mortality in the general population. <i>European Heart Journal</i> , 2013, 34, P1565-P1565.	2.2	1
70	Testosterone is not associated with traits of optimism or pessimism: Observational evidence from the prospective DETECT study. <i>PLoS ONE</i> , 2018, 13, e0207870.	2.5	1
71	Lack of research reproducibility, the rise of open science and the need for continuing education in research methods. <i>Climacteric</i> , 2018, 21, 413-414.	2.4	1
72	When you are making plans to publish research, you need to plan for data sharing. <i>Climacteric</i> , 2020, 23, 466-467.	2.4	1

#	ARTICLE	IF	CITATIONS
73	Hair androgen concentrations and depressive disorders in adolescents from the general population. <i>European Child and Adolescent Psychiatry</i> , 2023, 32, 1375-1389.	4.7	1
74	Reply:. <i>Hepatology</i> , 2010, 51, 720-721.	7.3	0
75	Challenges in the measurement of serum testosterone concentrations as a biomarker of men's health 1. <i>Laboratoriums Medizin</i> , 2011, 35, -.	0.6	0
76	Sex-specific young adult reference ranges for sex hormone concentrations measured on the Siemens ADVIA Centaur/Geschlechtsspezifische Referenzbereiche für Sexualhormonkonzentrationen junger Erwachsener gemessen auf dem Siemens ADVIA Centaur. <i>Laboratoriums Medizin</i> , 2012, 36, .	0.6	0
77	Associations of androgens with health care utilization and costs in women—Perspectives of a population-based cohort study. <i>Maturitas</i> , 2016, 89, 5-8.	2.4	0
78	Meta-Epidemiology of Testosterone—Risks and Benefits—Will We Ever Know the Answer?. <i>JAMA Internal Medicine</i> , 2017, 177, 1392.	5.1	0
79	Metabolomics for the Individualized Therapy of Androgen Deficiency Syndrome in Male Adults. , 2012, , 139-155.		0
80	Inverse Association Between Serum Free Thyroxine Levels and Hepatic Steatosis: Results From the Study of Health in Pomerania. <i>Thyroid</i> , 0, , 120308105738004.	4.5	0