

# B Mark Smithers Mbbs, Fracs

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6383416/publications.pdf>

Version: 2024-02-01

277  
papers

17,315  
citations

22153

59  
h-index

15732

125  
g-index

283  
all docs

283  
docs citations

283  
times ranked

13651  
citing authors

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 1  | Survival after neoadjuvant chemotherapy or chemoradiotherapy for resectable oesophageal carcinoma: an updated meta-analysis. <i>Lancet Oncology</i> , The, 2011, 12, 681-692.   | 10.7 | 1,467     |
| 2  | Final Trial Report of Sentinel-Node Biopsy versus Nodal Observation in Melanoma. <i>New England Journal of Medicine</i> , 2014, 370, 599-609.   | 27.0 | 1,203     |
| 3  | Survival benefits from neoadjuvant chemoradiotherapy or chemotherapy in oesophageal carcinoma: a meta-analysis. <i>Lancet Oncology</i> , The, 2007, 8, 226-234.   | 10.7 | 1,137     |
| 4  | Completion Dissection or Observation for Sentinel-Node Metastasis in Melanoma. <i>New England Journal of Medicine</i> , 2017, 376, 2211-2222.   | 27.0 | 1,087     |
| 5  | Surgery alone versus chemoradiotherapy followed by surgery for resectable cancer of the oesophagus: a randomised controlled phase III trial. <i>Lancet Oncology</i> , The, 2005, 6, 659-668.  | 10.7 | 876       |
| 6  | International Consensus on Standardization of Data Collection for Complications Associated With Esophagectomy. <i>Annals of Surgery</i> , 2015, 262, 286-294.   | 4.2  | 784       |
| 7  | Benchmarking Complications Associated with Esophagectomy. <i>Annals of Surgery</i> , 2019, 269, 291-298.  | 4.2  | 504       |
| 8  | Guidelines for Perioperative Care in Esophagectomy: Enhanced Recovery After Surgery (ERAS <sup>®</sup> ) Society Recommendations. <i>World Journal of Surgery</i> , 2019, 43, 299-330.  | 1.6  | 395       |
| 9  | Comparison of the Outcomes Between Open and Minimally Invasive Esophagectomy. <i>Annals of Surgery</i> , 2007, 245, 232-240.  | 4.2  | 345       |
| 10 | Is concurrent radiation therapy required in patients receiving preoperative chemotherapy for adenocarcinoma of the oesophagus? A randomised phase II trial. <i>European Journal of Cancer</i> , 2011, 47, 354-360.  | 2.8  | 300       |
| 11 | Combined effects of obesity, acid reflux and smoking on the risk of adenocarcinomas of the oesophagus. <i>Gut</i> , 2008, 57, 173-180.  | 12.1 | 259       |
| 12 | Adjuvant radiotherapy versus observation alone for patients at risk of lymph-node field relapse after therapeutic lymphadenectomy for melanoma: a randomised trial. <i>Lancet Oncology</i> , The, 2012, 13, 589-597.  | 10.7 | 253       |
| 13 | Genomic catastrophes frequently arise in esophageal adenocarcinoma and drive tumorigenesis. <i>Nature Communications</i> , 2014, 5, 5224.   | 12.8 | 236       |
| 14 | High rate of detection of primary aldosteronism, including surgically treatable forms, after non-selective screening of hypertensive patients. <i>Journal of Hypertension</i> , 2003, 21, 2149-2157.  | 0.5  | 225       |
| 15 | Laparoscopic versus Open Appendectomy: Prospective Randomized Trial. <i>World Journal of Surgery</i> , 1996, 20, 17-21.   | 1.6  | 217       |
| 16 | Trends for in situ and Invasive Melanoma in Queensland, Australia, 1982-2002. <i>Cancer Causes and Control</i> , 2006, 17, 21-27.   | 1.8  | 192       |
| 17 | TOPGEAR: A Randomized, Phase III Trial of Perioperative ECF Chemotherapy with or Without Preoperative Chemoradiation for Resectable Gastric Cancer: Interim Results from an International, Intergroup Trial of the AGITC, TROG, EORTC and CCTG. <i>Annals of Surgical Oncology</i> , 2017, 24, 2252-2258. | 1.5  | 186       |
| 18 | Recommendations for pathologic staging (pTNM) of cancer of the esophagus and esophagogastric junction for the 8th edition AJCC/UICC staging manuals. <i>Ecological Management and Restoration</i> , 2016, 29, 897-905.  | 0.4  | 179       |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 19 | Adjuvant lymph-node field radiotherapy versus observation only in patients with melanoma at high risk of further lymph-node field relapse after lymphadenectomy (ANZMTG 01.02/TROG 02.01): 6-year follow-up of a phase 3, randomised controlled trial. <i>Lancet Oncology, The</i> , 2015, 16, 1049-1060. | 10.7 | 173       |
| 20 | Population-Based 20-Year Survival Among People Diagnosed With Thin Melanomas in Queensland, Australia. <i>Journal of Clinical Oncology</i> , 2012, 30, 1462-1467.   | 1.6  | 160       |
| 21 | Metastasectomy for Distant Metastatic Melanoma: Analysis of Data from the First Multicenter Selective Lymphadenectomy Trial (MSLT-I). <i>Annals of Surgical Oncology</i> , 2012, 19, 2547-2555.   | 1.5  | 155       |
| 22 | Factors Associated with Postoperative Pulmonary Morbidity After Esophagectomy for Cancer. <i>Annals of Surgical Oncology</i> , 2011, 18, 1460-1468.   | 1.5  | 150       |
| 23 | TOPGEAR: a randomised phase III trial of perioperative ECF chemotherapy versus preoperative chemoradiation plus perioperative ECF chemotherapy for resectable gastric cancer (an international,). <i>Tj ETQq1 1 02784314 rg34 /Overlo</i>   | 2.8  | 144       |
| 24 | Laparoscopic Nissen fundoplication—200 consecutive cases.. <i>Gut</i> , 1996, 38, 487-491.  | 12.1 | 142       |
| 25 | Cooperative Caching for Chip Multiprocessors. <i>Computer Architecture News</i> , 2006, 34, 264-276.  | 2.5  | 141       |
| 26 | Genome-wide association meta-analyses combining multiple risk phenotypes provide insights into the genetic architecture of cutaneous melanoma susceptibility. <i>Nature Genetics</i> , 2020, 52, 494-504.   | 21.4 | 138       |
| 27 | MAGE-A3 immunotherapeutic as adjuvant therapy for patients with resected, MAGE-A3-positive, stage III melanoma (DERMA): a double-blind, randomised, placebo-controlled, phase 3 trial. <i>Lancet Oncology, The</i> , 2018, 19, 916-929.   | 10.7 | 131       |
| 28 | Leptin and the risk of Barrett's oesophagus. <i>Gut</i> , 2007, 57, 448-454.  | 12.1 | 126       |
| 29 | Phase 2 Study of Intralesional PV-10 in Refractory Metastatic Melanoma. <i>Annals of Surgical Oncology</i> , 2015, 22, 2135-2142.   | 1.5  | 126       |
| 30 | Interactions among Smoking, Obesity, and Symptoms of Acid Reflux in Barrett's Esophagus. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2005, 14, 2481-2486.  | 2.5  | 118       |
| 31 | Desmoplastic melanoma: Patterns of recurrence. <i>World Journal of Surgery</i> , 1992, 16, 186-190.   | 1.6  | 112       |
| 32 | Worldwide Esophageal Cancer Collaboration: clinical staging data. <i>Ecological Management and Restoration</i> , 2016, 29, 707-714.   | 0.4  | 108       |
| 33 | Generational shift in melanoma incidence and mortality in Queensland, Australia, 1995–2014. <i>International Journal of Cancer</i> , 2018, 142, 1528-1535.  | 5.1  | 107       |
| 34 | Australian clinical practice guidelines for the diagnosis and management of Barrett's esophagus and early esophageal adenocarcinoma. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2015, 30, 804-820.   | 2.8  | 104       |
| 35 | Long-Term Survival after Complete Surgical Resection and Adjuvant Immunotherapy for Distant Melanoma Metastases. <i>Annals of Surgical Oncology</i> , 2017, 24, 3991-4000.  | 1.5  | 102       |
| 36 | Thirty-four Patients With Carcinoma of the Cervical Esophagus Treated With Chemoradiation Therapy. <i>JAMA Otolaryngology</i> , 2000, 126, 205.   | 1.2  | 101       |

| #  | ARTICLE  | IF  | CITATIONS |
|----|--|-----|-----------|
| 37 | Recommendations for clinical staging (cTNM) of cancer of the esophagus and esophagogastric junction for the 8th edition AJCC/UICC staging manuals. <i>Ecological Management and Restoration</i> , 2016, 29, 913-919.                     | 0.4 | 99        |
| 38 | A prospective phase II study of adjuvant postoperative radiation therapy following nodal surgery in malignant melanomaâ€“Trans Tasman Radiation Oncology Group (TROG) Study 96.06. <i>Radiotherapy and Oncology</i> , 2006, 81, 136-142. | 0.6 | 98        |
| 39 | The Effects of Sharing Awareness Cues in Collaborative Mixed Reality. <i>Frontiers in Robotics and AI</i> , 2019, 6, 5.  | 3.2 | 97        |
| 40 | Thoracoscopic mobilization of the esophagus. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2001, 15, 176-182.  | 2.4 | 90        |
| 41 | Risk Stratification for Early Esophageal Adenocarcinoma: Analysis of Lymphatic Spread and Prognostic Factors. <i>Annals of Surgical Oncology</i> , 2010, 17, 2494-2502.  | 1.5 | 86        |
| 42 | DESMOPLASTIC, NEURAL TRANSFORMING AND NEUROTROPIC MELANOMA: A REVIEW OF 45 CASES. <i>ANZ Journal of Surgery</i> , 1990, 60, 967-972.   | 0.7 | 85        |
| 43 | Minimally invasive esophagectomy. <i>Surgical Endoscopy and Other Interventional Techniques</i> , 2006, 20, 428-433.   | 2.4 | 85        |
| 44 | High-Risk Human Papillomavirus in Esophageal Squamous Cell Carcinoma. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2010, 19, 2080-2087.  | 2.5 | 80        |
| 45 | Genome-Wide Copy Number Analysis in Esophageal Adenocarcinoma Using High-Density Single-Nucleotide Polymorphism Arrays. <i>Cancer Research</i> , 2008, 68, 4163-4172.  | 0.9 | 79        |
| 46 | Recommendations for neoadjuvant pathologic staging (ypTNM) of cancer of the esophagus and esophagogastric junction for the 8th edition AJCC/UICC staging manuals. <i>Ecological Management and Restoration</i> , 2016, 29, 906-912.      | 0.4 | 78        |
| 47 | Aspirin, Nonsteroidal Anti-inflammatory Drugs, and the Risks of Cancers of the Esophagus. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2008, 17, 1169-1178.  | 2.5 | 77        |
| 48 | Risk of Melanoma Recurrence After Diagnosis of a High-Risk Primary Tumor. <i>JAMA Dermatology</i> , 2019, 155, 688.  | 4.1 | 74        |
| 49 | Radiation therapy for nodal disease in malignant melanoma. <i>World Journal of Surgery</i> , 1995, 19, 369-371.  | 1.6 | 70        |
| 50 | Refining Esophageal Cancer Staging After Neoadjuvant Therapy: Importance of Treatment Response. <i>Annals of Surgical Oncology</i> , 2008, 15, 2894-2902.  | 1.5 | 68        |
| 51 | Worldwide Esophageal Cancer Collaboration: pathologic staging data. <i>Ecological Management and Restoration</i> , 2016, 29, 724-733.  | 0.4 | 68        |
| 52 | A Clinical Risk Prediction Model for Barrett Esophagus. <i>Cancer Prevention Research</i> , 2012, 5, 1115-1123.  | 1.5 | 67        |
| 53 | BRAF mutation status is an independent prognostic factor for resected stage IIIB and IIIC melanoma: Implications for melanoma staging and adjuvant therapy. <i>European Journal of Cancer</i> , 2014, 50, 2668-2676.                     | 2.8 | 67        |
| 54 | Symptomatic and functional outcome after laparoscopic reoperation for failed antireflux surgery. <i>British Journal of Surgery</i> , 2005, 92, 996-1001.   | 0.3 | 66        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 55 | Positron emission tomography and pathological evidence of response to neoadjuvant therapy in adenocarcinoma of the esophagus. <i>Ecological Management and Restoration</i> , 2008, 21, 151-158.                       | 0.4  | 66        |
| 56 | Worldwide Esophageal Cancer Collaboration: neoadjuvant pathologic staging data. <i>Ecological Management and Restoration</i> , 2016, 29, 715-723.   | 0.4  | 66        |
| 57 | Psychological responses to malignant melanoma. <i>General Hospital Psychiatry</i> , 1995, 17, 126-134.  | 2.4  | 64        |
| 58 | Clinical response after intradermal immature dendritic cell vaccination in metastatic melanoma is associated with immune response to particulate antigen. <i>Cancer Immunology, Immunotherapy</i> , 2003, 52, 41-52.  | 4.2  | 64        |
| 59 | Impact of postoperative morbidity on long-term survival after oesophagectomy. <i>British Journal of Surgery</i> , 2012, 100, 95-104.  | 0.3  | 60        |
| 60 | Use of oesophagogastrosopy to assess the response of oesophageal carcinoma to neoadjuvant therapy. <i>British Journal of Surgery</i> , 2004, 91, 199-204.   | 0.3  | 59        |
| 61 | A systematic review of non-surgical treatments for lentigo maligna. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2016, 30, 748-753.  | 2.4  | 59        |
| 62 | Isolated limb perfusion with melphalan for human melanoma xenografts in the hindlimb of nude rats: a surviving animal model. <i>Melanoma Research</i> , 1997, 7, 19-26.   | 1.2  | 56        |
| 63 | Immature human monocyte-derived dendritic cells migrate rapidly to draining lymph nodes after intradermal injection for melanoma immunotherapy. <i>Melanoma Research</i> , 1999, 9, 474-482.                          | 1.2  | 55        |
| 64 | DESMOPLASTIC MELANOMA: THE ROLE OF RADIOTHERAPY IN IMPROVING LOCAL CONTROL. <i>ANZ Journal of Surgery</i> , 2008, 78, 273-276.  | 0.7  | 53        |
| 65 | Similarity of aberrant DNA methylation in Barrett's esophagus and esophageal adenocarcinoma. <i>Molecular Cancer</i> , 2008, 7, 75.   | 19.2 | 52        |
| 66 | The influence of prediagnostic demographic and lifestyle factors on esophageal squamous cell carcinoma survival. <i>International Journal of Cancer</i> , 2012, 131, E759-68.   | 5.1  | 52        |
| 67 | Radiation therapy following nodal surgery for melanoma: An analysis of late toxicity. <i>ANZ Journal of Surgery</i> , 2002, 72, 344-348.  | 0.7  | 51        |
| 68 | Inducible nitric oxide synthase is a major intermediate in signaling pathways for the survival of plasma cells. <i>Nature Immunology</i> , 2014, 15, 275-282.   | 14.5 | 50        |
| 69 | Supportive care needs, anxiety, depression and quality of life amongst newly diagnosed patients with localised invasive cutaneous melanoma in Queensland, Australia. <i>Psycho-Oncology</i> , 2015, 24, 763-770.      | 2.3  | 49        |
| 70 | Outcomes from salvage esophagectomy post definitive chemoradiotherapy compared with resection following preoperative neoadjuvant chemoradiotherapy. <i>Ecological Management and Restoration</i> , 2007, 20, 471-477. | 0.4  | 48        |
| 71 | Relapse Patterns after Chemo-radiation for Carcinoma of the Oesophagus. <i>Clinical Oncology</i> , 2003, 15, 98-108.  | 1.4  | 47        |
| 72 | Successful management of an aortoesophageal fistula caused by a fish bone – case report and review of literature. <i>Journal of Cardiothoracic Surgery</i> , 2009, 4, 21.   | 1.1  | 47        |

| #  | ARTICLE   | IF   | CITATIONS |
|----|---|------|-----------|
| 73 | Chronic dysphagia following laparoscopic fundoplication. <i>British Journal of Surgery</i> , 2002, 87, 1341-1345.   | 0.3  | 46        |
| 74 | Chemoradiation therapy is effective for the palliative treatment of malignant dysphagia. <i>Ecological Management and Restoration</i> , 2004, 17, 260-265.  | 0.4  | 46        |
| 75 | Defining Cure for Esophageal Cancer: Analysis of Actual 5-Year Survivors Following Esophagectomy. <i>Annals of Surgical Oncology</i> , 2011, 18, 1766-1774.   | 1.5  | 46        |
| 76 | Identification of the CIMP-like subtype and aberrant methylation of members of the chromosomal segregation and spindle assembly pathways in esophageal adenocarcinoma. <i>Carcinogenesis</i> , 2016, 37, 356-365.   | 2.8  | 46        |
| 77 | Australian Multicenter Study of Isolated Limb Infusion for Melanoma. <i>Annals of Surgical Oncology</i> , 2016, 23, 1096-1103.  | 1.5  | 43        |
| 78 | Urban-rural differences in survival from cutaneous melanoma in Queensland. <i>Australian and New Zealand Journal of Public Health</i> , 2006, 30, 71-74.  | 1.8  | 42        |
| 79 | Thoracoscopic-Assisted Esophagectomy for Esophageal Cancer. <i>Annals of Surgery</i> , 2010, 252, 281-291.  | 4.2  | 42        |
| 80 | Cystadenocarcinoma of the pancreas presenting in pregnancy. <i>British Journal of Surgery</i> , 2005, 73, 591-591.  | 0.3  | 41        |
| 81 | Outcome predictors in median arcuate ligament syndrome. <i>Journal of Vascular Surgery</i> , 2017, 65, 1745-1752.   | 1.1  | 41        |
| 82 | Risk Prediction Model of 90-Day Mortality After Esophagectomy for Cancer. <i>JAMA Surgery</i> , 2021, 156, 836.   | 4.3  | 41        |
| 83 | Melphalan uptake, hyperthermic synergism and drug resistance in a human cell culture model for the isolated limb perfusion of melanoma. <i>Melanoma Research</i> , 1994, 4, 365-370.  | 1.2  | 40        |
| 84 | Microdialysis and response during regional chemotherapy by isolated limb infusion of melphalan for limb malignancies. <i>British Journal of Cancer</i> , 2001, 85, 157-165.   | 6.4  | 39        |
| 85 | Multicentre factorial randomized clinical trial of perioperative immunonutrition versus standard nutrition for patients undergoing surgical resection of oesophageal cancer. <i>British Journal of Surgery</i> , 2018, 105, 1262-1272.  | 0.3  | 39        |
| 86 | Accuracy of mobile digital teledermoscopy for skin self-examinations in adults at high risk of skin cancer: an open-label, randomised controlled trial. <i>The Lancet Digital Health</i> , 2020, 2, e129-e137.  | 12.3 | 39        |
| 87 | Preoperative cisplatin, fluorouracil, and docetaxel with or without radiotherapy after poor early response to cisplatin and fluorouracil for resectable oesophageal adenocarcinoma (AGITG DOCTOR): results from a multicentre, randomised controlled phase II trial. <i>Annals of Oncology</i> , 2020, 31, 236-245. | 1.2  | 39        |
| 88 | Genome-wide analysis of esophageal adenocarcinoma yields specific copy number aberrations that correlate with prognosis. <i>Genes Chromosomes and Cancer</i> , 2014, 53, 324-338.   | 2.8  | 38        |
| 89 | Long-term Health-related Quality of Life Following Esophagectomy. <i>Annals of Surgery</i> , 2017, 265, 1158-1165.  | 4.2  | 38        |
| 90 | Isolated Limb Infusion for Malignant Melanoma: Predictors of Response and Outcome. <i>Annals of Surgical Oncology</i> , 2009, 16, 3463-3472.  | 1.5  | 37        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 91  | Whole Genome Expression Array Profiling Highlights Differences in Mucosal Defense Genes in Barrett's Esophagus and Esophageal Adenocarcinoma. PLoS ONE, 2011, 6, e22513.                                 | 2.5 | 36        |
| 92  | Prevalence and determinants of frequent gastroesophageal reflux symptoms in the Australian community. Ecological Management and Restoration, 2012, 25, 573-583.  | 0.4 | 35        |
| 93  | Long-Term Oncologic Outcomes After Isolated Limb Infusion for Locoregionally Metastatic Melanoma: An International Multicenter Analysis. Annals of Surgical Oncology, 2019, 26, 2486-2494.               | 1.5 | 35        |
| 94  | DIAGNOSIS OF RUPTURED DIAPHRAGM FOLLOWING BLUNT TRAUMA: RESULTS FROM 85 CASES. ANZ Journal of Surgery, 1991, 61, 737-741.  | 0.7 | 33        |
| 95  | LAPAROSCOPY IN THE MANAGEMENT OF DIAPHRAGMATIC RUPTURE DUE TO BLUNT TRAUMA. ANZ Journal of Surgery, 1998, 68, 584-586.   | 0.7 | 32        |
| 96  | EMERGENCY RIGHT HEMICOLECTOMY IN COLON CARCINOMA: A PROSPECTIVE STUDY. ANZ Journal of Surgery, 1986, 56, 749-752.  | 0.7 | 30        |
| 97  | A novel treatment for metastatic melanoma with intralesional rose bengal and radiotherapy: a case series. Melanoma Research, 2010, 20, 48-51.  | 1.2 | 30        |
| 98  | Intralesional PV-10 for the treatment of in-transit melanoma metastases—Results of a prospective, non-randomized, single center study. Journal of Surgical Oncology, 2018, 117, 579-587.                 | 1.7 | 30        |
| 99  | Ultrastructure of human melanosis coli with reference to its pathogenesis. Pathology, 1993, 25, 120-123.   | 0.6 | 30        |
| 100 | Pharmacokinetics and pharmacodynamics of melphalan in isolated limb infusion for recurrent localized limb malignancy. Melanoma Research, 2001, 11, 423-431.  | 1.2 | 29        |
| 101 | Salvage definitive chemo-radiotherapy for locally recurrent oesophageal carcinoma after primary surgery: Retrospective review. Journal of Medical Imaging and Radiation Oncology, 2008, 52, 583-587.     | 1.8 | 29        |
| 102 | Quality of Surgery and Outcome in Localized Gastrointestinal Stromal Tumors Treated Within an International Intergroup Randomized Clinical Trial of Adjuvant Imatinib. JAMA Surgery, 2020, 155, e200397. | 4.3 | 29        |
| 103 | Outcomes after totally minimally invasive versus hybrid and open Ivor Lewis oesophagectomy: results from the International Esodata Study Group. British Journal of Surgery, 2022, 109, 283-290.          | 0.3 | 29        |
| 104 | Eating habits and risk of esophageal cancers: a population-based case-control study. Cancer Causes and Control, 2010, 21, 1475-1484.   | 1.8 | 28        |
| 105 | Saturable dose-response relationships for melphalan in melanoma treatment by isolated limb infusion in the nude rat. Melanoma Research, 2001, 11, 611-618.   | 1.2 | 27        |
| 106 | Predictors of survival among patients diagnosed with adenocarcinoma of the esophagus and gastroesophageal junction. Cancer Causes and Control, 2012, 23, 555-564.  | 1.8 | 27        |
| 107 | Prospective study of patterns of surgical management in adults with primary cutaneous melanoma at high risk of spread, in Queensland, Australia. Journal of Surgical Oncology, 2015, 112, 359-365.       | 1.7 | 27        |
| 108 | Evaluation of the efficacy of 3D total-body photography with sequential digital dermoscopy in a high-risk melanoma cohort: protocol for a randomised controlled trial. BMJ Open, 2019, 9, e032969.       | 1.9 | 27        |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 109 | High-performance liquid chromatographic assay for the measurement of melphalan and its hydrolysis products in perfusate and plasma and melphalan in tissues from human and rat isolated limb perfusions. <i>Biomedical Applications</i> , 1995, 673, 267-279. | 1.7  | 26        |
| 110 | Predictors of staging accuracy, pathologic nodal involvement, and overall survival for cT2N0 carcinoma of the esophagus. <i>Journal of Thoracic and Cardiovascular Surgery</i> , 2019, 157, 1264-1272.e6.   | 0.8  | 26        |
| 111 | Plasma concentrations of bupivacaine after wound infiltration of an 0.5% solution after inguinal herniorrhaphy: a preliminary study. <i>European Journal of Clinical Pharmacology</i> , 1993, 44, 555-557.  | 1.9  | 25        |
| 112 | Nomograms to predict recurrence and survival in stage IIIB and IIIC melanoma after therapeutic lymphadenectomy. <i>European Journal of Cancer</i> , 2014, 50, 1301-1309.  | 2.8  | 24        |
| 113 | A systematic review and meta-analysis of locoregional treatments for in-transit melanoma. <i>Journal of Surgical Oncology</i> , 2019, 119, 887-896.   | 1.7  | 24        |
| 114 | Cancers of the esophagus and carbonated beverage consumption: a population-based case-control study. <i>Cancer Causes and Control</i> , 2008, 19, 577-584.  | 1.8  | 23        |
| 115 | Australian multi-center experience outside of the Sydney Melanoma Unit of isolated limb infusion chemotherapy for melanoma. <i>Journal of Surgical Oncology</i> , 2014, 109, 780-785.   | 1.7  | 23        |
| 116 | Abstract Book: Society of Surgical Oncology 69th Annual Cancer Symposium. <i>Annals of Surgical Oncology</i> , 2016, 23, 1-195.   | 1.5  | 22        |
| 117 | The Impact of Smoking on Sentinel Node Metastasis of Primary Cutaneous Melanoma. <i>Annals of Surgical Oncology</i> , 2017, 24, 2089-2094.  | 1.5  | 22        |
| 118 | Neoadjuvant chemoradiotherapy in resectable oesophageal cancer - Authors' reply. <i>Lancet Oncology</i> , 2005, 6, 825-826.   | 10.7 | 21        |
| 119 | Trends in melanoma incidence among children: possible influence of sun-protection programs. <i>Expert Review of Anticancer Therapy</i> , 2011, 11, 661-664.   | 2.4  | 21        |
| 120 | Results of a randomized, double-blind phase II clinical trial of NY-ESO-1 vaccine with ISCOMATRIX adjuvant versus ISCOMATRIX alone in participants with high-risk resected melanoma. , 2020, 8, e000410.  |      | 21        |
| 121 | Symptoms, investigations and management of patients with cancer of the oesophagus and gastro-oesophageal junction in Australia. <i>Medical Journal of Australia</i> , 2010, 193, 572-577.   | 1.7  | 20        |
| 122 | Assessment of morbidity following regional nodal dissection in the axilla and groin for metastatic melanoma. <i>ANZ Journal of Surgery</i> , 2017, 87, 44-48.   | 0.7  | 20        |
| 123 | Diphenylcyclopropenone for the treatment of cutaneous in-transit melanoma metastases - results of a prospective, non-randomized, single-centre study. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2017, 31, 2030-2037.            | 2.4  | 20        |
| 124 | Neoadjuvant chemotherapy or chemoradiotherapy for adenocarcinoma of the esophagus. <i>Journal of Surgical Oncology</i> , 2018, 117, 1687-1696.  | 1.7  | 20        |
| 125 | Clinicopathological factors associated with death from thin (<math>\leq 1.00\text{ mm}</math>) melanoma. <i>British Journal of Dermatology</i> , 2020, 182, 927-931.  | 1.5  | 20        |
| 126 | A combined modality approach to the management of oesophageal cancer. <i>European Journal of Surgical Oncology</i> , 1997, 23, 219-223.   | 1.0  | 19        |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 127 | Radiomics Biomarkers Correlate with CD8 Expression and Predict Immune Signatures in Melanoma Patients. <i>Molecular Cancer Research</i> , 2021, 19, 950-956.  | 3.4 | 19        |
| 128 | Feasibility of chemoradiation therapy with protracted infusion of 5-fluorouracil for esophageal cancer patients not suitable for cisplatin. <i>International Journal of Clinical Oncology</i> , 2005, 10, 256-261.                              | 2.2 | 18        |
| 129 | Prognostic value of maximum standardized uptake values from preoperative positron emission tomography in resectable adenocarcinoma of the esophagus treated by surgery alone. <i>Ecological Management and Restoration</i> , 2009, 22, 668-675. | 0.4 | 18        |
| 130 | Results of a phase II, open-label, non-comparative study of intralesional PV-10 followed by radiotherapy for the treatment of in-transit or metastatic melanoma. <i>Journal of Surgical Oncology</i> , 2017, 115, 891-897.                      | 1.7 | 18        |
| 131 | Efficacy of immune checkpoint inhibitors for in-transit melanoma. , 2020, 8, e000440.   |     | 18        |
| 132 | Neoadjuvant therapy reduces cardiopulmonary function in patients undergoing oesophagectomy. <i>International Journal of Surgery</i> , 2018, 53, 86-92.  | 2.7 | 17        |
| 133 | The interplay of sun damage and genetic risk in Australian multiple and single primary melanoma cases and controls. <i>British Journal of Dermatology</i> , 2020, 183, 357-366.   | 1.5 | 17        |
| 134 | The effects of perfusion conditions on melphalan distribution in the isolated perfused rat hindlimb bearing a human melanoma xenograft. <i>British Journal of Cancer</i> , 1997, 75, 1160-1166.   | 6.4 | 16        |
| 135 | Primary cutaneous melanoma of the scalp: Patterns of recurrence. <i>Journal of Surgical Oncology</i> , 2017, 115, 449-454.  | 1.7 | 16        |
| 136 | Safety and Efficacy of Isolated Limb Infusion Chemotherapy for Advanced Locoregional Melanoma in Elderly Patients: An Australian Multicenter Study. <i>Annals of Surgical Oncology</i> , 2017, 24, 3245-3251.                                   | 1.5 | 16        |
| 137 | An investigation into the nutritional status of patients receiving an Enhanced Recovery After Surgery (ERAS) protocol versus standard care following Oesophagectomy. <i>Supportive Care in Cancer</i> , 2018, 26, 2057-2062.                    | 2.2 | 16        |
| 138 | The Impact of Signet Ring Cell Differentiation on Outcome in Patients with Esophageal and Gastroesophageal Junction Adenocarcinoma. <i>Annals of Surgical Oncology</i> , 2019, 26, 2375-2384.   | 1.5 | 16        |
| 139 | Long-term deaths from melanoma according to tumor thickness at diagnosis. <i>International Journal of Cancer</i> , 2020, 147, 1391-1396.  | 5.1 | 16        |
| 140 | Preoperative Ultrasound Assessment of Regional Lymph Nodes in Melanoma Patients Does not Provide Reliable Nodal Staging. <i>Annals of Surgery</i> , 2021, 273, 814-820.   | 4.2 | 16        |
| 141 | The triad of bilateral retinoblastoma, dysplastic naevus syndrome and multiple cutaneous malignant melanomas: a case report and review of the literature. <i>Melanoma Research</i> , 2002, 12, 179-182.   | 1.2 | 15        |
| 142 | Early reoperation for acute dysphagia following laparoscopic fundoplication. <i>British Journal of Surgery</i> , 2002, 89, 783-786.   | 0.3 | 15        |
| 143 | Building a sustainable clinical academic workforce to meet the future healthcare needs of Australia and New Zealand: report from the first summit meeting. <i>Internal Medicine Journal</i> , 2015, 45, 965-971.                                | 0.8 | 15        |
| 144 | Patients undergoing lymphadenectomy for stage III melanomas of known or unknown primary site do not differ in outcome. <i>International Journal of Cancer</i> , 2013, 133, 3000-3007.   | 5.1 | 14        |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 145 | Total body fat and the risk of Barrett's oesophagus – A bioelectrical impedance study. <i>Cancer Epidemiology</i> , 2014, 38, 266-272.   | 1.9 | 14        |
| 146 | Australasian College of Dermatologists Abstracts Presented at the 48th Annual Scientific Meeting 16-19 May 2015 Adelaide, South Australia. <i>Australasian Journal of Dermatology</i> , 2015, 56, 1-87.  | 0.7 | 14        |
| 147 | Phenotypic and genotypic analysis of amelanotic and hypomelanotic melanoma patients. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2019, 33, 1076-1083.  | 2.4 | 14        |
| 148 | Pathogenic germline variants are associated with poor survival in stage III/IV melanoma patients. <i>Scientific Reports</i> , 2020, 10, 17687.   | 3.3 | 14        |
| 149 | Injuries in sport: A prospective casualty study. <i>Medical Journal of Australia</i> , 1985, 142, 457-461.   | 1.7 | 13        |
| 150 | A phase II trial of chemoradiation therapy with weekly oxaliplatin and protracted infusion of 5-fluorouracil for esophageal cancer. <i>Investigational New Drugs</i> , 2009, 27, 275-279.  | 2.6 | 13        |
| 151 | An innovative approach for locally advanced stage III cutaneous melanoma. <i>Melanoma Research</i> , 2012, 22, 257-262.  | 1.2 | 13        |
| 152 | Protocol for the TIDAL Melanoma Study: topical imiquimod or diphenylcyclopropanone for the management of cutaneous in-transit melanoma metastases – a phase II, single centre, randomised, pilot study. <i>BMJ Open</i> , 2017, 7, e016816.                            | 1.9 | 13        |
| 153 | Sun protection behavior after diagnosis of high-risk primary melanoma and risk of a subsequent primary. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 139-148.e4.  | 1.2 | 13        |
| 154 | Genes Determining Nevus Count and Dermoscopic Appearance in Australian Melanoma Cases and Controls. <i>Journal of Investigative Dermatology</i> , 2020, 140, 498-501.e17.  | 0.7 | 13        |
| 155 | Laparoscopic nephrectomy for benign renal disease. <i>British Journal of Urology</i> , 1994, 73, 237-241.  | 0.1 | 12        |
| 156 | Laparoscopic Approach to the Left Kidney Avoiding Colonic Mobilization. <i>Journal of Urology</i> , 1994, 152, 1967-1969.  | 0.4 | 12        |
| 157 | Can tissue drug concentrations be monitored by microdialysis during or after isolated limb perfusion for melanoma treatment?. <i>Melanoma Research</i> , 2000, 10, 47-54.  | 1.2 | 12        |
| 158 | Adjuvant Radiotherapy Improves Regional (Lymph Node Field) Control in Melanoma Patients after Lymphadenectomy: Results of an Intergroup Randomized Trial (TROG 02.01/ANZMTG 01.02). <i>International Journal of Radiation Oncology Biology Physics</i> , 2009, 75, S2. | 0.8 | 12        |
| 159 | Minimally invasive esophagectomy: an overview. <i>Expert Review of Gastroenterology and Hepatology</i> , 2010, 4, 91-99.   | 3.0 | 12        |
| 160 | Treatment results of curative gastric resection from a specialist Australian unit: low volume with satisfactory outcomes. <i>Gastric Cancer</i> , 2014, 17, 152-160.   | 5.3 | 12        |
| 161 | <i>GSTP1</i> does not modify <i>MC1R</i> effects on melanoma risk. <i>Experimental Dermatology</i> , 2017, 26, 730-733.  | 2.9 | 12        |
| 162 | Associations of Statins and Diabetes with Diagnosis of Ulcerated Cutaneous Melanoma. <i>Journal of Investigative Dermatology</i> , 2017, 137, 2599-2605.   | 0.7 | 12        |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 163 | Anxiety and depression after diagnosis of high-risk primary cutaneous melanoma: a 4-year longitudinal study. <i>Journal of Cancer Survivorship</i> , 2020, 14, 712-719.   | 2.9 | 12        |
| 164 | Pulmonary metastasectomy in the era of targeted therapy and immunotherapy. <i>Journal of Thoracic Disease</i> , 2021, 13, 2618-2627.  | 1.4 | 12        |
| 165 | Phase 1b study of PV-10 and anti-PD-1 in advanced cutaneous melanoma.. <i>Journal of Clinical Oncology</i> , 2019, 37, 9559-9559.   | 1.6 | 12        |
| 166 | Germline and somatic albinism variants in amelanotic/hypomelanotic melanoma: Increased carriage of TYR and OCA2 variants. <i>PLoS ONE</i> , 2020, 15, e0238529.   | 2.5 | 12        |
| 167 | Second primary oesophageal cancer following radiation for breast cancer. <i>Radiotherapy and Oncology</i> , 2002, 65, 159-163.  | 0.6 | 11        |
| 168 | Modeling the Cost-effectiveness of Strategies for Treating Esophageal Adenocarcinoma and High-grade Dysplasia. <i>Journal of Gastrointestinal Surgery</i> , 2012, 16, 1451-1461.  | 1.7 | 11        |
| 169 | Survival of patients with early invasive melanoma down-staged under the new eighth edition of the American Joint Committee on Cancer staging system. <i>Journal of the American Academy of Dermatology</i> , 2019, 80, 272-274.                                     | 1.2 | 11        |
| 170 | ctDNA as a biomarker of progression in oesophageal adenocarcinoma. <i>ESMO Open</i> , 2022, 7, 100452.  | 4.5 | 11        |
| 171 | Availability of organs for transplantation: a three year study.. <i>BMJ: British Medical Journal</i> , 1986, 293, 923-923.  | 2.3 | 10        |
| 172 | Melphalan dosing regimens for management of recurrent melanoma by isolated limb perfusion: application of a physiological pharmacokinetic model based on melphalan distribution in the isolated perfused rat hindlimb. <i>Melanoma Research</i> , 1997, 7, 252-264. | 1.2 | 10        |
| 173 | Patterns of Recurrence in Patients with Stage IIIB/C Cutaneous Melanoma of the Head and Neck Following Surgery With and Without Adjuvant Radiation Therapy: Is Isolated Regional Recurrence Salvageable?. <i>Annals of Surgical Oncology</i> , 2015, 22, 4052-4059. | 1.5 | 10        |
| 174 | International Multicenter Experience of Isolated Limb Infusion for In-Transit Melanoma Metastases in Octogenarian and Nonagenarian Patients. <i>Annals of Surgical Oncology</i> , 2020, 27, 1420-1429.  | 1.5 | 10        |
| 175 | Statins may reduce disease recurrence in patients with ulcerated primary melanoma. <i>British Journal of Dermatology</i> , 2020, 183, 1049-1055.  | 1.5 | 10        |
| 176 | VIDEOTHORACOSCOPIC PRIMARY REPAIR OF EARLY DISTAL OESOPHAGEAL PERFORATION. <i>ANZ Journal of Surgery</i> , 1993, 63, 399-403.   | 0.7 | 9         |
| 177 | PRIMARY ADENOCARCINOMA IN A COLONIC "OESOPHAGEAL"™ SEGMENT. <i>Australian and New Zealand Journal of Surgery</i> , 1992, 62, 158-160.   | 0.2 | 9         |
| 178 | Dermoscopic naevus patterns in people at high versus moderate/low melanoma risk in Queensland. <i>Australasian Journal of Dermatology</i> , 2011, 52, 248-253.  | 0.7 | 9         |
| 179 | Neoadjuvant Chemotherapy or Chemoradiotherapy for Locally Advanced Esophageal Cancer. <i>Thoracic Surgery Clinics</i> , 2013, 23, 509-523.  | 1.0 | 9         |
| 180 | Changeable naevi in people at high risk for melanoma. <i>Australasian Journal of Dermatology</i> , 2015, 56, 14-18.   | 0.7 | 9         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 181 | Variations in supportive care needs of patients after diagnosis of localised cutaneous melanoma: a 2-year follow-up study. <i>Supportive Care in Cancer</i> , 2017, 25, 93-102.  | 2.2 | 9         |
| 182 | Pancreaticoduodenectomy in a low-resection volume region: a population-level study examining the impact of hospital-volume on surgical quality and longer-term survival. <i>Hpb</i> , 2020, 22, 1288-1294.   | 0.3 | 9         |
| 183 | Can tissue drug concentrations be monitored by microdialysis during or after isolated limb perfusion for melanoma treatment?. <i>Melanoma Research</i> , 2000, 10, 47-54.  | 1.2 | 8         |
| 184 | Stage III Melanoma in the Axilla: Patterns of Regional Recurrence After Surgery With and Without Adjuvant Radiation Therapy. <i>International Journal of Radiation Oncology Biology Physics</i> , 2013, 86, 702-708.                                       | 0.8 | 8         |
| 185 | Factors predicting toxicity and response following isolated limb infusion for melanoma: An international multi-centre study. <i>European Journal of Surgical Oncology</i> , 2020, 46, 2140-2146.   | 1.0 | 8         |
| 186 | Oncologic Outcomes After Isolated Limb Infusion for Advanced Melanoma: An International Comparison of the Procedure and Outcomes Between the United States and Australia. <i>Annals of Surgical Oncology</i> , 2020, 27, 5107-5118.                        | 1.5 | 8         |
| 187 | Efficacy of intralesional Rose Bengal in patients receiving injection of all existing melanoma in phase II study PV-10-MM-02.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9027-9027.  | 1.6 | 8         |
| 188 | Responsiveness and convergent validity of QLU-C10D and EQ-5D-3L in assessing short-term quality of life following esophagectomy. <i>Health and Quality of Life Outcomes</i> , 2021, 19, 233.   | 2.4 | 8         |
| 189 | Neoadjuvant Chemoradiotherapy and Surgery for Esophageal Squamous Cell Carcinoma Versus Definitive Chemoradiotherapy With Salvage Surgery as Needed: The Study Protocol for the Randomized Controlled NEEDS Trial. <i>Frontiers in Oncology</i> , 0, 12, . | 2.8 | 8         |
| 190 | ACTINOMYCOSIS OF THE GALL BLADDER. <i>ANZ Journal of Surgery</i> , 1983, 53, 587-588.  | 0.7 | 7         |
| 191 | PRIMARY ADENOCARCINOMA IN A COLONIC OESOPHAGEAL SEGMENT. <i>ANZ Journal of Surgery</i> , 1991, 61, 953-955.  | 0.7 | 7         |
| 192 | Randomized Clinical Trial of the Effects of Perioperative Use of Immune-Enhancing Enteral Formula on Metabolic Immunological Status in Patients undergoing Esophagectomy. <i>World Journal of Surgery</i> , 2007, 31, 2158-2159.                           | 1.6 | 7         |
| 193 | Melanoma brain metastases: the impact of nodal disease. <i>Clinical and Experimental Metastasis</i> , 2014, 31, 81-85.   | 3.3 | 7         |
| 194 | Molecular markers to complement sentinel node status in predicting survival in patients with high-risk locally invasive melanoma. <i>International Journal of Cancer</i> , 2016, 139, 664-672.   | 5.1 | 7         |
| 195 | Whither melanoma in Australia?. <i>Medical Journal of Australia</i> , 2017, 207, 330-331.  | 1.7 | 7         |
| 196 | Contemporary management of locoregionally advanced melanoma in Australia and New Zealand and the role of adjuvant systemic therapy. <i>ANZ Journal of Surgery</i> , 2021, 91, 3-13.  | 0.7 | 7         |
| 197 | Hospital characteristics associated with better "quality of surgery" and survival following oesophagogastric cancer surgery in Queensland: a population-level study. <i>ANZ Journal of Surgery</i> , 2021, 91, 323-328.                                    | 0.7 | 7         |
| 198 | Sentinel lymph node melanoma metastases: Assessment of tumor burden for clinical prediction of outcome in the first Multicenter Selective Lymphadenectomy Trial (MSLT-I). <i>European Journal of Surgical Oncology</i> , 2022, 48, 1280-1287.              | 1.0 | 7         |

| #   | ARTICLE  | IF  | CITATIONS |
|-----|--|-----|-----------|
| 199 | Controversies in the management of gastrointestinal stromal tumors. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2014, 10, 216-227.  | 1.1 | 6         |
| 200 | Complications and survival after hybrid and fully minimally invasive oesophagectomy. <i>BJs Open</i> , 2021, 5, .  | 1.7 | 6         |
| 201 | Relative dispersion of intravascular transit times during isolated human limb perfusions for recurrent melanoma. <i>British Journal of Clinical Pharmacology</i> , 1997, 44, 347-351.  | 2.4 | 5         |
| 202 | Localization of small esophageal cancers for radiation planning using endoscopic contrast injection: report on a series of eight cases. <i>Ecological Management and Restoration</i> , 2001, 14, 28-31.                              | 0.4 | 5         |
| 203 | No Role for Melanoma Treatment in the Association between Melanoma and Amyotrophic Lateral Sclerosis or Parkinson's Disease. <i>Neuroepidemiology</i> , 2010, 35, 303-304.   | 2.3 | 5         |
| 204 | Use of support services in a sample of patients with high-risk primary melanomas in urban, regional and rural Queensland. <i>Australian and New Zealand Journal of Public Health</i> , 2017, 41, 315-319.                            | 1.8 | 5         |
| 205 | MALIGNANT SACROCOCCYGEAL GERM CELL TUMOUR IN AN ADULT. <i>ANZ Journal of Surgery</i> , 1996, 66, 185-189.  | 0.7 | 4         |
| 206 | Does intercostal blockade improve patient comfort after cholecystectomy?. <i>British Journal of Surgery</i> , 2005, 74, 63-63.   | 0.3 | 4         |
| 207 | Radiotherapy for metastatic melanoma presenting in pregnancy. <i>Journal of Medical Imaging and Radiation Oncology</i> , 2006, 50, 598-603.  | 0.6 | 4         |
| 208 | Clustering of prevention behaviours in patients with high-risk primary melanoma. <i>Psycho-Oncology</i> , 2018, 27, 1442-1449.   | 2.3 | 4         |
| 209 | Evaluation of the efficacy and toxicity of upper extremity isolated limb infusion chemotherapy for melanoma: An Australian multi-center study. <i>European Journal of Surgical Oncology</i> , 2019, 45, 832-837.                     | 1.0 | 4         |
| 210 | Impact of hospital resection volume and service capability on post-operative mortality following gastrectomy. <i>ANZ Journal of Surgery</i> , 2020, 90, 86-91.   | 0.7 | 4         |
| 211 | Patterns of Omega-3 and Omega-6 Fatty Acid Dietary Intake and Melanoma Thickness at Diagnosis. <i>Cancer Epidemiology Biomarkers and Prevention</i> , 2020, 29, 1647-1653.   | 2.5 | 4         |
| 212 | Procedure-specific outcomes following gastrectomy for cancer compared by hospital volume and service capability. <i>ANZ Journal of Surgery</i> , 2021, 91, 2430-2435.  | 0.7 | 4         |
| 213 | A phase I, open-label, cohort study of two doses of coxsackievirus A21 given intratumorally in stage IV melanoma.. <i>Journal of Clinical Oncology</i> , 2011, 29, 8573-8573.  | 1.6 | 4         |
| 214 | Randomized, double-blind phase II trial of NY-ESO-1 ISCOMATRIX vaccine and ISCOMATRIX adjuvant alone in patients with resected stage IIc, III, or IV malignant melanoma.. <i>Journal of Clinical Oncology</i> , 2014, 32, 9050-9050. | 1.6 | 4         |
| 215 | Laparoscopic Nissen fundoplication and postoperative dysphagia-can it be predicted?. <i>Annals of the Academy of Medicine, Singapore</i> , 1996, 25, 646-9.  | 0.4 | 4         |
| 216 | Combined modality therapy for carcinoma of the oesophagus: current status and future directions. <i>Medical Journal of Australia</i> , 1997, 167, 349-350.   | 1.7 | 3         |

| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 217 | Metastatic lesions in the joint associated with acute inflammatory arthritis after dendritic cell immunotherapy for metastatic melanoma. <i>Melanoma Research</i> , 2001, 11, 167-173.  | 1.2 | 3         |
| 218 | Gastric cancer in Australia. <i>Gastric Cancer</i> , 2002, 5, 118-121.  | 5.3 | 3         |
| 219 | Patterns of Failure Following Dose-escalated Chemoradiotherapy for Fluorodeoxyglucose Positron Emission Tomography Staged Squamous Cell Carcinoma of the Oesophagus. <i>Clinical Oncology</i> , 2018, 30, 642-649.                  | 1.4 | 3         |
| 220 | Assessment of hospital characteristics associated with improved mortality following complex upper gastrointestinal cancer surgery in Queensland. <i>ANZ Journal of Surgery</i> , 2019, 89, 1404-1409.                               | 0.7 | 3         |
| 221 | Inguinal and Ilio-inguinal Lymphadenectomy in Management of Palpable Melanoma Lymph Node Metastasis: A Long-Term Prospective Evaluation of Morbidity and Quality of Life. <i>Annals of Surgical Oncology</i> , 2019, 26, 4663-4672. | 1.5 | 3         |
| 222 | IRF4 rs12203592*T/T genotype is associated with nodular melanoma. <i>Melanoma Research</i> , 2019, 29, 445-446.   | 1.2 | 3         |
| 223 | Baseline neutrophil-lymphocyte ratio holds no prognostic value for esophageal and junctional adenocarcinoma in patients treated with neoadjuvant chemotherapy. <i>Ecological Management and Restoration</i> , 2020, 33, .           | 0.4 | 3         |
| 224 | 1123P A phase Ib study of rose bengal disodium and anti-PD-1 in metastatic cutaneous melanoma: Initial results in patients refractory to checkpoint blockade. <i>Annals of Oncology</i> , 2020, 31, S755-S756.                      | 1.2 | 3         |
| 225 | Regional nodal metastasis and 5-year survival in patients with thin melanoma in Queensland: a population-based study. <i>ANZ Journal of Surgery</i> , 2020, 90, 503-507.  | 0.7 | 3         |
| 226 | Patient age and risk of recurrence of primary melanoma at high risk of spread. <i>British Journal of Dermatology</i> , 2021, 184, 566-568.  | 1.5 | 3         |
| 227 | Comparative performance of predictors of death from thin (<math>\leq 1.0\text{ mm}</math>) melanoma. <i>British Journal of Dermatology</i> , 2021, 185, 849-851.  | 1.5 | 3         |
| 228 | Title is missing!. , 1999, 9, 187-189.  |     | 3         |
| 229 | BRAF mutation testing for patients diagnosed with stage III or stage IV melanoma: practical guidance for the Australian setting. <i>Pathology</i> , 2022, 54, 6-19.   | 0.6 | 3         |
| 230 | Construction and Management of Ileostomies and Colostomies. <i>Digestive Diseases</i> , 1989, 7, 265-280.   | 1.9 | 2         |
| 231 | Epidemiology of Gastric Cancer. <i>Cancer Reviews: Asia-Pacific</i> , 2004, 02, 1-7.  | 0.1 | 2         |
| 232 | Two cases of esophageal carcinoma following corrosive esophagitis successfully treated with chemoradiation therapy. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2007, 3, 108-111.  | 1.1 | 2         |
| 233 | Surgery and the management of cutaneous melanoma. <i>British Journal of Surgery</i> , 2013, 100, 313-315.   | 0.3 | 2         |
| 234 | Multidisciplinary cancer care in Australia. <i>Asia-Pacific Journal of Clinical Oncology</i> , 2019, 15, 197-198.   | 1.1 | 2         |

| #   | ARTICLE  | IF   | CITATIONS |
|-----|--|------|-----------|
| 235 | Conclusions from quality of life studies in patients with resected high-risk melanoma: one part of the full story. <i>Lancet Oncology, The</i> , 2019, 20, 611-612.  | 10.7 | 2         |
| 236 | Prognostic implications of biopsy with tumor transection for patients with high-risk primary melanoma. <i>Journal of the American Academy of Dermatology</i> , 2020, 82, 1521-1524.  | 1.2  | 2         |
| 237 | A phase 2 study of intralesional PV-10 followed by radiotherapy for localized in transit or recurrent metastatic melanoma.. <i>Journal of Clinical Oncology</i> , 2016, 34, e21072-e21072.   | 1.6  | 2         |
| 238 | Percutaneous fluoroscopic gastrostomy. <i>Medical Journal of Australia</i> , 1994, 161, 308-310.   | 1.7  | 2         |
| 239 | Diet quality is associated with primary melanoma thickness. <i>Journal of the European Academy of Dermatology and Venereology</i> , 2022, 36, 1745-1750.   | 2.4  | 2         |
| 240 | Neoadjuvant chemoradiotherapy in resectable oesophageal cancer. <i>Lancet Oncology, The</i> , 2005, 6, 824-825.  | 10.7 | 1         |
| 241 | Macular Nerve Fiber Layer Thickness. <i>Ophthalmology</i> , 2010, 117, 1053-1053.e1.   | 5.2  | 1         |
| 242 | Two cases of <sc>NSAID</sc>-induced gastropathy and enteropathy of the ileum. <i>ANZ Journal of Surgery</i> , 2015, 85, 584-585.   | 0.7  | 1         |
| 243 | 2200 TOPGEAR: A randomized phase M/MI trial of perioperative ECF chemotherapy versus preoperative chemoradiation plus perioperative ECF chemotherapy for resectable gastric cancer. Interim results from an international, intergroup trial of the AGITG/TROG/NCIC CTG/EORTC. <i>European Journal of Cancer</i> , 2015, 51, S399-S400. | 2.8  | 1         |
| 244 | In response to: Immigration is the most likely reason for the generational change in melanoma incidence in Queensland, Australia. <i>International Journal of Cancer</i> , 2018, 143, 722-723.   | 5.1  | 1         |
| 245 | Patients with inâ€transit melanoma metastases have comparable survival outcomes following isolated limb infusion or intralesional PVâ€10â€”A propensity score matched, single center study. <i>Journal of Surgical Oncology</i> , 2019, 119, 717-727.  | 1.7  | 1         |
| 246 | Intraoperative fluid restriction during enhanced recovery after surgery versus liberal fluids for esophagectomy: A single center retrospective pilot study. <i>Journal of Clinical Anesthesia</i> , 2020, 67, 110030.  | 1.6  | 1         |
| 247 | 1125P A phase Ib study of rose bengal disodium and anti-PD-1 in metastatic cutaneous melanoma: Results in patients naâ€ve to immune checkpoint blockade. <i>Annals of Oncology</i> , 2020, 31, S756.   | 1.2  | 1         |
| 248 | Intra-abdominal desmoplastic small round cell tumour in a 56-year-old female: Case report of a very rare presentation of an unusual tumour. <i>International Journal of Surgery Case Reports</i> , 2021, 79, 323-326.  | 0.6  | 1         |
| 249 | Intralesional rose bengal for treatment of melanoma.. <i>Journal of Clinical Oncology</i> , 2016, 34, TPS9600-TPS9600.   | 1.6  | 1         |
| 250 | Consideration of Mesh-Related Complications. <i>Annals of the Royal College of Surgeons of England</i> , 2008, 90, 175-176.  | 0.6  | 1         |
| 251 | Hypothesised cutaneous sites of origin of stage <sc>III</sc> melanomas with unknown primary: a multiâ€centre study. <i>International Journal of Cancer</i> , 2022, , .   | 5.1  | 1         |
| 252 | Availability of Organs for Transplantation: A Three Year Study. <i>Journal of Urology</i> , 1987, 137, 811-811.  | 0.4  | 0         |

| #   | ARTICLE   | IF   | CITATIONS |
|-----|---|------|-----------|
| 253 | Acute and long-term effect of alpha-glucosidase inhibitor on dumping syndrome in a patient after a vagotomy and pyloric surgery.. ANZ Journal of Surgery, 2005, 75, 1124-1126.  | 0.7  | 0         |
| 254 | Novel approach to oesophageal resection. ANZ Journal of Surgery, 2005, 75, 1029-1029.   | 0.7  | 0         |
| 255 | Re: Comparison of the Outcomes Between Open and Minimally Invasive Esophagectomy. Annals of Surgery, 2008, 247, 397-398.  | 4.2  | 0         |
| 256 | Minimally invasive esophagectomy. Surgical Endoscopy and Other Interventional Techniques, 2011, 25, 981-982.  | 2.4  | 0         |
| 257 | Melanoma Brain Metastases: The Impact of Nodal Disease. International Journal of Radiation Oncology Biology Physics, 2012, 84, S655.  | 0.8  | 0         |
| 258 | PWE-150 Treatment of oesophageal adenocarcinoma-what is the ideal? results from a survey of augis and anzsoga members. Gut, 2015, 64, A278.2-A279.  | 12.1 | 0         |
| 259 | Intralesional rose bengal for stage III and IV melanoma. Annals of Oncology, 2016, 27, vi400.   | 1.2  | 0         |
| 260 | Future-proofing academic surgery in Australia and New Zealand: the Annual RACS Joint Academic Meeting. ANZ Journal of Surgery, 2018, 88, 130-131.   | 0.7  | 0         |
| 261 | Neoadjuvant therapy for esophageal adenocarcinoma: A propensity score-matched comparison of paclitaxel and carboplatin chemoradiotherapy with cisplatin and 5-fluoruracil-based chemo- or chemoradiotherapy. Annals of Oncology, 2018, 29, viii212. | 1.2  | 0         |
| 262 | Future is bright for academic surgery in Australasia: highlights of the 2018 Academic Meetings. ANZ Journal of Surgery, 2019, 89, 798-799.  | 0.7  | 0         |
| 263 | New treatment paradigms for clinically apparent metastatic melanoma in regional lymph nodes. ANZ Journal of Surgery, 2019, 89, 1187-1189.   | 0.7  | 0         |
| 264 | Response to Stahlie et al regarding "A systematic review and meta-analysis of locoregional treatments for in-transit melanoma". Journal of Surgical Oncology, 2019, 120, 1058-1059.   | 1.7  | 0         |
| 265 | Highlights of the 2019 Annual Academic Surgery Conference. ANZ Journal of Surgery, 2020, 90, 200-201.   | 0.7  | 0         |
| 266 | Increased melanoma recurrence in patients with multiple primary invasive melanomas. Journal of the American Academy of Dermatology, 2021, , .   | 1.2  | 0         |
| 267 | Gene expression analysis of EAC in association with PET response.. Journal of Clinical Oncology, 2012, 30, 50-50.   | 1.6  | 0         |
| 268 | Esophageal Ulcers. , 2020, , 400-403.   |      | 0         |
| 269 | Reply to: A practical guide on the use of imiquimod cream to treat lentigo maligna. Australasian Journal of Dermatology, 2022, , .  | 0.7  | 0         |
| 270 | Title is missing!. , 2020, 15, e0238529.  |      | 0         |



| #   | ARTICLE   | IF  | CITATIONS |
|-----|---|-----|-----------|
| 271 | Title is missing!. , 2020, 15, e0238529.  |     | 0         |
| 272 | Title is missing!. , 2020, 15, e0238529.  |     | 0         |
| 273 | Title is missing!. , 2020, 15, e0238529.  |     | 0         |
| 274 | Title is missing!. , 2020, 15, e0238529.  |     | 0         |
| 275 | Title is missing!. , 2020, 15, e0238529.  |     | 0         |
| 276 | Title is missing!. , 2020, 15, e0238529.  |     | 0         |
| 277 | Localization of small esophageal cancers for radiation planning using endoscopic contrast injection: report on a series of eight cases. Ecological Management and Restoration, 2001, 14, 28-31. | 0.4 | 0         |