Ting Kai Zhao

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6385075/publications.pdf Version: 2024-02-01



ΤΙΝΟ ΚΑΙ ΖΗΛΟ

#	Article	IF	CITATIONS
1	Enhanced electromagnetic wave absorption properties integrating diverse loss mechanism of 3D porous Ni/NiO microspheres. Journal of Alloys and Compounds, 2022, 897, 163227.	5.5	14
2	Fabrication of PANI@Ti3C2Tx/PVA hydrogel composite as flexible supercapacitor electrode with good electrochemical performance. Ceramics International, 2022, 48, 15721-15728.	4.8	35
3	Flower-like Co@CoO nanohybrids assembled by crisp-rice-like quadrate flakes as high-performance electromagnetic wave absorber. Applied Surface Science, 2022, 597, 153754.	6.1	14
4	Synthesis of novel nicotinamide susbstituted phthalocyanine and photodynamic antomicrobial chemotherapy evaluation potentiated by potassium iodide against the gram positive S. aureus and gram negative E. coli. Biotechnology Letters, 2021, 43, 781-790.	2.2	7
5	Triboelectric Nanogenerator Based Smart Electronics via Machine Learning. Advanced Materials Technologies, 2020, 5, 1900921.	5.8	52
6	Evaluation of 8.0â€MeV Carbon (C ²⁺) Irradiation Effects on Hydrothermally Synthesized Co ₃ O ₄ â^'CuOâ^'ZnO@GO Electrodes for Supercapacitor Applications. Electroanalysis, 2020, 32, 2958-2968.	2.9	10
7	Functionalized nano diamond composites for photocatalytic hydrogen evolution and effective pollutant degradation. International Journal of Hydrogen Energy, 2020, 45, 29070-29081.	7.1	67
8	Performance Evaluation of Graphene Oxide Based Co ₃ O ₄ @GO, MnO ₂ @GO and Co ₃ O ₄ /MnO ₂ @GO Electrodes for Supercapacitors. Electroanalysis, 2020, 32, 2786-2794.	2.9	45
9	Surface optimization of detonation nanodiamonds for the enhanced mechanical properties of polymer/nanodiamond composites. Diamond and Related Materials, 2020, 107, 107897.	3.9	58
10	In situ synthesis of expanded graphite embedded with amorphous carbon-coated aluminum particles as anode materials for lithium-ion batteries. Nanotechnology Reviews, 2020, 9, 436-444.	5.8	12
11	Three-Dimensional Heterostructured Reduced Graphene Oxide-Hexagonal Boron Nitride-Stacking Material for Silicone Thermal Grease with Enhanced Thermally Conductive Properties. Nanomaterials, 2019, 9, 938.	4.1	38
12	A Facile Method to Prepare Silver Doped Graphene Combined with Polyaniline for High Performances of Filter Paper Based Flexible Electrode. Nanomaterials, 2019, 9, 1434.	4.1	12
13	A Facile Method of Preparing the Asymmetric Supercapacitor with Two Electrodes Assembled on a Sheet of Filter Paper. Nanomaterials, 2019, 9, 1338.	4.1	14
14	Synthesis and electromagnetic wave absorption properties of 3D spherical NiCo2S4 composites. Journal of Alloys and Compounds, 2019, 795, 327-335.	5.5	26
15	Effect of Phenolic Resin on Micropores Development in Carbon Foam with High Performance. Materials, 2019, 12, 1213.	2.9	15
16	A novel hierarchically carbon foam templated carbon nanotubes/polyaniline electrode for efficient electrochemical supercapacitor. Fullerenes Nanotubes and Carbon Nanostructures, 2019, 27, 440-445.	2.1	10
17	Catalyst effect on the preparation of single-walled carbon nanotubes by a modified arc discharge. Fullerenes Nanotubes and Carbon Nanostructures, 2019, 27, 52-57.	2.1	10
18	Comparative study of the ball milling and acid treatment of functionalized nanodiamond composites. International Journal of Refractory Metals and Hard Materials, 2018, 73, 46-52.	3.8	36

Τίνς Και Ζηλο

#	Article	IF	CITATIONS
19	Three-Dimensional Graphene/MnO ₂ Nanowalls Hybrid for High-Efficiency Electrochemical Supercapacitors. Nano, 2018, 13, 1850013.	1.0	40
20	High-strength Lightweight Bird's Nest-like Mullite Whisker 3-D Network. Chemistry Letters, 2018, 47, 243-246.	1.3	3
21	Long-life electrochemical supercapacitor based on a novel hierarchically carbon foam templated carbon nanotube electrode. Composites Part B: Engineering, 2018, 141, 250-257.	12.0	53
22	Pt nanoparticles decorated rose-like Bi ₂ O ₂ CO ₃ configurations for efficient photocatalytic removal of water organic pollutants. RSC Advances, 2018, 8, 914-920.	3.6	7
23	Growth of coiled amorphous carbon nanotube array forest and its electromagnetic wave absorbing properties. Composites Part B: Engineering, 2018, 134, 91-97.	12.0	46
24	Facile synthesis of graphene nanosheets via barium ferrite assisted intercalation and secondary expansion of graphite. Materials Letters, 2018, 212, 1-3.	2.6	14
25	In-situ synthesis of expanded graphite embedded with CuO nanospheres coated with carbon for supercapacitors. Applied Surface Science, 2018, 460, 58-64.	6.1	25
26	Reduced Graphene Oxide Embedded with MQ Silicone Resin Nano-Aggregates for Silicone Rubber Composites with Enhanced Thermal Conductivity and Mechanical Performance. Polymers, 2018, 10, 1254.	4.5	37
27	Synergistic effect of organic and inorganic nano fillers on the dielectric and mechanical properties of epoxy composites. Journal of Materials Science and Technology, 2018, 34, 2424-2430.	10.7	43
28	Materials Engineering of High-Performance Anodes as Layered Composites with Self-Assembled Conductive Networks. Journal of Physical Chemistry C, 2018, 122, 14014-14028.	3.1	7
29	Facile and Green Preparation of Three-Dimensionally Nanoporous Copper Films by Low-Current Electrical Field-Induced Assembly of Copper Nanoparticles for Lithium-Ion Battery Applications. Journal of Materials Engineering and Performance, 2018, 27, 4680-4692.	2.5	4
30	Synthesis and electromagnetic wave absorption property of amorphous carbon nanotube networks on a 3D graphene aerogel/BaFe12O19 nanocomposite. Journal of Alloys and Compounds, 2017, 708, 115-122.	5.5	50
31	Electromagnetic wave absorbing properties of aligned amorphous carbon nanotube/BaFe12O19 nanorod composite. Journal of Alloys and Compounds, 2017, 703, 424-430.	5.5	40
32	In-situ growth amorphous carbon nanotube on silicon particles as lithium-ion battery anode materials. Journal of Alloys and Compounds, 2017, 708, 500-507.	5.5	41
33	In situ synthesis of interlinked three-dimensional graphene foam/polyaniline nanorod supercapacitor. Electrochimica Acta, 2017, 230, 342-349.	5.2	53
34	Coral-like amorphous carbon nanotubes synthesized by a modified arc discharge. Fullerenes Nanotubes and Carbon Nanostructures, 2017, 25, 359-362.	2.1	6
35	Direct in situ synthesis of a 3D interlinked amorphous carbon nanotube/graphene/BaFe ₁₂ O ₁₉ composite and its electromagnetic wave absorbing properties. RSC Advances, 2017, 7, 15903-15910.	3.6	22
36	Three-dimensional heterostructured MnO ₂ /graphene/carbon nanotube composite on Ni foam for binder-free supercapacitor electrode. Fullerenes Nanotubes and Carbon Nanostructures, 2017, 25, 391-396.	2.1	6

Τίνς Και Ζηλο

#	Article	IF	CITATIONS
37	In situ synthesis of semiconducting single-walled carbon nanotubes by modified arc discharging method. Applied Physics A: Materials Science and Processing, 2017, 123, 1.	2.3	1
38	Hydrogen storage capacity of single-walled carbon nanotube prepared by a modified arc discharge. Fullerenes Nanotubes and Carbon Nanostructures, 2017, 25, 355-358.	2.1	32
39	3D dendritic-Fe ₂ O ₃ @C nanoparticles as an anode material for lithium ion batteries. RSC Advances, 2017, 7, 18508-18511.	3.6	9
40	Preparation and electromagnetic wave absorbing properties of 3D graphene/pine needle-like iron nano-acicular whisker composites. RSC Advances, 2017, 7, 16196-16203.	3.6	8
41	Synthesis and electrochemical property of amorphous carbon nanotubes wrapped sulfur particles as cathode material for lithium-sulfur batteries. Chemical Physics Letters, 2017, 688, 59-65.	2.6	7
42	In situ synthesis and electromagnetic wave absorbing properties of sandwich microstructured graphene/La-doped barium ferrite nanocomposite. RSC Advances, 2017, 7, 37276-37285.	3.6	19
43	Selfâ€propagatingÂCombustionÂTriggeredÂSynthesisÂof 3DÂLamellarÂGraphene/BaFe12O19ÂCompositeÂandÂ ElectromagneticÂWaveÂAbsorptionĂProperties. Nanomaterials, 2017, 7, 55.	NtsÂ 4.1	7
44	Preparation and the electromagnetic interference shielding in the X-band of carbon foams with Ni-Zn ferrite additive. Journal of the European Ceramic Society, 2016, 36, 3939-3946.	5.7	36
45	Preparation and pyrolysis behavior of modified coal tar pitch as C/C composites matrix precursor. Journal of Analytical and Applied Pyrolysis, 2016, 119, 18-23.	5.5	27
46	Effect of the graphene derived from thermal reduction within matrix on the performance of graphene/poly (methyl methacrylate) composites. Journal of Analytical and Applied Pyrolysis, 2016, 120, 215-221.	5.5	6
47	Facile Fabrication of Multifunctional Aramid Nanofiber Films by Spin Coating. Journal of Materials Engineering and Performance, 2016, 25, 4757-4763.	2.5	14
48	Expanded graphite embedded with aluminum nanoparticles as superior thermal conductivity anodes for high-performance lithium-ion batteries. Scientific Reports, 2016, 6, 33833.	3.3	43
49	A three-dimensional vertically aligned carbon nanotube/polyaniline composite as a supercapacitor electrode. RSC Advances, 2016, 6, 110592-110599.	3.6	15
50	Preparation and characterization of graphene derived from low-temperature and pressure promoted thermal reduction. Composites Part B: Engineering, 2016, 99, 106-111.	12.0	33
51	Preparation and electrochemical property of Fe 3 O 4 /MWCNT nanocomposite. Chemical Physics Letters, 2016, 653, 202-206.	2.6	30
52	Dispersion behavior and the influences of ball milling technique on functionalization of detonated nano-diamonds. Diamond and Related Materials, 2016, 61, 32-40.	3.9	52
53	Well-constructed silicon-based materials as high-performance lithium-ion battery anodes. Nanoscale, 2016, 8, 701-722.	5.6	113
54	Two-step approach of fabrication of three-dimensional MnO2-graphene-carbon nanotube hybrid as a binder-free supercapacitor electrode. Journal of Power Sources, 2016, 306, 602-610.	7.8	141

Τίνς Και Ζηλο

#	Article	IF	CITATIONS
55	Bistability and pH Hysteresis of Graphene Oxide Solution in Circle Acid–Base Titration. Chemistry Letters, 2015, 44, 454-456.	1.3	1
56	Effect of the graphene sheets derived from multistep oxidized carbon nanotubes on the performance of graphene sheets/poly(methyl methacrylate) composites. Journal of Analytical and Applied Pyrolysis, 2015, 114, 243-249.	5.5	5
57	A three-dimensional MnO ₂ /graphene hybrid as a binder-free supercapacitor electrode. RSC Advances, 2015, 5, 85613-85619.	3.6	41
58	Growth of well-aligned carbon nanotubes with different shapes. Applied Surface Science, 2015, 357, 2136-2140.	6.1	15
59	Stable and Homogenous Functionality on PDMS Surface and the Kinetic of Gold Nanoparticle Adsorption on Its Surface. Soft Materials, 2014, 12, 334-338.	1.7	2
60	Preparation and characterization of carbon foams with high mechanical strength using modified coal tar pitches. Journal of Analytical and Applied Pyrolysis, 2014, 110, 442-447.	5.5	49
61	Electromagnetic Wave Absorbing Properties of Amorphous Carbon Nanotubes. Scientific Reports, 2014, 4, 5619.	3.3	148
62	Preparation and electrochemical property of CMC/MWCNT composite using ionic liquid as solvent. Science Bulletin, 2012, 57, 1620-1625.	1.7	10
63	Electrochemical Property of Multi-Walled Carbon Nanotubes/Chitosan Composites by Electrostatic Interactions. Fullerenes Nanotubes and Carbon Nanostructures, 2011, 19, 452-460.	2.1	6
64	Hydrogen Storage Behavior of Amorphous Carbon Nanotubes at Low Pressure and Room Temperature. Fullerenes Nanotubes and Carbon Nanostructures, 2011, 19, 677-683.	2.1	7
65	Electrochemical Performance of Amorphous Carbon Nanotube as Anode Materials for Lithium Ion Battery. Journal of Nanoscience and Nanotechnology, 2010, 10, 3873-3877.	0.9	11
66	Current and Arc Pushing Force Effects on the Synthesis of Single-Walled Carbon Nanotubes by Arc Discharge. Journal of Nanoscience and Nanotechnology, 2010, 10, 4078-4081.	0.9	6
67	Effect of metal oxide and oxygen on the growth of single-walled carbon nanotubes by electric arc discharge. Journal of Nanoparticle Research, 2008, 10, 409-414.	1.9	5
68	Catalyst Composition and Content Effects on the Synthesis of Single-Walled Carbon Nanotubes by Arc Discharge. Journal of Nanomaterials, 2007, 2007, 1-4.	2.7	3
69	The effect of electric current on the synthesis of single-walled carbon nanotubes by temperature controlled arc discharge. Diamond and Related Materials, 2007, 16, 1722-1726.	3.9	19
70	Temperature and catalyst effects on the production of amorphous carbon nanotubes by a modified arc discharge. Carbon, 2005, 43, 2907-2912.	10.3	57
71	Large scale and high purity synthesis of single-walled carbon nanotubes by arc discharge at controlled temperatures. Carbon, 2004, 42, 2765-2768.	10.3	42