

Filip Tyllå;

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6385204/publications.pdf>

Version: 2024-02-01

20
papers

646
citations

933447

10
h-index

888059

17
g-index

28
all docs

28
docs citations

28
times ranked

924
citing authors

#	ARTICLE	IF	CITATIONS
1	Pharmacokinetic and behavioural profile of THC, CBD, and THC+CBD combination after pulmonary, oral, and subcutaneous administration in rats and confirmation of conversion in vivo of CBD to THC. <i>European Neuropsychopharmacology</i> , 2017, 27, 1223-1237.	0.7	169
2	Psilocybin – Summary of knowledge and new perspectives. <i>European Neuropsychopharmacology</i> , 2014, 24, 342-356.	0.7	167
3	Electroencephalographic Spectral and Coherence Analysis of Ketamine in Rats: Correlation with Behavioral Effects and Pharmacokinetics. <i>Neuropsychobiology</i> , 2011, 63, 202-218.	1.9	73
4	Behavioral, neurochemical and pharmac-EEG profiles of the psychedelic drug 4-bromo-2,5-dimethoxyphenethylamine (2C-B) in rats. <i>Psychopharmacology</i> , 2013, 225, 75-93.	3.1	45
5	Sex differences and serotonergic mechanisms in the behavioural effects of psilocin. <i>Behavioural Pharmacology</i> , 2016, 27, 309-320.	1.7	38
6	Biochemical, Histopathological and Morphological Profiling of a Rat Model of Early Immune Stimulation: Relation to Psychopathology. <i>PLoS ONE</i> , 2015, 10, e0115439.	2.5	26
7	Emerging toxicity of 5,6-methylenedioxy-2-aminoindane (MDAI): Pharmacokinetics, behaviour, thermoregulation and LD50 in rats. <i>Progress in Neuro-Psychopharmacology and Biological Psychiatry</i> , 2016, 69, 49-59.	4.8	26
8	Psilocybin disrupts sensory and higher order cognitive processing but not pre-attentive cognitive processing – study on P300 and mismatch negativity in healthy volunteers. <i>Psychopharmacology</i> , 2018, 235, 491-503.	3.1	26
9	Psilocin, LSD, mescaline, and DOB all induce broadband desynchronization of EEG and disconnection in rats with robust translational validity. <i>Translational Psychiatry</i> , 2021, 11, 506.	4.8	19

10

#	ARTICLE	IF	CITATIONS
19	P.1.b.009 Default mode network activity decrement interrelated with anxious-like and dreadful experiences during acute cannabis intoxication. <i>European Neuropsychopharmacology</i> , 2014, 24, S176-S177.	0.7	0
20	Psilocybin-induced psychosis in humans and in rats – translational quantitative EEG study. <i>European Neuropsychopharmacology</i> , 2016, 26, S257-S258.	0.7	0