Gouke Bonsel

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6397876/publications.pdf

Version: 2024-02-01

61 papers

2,085 citations

304743

22

h-index

243625 44 g-index

63 all docs 63 docs citations

63 times ranked

2604 citing authors

#	Article	IF	CITATIONS
1	Is EQ-5D-5L Better Than EQ-5D-3L? A Head-to-Head Comparison of Descriptive Systems and Value Sets from Seven Countries. Pharmacoeconomics, 2018, 36, 675-697.	3.3	215
2	The Effect of Adding a Cognitive Dimension to the EuroQol Multiattribute Health-Status Classification System. Journal of Clinical Epidemiology, 1999, 52, 293-301.	5.0	195
3	Effect of screening for red cell antibodies, other than antiâ€D, to detect hemolytic disease of the fetus and newborn: a population study in the Netherlands. Transfusion, 2008, 48, 941-952.	1.6	180
4	Generalizability of valuations on health states collected with the EuroQolc-questionnaire. Health Economics (United Kingdom), 1993, 2, 237-246.	1.7	135
5	Screening in pregnancy for fetal or neonatal alloimmune thrombocytopenia: systematic review. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 1335-1343.	2.3	113
6	Standardized outcome measures for pregnancy and childbirth, an ICHOM proposal. BMC Health Services Research, 2018, 18, 953.	2.2	99
7	Increased adverse perinatal outcome of hospital delivery at night. BJOG: an International Journal of Obstetrics and Gynaecology, 2010, 117, 1098-1107.	2.3	74
8	Risk factors for the presence of nonâ€rhesus D red blood cell antibodies in pregnancy*. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 655-664.	2.3	69
9	The Impact of Migraine on Health Status. Headache, 1995, 35, 200-206.	3.9	67
10	Ethnic differences in preterm birth and its subtypes: the effect of a cumulative risk profile. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 710-719.	2.3	60
11	Evaluating the discriminatory power of EQ-5D, HUI2 and HUI3 in a US general population survey using Shannon's indices. Quality of Life Research, 2007, 16, 895-904.	3.1	56
12	Risk factors for RhD immunisation despite antenatal and postnatal antiâ€D prophylaxis. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 1307-1314.	2.3	52
13	Measuring Client Experiences in Maternity Care under Change: Development of a Questionnaire Based on the WHO Responsiveness Model. PLoS ONE, 2015, 10, e0117031.	2.5	42
14	The measurement of long-term health-related quality of life after injury: comparison of EQ-5D and the health utilities index. Injury Prevention, 2010, 16, 147-153.	2.4	36
15	Knowledge on preconceptional folic acid supplementation and intention to seek for preconception care among men and women in an urban city: a population-based cross-sectional study. BMC Pregnancy and Childbirth, 2015, 15, 340.	2.4	36
16	Health systems' responsiveness and reporting behaviour: Multilevel analysis of the influence of individual-level factors in 64 countries. Social Science and Medicine, 2015, 138, 152-160.	3.8	35
17	Selecting Health States for EQ-5D-3L Valuation Studies: Statistical Considerations Matter. Value in Health, 2018, 21, 456-461.	0.3	31
18	The added value of the EQ-5D with a cognition dimension in injury patients with and without traumatic brain injury. Quality of Life Research, 2019, 28, 1931-1939.	3.1	31

#	Article	IF	CITATIONS
19	Health-related quality of life and mental well-being of healthy and diseased persons in 8 countries: Does stringency of government response against early COVID-19 matter?. SSM - Population Health, 2021, 15, 100913.	2.7	28
20	Stop or go? Preventive cognitive therapy with guided tapering of antidepressants during pregnancy: study protocol of a pragmatic multicentre non-inferiority randomized controlled trial. BMC Psychiatry, 2016, 16, 72.	2.6	26
21	Cost-effectiveness analysis of the Dutch liver transplantation programme. Transplantation Proceedings, 1990, 22, 1481-4.	0.6	26
22	Differences in perinatal morbidity and mortality on the neighbourhood level in Dutch municipalities: a population based cohort study. BMC Pregnancy and Childbirth, 2015, 15, 201.	2.4	24
23	Validity of a questionnaire measuring the world health organization concept of health system responsiveness with respect to perinatal services in the dutch obstetric care system. BMC Health Services Research, 2014, 14, 622.	2.2	23
24	Exploring models for the roles of health systems' responsiveness and social determinants in explaining universal health coverage and health outcomes. Global Health Action, 2016, 9, 29329.	1.9	23
25	Hospital costs during the first 5 years of life for multiples compared with singletons born after IVF or ICSI. Human Reproduction, 2015, 30, 1481-1490.	0.9	22
26	Methods Used to Identify, Test, and Assess Impact on Preferences of Bolt-Ons: A Systematic Review. Value in Health, 2021, 24, 901-916.	0.3	21
27	Increased maternal BMI is associated with infant wheezing in early life: a prospective cohort study. Journal of Developmental Origins of Health and Disease, 2014, 5, 351-360.	1.4	18
28	Applicability of the ReproQ client experiences questionnaire for quality improvement in maternity care. PeerJ, 2016, 4, e2092.	2.0	18
29	Oneâ€year infant outcome in women with earlyâ€onset hypertensive disorders of pregnancy. BJOG: an International Journal of Obstetrics and Gynaecology, 2008, 115, 290-298.	2.3	17
30	Feasibility and reliability of a newly developed antenatal risk score card in routine care. Midwifery, 2015, 31, 147-154.	2.3	17
31	Successful five-item triage for the broad spectrum of mental disorders in pregnancy – a validation study. BMC Pregnancy and Childbirth, 2015, 15, 51.	2.4	16
32	Hypothesis acardiac twin pregnancies: Pathophysiologyâ€based hypotheses suggest risk prediction by pump/acardiac umbilical venous diameter ratios. Birth Defects Research Part A: Clinical and Molecular Teratology, 2016, 106, 114-121.	1.6	16
33	Quality of perinatal care services from the user's perspective: a Dutch study applies the World Health Organization's responsiveness concept. BMC Pregnancy and Childbirth, 2017, 17, 327.	2.4	16
34	Toward a Smaller Design for EQ-5D-5L Valuation Studies. Value in Health, 2019, 22, 1295-1302.	0.3	16
35	Does centralisation of acute obstetric care reduce intrapartum and first-week mortality? An empirical study of over 1 million births in the Netherlands. Health Policy, 2014, 117, 28-38.	3.0	15
36	Karyotyping or rapid aneuploidy detection in prenatal diagnosis? The different views of users and providers of prenatal care. BJOG: an International Journal of Obstetrics and Gynaecology, 2009, 116, 1396-1399.	2.3	14

#	Article	IF	CITATIONS
37	Regional differences in Dutch maternal mortality. BJOG: an International Journal of Obstetrics and Gynaecology, 2012, 119, 582-588.	2.3	14
38	The role of depressive symptoms in the pathway of demographic and psychosocial risks to preterm birth and small for gestational age. Midwifery, 2014, 30, 919-925.	2.3	14
39	Regional differences in severe postpartum hemorrhage: a nationwide comparative study of 1.6 million deliveries. BMC Pregnancy and Childbirth, 2015, 15, 43.	2.4	14
40	Correspondence of directly reported and recalled health-related quality of life in a large heterogeneous sample of trauma patients. Quality of Life Research, 2019, 28, 3005-3013.	3.1	14
41	Test–retest reliability of the EQ-5D-5L and the reworded QOLIBRI-OS in the general population of Italy, the Netherlands, and the United Kingdom. Quality of Life Research, 2021, 30, 2961-2971.	3.1	13
42	The relation between EQ-5D and fatigue in a Dutch general population sample: an explorative study. Health and Quality of Life Outcomes, 2021, 19, 135.	2.4	12
43	Prenatal ultrasound parameters in single-suture craniosynostosis. Journal of Maternal-Fetal and Neonatal Medicine, 2018, 31, 2050-2057.	1.5	11
44	Agreement between retrospectively assessed health-related quality of life collected 1 week and 12 months post-injury: an observational follow-up study. Health and Quality of Life Outcomes, 2019, 17, 70.	2.4	11
45	Exploring the relation between the EQ-5D-5L pain/discomfort and pain and itching in a sample of burn patients. Health and Quality of Life Outcomes, 2020, 18, 144.	2.4	11
46	The relation between viscero-abdominal disproportion and type of omphalocele closure. European Journal of Obstetrics, Gynecology and Reproductive Biology, 2014, 181, 294-299.	1.1	10
47	First-Trimester Detection of Surface Abnormalities: A Comparison of 2- and 3-Dimensional Ultrasound and 3-Dimensional Virtual Reality Ultrasound. Reproductive Sciences, 2014, 21, 993-999.	2.5	10
48	Assessment and care for non-medical risk factors in current antenatal health care. Midwifery, 2015, 31, 979-985.	2.3	10
49	First trimester employment, working conditions and preterm birth: a prospective population-based cohort study. Occupational and Environmental Medicine, 2021, 78, 654-660.	2.8	10
50	Health Inequality Analysis in Europe: Exploring the Potential of the EQ-5D as Outcome. Frontiers in Public Health, 2021, 9, 744405.	2.7	10
51	Adding a fatigue item to the EQ-5D-5L improves its psychometric performance in the general population. Journal of Patient-Reported Outcomes, 2022, 6, 1.	1.9	10
52	Health-related quality of life in injury patients: the added value of extending the EQ-5D-3L with a cognitive dimension. Quality of Life Research, 2019, 28, 1941-1949.	3.1	8
53	Does the EQ-5D-5L benefit from extension with a cognitive domain: Testing a multi-criteria psychometric strategy in trauma patients. Quality of Life Research, 2020, 29, 2541-2551.	3.1	8
54	The added value of extending the EQ-5D-5L with an itching item for the assessment of health-related quality of life of burn patients: an explorative study. Burns, 2021, 47, 873-879.	1.9	5

#	Article	lF	CITATION
55	Contribution of psychopathology, psychosocial problems and substance use to urban and rural differences in birth outcomes. European Journal of Public Health, 2014, 24, 917-923.	0.3	2
56	Different settings of place of midwife-led birth: evaluation of a midwife-led birth centre. SpringerPlus, 2016, 5, 786.	1.2	2
57	A Head-to-Head Comparison of the Standard Quality-Adjusted Life Year Model With the Annual Profile Model. Value in Health, 2021, 24, 707-713.	0.3	2
58	OP37.03: Primary or delayed omphalocele closure prediction in the second trimester of pregnancy. Ultrasound in Obstetrics and Gynecology, 2011, 38, 162-162.	1.7	1
59	Risk stratification for sudden cardiac death in hypertrophic cardiomyopathy: Dutch cardiologists and the care of mutation carriers. Netherlands Heart Journal, 0 , 1 .	0.8	0
60	OP37.04: Multidisciplinary prediction on likelihood of primary closure for an omphalocele. Ultrasound in Obstetrics and Gynecology, 2011, 38, 163-163.	1.7	0
61	The role of structured Antenatal Risk Management (sARM) on experiences with antenatal care by vulnerable clients. Midwifery, 2018, 67, 39-45.	2.3	0