
List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6400195/publications.pdf Version: 2024-02-01



MACIEL LADOSZ

#	Article	IF	CITATIONS
1	Platinum metallodrug-protein binding studies by capillary electrophoresis-inductively coupled plasma-mass spectrometry: Characterization of interactions between Pt(II) complexes and human serum albumin. Electrophoresis, 2004, 25, 1988-1995.	2.4	125
2	Identification of indigoid dyes in natural organic pigments used in historical art objects by high-performance liquid chromatography coupled to electrospray ionization mass spectrometry. Journal of Mass Spectrometry, 2004, 39, 1441-1449.	1.6	102
3	Platinum group metallodrug-protein binding studies by capillary electrophoresis – inductively coupled plasma-mass spectrometry: A further insight into the reactivity of a novel antitumor ruthenium(III) complex toward human serum proteins. Electrophoresis, 2006, 27, 1128-1135.	2.4	100
4	Capillary electrophoresis hyphenated to inductively coupled plasmaâ€mass spectrometry: A novel approach for the analysis of anticancer metallodrugs in human serum and plasma. Electrophoresis, 2008, 29, 2224-2232.	2.4	86
5	Identification of anthraquinone coloring matters in natural red dyes by electrospray mass spectrometry coupled to capillary electrophoresis. Journal of Mass Spectrometry, 2003, 38, 1252-1258.	1.6	58
6	Blue natural organic dyestuffs—from textile dyeing to mural painting. Separation and characterization of coloring matters present in elderberry, logwood and indigo. Journal of Mass Spectrometry, 2006, 41, 613-622.	1.6	57
7	Novel methodology for the extraction and identification of natural dyestuffs in historical textiles by HPLC–UV–Vis–ESI MS. Case study: chasubles from the Wawel Cathedral collection. Analytical and Bioanalytical Chemistry, 2011, 399, 3241-3251.	3.7	56
8	Uptake, translocation, size characterization and localization of cerium oxide nanoparticles in radish (Raphanus sativus L.). Science of the Total Environment, 2019, 683, 284-292.	8.0	56
9	Speciation of metal-based nanomaterials in human serum characterized by capillary electrophoresis coupled to ICP-MS: a case study of gold nanoparticles. Metallomics, 2015, 7, 1364-1370.	2.4	55
10	Identification of anthraquinone coloring matters in natural red dyestuffs by high performance liquid chromatography with ultraviolet and electrospray mass spectrometric detection. Journal of Separation Science, 2003, 26, 1028-1034.	2.5	51
11	Saffron yellow: characterization of carotenoids by high performance liquid chromatography with electrospray mass spectrometric detection. Journal of Mass Spectrometry, 2009, 44, 1661-1667.	1.6	48
12	Probing the stability of serum protein–ruthenium(III) drug adducts in the presence of extracellular reductants using CE. Electrophoresis, 2007, 28, 2235-2240.	2.4	46
13	Application of capillary electrophoresis–inductively coupled plasma mass spectrometry to comparative studying of the reactivity of antitumor ruthenium(III) complexes differing in the nature of counter-ion toward human serum proteins. Journal of Chromatography A, 2008, 1192, 323-326.	3.7	44
14	Identification of unknown colorants in pre-Columbian textiles dyed with American cochineal (Dactylopius coccus Costa) using high-performance liquid chromatography and tandem mass spectrometry. Analytical and Bioanalytical Chemistry, 2015, 407, 855-867.	3.7	43
15	Identification of Polish cochineal (Porphyrophora polonica L.) in historical textiles by high-performance liquid chromatography coupled with spectrophotometric and tandem mass spectrometric detection. Analytical and Bioanalytical Chemistry, 2016, 408, 3349-3358.	3.7	40
16	Advances of CE-ICP-MS in speciation analysis related to metalloproteomics of anticancer drugs. Talanta, 2012, 102, 164-170.	5.5	38
17	Metallomics for drug development: an integrated CE-ICP-MS and ICP-MS approach reveals the speciation changes for an investigational ruthenium(iii) drug bound to holo-transferrin in simulated cancer cytosol. Metallomics, 2013, 5, 955.	2.4	37
18	Sensitive reversed-phase liquid chromatographic determination of hydrogen peroxide and glucose based on ternary vanadium(V)-hydrogen peroxide-2-(5-bromo-2-pyridylazo)-5-diethylaminophenol system. Analytica Chimica Acta, 2000, 421, 35-43.	5.4	36

#	Article	IF	CITATIONS
19	Elucidation of the fate of zinc in model plants using single particle ICP-MS and ESI tandem MS. Journal of Analytical Atomic Spectrometry, 2019, 34, 683-693.	3.0	36
20	Study of the formation of vanadium(IV) complexes with some triphenylmethane reagents and cationic surfactants. Analyst, The, 1984, 109, 35.	3.5	34
21	Elucidation of the Interactions of an Anticancer Ruthenium Complex in Clinical Trials with Biomolecules Utilizing Capillary Electrophoresis Hyphenated to Inductively Coupled Plasmaâ€Mass Spectrometry. Short Communication. Chemistry and Biodiversity, 2008, 5, 1609-1614.	2.1	33
22	Early synthetic dyes – a challenge for tandem mass spectrometry. Journal of Mass Spectrometry, 2013, 48, 141-147.	1.6	31
23	Characterization of TiO2 NPs in Radish (Raphanus sativus L.) by Single-Particle ICP-QQQ-MS. Frontiers in Environmental Science, 2020, 8, .	3.3	30
24	Characterization of the protein corona of gold nanoparticles by an advanced treatment of CEâ€ICPâ€MS data. Electrophoresis, 2016, 37, 2257-2259.	2.4	29
25	Analytical methodology for studying cellular uptake, processing and localization of gold nanoparticles. Analytica Chimica Acta, 2019, 1052, 1-9.	5.4	28
26	HPLC–UV–ESI MS/MS identification of the color constituents of sawwort (Serratula tinctoria L.). Analytical and Bioanalytical Chemistry, 2014, 406, 3703-3708.	3.7	26
27	Metallomics for drug development: a further insight into intracellular activation chemistry of a ruthenium( <scp>iii</scp> )-based anticancer drug gained using a multidimensional analytical approach. Metallomics, 2014, 6, 147-153.	2.4	26
28	Old master paintings - A fruitful field of activity for analysts: Targets, methods, outlook. Journal of Separation Science, 2003, 26, 996-1004.	2.5	22
29	A versatile approach for assaying in vitro metallodrug metabolism using CE hyphenated with ICP-MS. Analyst, The, 2009, 134, 1999.	3.5	22
30	Comparison of detection techniques for capillary electrophoresis analysis of gold nanoparticles. Electrophoresis, 2015, 36, 1158-1163.	2.4	22
31	Identification of degradation products of indigoids by tandem mass spectrometry. Journal of Mass Spectrometry, 2015, 50, 1245-1251.	1.6	21
32	CE Separation and ICP-MS Detection of Gold Nanoparticles and Their Protein Conjugates. Chromatographia, 2017, 80, 1695-1700.	1.3	21
33	Sensitive reversed-phase liquid chromatographic determination of fluoride based on its ternary systems with zirconium(IV) or hafnium(IV) and 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol. Analyst, The, 1998, 123, 1529-1533.	3.5	19
34	The fate of differently functionalized gold nanorods in human serum: A response from capillary electrophoresis–inductively coupled plasma mass spectrometry. Journal of Chromatography A, 2017, 1499, 222-225.	3.7	19
35	Determination of fluoride impurities in Leuprolide. Comparison of analytical methods. Microchemical Journal, 2000, 65, 51-58.	4.5	18
36	Mass spectrometric investigation of gallium and zirconium complexes with octaethylporphyrin and tetraphenylporphyrin. Journal of Mass Spectrometry, 2002, 37, 1236-1241.	1.6	17

#	Article	IF	CITATIONS
37	Combination of ICP-MS, capillary electrophoresis, and their hyphenation for probing Ru(III) metallodrug–DNA interactions. Analytical and Bioanalytical Chemistry, 2017, 409, 2421-2427.	3.7	17
38	Study of ternary thorium complexes with some triphenylmethane reagents and cationic surfactants. Analyst, The, 1986, 111, 681.	3.5	16
39	Metall(prote)omic studies by capillary electrophoresis using separation capillary as an in-line reactor. Metallomics, 2011, 3, 761.	2.4	16
40	Cellular processing of gold nanoparticles: CE-ICP-MS evidence for the speciation changes in human cytosol. Analytical and Bioanalytical Chemistry, 2018, 410, 1151-1156.	3.7	15
41	To-Do and Not-To-Do in Model Studies of the Uptake, Fate and Metabolism of Metal-Containing Nanoparticles in Plants. Nanomaterials, 2020, 10, 1480.	4.1	15
42	RP-HPLC study of redox equilibria in vanadium-PAR binary and ternary systems: Direct determination of vanadium in steel. Mikrochimica Acta, 1997, 126, 241-249.	5.0	14
43	Investigation of iodine bioavailability from chicken eggs versus iodized kitchen salt with in vitro method. European Food Research and Technology, 2012, 234, 913-919.	3.3	14
44	A sensitive and versatile method for characterization of protein-mediated transformations of quantum dots. Analyst, The, 2016, 141, 2574-2580.	3.5	14
45	An improved protocol for ICP-MS-based assessment of the cellular uptake of metal-based nanoparticles. Journal of Pharmaceutical and Biomedical Analysis, 2019, 174, 300-304.	2.8	14
46	Molecular mass spectrometry in metallodrug development: A case of mapping transferrin-mediated transformations for a ruthenium(III) anticancer drug. Analytica Chimica Acta, 2014, 851, 72-77.	5.4	13
47	A shotgun metalloproteomic approach enables identification of proteins involved in the speciation of a ruthenium anticancer drug in the cytosol of cancer cells. Analyst, The, 2015, 140, 3492-3499.	3.5	13
48	Study of chicken egg protein influence on bioavailability of vitamin B12 by SEC-ICP MS and ESI MS. Journal of Analytical Atomic Spectrometry, 2011, 26, 608.	3.0	12
49	High-resolution ICP-MS approach for characterization of magnetic nanoparticles for biomedical applications. Journal of Pharmaceutical and Biomedical Analysis, 2020, 189, 113479.	2.8	12
50	Capillaryâ€HPLC with tandem mass spectrometry in analysis of alkaloid dyestuffs – a new approach. Electrophoresis, 2018, 39, 1276-1283.	2.4	9
51	Toward a deeper and simpler understanding of serum protein-mediated transformations of magnetic nanoparticles by ICP-MS. Talanta, 2021, 229, 122287.	5.5	9
52	Atmospheric pressure chemical ionization mass spectrometric and visible spectrophotometric studies of copper(I) and copper(II) complexes with 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol. Journal of Mass Spectrometry, 2001, 36, 1230-1236.	1.6	8
53	Can neutral analytes be concentrated by transient isotachophoresis in micellar electrokinetic chromatography and how much?. Journal of Chromatography A, 2014, 1345, 212-218.	3.7	8
54	Use of high-performance liquid chromatography–tandem electrospray ionization mass spectrometry to assess the speciation of a ruthenium(III) anticancer drug in the cytosol of cancer cells. Analytical and Bioanalytical Chemistry, 2015, 407, 4857-4862.	3.7	8

#	Article	IF	CITATIONS
55	Study of the formation of some substituted triphenylmethane reagent-cationic surfactant associates. Analyst, The, 1987, 112, 1279.	3.5	7
56	Spectrophotometric determination of lead with Pyrocatechol Violet and cationic surfactants. Microchemical Journal, 1988, 37, 322-325.	4.5	7
57	New validated HPLC methodology for the determination of (â^')-trans-paroxetine and its enantiomer in pharmaceutical formulations with use of ovomucoid chiral stationary phase. Analytical and Bioanalytical Chemistry, 2014, 406, 3697-3702.	3.7	7
58	Indirect spectrophotometric determination of fluoride using the ternary system: Thorium-chrome azurol S-cetyltrimethylammonium. Mikrochimica Acta, 1984, 84, 485-490.	5.0	6
59	Spectrophotometric Determination of Niobium with Hydrogen Peroxide and 2-(5-Bromo-2-pyridylazo)-5-diethylaminophenol in Steel and Apatite after Its Extractive Separation as .ALPHABenzoin Oxamate Analytical Sciences, 1993, 9, 285-288.	1.6	6
60	Reversed-phase liquid chromatographic determination of uranium based on its ternary complex with fluoride and 2-(5-bromo-2-pyridylazo)-5-diethylaminophenol. New chromatographic probe for the detection of fluoride on C18 stationary phase surface. Talanta, 2000, 51, 817-824.	5.5	6
61	Electrospray mass spectrometric investigation of the influence of the nature of mobile phase on the ionization of gallium and zirconium porphyrins. Journal of Mass Spectrometry, 2003, 38, 1265-1266.	1.6	6
62	Characterization of quantum dots in cancer cytosol using ICP-MS-based combined techniques. Analytical Biochemistry, 2019, 584, 113387.	2.4	6
63	Spectrophotometric study of the formation of ternary complexes of iron(III) with some triphenylmethane dyes and cationic surfactants. Microchemical Journal, 1988, 37, 268-274.	4.5	5
64	Characterization of Organic Natural Dyes by Electrospray Mass Spectrometry Coupled with HPLC and/or Capillary Electrophoresis. , 0, , 363-388.		5
65	Metal-Specific Response of High-Resolution ICP-MS for Proteins Binding to Gold Nanoparticles in Human Serum. Analytical Chemistry, 2021, 93, 14918-14922.	6.5	3
66	Protein-Mediated Transformations of Superparamagnetic Nanoparticles Evidenced by Single-Particle Inductively Coupled Plasma Tandem Mass Spectrometry: A Disaggregation Phenomenon. International Journal of Molecular Sciences, 2022, 23, 1088.	4.1	3
67	The new HPLC methodology for the chiral separation of tamsulosin enantiomers on amylose tris(3,5-dimethylphenylcarbamate) stationary phase. Talanta, 2012, 102, 75-78.	5.5	2
68	Current and emerging mass spectrometry methods for the preclinical development of metal-based drugs: a critical appraisal. Analytical and Bioanalytical Chemistry, 2022, 414, 95-102.	3.7	2
69	Inorganic and Bioinorganic Speciation Analysis: Problems and Prospects. , 2016, , 333-370.		2
70	Mass-spectrometric studies of new 6-nitroquipazines—serotonin transporter inhibitors. Analytical and Bioanalytical Chemistry, 2012, 402, 537-541.	3.7	0
71	Metal-Based Nanomaterials in Biological Matrices. , 2022, , 611-626.		0