# Robert D Burk

List of Publications by Year
in descending order

Source: https://exaly.com/author-pdf/6403913/publications.pdf

Version: 2024-02-01

| | | | |
|---|---|---|---|
| 327 papers | 25,967 citations | 6250 80 h-index | 8384 147 g-index |
| 338 all docs | 338 docs citations | 338 times ranked | 18164 citing authors |

| # | Article | IF | Citations |
|---|---|---|---|
| 1 | Impact of COVID-19 Mitigation Measures on Inner-City Female Youth in New York City. Journal of Adolescent Health, 2022, 70, 220-227. | 1.2 | 4 |
| 2 | The Gut Microbiome Modifies the Association Between a Mediterranean Diet and Diabetes in USA Hispanic/ Latino Population. Journal of Clinical Endocrinology and Metabolism, 2022, 107, e924-e934. | 1.8 | 9 |
| 3 | Oral Human Papillomavirus Associated With Differences in Oral Microbiota Beta Diversity and Microbiota Abundance. Journal of Infectious Diseases, 2022, 226, 1098-1108. | 1.9 | 15 |
| 4 | molBV reveals immune landscape of bacterial vaginosis and predicts human papillomavirus infection natural history. Nature Communications, 2022, 13, 233. | 5.8 | 20 |
| 5 | Abstract MP32: Healthy Dietary Patterns Are Associated With The Gut Microbiome In The Hispanic Community Health Study/Study Of Latinos (HCHS/SOL). Circulation, 2022, 145, . | 1.6 | 0 |
| 6 | Healthful eating patterns, serum metabolite profile and risk of diabetes in a population-based prospective study of US Hispanics/Latinos. Diabetologia, 2022, 65, 1133-1144. | 2.9 | 14 |
| 7 | Non-human primate papillomavirus E6-mediated p53 degradation reveals ancient evolutionary adaptation of carcinogenic phenotype to host niche. PLoS Pathogens, 2022, 18, e1010444. | 2.1 | 7 |
| 8 | 25. Molecular Bacterial Vaginosis and Prospective Risk of Cervicovaginal Chlamydia Trachomatis Infection in Adolescents. Journal of Adolescent Health, 2022, 70, S14. | 1.2 | 0 |
| 9 | Menopause Is Associated with an Altered Gut Microbiome and Estrobolome, with Implications for Adverse Cardiometabolic Risk in the Hispanic Community Health Study/Study of Latinos. MSystems, 2022, 7, . | 1.7 | 16 |
| 10 | Gut Microbiota, Plasma Metabolomic Profiles, and Carotid Artery Atherosclerosis in HIV Infection. Arteriosclerosis, Thrombosis, and Vascular Biology, 2022, 42, 1081-1093. | 1.1 | 19 |
| 11 | Kidney stone formation and the gut microbiome are altered by antibiotics in genetic hypercalciuric stone-forming rats. Urolithiasis, 2021, 49, 185-193. | 1.2 | 2 |
| 12 | Primary HPV and Molecular Cervical Cancer Screening in US Women Living With Human Immunodeficiency Virus. Clinical Infectious Diseases, 2021, 72, 1529-1537. | 2.9 | 8 |
| 13 | Profiles of Childhood Maltreatment: Associations with Sexual Risk Behavior during Adolescence in a Sample of Racial/Ethnic Minority Girls. Child Development, 2021, 92, 1421-1438. | 1.7 | 4 |
| 14 | Large-scale association analyses identify host factors influencing human gut microbiome composition. Nature Genetics, 2021, 53, 156-165. | 9.4 | 676 |
| 15 | A Pilot Study of Human Papillomavirus Detection in Urine Using a Novel Nucleic Acid Amplification Test. journal of applied laboratory medicine, The, 2021, 6, 474-479. | 0.6 | 3 |
| 16 | 60941 Vaginal pH predicts cervical intraepithelial neoplasia-2 regression in women living with human immunodeficiency virus. Journal of Clinical and Translational Science, 2021, 5, 23-24. | 0.3 | 0 |
| 17 | Dietary factors, gut microbiota, and serum trimethylamine-N-oxide associated with cardiovascular disease in the Hispanic Community Health Study/Study of Latinos. American Journal of Clinical Nutrition, 2021, 113, 1503-1514. | 2.2 | 32 |
| 18 | Relationship of Vitamin D Deficiency and Fatty Liver in Children as Defined by Multiple Imaging and Histologic Endpoints. JPGN Reports, 2021, 2, e077. | 0.2 | 2 |

| # | Article | IF | Citations |
|---|---|---|---|
| 19 | Abstract 029: Menopause Alters The Gut Microbiome In Hispanic/Latina Women Of The Hispanic Community Health Study/Study Of Latinos (HCHS/SOL), With Implications For Metabolic Syndrome. Circulation, 2021, 143, . | 1.6 | 2 |
| 20 | Genetic and Epigenetic Variations of HPV52 in Cervical Precancer. International Journal of Molecular Sciences, 2021, 22, 6463. | 1.8 | 9 |
| 21 | Abstract 2986: Conditional reprogramming of primary head and neck tumor cells to establish consistent and diverse cell line models. , 2021, , . | | 0 |
| 22 | Neighborhood Profiles and Body Mass Index Trajectory in Female Adolescents and Young Adults. Journal of Adolescent Health, 2021, 69, 1024-1031. | 1.2 | 1 |
| 23 | Incidence and Types of Human Papillomavirus Infections in Adolescent Girls and Young Women Immunized With the Human Papillomavirus Vaccine. JAMA Network Open, 2021, 4, e2121893. | 2.8 | 11 |
| 24 | Anti-HPV16 Antibody Titers Prior to an Incident Cervical HPV16/31 Infection. Viruses, 2021, 13, 1548. | 1.5 | 1 |
| 25 | A natural history museum visitor survey of perception, attitude and knowledge (PAK) of microbes and antibiotics. PLoS ONE, 2021, 16, e0257085. | 1.1 | 2 |
| 26 | K-Mer Analyses Reveal Different Evolutionary Histories of Alpha, Beta, and Gamma Papillomaviruses. International Journal of Molecular Sciences, 2021, 22, 9657. | 1.8 | 7 |
| 27 | Phylogenomic Analysis of Human Papillomavirus Type 31 and Cervical Carcinogenesis: A Study of 2093 Viral Genomes. Viruses, 2021, 13, 1948. | 1.5 | 7 |
| 28 | Changes in cannabis, tobacco, and alcohol use among sexually active female adolescents and young adults over a twelve-year period ending in 2019. Addictive Behaviors, 2021, 121, 106994. | 1.7 | 1 |
| 29 | Menopausal status and observed differences in the gut microbiome in women with and without HIV infection. Menopause, 2021, 28, 491-501. | 0.8 | 8 |
| 30 | Characterization of the endometrial, cervicovaginal and anorectal microbiota in post-menopausal women with endometrioid and serous endometrial cancers. PLoS ONE, 2021, 16, e0259188. | 1.1 | 6 |
| 31 | Microbial co-occurrence complicates associations of gut microbiome with US immigration, dietary intake and obesity. Genome Biology, 2021, 22, 336. | 3.8 | 18 |
| 32 | HPV73 a nonvaccine type causes cervical cancer. International Journal of Cancer, 2020, 146, 731-738. | 2.3 | 20 |
| 33 | Epidemiological evidence that common HPV types may be common because of their ability to evade immune surveillance: Results from the Women's Interagency HIV study. International Journal of Cancer, 2020, 146, 3320-3328. | 2.3 | 9 |
| 34 | Effect of child abuse and neglect on risk behaviors in inner-city minority female adolescents and young adults. Child Abuse and Neglect, 2020, 101, 104347. | 1.3 | 18 |
| 35 | Altered Gut Microbiota and Host Metabolite Profiles in Women With Human Immunodeficiency Virus. Clinical Infectious Diseases, 2020, 71, 2345-2353. | 2.9 | 38 |
| 36 | A study of type-specific HPV natural history and implications for contemporary cervical cancer screening programs. EClinicalMedicine, 2020, 22, 100293. | 3.2 | 109 |

| # | Article | IF | Citations |
|---|---|---|---|
| 37 | Interindividual Diversity in Expression of Organic Anion Uptake Transporters in Normal and Cirrhotic Human Liver. Hepatology Communications, 2020, 4, 739-752. | 2.0 | 16 |
| 38 | Association of <scp>HPV35</scp> with cervical carcinogenesis among women of African ancestry: Evidence of viralâ€host interaction with implications for disease intervention. International Journal of Cancer, 2020, 147, 2677-2686. | 2.3 | 44 |
| 39 | Cervicovaginal microbiome and natural history of HPVÂin a longitudinal study. PLoS Pathogens, 2020, 16, e1008376. | 2.1 | 150 |
| 40 | The D2 and D3 Sublineages of Human Papilloma Virus 16â€"Positive Cervical Cancer in Guatemala Differ in Integration Rate and Age of Diagnosis. Cancer Research, 2020, 80, 3803-3809. | 0.4 | 8 |
| 41 | Mutations in the HPV16 genome induced by APOBEC3 are associated with viral clearance. Nature Communications, 2020, 11, 886. | 5.8 | 52 |
| 42 | 256. Psychosocial Outcomes of Frequent Marijuana Use in Adolescent Women of Color. Journal of Adolescent Health, 2020, 66, S129-S130. | 1.2 | 0 |
| 43 | The interaction between pubertal timing and childhood maltreatment on the risk of human papillomavirus infection among adolescent girls and young women. Preventive Medicine, 2020, 138, 106126. | 1.6 | 3 |
| 44 | Twelve-Year Trend in the Prevalence of High-Risk Human Papillomavirus Infection Among Rwandan Women Living With HIV. Journal of Infectious Diseases, 2020, 222, 74-81. | 1.9 | 9 |
| 45 | Abstract 10: Serum Metabolomic Signatures of Multiple Healthful Dietary Patterns and Incident Cardiometabolic Diseases in US Hispanics/Latinos. Circulation, 2020, 141, . | 1.6 | 1 |
| 46 | Staphylococcus aureus nasal carriage and microbiome composition among medical students from Colombia: a cross-sectional study. F1000Research, 2020, 9, 78. | 0.8 | 5 |
| 47 | Staphylococcus aureus nasal carriage and microbiome composition among medical students from Colombia: a cross-sectional study. F1000Research, 2020, 9, 78. | 0.8 | 7 |
| 48 | Abstract P277: Lower Gut Microbial Diversity in Non-alcoholic Fatty Liver Disease: Results From the Hispanic Community Health Study/Study of Latinos (HCHS/SOL). Circulation, 2020, 141, . | 1.6 | 0 |
| 49 | Abstract P459: Milk Intake, Host LCT Genotype and Gut Bifidobacteria in Relation to Obesity: Results From the Hispanic Community Health Study/Study of Latinos (HCHS/SOL). Circulation, 2020, 141, . | 1.6 | 2 |
| 50 | Risk of Oral Human Papillomavirus Infection Among Sexually Active Female Adolescents Receiving the Quadrivalent Vaccine. JAMA Network Open, 2019, 2, e1914031. | 2.8 | 31 |
| 51 | Gut microbiome composition in the Hispanic Community Health Study/Study of Latinos is shaped by geographic relocation, environmental factors, and obesity. Genome Biology, 2019, 20, 219. | 3.8 | 94 |
| 52 | Non-human Primate Papillomaviruses Share Similar Evolutionary Histories and Niche Adaptation as the Human Counterparts. Frontiers in Microbiology, 2019, 10, 2093. | 1.5 | 16 |
| 53 | The molecular biology and HPV drug responsiveness of cynomolgus macaque papillomaviruses support their use in the development of a relevant in vivo model for antiviral drug testing. PLoS ONE, 2019, 14, e0211235. | 1.1 | 3 |
| 54 | Sociodemographic variation in the oral microbiome. Annals of Epidemiology, 2019, 35, 73-80.e2. | 0.9 | 37 |

| # | Article | IF | Citations |
|---|---|---|---|
| 55 | Tobacco exposure associated with oral microbiota oxygen utilization in the New York City Health and Nutrition Examination Study. Annals of Epidemiology, 2019, 34, 18-25.e3. | 0.9 | 27 |
| 56 | Genetic variants in CYP and GST genes, smoking and risk for head and neck cancers: a geneâ€“environment interaction hospital-based caseâ€“control study among Canadian Caucasians. Carcinogenesis, 2019, , . | 1.3 | 2 |
| 57 | Fecal transplant modifies urine chemistry risk factors for urinary stone disease. Physiological Reports, 2019, 7, e14012. | 0.7 | 18 |
| 58 | Evaluation of Oral Cavity DNA Extraction Methods on Bacterial and Fungal Microbiota. Scientific Reports, 2019, 9, 1531. | 1.6 | 31 |
| 59 | Plasma Tryptophan-Kynurenine Metabolites Are Altered in Human Immunodeficiency Virus Infection and Associated With Progression of Carotid Artery Atherosclerosis. Clinical Infectious Diseases, 2018, 67, 235-242. | 2.9 | 52 |
| 60 | Human Papillomavirus DNA Methylation as a Biomarker for Cervical Precancer: Consistency across 12 Genotypes and Potential Impact on Management of HPV-Positive Women. Clinical Cancer Research, 2018, 24, 2194-2202. | 3.2 | 75 |
| 61 | Classification and evolution of human papillomavirus genome variants: Alpha-5 (HPV26, 51, 69, 82), Alpha-6 (HPV30, 53, 56, 66), Alpha-11 (HPV34, 73), Alpha-13 (HPV54) and Alpha-3 (HPV61). Virology, 2018, 516, 86-101. | 1.1 | 35 |
| 62 | Complete Genome Sequences of Three Novel Saimiri sciureus Papillomavirus Types Isolated from the Cervicovaginal Region of Squirrel Monkeys. Genome Announcements, 2018, 6, . | 0.8 | 4 |
| 63 | Association of Oral Microbiome With Risk for Incident Head and Neck Squamous Cell Cancer. JAMA Oncology, 2018, 4, 358. | 3.4 | 218 |
| 64 | Lower airway microbiota and mycobiota in children with severe asthma. Journal of Allergy and Clinical Immunology, 2018, 141, 808-811.e7. | 1.5 | 51 |
| 65 | ICTV Virus Taxonomy Profile: Papillomaviridae. Journal of General Virology, 2018, 99, 989-990. | 1.3 | 140 |
| 66 | Complete Genome Sequences of Six Novel Macaca mulatta Papillomavirus Types Isolated from Genital Sites of Rhesus Monkeys in Hong Kong SAR, China. Microbiology Resource Announcements, 2018, 7, . | 0.3 | 15 |
| 67 | Methylation of High-Risk Human Papillomavirus Genomes Are Associated with Cervical Precancer in HIV-Positive Women. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 1407-1415. | 1.1 | 11 |
| 68 | Gut microbiota and plasma metabolites associated with diabetes in women with, or at high risk for, HIV infection. EBioMedicine, 2018, 37, 392-400. | 2.7 | 61 |
| 69 | Niche adaptation and viral transmission of human papillomaviruses from archaic hominins to modern humans. PLoS Pathogens, 2018, 14, e1007352. | 2.1 | 77 |
| 70 | Diversity of macaque microbiota compared to the human counterparts. Scientific Reports, 2018, 8, 15573. | 1.6 | 50 |
| 71 | Racial differences in human papilloma virus types amongst United States women with HIV and cervical precancer. Aids, 2018, 32, 2821-2826. | 1.0 | 14 |
| 72 | Comparison of Fecal Collection Methods for Microbiome and Metabolomics Studies. Frontiers in Cellular and Infection Microbiology, 2018, 8, 301. | 1.8 | 114 |

| # | Article | IF | Citations |
|---|---|---|---|
| 73 | Oral Alpha, Beta, and Gamma HPV Types and Risk of Incident Esophageal Cancer. Cancer Epidemiology Biomarkers and Prevention, 2018, 27, 1168-1175. | 1.1 | 14 |
| 74 | T cell receptor repertoire among women who cleared and failed to clear cervical human papillomavirus infection: An exploratory proof-of-principle study. PLoS ONE, 2018, 13, e0178167. | 1.1 | 14 |
| 75 | Gut Microbial-Related Choline Metabolite Trimethylamine-N-Oxide Is Associated With Progression of Carotid Artery Atherosclerosis in HIV Infection. Journal of Infectious Diseases, 2018, 218, 1474-1479. | 1.9 | 34 |
| 76 | Association of an intact E2 gene with higher HPV viral load, higher viral oncogene expression, and improved clinical outcome in HPV16 positive head and neck squamous cell carcinoma. PLoS ONE, 2018, 13, e0191581. | 1.1 | 29 |
| 77 | Cervical cancer incidence after screening with HPV, cytology, and visual methods: 18â€Year followâ€up of the Guanacaste cohort. International Journal of Cancer, 2017, 140, 1926-1934. | 2.3 | 10 |
| 78 | Molecular tests potentially improving HPV screening and genotyping for cervical cancer prevention. Expert Review of Molecular Diagnostics, 2017, 17, 379-391. | 1.5 | 55 |
| 79 | HPV16 E7 Genetic Conservation Is Critical to Carcinogenesis. Cell, 2017, 170, 1164-1174.e6. | 13.5 | 221 |
| 80 | Ancient Evolution and Dispersion of Human Papillomavirus 58 Variants. Journal of Virology, 2017, 91, . | 1.5 | 27 |
| 81 | Novel ITS1 Fungal Primers for Characterization of the Mycobiome. MSphere, 2017, 2, . | 1.3 | 79 |
| 82 | Global Genomic Diversity of Human Papillomavirus 11 Based on 433 Isolates and 78 Complete Genome Sequences. Journal of Virology, 2016, 90, 5503-5513. | 1.5 | 20 |
| 83 | Knowledge about Human Papillomavirus and Time to Complete Vaccination among Vulnerable Female Youth. Journal of Pediatrics, 2016, 171, 122-127. | 0.9 | 10 |
| 84 | Î²- and Î³-Human Papillomavirus Types and Smoking in Head and Neck Cancerâ€"Reply. JAMA Oncology, 2016, 2, 687. | 3.4 | 2 |
| 85 | Association of serum cytokines with oral HPV clearance. Cytokine, 2016, 83, 85-91. | 1.4 | 11 |
| 86 | Evidence for a distinct gut microbiome in kidney stone formers compared to non-stone formers. Urolithiasis, 2016, 44, 399-407. | 1.2 | 122 |
| 87 | HPV16 Sublineage Associations With Histology-Specific Cancer Risk Using HPV Whole-Genome Sequences in 3200 Women. Journal of the National Cancer Institute, 2016, 108, djw100. | 3.0 | 147 |
| 88 | Development of the Diabetes Technology Society Blood Glucose Monitor System Surveillance Protocol. Journal of Diabetes Science and Technology, 2016, 10, 697-707. | 1.3 | 20 |
| 89 | In vitro inhibition of human papillomavirus following use of a carrageenan-containing vaginal gel. Gynecologic Oncology, 2016, 143, 313-318. | 0.6 | 21 |
| 90 | Novel epigenetic changes in CDKN2A are associated with progression of cervical intraepithelial neoplasia. Gynecologic Oncology, 2016, 142, 566-573. | 0.6 | 28 |

| # | Article | IF | Citations |
|---|---|---|---|
| 91 | The Cervicovaginal Microbiota and Its Associations With Human Papillomavirus Detection in HIV-Infected and HIV-Uninfected Women. Journal of Infectious Diseases, 2016, 214, 1361-1369. | 1.9 | 51 |
| 92 | Risk of Delayed Human Papillomavirus Vaccination in Inner-City Adolescent Women. Journal of Infectious Diseases, 2016, 214, 1952-1960. | 1.9 | 12 |
| 93 | The association of medication use with clearance or persistence of oral HPV infection. Cancer Causes and Control, 2016, 27, 1491-1498. | 0.8 | 7 |
| 94 | Association of High-Risk Human Papillomavirus with Genital Tract Mucosal Immune Factors in HIV-Infected Women. American Journal of Reproductive Immunology, 2016, 75, 146-154. | 1.2 | 7 |
| 95 | Sholom Wacholder: In Memoriam (1955â€“2015). Cancer Epidemiology Biomarkers and Prevention, 2016, 25, 229-230. | 1.1 | 0 |
| 96 | Human Papillomavirus (HPV) 16 E6 seropositivity is elevated in subjects with oral HPV16 infection. Cancer Epidemiology, 2016, 43, 30-34. | 0.8 | 7 |
| 97 | Associations of Oral Î±-, Î²-, and Î³-Human Papillomavirus Types With Risk of Incident Head and Neck Cancer. JAMA Oncology, 2016, 2, 599. | 3.4 | 135 |
| 98 | Association of cervical precancer with human papillomavirus types other than 16 among HIV co-infected women. American Journal of Obstetrics and Gynecology, 2016, 214, 354.e1-354.e6. | 0.7 | 39 |
| 99 | Cross-protection of the Bivalent Human Papillomavirus (HPV) Vaccine Against Variants of Genetically Related High-Risk HPV Infections. Journal of Infectious Diseases, 2016, 213, 939-947. | 1.9 | 18 |
| 100 | Increased Body Mass Index Associated with Increased Risky Sexual Behaviors. Journal of Pediatric and Adolescent Gynecology, 2016, 29, 42-47. | 0.3 | 12 |
| 101 | A polycomb-mediated epigenetic field defect precedes invasive cervical carcinoma. Oncotarget, 2016, 7, 62133-62143. | 0.8 | 7 |
| 102 | Distinct Ecological Niche of Anal, Oral, and Cervical Mucosal Microbiomes in Adolescent Women. Yale Journal of Biology and Medicine, 2016, 89, 277-284. | 0.2 | 11 |
| 103 | Degradation of Human PDZ-Proteins by Human Alphapapillomaviruses Represents an Evolutionary Adaptation to a Novel Cellular Niche. PLoS Pathogens, 2015, 11, e1004980. | 2.1 | 20 |
| 104 | HPV16 CpG methyl-haplotypes are associated with cervix precancer and cancer in the Guanacaste natural history study. Gynecologic Oncology, 2015, 138, 94-100. | 0.6 | 10 |
| 105 | HPV16 methylâ€haplotypes determined by a novel nextâ€generation sequencing method are associated with cervical precancer. International Journal of Cancer, 2015, 136, E146-53. | 2.3 | 31 |
| 106 | Cervical Precancer Risk in HIV-Infected Women Who Test Positive for Oncogenic Human Papillomavirus Despite a Normal Pap Test. Clinical Infectious Diseases, 2015, 61, 1573-1581. | 2.9 | 34 |
| 107 | Deep sequencing of HPV16 genomes: A new high-throughput tool for exploring the carcinogenicity and natural history of HPV16 infection. Papillomavirus Research (Amsterdam, Netherlands), 2015, 1, 3-11. | 4.5 | 75 |
| 108 | The Role of Human Papillomavirus Genotyping in Cervical Cancer Screening: A Large-Scale Evaluation of the cobas HPV Test. Cancer Epidemiology Biomarkers and Prevention, 2015, 24, 1304-1310. | 1.1 | 44 |

| # | Article | IF | Citations |
|---|---|---|---|
| 109 | Risk Factors for Acquisition and Clearance of Oral Human Papillomavirus Infection Among HIV-Infected and HIV-Uninfected Adults. American Journal of Epidemiology, 2015, 181, 40-53. | 1.6 | 116 |
| 110 | Epigenetic changes in the CDKN2A locus are associated with differential expression of P16INK4A and P14ARF in HPVâ€positive oropharyngeal squamous cell carcinoma. Cancer Medicine, 2015, 4, 342-353. | 1.3 | 38 |
| 111 | Neutrophil ageing is regulated by the microbiome. Nature, 2015, 525, 528-532. | 13.7 | 627 |
| 112 | Evolution and Classification of Oncogenic Human Papillomavirus Types and Variants Associated with Cervical Cancer. Methods in Molecular Biology, 2015, 1249, 3-26. | 0.4 | 25 |
| 113 | Targeting Neutrophil Aging and the Microbiota for the Treatment of Sickle Cell Disease. Blood, 2015, 126, 279-279. | 0.6 | 0 |
| 114 | Human Papillomavirus Genomics: Past, Present and Future. Current Problems in Dermatology, 2014, 45, 1-18. | 0.8 | 55 |
| 115 | The Relation of Plasmacytoid Dendritic Cells (pDCs) and Regulatory T-Cells (Tregs) with HPV Persistence in HIV-Infected and HIV-Uninfected Women. Viral Immunology, 2014, 27, 20-25. | 0.6 | 21 |
| 116 | Characterization of HPV DNA methylation of contiguous CpG sites by bisulfite treatment and massively parallel sequencingÃ¢â‚¬â€the FRAGMENT approach. Frontiers in Genetics, 2014, 5, 150. | 1.1 | 8 |
| 117 | Prevalence of Sexually Transmitted Infections in At-Risk Adolescent Females at a Comprehensive, Stand-Alone Adolescent Health Center in New York City. Clinical Pediatrics, 2014, 53, 890-895. | 0.4 | 7 |
| 118 | Human papillomavirus 33 worldwide genetic variation and associated risk of cervical cancer. Virology, 2014, 448, 356-362. | 1.1 | 29 |
| 119 | Human Papillomavirus-Associated Head and Neck Squamous Cell Carcinoma Survival: A Comparison by Tumor Site and Initial Treatment. Head and Neck Pathology, 2014, 8, 77-87. | 1.3 | 56 |
| 120 | Combined P16 and human papillomavirus testing predicts head and neck cancer survival. International Journal of Cancer, 2014, 135, 2404-2412. | 2.3 | 82 |
| 121 | Geographical Distribution and Risk Association of Human Papillomavirus Genotype 52â€“Variant Lineages. Journal of Infectious Diseases, 2014, 210, 1600-1604. | 1.9 | 40 |
| 122 | Strategies for Conducting Adolescent Health Research in the Clinical Setting: The Mount Sinai Adolescent Health Center HPV Experience. Journal of Pediatric and Adolescent Gynecology, 2014, 27, e103-e108. | 0.3 | 17 |
| 123 | Characterization of the North American beaver (Castor canadensis) papillomavirus genome. Veterinary Microbiology, 2014, 168, 214-220. | 0.8 | 3 |
| 124 | Global Genomic Diversity of Human Papillomavirus 6 Based on 724 Isolates and 190 Complete Genome Sequences. Journal of Virology, 2014, 88, 7307-7316. | 1.5 | 33 |
| 125 | Lactobacillus crispatus Dominant Vaginal Microbiome Is Associated with Inhibitory Activity of Female Genital Tract Secretions against Escherichia coli. PLoS ONE, 2014, 9, e96659. | 1.1 | 84 |
| 126 | Human Papillomavirus 16 Non-European Variants Are Preferentially Associated with High-Grade Cervical Lesions. PLoS ONE, 2014, 9, e100746. | 1.1 | 68 |

| # | Article | IF | Citations |
|---|---|---|---|
| 127 | Burden of Cervical, Anal, and Oral HPV in an Inner-City Pre-vaccine Adolescent Population. Journal of Urban Health, 2013, 90, 141-146. | 1.8 | 5 |
| 128 | Human papillomavirus genome variants. Virology, 2013, 445, 232-243. | 1.1 | 348 |
| 129 | Unique DNA Methylation Loci Distinguish Anatomic Site and HPV Status in Head and Neck Squamous Cell Carcinoma. Clinical Cancer Research, 2013, 19, 5444-5455. | 3.2 | 82 |
| 130 | Geographical distribution and oncogenic risk association of human papillomavirus type 58 E6 and E7 sequence variations. International Journal of Cancer, 2013, 132, 2528-2536. | 2.3 | 56 |
| 131 | Oral human papillomavirus detection in older adults who have human immunodeficiency virus infection. Oral Surgery, Oral Medicine, Oral Pathology and Oral Radiology, 2013, 115, 505-514. | 0.2 | 22 |
| 132 | Comorbidity, human papillomavirus infection and head and neck cancer survival in an ethnically diverse population. Oral Oncology, 2013, 49, 911-917. | 0.8 | 14 |
| 133 | Elevated methylation of HPV16 DNA is associated with the development of high grade cervical intraepithelial neoplasia. International Journal of Cancer, 2013, 132, 1412-1422. | 2.3 | 123 |
| 134 | Characterization of SNPs Associated with Prostate Cancer in Men of Ashkenazic Descent from the Set of GWAS Identified SNPs: Impact of Cancer Family History and Cumulative SNP Risk Prediction. PLoS ONE, 2013, 8, e60083. | 1.1 | 21 |
| 135 | Evolution and Taxonomic Classification of Alphapapillomavirus 7 Complete Genomes: HPV18, HPV39, HPV45, HPV59, HPV68 and HPV70. PLoS ONE, 2013, 8, e72565. | 1.1 | 47 |
| 136 | Longitudinal Analysis of Carcinogenic Human Papillomavirus Infection and Associated Cytologic Abnormalities in the Guanacaste Natural History Study: Looking Ahead to Cotesting. Journal of Infectious Diseases, 2012, 205, 498-505. | 1.9 | 5 |
| 137 | Methylation of HPV18, HPV31, and HPV45 Genomes and Cervical Intraepithelial Neoplasia Grade 3. Journal of the National Cancer Institute, 2012, 104, 1738-1749. | 3.0 | 119 |
| 138 | Human Papillomavirus Type 16 Genetic Variants: Phylogeny and Classification Based on E6 and LCR. Journal of Virology, 2012, 86, 6855-6861. | 1.5 | 136 |
| 139 | Risk Factors for Oral HPV Infection among a High Prevalence Population of HIV-Positive and At-Risk HIV-Negative Adults. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 122-133. | 1.1 | 183 |
| 140 | Methylation of Human Papillomavirus Type 16 Genome and Risk of Cervical Precancer in a Costa Rican Population. Journal of the National Cancer Institute, 2012, 104, 556-565. | 3.0 | 99 |
| 141 | Risk of Cervical Precancer and Cancer Among HIV-Infected Women With Normal Cervical Cytology and No Evidence of Oncogenic HPV Infection. JAMA - Journal of the American Medical Association, 2012, 308, 362-9. | 3.8 | 63 |
| 142 | Cervical Intraepithelial Neoplasia Is Associated With Genital Tract Mucosal Inflammation. Sexually Transmitted Diseases, 2012, 39, 591-597. | 0.8 | 51 |
| 143 | Association between hTERT activation by HPV E6 proteins and oncogenic risk. Virology, 2012, 433, 216-219. | 1.1 | 54 |
| 144 | Human Papillomavirus DNA Methylation as a Potential Biomarker for Cervical Cancer. Cancer Epidemiology Biomarkers and Prevention, 2012, 21, 2125-2137. | 1.1 | 143 |

| # | Article | IF | Citations |
|---|---|---|---|
| 145 | Characterization of human papillomavirus type 120: a novel betapapillomavirus with tropism for multiple anatomical niches. Journal of General Virology, 2012, 93, 1774-1779. | 1.3 | 24 |
| 146 | Cervical, Anal and Oral HPV in an Adolescent Inner-City Health Clinic Providing Free Vaccinations. PLoS ONE, 2012, 7, e37419. | 1.1 | 37 |
| 147 | Longâ€term risk of recurrent cervical human papillomavirus infection and precancer and cancer following excisional treatment. International Journal of Cancer, 2012, 131, 211-218. | 2.3 | 29 |
| 148 | Cervicovaginal human papillomavirus (HPV)â€infection before and after hysterectomy: evidence of different tissue tropism for oncogenic and nononcogenic HPV types in a cohort of HIVâ€positive and HIVâ€negative women. International Journal of Cancer, 2012, 131, 1472-1478. | 2.3 | 14 |
| 149 | Low risk of typeâ€specific carcinogenic HPV reâ€appearance with subsequent cervical intraepithelial neoplasia grade 2/3. International Journal of Cancer, 2012, 131, 1874-1881. | 2.3 | 29 |
| 150 | Effectiveness of a simple rapid human papillomavirus DNA test in rural Nigeria. International Journal of Cancer, 2012, 131, 2903-2909. | 2.3 | 51 |
| 151 | A large, population-based study of age-related associations between vaginal pH and human papillomavirus infection. BMC Infectious Diseases, 2012, 12, 33. | 1.3 | 96 |
| 152 | Switch from cytologyâ€based to human papillomavirus testâ€based cervical screening: Implications for colposcopy. International Journal of Cancer, 2012, 130, 1879-1887. | 2.3 | 18 |
| 153 | The ageâ€specific prevalence of human papillomavirus and risk of cytologic abnormalities in rural Nigeria: Implications for screenâ€andâ€treat strategies. International Journal of Cancer, 2012, 130, 2111-2117. | 2.3 | 50 |
| 154 | The Cervical Microbiome over 7 Years and a Comparison of Methodologies for Its Characterization. PLoS ONE, 2012, 7, e40425. | 1.1 | 101 |
| 155 | Long-Term Persistence of Prevalently Detected Human Papillomavirus Infections in the Absence of Detectable Cervical Precancer and Cancer. Journal of Infectious Diseases, 2011, 203, 814-822. | 1.9 | 47 |
| 156 | Papillomaviruses: evolution, Linnaean taxonomy and current nomenclature. Trends in Microbiology, 2011, 19, 49-50. | 3.5 | 35 |
| 157 | Methylation of HPV16 genome CpG sites is associated with cervix precancer and cancer. Gynecologic Oncology, 2011, 121, 59-63. | 0.6 | 91 |
| 158 | HPV types and variants among cervical cancer tumors in three regions of Tunisia. Journal of Medical Virology, 2011, 83, 651-657. | 2.5 | 12 |
| 159 | A comparison of clinically utilized human papillomavirus detection methods in head and neck cancer. Modern Pathology, 2011, 24, 1295-1305. | 2.9 | 178 |
| 160 | Clustering of Multiple Human Papillomavirus Infections in Women From a Population-Based Study in Guanacaste, Costa Rica. Journal of Infectious Diseases, 2011, 204, 385-390. | 1.9 | 50 |
| 161 | Risk Factors for Persistent Cervical Intraepithelial Neoplasia Grades 1 and 2. Journal of Lower Genital Tract Disease, 2011, 15, 268-275. | 0.9 | 28 |
| 162 | A Long-term Prospective Study of Type-Specific Human Papillomavirus Infection and Risk of Cervical Neoplasia Among 20,000 Women in the Portland Kaiser Cohort Study. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 1398-1409. | 1.1 | 121 |

| # | Article | IF | Citations |
|---|---|---|---|
| 163 | Human Papillomavirus (HPV) Genotypes in Women with Cervical Precancer and Cancer at Kaiser Permanente Northern California. Cancer Epidemiology Biomarkers and Prevention, 2011, 20, 946-953. | 1.1 | 66 |
| 164 | A Competitive Serological Assay Shows Naturally Acquired Immunity to Human Papillomavirus Infections in the Guanacaste Natural History Study. Journal of Infectious Diseases, 2011, 204, 94-102. | 1.9 | 55 |
| 165 | Evolution and Taxonomic Classification of Human Papillomavirus 16 (HPV16)-Related Variant Genomes: HPV31, HPV33, HPV35, HPV52, HPV58 and HPV67. PLoS ONE, 2011, 6, e20183. | 1.1 | 137 |
| 166 | The Oral Cavity Contains Abundant Known and Novel Human Papillomaviruses From the Betapapillomavirus and Gammapapillomavirus Genera. Journal of Infectious Diseases, 2011, 204, 787-792. | 1.9 | 162 |
| 167 | Persistence of Concurrent Infections with Multiple Human Papillomavirus Types: A Population-based Cohort Study. Journal of Infectious Diseases, 2011, 203, 823-827. | 1.9 | 33 |
| 168 | Sequence Imputation of HPV16 Genomes for Genetic Association Studies. PLoS ONE, 2011, 6, e21375. | 1.1 | 70 |
| 169 | Classification and nomenclature system for human Alphapapillomavirus variants: general features, nucleotide landmarks and assignment of HPV6 and HPV11 isolates to variant lineages. Acta Dermatovenerologica Alpina, Panonica Et Adriatica, 2011, 20, 113-23. | 0.1 | 29 |
| 170 | Lack of heterogeneity of HPV16 E7 sequence compared with HPV31 and HPV73 may be related to its unique carcinogenic properties. Archives of Virology, 2010, 155, 367-370. | 0.9 | 11 |
| 171 | Classification of papillomaviruses (PVs) based on 189 PV types and proposal of taxonomic amendments. Virology, 2010, 401, 70-79. | 1.1 | 1,377 |
| 172 | Serological response to an HPV16 E7 based therapeutic vaccine in women with high-grade cervical dysplasia. Gynecologic Oncology, 2010, 116, 208-212. | 0.6 | 30 |
| 173 | Contribution of HPC1 (RNASEL) and HPCX variants to prostate cancer in a founder population. Prostate, 2010, 70, 1716-1727. | 1.2 | 29 |
| 174 | Common Genetic Variants and Risk for HPV Persistence and Progression to Cervical Cancer. PLoS ONE, 2010, 5, e8667. | 1.1 | 104 |
| 175 | Degradation of p53 by Human Alphapapillomavirus E6 Proteins Shows a Stronger Correlation with Phylogeny than Oncogenicity. PLoS ONE, 2010, 5, e12816. | 1.1 | 53 |
| 176 | Risk Factors for Cervical Precancer and Cancer in HIV-Infected, HPV-Positive Rwandan Women. PLoS ONE, 2010, 5, e13525. | 1.1 | 28 |
| 177 | Chlamydia trachomatis and Risk of Prevalent and Incident Cervical Premalignancy in a Population-Based Cohort. Journal of the National Cancer Institute, 2010, 102, 1794-1804. | 3.0 | 63 |
| 178 | A Population-Based Prospective Study of Carcinogenic Human Papillomavirus Variant Lineages, Viral Persistence, and Cervical Neoplasia. Cancer Research, 2010, 70, 3159-3169. | 0.4 | 221 |
| 179 | Marginal and Mixed-Effects Models in the Analysis of Human Papillomavirus Natural History Data. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 159-169. | 1.1 | 82 |
| 180 | Marijuana Use is Not Associated with Cervical Human Papillomavirus Natural History or Cervical Neoplasia in HIV-Seropositive or HIV-Seronegative Women: Table 1.. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 869-872. | 1.1 | 8 |

| # | Article | IF | Citations |
|---|---|---|---|
| 181 | Progesterone and 17Î²-Estradiol Enhance Regulatory Responses to Human Papillomavirus Type 16 Virus-Like Particles in Peripheral Blood Mononuclear Cells from Healthy Women. Vaccine Journal, 2010, 17, 609-617. | 3.2 | 30 |
| 182 | Behavioral/Lifestyle and Immunologic Factors Associated with HPV Infection among Women Older Than 45 Years. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 3044-3054. | 1.1 | 80 |
| 183 | Evolution of Human Papillomavirus Carcinogenicity. Advances in Virus Research, 2010, 77, 41-62. | 0.9 | 29 |
| 184 | Elevated Systemic Levels of Inflammatory Cytokines in Older Women with Persistent Cervical Human Papillomavirus Infection. Cancer Epidemiology Biomarkers and Prevention, 2010, 19, 1954-1959. | 1.1 | 64 |
| 185 | Longitudinal Study of Human Papillomavirus Persistence and Cervical Intraepithelial Neoplasia Grade 2/3: Critical Role of Duration of Infection. Journal of the National Cancer Institute, 2010, 102, 315-324. | 3.0 | 320 |
| 186 | Associations of High-Grade Prostate Cancer with BRCA1 and BRCA2 Founder Mutations. Clinical Cancer Research, 2009, 15, 1112-1120. | 3.2 | 124 |
| 187 | Persistent Antibodies to HPV Virus-Like Particles Following Natural Infection Are Protective Against Subsequent Cervicovaginal Infection with Related and Unrelated HPV. Viral Immunology, 2009, 22, 445-449. | 0.6 | 35 |
| 188 | Insulin, Insulin-Like Growth Factor-I, and Risk of Breast Cancer in Postmenopausal Women. Journal of the National Cancer Institute, 2009, 101, 48-60. | 3.0 | 465 |
| 189 | Human Papillomaviruses: Genetic Basis of Carcinogenicity. Public Health Genomics, 2009, 12, 281-290. | 0.6 | 113 |
| 190 | Identification of Unusual E6 and E7 Proteins within Avian Papillomaviruses: Cellular Localization, Biophysical Characterization, and Phylogenetic Analysis. Journal of Virology, 2009, 83, 8759-8770. | 1.5 | 33 |
| 191 | Human Papillomavirus Infection and Cervical Cytology in HIVâ€Infected and HIVâ€Uninfected Rwandan Women. Journal of Infectious Diseases, 2009, 199, 1851-1861. | 1.9 | 92 |
| 192 | Short term persistence of human papillomavirus and risk of cervical precancer and cancer: population based cohort study. BMJ: British Medical Journal, 2009, 339, b2569-b2569. | 2.4 | 167 |
| 193 | Evolutionary Dynamics of Variant Genomes of Human Papillomavirus Types 18, 45, and 97. Journal of Virology, 2009, 83, 1443-1455. | 1.5 | 82 |
| 194 | Genetic Variants in TAP Are Associated with High-Grade Cervical Neoplasia. Clinical Cancer Research, 2009, 15, 1019-1023. | 3.2 | 53 |
| 195 | Genomic characterization of two novel reptilian papillomaviruses, Chelonia mydas papillomavirus 1 and Caretta caretta papillomavirus 1. Virology, 2009, 383, 131-135. | 1.1 | 67 |
| 196 | Genomic diversity and interspecies host infection of Î±12 Macaca fascicularis papillomaviruses (MfPVs). Virology, 2009, 393, 304-310. | 1.1 | 67 |
| 197 | Neither oneâ€time negative screening tests nor negative colposcopy provides absolute reassurance against cervical cancer. International Journal of Cancer, 2009, 125, 1649-1656. | 2.3 | 15 |
| 198 | Low-Level Expression of MicroRNAs let-7d and miR-205 Are Prognostic Markers of Head and Neck Squamous Cell Carcinoma. American Journal of Pathology, 2009, 174, 736-745. | 1.9 | 349 |

| # | Article | IF | Citations |
|---|---|---|---|
| 199 | Treatability by Cryotherapy in a Screen-and-Treat Strategy. Journal of Lower Genital Tract Disease, 2009, 13, 174-181. | 0.9 | 15 |
| 200 | Evolutionary and biophysical relationships among the papillomavirus E2 proteins. Frontiers in Bioscience - Landmark, 2009, Volume, 900. | 3.0 | 19 |
| 201 | Inhibition of proteasome activity by bortezomib in renal cancer cells is p53 dependent and VHL independent. Anticancer Research, 2009, 29, 2961-9. | 0.5 | 22 |
| 202 | HPV types present in invasive cervical cancers of HIVâ€seropositive women. International Journal of Cancer, 2008, 123, 1224-1225. | 2.3 | 15 |
| 203 | Downregulation of integrins by von Hippel-Lindau (VHL) tumor suppressor protein is independent of VHL-directed hypoxia-inducible factor alpha degradation. Biochemistry and Cell Biology, 2008, 86, 227-234. | 0.9 | 18 |
| 204 | Rapid Clearance of Human Papillomavirus and Implications for Clinical Focus on Persistent Infections. Journal of the National Cancer Institute, 2008, 100, 513-517. | 3.0 | 436 |
| 205 | Insulin, Insulin-like Growth Factor-I, Endogenous Estradiol, and Risk of Colorectal Cancer in Postmenopausal Women. Cancer Research, 2008, 68, 329-337. | 0.4 | 191 |
| 206 | Predictors of Seropositivity to Human Papillomavirus Type 53: One of the Most Prevalent High Riskâ€"Related Cervical Human Papillomaviruses. Viral Immunology, 2008, 21, 371-378. | 0.6 | 2 |
| 207 | Squamous Cervical Lesions in Women With Human Immunodeficiency Virus. Obstetrics and Gynecology, 2008, 111, 1388-1393. | 1.2 | 57 |
| 208 | Increased Circulating Proinflammatory Cytokines in Older Women with Persistent HPV Infection. FASEB Journal, 2008, 22, 858.11. | 0.2 | 0 |
| 209 | Characterization and Experimental Transmission of an Oncogenic Papillomavirus in Female Macaques. Journal of Virology, 2007, 81, 6339-6345. | 1.5 | 70 |
| 210 | Human Papillomavirus (HPV) Genotyping Using Paired Exfoliated Cervicovaginal Cells and Paraffin-Embedded Tissues To Highlight Difficulties in Attributing HPV Types to Specific Lesions. Journal of Clinical Microbiology, 2007, 45, 3245-3250. | 1.8 | 39 |
| 211 | Identification and characterization of two novel human papillomaviruses (HPVs) by overlapping PCR: HPV102 and HPV106. Journal of General Virology, 2007, 88, 2952-2955. | 1.3 | 21 |
| 212 | Association of cutaneous anergy with human papillomavirus and cervical neoplasia in HIV-seropositive and seronegative women. Aids, 2007, 21, 1933-1941. | 1.0 | 10 |
| 213 | CIN2 Is a Much Less Reproducible and Less Valid Diagnosis than CIN3. International Journal of Gynecological Pathology, 2007, 26, 441-446. | 0.9 | 200 |
| 214 | A Comparison of Cervical and Vaginal Human Papillomavirus. Sexually Transmitted Diseases, 2007, 34, 849-855. | 0.8 | 73 |
| 215 | Papillomavirus vaccines in perspective. Lancet, The, 2007, 369, 2135-2137. | 6.3 | 49 |
| 216 | Ancient papillomavirus-host co-speciation in Felidae. Genome Biology, 2007, 8, R57. | 13.9 | 152 |

| # | Article | IF | Citations |
|---|---|---|---|
| 217 | The Natural History of Human Papillomavirus Infection and Cervical Intraepithelial Neoplasia Among Young Women in the Guanacaste Cohort Shortly After Initiation of Sexual Life. Sexually Transmitted Diseases, 2007, 34, 494-502. | 0.8 | 51 |
| 218 | Combined human papillomavirus DNA and human papillomavirus-like particle serologic assay to identify women at risk for high-grade cervical intraepithelial neoplasia. International Journal of Cancer, 2007, 120, 55-59. | 2.3 | 13 |
| 219 | Identification of a novel human papillomavirus (HPV97) related to HPV18 and HPV45. International Journal of Cancer, 2007, 121, 193-198. | 2.3 | 16 |
| 220 | A prospective pilot study of antibodies against human papillomaviruses and cutaneous squamous cell carcinoma nested in the Oxford component of the European Prospective Investigation into Cancer and Nutrition. International Journal of Cancer, 2007, 121, 1862-1868. | 2.3 | 54 |
| 221 | High load for most high risk human papillomavirus genotypes is associated with prevalent cervical cancer precursors but only HPV16 load predicts the development of incident disease. International Journal of Cancer, 2007, 121, 2787-2793. | 2.3 | 134 |
| 222 | HIF-2Î± downregulation in the absence of functional VHL is not sufficient for renal cell differentiation. Cancer Cell International, 2007, 7, 13. | 1.8 | 16 |
| 223 | Human papillomavirus (HPV) types 101 and 103 isolated from cervicovaginal cells lack an E6 open reading frame (ORF) and are related to gamma-papillomaviruses. Virology, 2007, 360, 447-453. | 1.1 | 58 |
| 224 | Heat shock fusion protein-based immunotherapy for treatment of cervical intraepithelial neoplasia III. Gynecologic Oncology, 2007, 106, 453-460. | 0.6 | 127 |
| 225 | Development of a non-denaturing electrophoresis system for characterization of neutralizing epitopes on HPV virus-like particles. Journal of Virological Methods, 2007, 139, 208-219. | 1.0 | 0 |
| 226 | Treating Cancer as an Infectious Diseaseâ€"Viral Antigens as Novel Targets for Treatment and Potential Prevention of Tumors of Viral Etiology. PLoS ONE, 2007, 2, e1114. | 1.1 | 34 |
| 227 | Stage of Change Behavioral Assessment Tool Fails to Predict the Prevalence of Chlamydia in an Urban Adolescent Health Clinic. Journal of Pediatric and Adolescent Gynecology, 2006, 19, 277-283. | 0.3 | 0 |
| 228 | Persistent Human Papillomavirus Infection Is Associated with a Generalized Decrease in Immune Responsiveness in Older Women. Cancer Research, 2006, 66, 11070-11076. | 0.4 | 98 |
| 229 | Age-Related Changes of the Cervix Influence Human Papillomavirus Type Distribution. Cancer Research, 2006, 66, 1218-1224. | 0.4 | 95 |
| 230 | Serological Detection of Human Papillomavirus Type 16 Infection in Human Immunodeficiency Virus (HIV)-Positive and High-Risk HIV-Negative Women. Vaccine Journal, 2006, 13, 511-519. | 3.2 | 23 |
| 231 | Relationships of Human Papillomavirus Type, Qualitative Viral Load, and Age with Cytologic Abnormality. Cancer Research, 2006, 66, 10112-10119. | 0.4 | 105 |
| 232 | Primary Cilium Formation Requires von Hippel-Lindau Gene Function in Renal-Derived Cells. Cancer Research, 2006, 66, 6903-6907. | 0.4 | 128 |
| 233 | Outcome After Negative Colposcopy Among Human Immunodeficiency Virusâ€"Infected Women With Borderline Cytologic Abnormalities. Obstetrics and Gynecology, 2005, 106, 525-532. | 1.2 | 16 |
| 234 | The carcinogenicity of human papillomavirus types reflects viral evolution. Virology, 2005, 337, 76-84. | 1.1 | 487 |

| # | Article | IF | Citations |
|---|---|---|---|
| 235 | Family history as a co-factor for adenocarcinoma and squamous cell carcinoma of the uterine cervix: Results from two studies conducted in Costa Rica and the United States. International Journal of Cancer, 2005, 116, 599-605. | 2.3 | 24 |
| 236 | Phylogenetic Incongruence among Oncogenic Genital Alpha Human Papillomaviruses. Journal of Virology, 2005, 79, 15503-15510. | 1.5 | 94 |
| 237 | Natural History and Possible Reactivation of Human Papillomavirus in Human Immunodeficiency Virusâ€"Positive Women. Journal of the National Cancer Institute, 2005, 97, 577-586. | 3.0 | 558 |
| 238 | Epidemiologic Profile of Typeâ€Specific Human Papillomavirus Infection and Cervical Neoplasia in Guanacaste, Costa Rica. Journal of Infectious Diseases, 2005, 191, 1796-1807. | 1.9 | 322 |
| 239 | Plasma Uric Acid Levels in Women With Cervical Intraepithelial Neoplasia. Nutrition and Cancer, 2005, 51, 25-31. | 0.9 | 5 |
| 240 | A Study of the Impact of Adding HPV Types to Cervical Cancer Screening and Triage Tests. Journal of the National Cancer Institute, 2005, 97, 147-150. | 3.0 | 128 |
| 241 | Diversifying Selection in Human Papillomavirus Type 16 Lineages Based on Complete Genome Analyses. Journal of Virology, 2005, 79, 7014-7023. | 1.5 | 148 |
| 242 | Effects of Bacterial Vaginosis and Other Genital Infections on the Natural History of Human Papillomavirus Infection in HIVâ€1â€"Infected and Highâ€Risk HIVâ€1â€"Uninfected Women. Journal of Infectious Diseases, 2005, 191, 1129-1139. | 1.9 | 167 |
| 243 | A Prospective Study of Age Trends in Cervical Human Papillomavirus Acquisition and Persistence in Guanacaste, Costa Rica. Journal of Infectious Diseases, 2005, 191, 1808-1816. | 1.9 | 354 |
| 244 | Variants of human papillomaviruses 16 and 18 and their natural history in human immunodeficiency virus-positive women. Journal of General Virology, 2005, 86, 2709-2720. | 1.3 | 47 |
| 245 | Incidence of Cervical Squamous Intraepithelial Lesions Associated With HIV Serostatus, CD4 Cell Counts, and Human Papillomavirus Test Results. JAMA - Journal of the American Medical Association, 2005, 293, 1471. | 3.8 | 159 |
| 246 | Overlapping reading frames in closely related human papillomaviruses result in modular rates of selection within E2. Journal of General Virology, 2005, 86, 1307-1313. | 1.3 | 45 |
| 247 | Coercive sexual experiences and subsequent human papillomavirus infection and squamous intraepithelial lesions in adolescent and young adult women. Journal of Adolescent Health, 2005, 36, 363-371. | 1.2 | 34 |
| 248 | Variability of serum levels of tumor necrosis factor-alpha, interleukin 6, and soluble interleukin 6 receptor over 2 years in young women. Cytokine, 2005, 30, 1-6. | 1.4 | 30 |
| 249 | Codetection of a Mixed Population ofcandHPV62 Containing Wildâ€Type and Disrupted E1 Openâ€Reading Frame in a 45â€Yearâ€Old Woman with Normal Cytology. Journal of Infectious Diseases, 2004, 190, 1303-1309. | 1.9 | 5 |
| 250 | Lack of the canonical pRB-binding domain in the E7 ORF of artiodactyl papillomaviruses is associated with the development of fibropapillomas. Journal of General Virology, 2004, 85, 1243-1250. | 1.3 | 56 |
| 251 | Natural History of Human Papillomavirus Type 16 Virus-Like Particle Antibodies in Young Women. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 110-116. | 1.1 | 170 |
| 252 | Relationship between Smoking and Human Papillomavirus Infections in HIVâ€Infected and â€Uninfected Women. Journal of Infectious Diseases, 2004, 189, 1821-1828. | 1.9 | 69 |

| # | Article | IF | Citations |
|---|---|---|---|
| 253 | A Populationâ€Based Study of Vaginal Human Papillomavirus Infection in Hysterectomized Women. Journal of Infectious Diseases, 2004, 190, 458-467. | 1.9 | 72 |
| 254 | Highly Active Antiretroviral Therapy and Cervical Squamous Intraepithelial Lesions in Human Immunodeficiency Virus-Positive Women. Journal of the National Cancer Institute, 2004, 96, 1070-1076. | 3.0 | 127 |
| 255 | Description of a seven-year prospective study of human papillomavirus infection and cervical neoplasia among 10 000 women in Guanacaste, Costa Rica. Revista Panamericana De Salud Publica/Pan American Journal of Public Health, 2004, 15, 75-89. | 0.6 | 74 |
| 256 | A case-control study of risk factors for invasive cervical cancer among U.S. women exposed to oncogenic types of human papillomavirus. Cancer Epidemiology Biomarkers and Prevention, 2004, 13, 1574-82. | 1.1 | 29 |
| 257 | Toward a reduction of the global burden of cervical cancer. American Journal of Obstetrics and Gynecology, 2003, 189, S37-S39. | 0.7 | 18 |
| 258 | Serum Immunoglobulin A Response to Human Papillomavirus Type 16 Virusâ€“Like Particles in Human Immunodeficiency Virus (HIV)â€“Positive and Highâ€Risk HIVâ€“Negative Women. Journal of Infectious Diseases, 2003, 188, 1834-1844. | 1.9 | 31 |
| 259 | Polymer-Based Enzyme-Linked Immunosorbent Assay Using Human Papillomavirus Type 16 (HPV16) Virus-Like Particles Detects HPV16 Clade-Specific Serologic Responses. Journal of Clinical Microbiology, 2003, 41, 2827-2834. | 1.8 | 20 |
| 260 | Comparison between Prototype Hybrid Capture 3 and Hybrid Capture 2 Human Papillomavirus DNA Assays for Detection of High-Grade Cervical Intraepithelial Neoplasia and Cancer. Journal of Clinical Microbiology, 2003, 41, 4022-4030. | 1.8 | 55 |
| 261 | Serum Immunoglobulin G Response to Human Papillomavirus Type 16 Virusâ€Like Particles in Human Immunodeficiency Virus (HIV)â€“Positive and Riskâ€Matched HIVâ€Negative Women. Journal of Infectious Diseases, 2003, 187, 194-205. | 1.9 | 58 |
| 262 | Human Papillomavirus Type 16 and Immune Status in Human Immunodeficiency Virus-Seropositive Women. Journal of the National Cancer Institute, 2003, 95, 1062-1071. | 3.0 | 204 |
| 263 | Right-Sided Ectocervical Lesions May Be Associated with False-Negative Cytology Among Women with Histologic Cervical Intraepithelial Neoplasia 2 or 3. Journal of Lower Genital Tract Disease, 2003, 7, 175-183. | 0.9 | 2 |
| 264 | Distribution of human papillomavirus types 16 and 18 variants in squamous cell carcinomas and adenocarcinomas of the cervix. Cancer Research, 2003, 63, 7215-20. | 0.4 | 127 |
| 265 | Enhanced Enzyme-Linked Immunosorbent Assay for Detection of Antibodies to Virus-Like Particles of Human Papillomavirus. Journal of Clinical Microbiology, 2002, 40, 1755-1760. | 1.8 | 63 |
| 266 | Lack of Canonical E6 and E7 Open Reading Frames in Bird Papillomaviruses: Fringilla coelebs Papillomavirus and Psittacus erithacus timneh Papillomavirus. Journal of Virology, 2002, 76, 10020-10023. | 1.5 | 62 |
| 267 | Identification and Characterization of 3 Novel Genital Human Papillomaviruses by Overlapping Polymerase Chain Reaction:candHPV89,candHPV90, andcandHPV91. Journal of Infectious Diseases, 2002, 185, 1794-1797. | 1.9 | 38 |
| 268 | Risk Factors for Subsequent Cervicovaginal Human Papillomavirus (HPV) Infection and the Protective Role of Antibodies to HPVâ€16 Virusâ€Like Particles. Journal of Infectious Diseases, 2002, 186, 737-742. | 1.9 | 146 |
| 269 | The interval between menarche and age of first sexual intercourse as a risk factor for subsequent HPV infection in adolescent and young adult women. Journal of Pediatrics, 2002, 141, 718-723. | 0.9 | 51 |
| 270 | Characterization of genital human papillomavirus infection in women who have or who are at risk of having HIV infection. American Journal of Obstetrics and Gynecology, 2002, 186, 21-27. | 0.7 | 95 |

| # | Article | IF | Citations |
|---|---|---|---|
| 271 | Comparisons of HPV DNA detection by MY09/11 PCR methods. Journal of Medical Virology, 2002, 68, 417-423. | 2.5 | 158 |
| 272 | Felis domesticus papillomavirus, isolated from a skin lesion, is related to canine oral papillomavirus and contains a 1Â·3Âkb non-coding region between the E2 and L2 open reading frames. Journal of General Virology, 2002, 83, 2303-2307. | 1.3 | 27 |
| 273 | Utilization of the human genome sequence localizes human papillomavirus type 16 DNA integrated into the TNFAIP2 gene in a fatal cervical cancer from a 39-year-old woman. Clinical Cancer Research, 2002, 8, 549-54. | 3.2 | 20 |
| 274 | The effect of highly active antiretroviral therapy on cervical cytologic changes associated with oncogenic HPV among HIV-infected women. Aids, 2001, 15, 2157-2164. | 1.0 | 165 |
| 275 | Endoplasmic reticulum/cytosolic localization of von Hippel-Lindau gene products is mediated by a 64-amino acid region. International Journal of Cancer, 2001, 91, 457-467. | 2.3 | 37 |
| 276 | Human papillomavirusâ€“associated cervical cytologic abnormalities among women with or at risk of infection with human immunodeficiency virus. American Journal of Obstetrics and Gynecology, 2001, 184, 584-590. | 0.7 | 80 |
| 277 | Cervical HPV DNA Detection as a Predictor of a Recurrent SIL Diagnosis Among Untreated Women. Journal of Lower Genital Tract Disease, 2001, 5, 138-143. | 0.9 | 1 |
| 278 | VHL Induces Renal Cell Differentiation and Growth Arrest through Integration of Cell-Cell and Cell-Extracellular Matrix Signaling. Molecular and Cellular Biology, 2001, 21, 865-874. | 1.1 | 97 |
| 279 | The von Hippel-Lindau Gene Product Inhibits Renal Cell Apoptosis via Bcl-2-dependent Pathways. Journal of Biological Chemistry, 2001, 276, 40599-40605. | 1.6 | 40 |
| 280 | The Relation of Type 2 Diabetes and Cancer. Diabetes Technology and Therapeutics, 2001, 3, 263-274. | 2.4 | 105 |
| 281 | Characterization of a novel genital human papillomavirus by overlapping PCR: candHPV86 identified in cervicovaginal cells of a woman with cervical neoplasia. Journal of General Virology, 2001, 82, 2035-2040. | 1.3 | 25 |
| 282 | The von Hippel-Lindau tumor suppressor gene protects cells from UV-mediated apoptosis. Oncogene, 2000, 19, 5851-5857. | 2.6 | 57 |
| 283 | Population-Based Study of Human Papillomavirus Infection and Cervical Neoplasia in Rural Costa Rica. Journal of the National Cancer Institute, 2000, 92, 464-474. | 3.0 | 515 |
| 284 | Transplanted hepatocytes proliferate differently after CCl4 treatment and hepatocyte growth factor infusion. American Journal of Physiology - Renal Physiology, 1999, 276, G629-G638. | 1.6 | 34 |
| 285 | Pernicious Papillomavirus Infection. New England Journal of Medicine, 1999, 341, 1687-1688. | 13.9 | 16 |
| 286 | Regulation of connexin32 and connexin43 gene expression by DNA methylation in rat liver cells. Carcinogenesis, 1999, 20, 401-406. | 1.3 | 65 |
| 287 | Prevalence and incidence of gynecologic disorders among women infected with human immunodeficiency virus. American Journal of Obstetrics and Gynecology, 1999, 180, 824-836. | 0.7 | 93 |
| 288 | Adeno-associated virus and development of cervical neoplasia. , 1999, 59, 60-65. | | 29 |

| # | Article | IF | Citations |
|---|---|---|---|
| 289 | Human Papillomavirus and the Risk of Cervical Cancer. Hospital Practice (1995), 1999, 34, 103-111. | 0.5 | 9 |
| 290 | Prevalence, Risk Factors, and Accuracy of Cytologic Screening for Cervical Intraepithelial Neoplasia in Women with the Human Immunodeficiency Virus. Gynecologic Oncology, 1998, 68, 233-239. | 0.6 | 109 |
| 291 | A longitudinal study of human papillomavirus carriage in human immunodeficiency virusâ€“infected and human immunodeficiency virusâ€“uninfected women. American Journal of Obstetrics and Gynecology, 1998, 178, 982-986. | 0.7 | 115 |
| 292 | A multifaceted study of human papillomavirus and prostate carcinoma. , 1998, 82, 1118-1125. | | 61 |
| 293 | Human papillomavirus types 52 and 58. , 1998, 75, 484-485. | | 29 |
| 294 | HPV 16 and cigarette smoking as risk factors for high-grade cervical intra-epithelial neoplasia. , 1998, 78, 281-285. | | 118 |
| 295 | Viral characteristics of human papillomavirus infection and antioxidant levels as risk factors for cervical dysplasia. , 1998, 78, 594-599. | | 71 |
| 296 | Natural History of Cervicovaginal Papillomavirus Infection in Young Women. New England Journal of Medicine, 1998, 338, 423-428. | 13.9 | 2,116 |
| 297 | Development of a Multi-Item Scale to Quantitatively Assess Sexual Behaviors and the Transmission of High- and Low-Risk Human Papillomaviruses. Sexually Transmitted Diseases, 1998, 25, 509-515. | 0.8 | 3 |
| 298 | Effects of Î²-Carotene and Other Factors on Outcome of Cervical Dysplasia and Human Papillomavirus Infection. Gynecologic Oncology, 1997, 65, 483-492. | 0.6 | 90 |
| 299 | Human papillomavirus types 52 and 58 are prevalent in cervical cancer from Chinese women. , 1997, 73, 775-776. | | 39 |
| 300 | CELL TYPE-SPECIFIC MECHANISMS REGULATE HEPATITIS B VIRUS TRANSGENE EXPRESSION IN LIVER AND OTHER ORGANS. Journal of Pathology, 1996, 180, 441-449. | 2.1 | 9 |
| 301 | Genetic characterization of the human papillomavirus (HPV) 18 E2 gene in clinical specimens suggests the presence of a subtype with decreased oncogenic potential. International Journal of Cancer, 1995, 60, 369-376. | 2.3 | 67 |
| 302 | Lack of Efficacy of Interferon-Î± Therapy in Recurrent, Advanced Cervical Cancer. Journal of Interferon and Cytokine Research, 1995, 15, 1011-1016. | 0.5 | 14 |
| 303 | Stable Inducible Expression of a Functional Rat Liver Organic Anion Transport Protein in HeLa Cells. Journal of Biological Chemistry, 1995, 270, 25591-25595. | 1.6 | 90 |
| 304 | Persistent Genital Human Papillomavirus Infection as a Risk Factor for Persistent Cervical Dysplasia. Journal of the National Cancer Institute, 1995, 87, 1365-1371. | 3.0 | 703 |
| 305 | Antibody response to a synthetic peptide derived from the human papillomavirus type 6/11 L2 protein in recurrent respiratory papillomatosis: Correlation between southern blot hybridization, polymerase chain reaction, and serology. Journal of Medical Virology, 1994, 42, 52-59. | 2.5 | 13 |
| 306 | Risk of genital human papillomavirus infection in women with human immunodeficiency virus-induced immunosuppression. International Journal of Cancer, 1994, 56, 788-792. | 2.3 | 111 |

| # | Article | IF | Citations |
|---|---|---|---|
| 307 | Primary structure of the E6 protein ofMicromys minutuspapillomavirus andMastomys natalensispapillomavirus. Nucleic Acids Research, 1992, 20, 2889-2889. | 6.5 | 9 |
| 308 | Self-administered home cervicovaginal lavage: A novel tool for the clinical-epidemiologic investigation of genital human papillomavirus infections. American Journal of Obstetrics and Gynecology, 1992, 167, 104-107. | 0.7 | 43 |
| 309 | Follow-up evaluation of cervicovaginal human papillomavirus infection in adolescents. Journal of Pediatrics, 1992, 121, 307-311. | 0.9 | 72 |
| 310 | Immune tolerance to a defined heterologous antigen after intrasplenic hepatocyte transplantation: implications for gene therapy. FASEB Journal, 1992, 6, 2836-2842. | 0.2 | 32 |
| 311 | Reply to Eluf-Neto and Booth. International Journal of Cancer, 1992, 52, 166-167. | 2.3 | 0 |
| 312 | Cervicovaginal human papillomavirus infection in suburban adolescents and young adults. Journal of Pediatrics, 1991, 119, 821-825. | 0.9 | 65 |
| 313 | High risk of human papillomavirus infection and cervical squamous intraepithelial lesions among women with symptomatic human immunodeficiency virus infection. American Journal of Obstetrics and Gynecology, 1991, 165, 392-400. | 0.7 | 254 |
| 314 | Absence of human immunodeficiency virus (HIV) in sexually active urban female adolescents. Journal of Adolescent Health, 1991, 12, 170. | 1.2 | 0 |
| 315 | Permanent engraftment and function of hepatocytes delivered to the liver: Implications for gene therapy and Liver Repopulation. Hepatology, 1991, 14, 144-149. | 3.6 | 188 |
| 316 | Human papillomavirus infection and other risk factors for cervical neoplasia: A case-control study. International Journal of Cancer, 1991, 49, 6-13. | 2.3 | 166 |
| 317 | Inter-laboratory variation as an explanation for varying prevalence estimates of human papillomavirus infection. International Journal of Cancer, 1989, 43, 260-262. | 2.3 | 61 |
| 318 | Molecular diagnosis of genital human papillomavirus infection: Comparison of two methods used to collect exfoliated cervical cells. American Journal of Obstetrics and Gynecology, 1989, 160, 304-308. | 0.7 | 64 |
| 319 | Comparison of Cytobrush and cervicovaginal lavage sampling methods for the detection of genital human papillomavirus. American Journal of Obstetrics and Gynecology, 1989, 161, 1669-1672. | 0.7 | 48 |
| 320 | Positive association of human papillomavirus with pregnancy in adolescent females. Journal of Adolescent Health Care: Official Publication of the Society for Adolescent Medicine, 1988, 9, 259. | 0.3 | 2 |
| 321 | Detection of human papillomavirus deoxyribonucleic acid in exfoliated cervicovaginal cells as a predictor of cervical neoplasia in a high-risk population. American Journal of Obstetrics and Gynecology, 1988, 159, 1517-1525. | 0.7 | 58 |
| 322 | Head and Neck Squamous Cell Carcinomas Associated with Human Papillomaviruses and an Increased Incidence of Cervical Pathology. Otolaryngology - Head and Neck Surgery, 1988, 99, 296-301. | 1.1 | 22 |
| 323 | Detection of Human Papillomavirus Type 16 DNA in Peritoneal Washings from Patients with Cervical Carcinoma. Journal of Infectious Diseases, 1987, 155, 1349-1349. | 1.9 | 11 |
| 324 | Molecular analysis of integrated human papillomavirus 16 sequences in the cervical cancer cell line SiHa. Virology, 1987, 159, 389-398. | 1.1 | 153 |

| # | Article | IF | Citations |
|---|---|---|---|
| 325 | Human papillomavirus infection of the cervix detected by cervicovaginal lavage and molecular hybridization: Correlation with biopsy results and Papanicolaou smear. American Journal of Obstetrics and Gynecology, 1986, 154, 982-989. | 0.7 | 133 |
| 326 | Regulation of expression of type C virion DNA polymerase (reverse transcriptase) in human ï¿½ mouse and human ï¿½ rat hybrid cells. Somatic Cell Genetics, 1979, 5, 991-1011. | 2.7 | 0 |
| 327 | Extinction of globin gene expression in human fibroblast ï¿½ mouse erythroleukemia cell hybrids. Somatic Cell Genetics, 1976, 2, 373-384. | 2.7 | 47 |