

Geraldo Andrade Carvalho

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6405299/publications.pdf>

Version: 2024-02-01

89
papers

1,789
citations

361413

20
h-index

330143

37
g-index

95
all docs

95
docs citations

95
times ranked

1545
citing authors

#	ARTICLE	IF	CITATIONS
1	Lethal, sublethal and transgenerational effects of insecticides labeled for cotton on immature <i>Trichogramma pretiosum</i> . <i>Journal of Pest Science</i> , 2023, 96, 119-127.	3.7	7
2	Does the dose make the poison? Neurotoxic insecticides impair predator orientation and reproduction even at low concentrations. <i>Pest Management Science</i> , 2022, 78, 1698-1706.	3.4	19
3	Side effects of insecticides applied to cotton on adult <i>Trichogramma pretiosum</i> by three exposure routes. <i>Pest Management Science</i> , 2022, 78, 1895-1902.	3.4	5
4	Toxicity of essential oils and pure compounds of Lamiaceae species against <i>Spodoptera frugiperda</i> (Lepidoptera: Noctuidae) and their safety for the nontarget organism <i>Trichogramma pretiosum</i> (Hymenoptera: Trichogrammatidae). <i>Crop Protection</i> , 2022, 158, 106011.	2.1	16
5	Association between the occurrence of mound-building termite in pasture with physical, chemical and biological characteristics of the soil. <i>Research, Society and Development</i> , 2022, 11, e25511830877.	0.1	0
6	<i>Spodoptera eridania</i> (Lepidoptera: Noctuidae): first report on <i>Amaranthus hybridus</i> (Amaranthaceae) in Brazil. <i>Advances in Weed Science</i> , 2022, 40, .	1.2	2
7	Morphology of the male and female reproductive tracts of virgin and mated <i>Chrysoperla externa</i> (Hagen, 1861) (Neuroptera: Chrysopidae). <i>Microscopy Research and Technique</i> , 2021, 84, 860-868.	2.2	3
8	Anatomy and histology of the alimentary canal of larvae and adults of <i>Chrysoperla externa</i> (Hagen.) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 Td</i>	1.4	4
9	Emergence and Infestation Level of <i>Hypothenemus hampei</i> (Coleoptera: Curculionidae) on Coffee Berries on the Plant or on the Ground During the Post-harvest Period in Brazil. <i>Journal of Insect Science</i> , 2021, 21, .	1.5	3
10	Survival, development and reproduction of <i>Harmonia axyridis</i> (Pallas, 1773) (Coleoptera:) <i>Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 382 Td</i>	2.4	4
11	Ingestion and effects of cerium oxide nanoparticles on <i>Spodoptera frugiperda</i> (Lepidoptera:) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382 Td</i>	1.5	5
12	<i>Duguetia lanceolata</i> A. St.-Hil. Stem bark produces phenylpropanoids lethal to <i>Spodoptera frugiperda</i> (JE Smith) (Lepidoptera: Noctuidae). <i>Crop Protection</i> , 2020, 127, 104965.	2.1	4
13	Biocontrol potential of methyl chavicol for managing <i>Spodoptera frugiperda</i> (Lepidoptera:) <i>Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 382 Td</i>	5.3	10
14	Susceptibility of <i>Chrysoperla externa</i> (Hagen, 1861) (Neuroptera: Chrysopidae) to insecticides used in coffee crops. <i>Ecotoxicology</i> , 2020, 29, 1306-1314.	2.4	7
15	Detrimental sublethal effects hamper the effective use of natural and chemical pesticides in combination with a key natural enemy of <i>Bemisia tabaci</i> on tomato. <i>Pest Management Science</i> , 2020, 76, 3551-3559.	3.4	20
16	Sublethal and transgenerational effects of thiamethoxam applied to cotton seed on <i>Chrysoperla externa</i> and <i>Harmonia axyridis</i> . <i>Pest Management Science</i> , 2019, 75, 694-701.	3.4	15
17	The Compared Efficiency of the Traditional Method, Radiography without Contrast and Radiography with Contrast in the Determination of Infestation by Weevil (<i>Sitophilus zeamais</i>) in Maize Seeds. <i>Insects</i> , 2019, 10, 156.	2.2	4
18	Side effects of insecticides commonly used against <i>Tuta absoluta</i> on the predator <i>Macrolophus basicornis</i> . <i>Journal of Pest Science</i> , 2019, 92, 1447-1456.	3.7	29

#	ARTICLE	IF	CITATIONS
19	Long-term effects of chlorantraniliprole reduced risk insecticide applied as seed treatment on lady beetle <i>Harmonia axyridis</i> (Coleoptera: Coccinellidae). <i>Chemosphere</i> , 2019, 219, 678-683.	8.2	18
20	Effects of paracress (<i>Acmella oleracea</i>) extracts on the aphids <i>Myzus persicae</i> and <i>Lipaphis erysimi</i> and two natural enemies. <i>Industrial Crops and Products</i> , 2019, 128, 399-404.	5.2	15
21	Botanical insecticide and natural enemies: a potential combination for pest management against <i>Tuta absoluta</i> . <i>Journal of Pest Science</i> , 2019, 92, 1433-1443.	3.7	79
22	Physiological and Ecological Selectivity of Pesticides for Natural Enemies of Insects. , 2019, , 469-478.		12
23	Are Cerium Oxide Nanoparticles Transferred from Plants to the Aphid <i>Myzus persicae</i> (Hemiptera: Tj ETQq1 1 0.784314 rgBT /Overlook	0.5	11
24	APPLICATIONS OF COPPER-BASED FUNGICIDES AND INFESTATIONS OF <i>Leucoptera coffeella</i> (Guã©rin-Mãneville & Perrottet) IN COFFEE PLANTS. <i>Coffee Science</i> , 2019, 14, 123.	0.5	0
25	TOXICITY OF ALKALOID FRACTIONS FROM <i>Psychotria</i> spp. (RUBIACEAE) AGAINST <i>Atta sexdens</i> FOREL, 1908 (HYMENOPTERA: FORMICIDAE). <i>Cerne</i> , 2019, 25, 255-262.	0.9	1
26	First Record of <i>Duponchelia fovealis</i> (Crambidae) as a Pest of Commercial Crops of Strawberry in Campo Das Vertentes, Minas Gerais, Brazil. <i>Journal of the Lepidopterists' Society</i> , 2019, 73, 131.	0.2	3
27	Non-target impacts of soybean insecticidal seed treatments on the life history and behavior of <i>Podisus nigrispinus</i> , a predator of fall armyworm. <i>Chemosphere</i> , 2018, 191, 342-349.	8.2	22
28	Toxicity of <i>Cymbopogon flexuosus</i> essential oil and citral for <i>Spodoptera frugiperda</i> . <i>Ciencia E Agrotecnologia</i> , 2018, 42, 408-419.	1.5	17
29	Lethal, sublethal and transgenerational effects of insecticides on <i>Macrolophus basicornis</i> , predator of <i>Tuta absoluta</i> . <i>Entomologia Generalis</i> , 2018, 38, 127-143.	3.1	64
30	Lethal and sublethal effects of insecticides on <i>Engytatus varians</i> (Heteroptera: Miridae), a predator of <i>Tuta absoluta</i> (Lepidoptera: Gelechiidae). <i>Ecotoxicology</i> , 2018, 27, 719-728.	2.4	22
31	<i>Iphimeis dives</i> (Coleoptera: Chrysomelidae): First Report on <i>Inga edulis</i> (Fabaceae) in Brazil and Data on its Biology. <i>Florida Entomologist</i> , 2018, 101, 345-347.	0.5	3
32	PHYSIOLOGICAL SELECTIVITY OF INSECTICIDES TO EGGS AND LARVAE OF PREDATOR <i>Chrysoperla externa</i> (HAGEN) (NEUROPTERA: CHRYSOPIDAE). <i>Coffee Science</i> , 2018, 13, 292.	0.5	5
33	NITROGEN FERTILIZERS AND OCCURRENCE OF <i>Leucoptera coffeella</i> (Guã©rin-Mãneville & Perrottet) IN TRANSPLANTED COFFEE SEEDLINGS. <i>Coffee Science</i> , 2018, 13, 410.	0.5	2
34	Physiological susceptibility of the predator <i>Macrolophus basicornis</i> (Hemiptera: Miridae) to pesticides used to control of <i>Tuta absoluta</i> (Lepidoptera: Gelechiidae). <i>Biocontrol Science and Technology</i> , 2017, 27, 1082-1095.	1.3	14
35	Pesticide selectivity to natural enemies: challenges and constraints for research and field recommendation. <i>Ciencia Rural</i> , 2017, 47, .	0.5	63
36	<i>Malpighia emarginata</i> DC. bagasse acetone extract: Phenolic compounds and their effecton <i>Spodoptera frugiperda</i> (J.E. Smith) (Lepidoptera: Noctuidae). <i>Chilean Journal of Agricultural Research</i> , 2016, 76, 55-61.	1.1	12

#	ARTICLE	IF	CITATIONS
37	Residual Acute Toxicity of Some Modern Insecticides Toward Two Mirid Predators of Tomato Pests. <i>Journal of Economic Entomology</i> , 2016, 109, 1079-1085.	1.8	30
38	Life history parameters and feeding preference of the green lacewing <i>Ceraeochrysa cubana</i> fed with virus-free and potato leafroll virus-infected <i>Myzus persicae</i> . <i>BioControl</i> , 2016, 61, 671-679.	2.0	7
39	Lethal and sublethal effects of pesticides on <i>Chrysoperla carnea</i> larvae (Neuroptera: Chrysopidae) and the influence of rainfastness in their degradation pattern over time. <i>Ecotoxicology</i> , 2016, 25, 845-855.	2.4	24
40	Acaricidal activity of Annonaceae fractions against <i>Tetranychus tumidus</i> and <i>Tetranychus urticae</i> (Acari: Tetranychidae) and the metabolite profile of <i>Duguetia lanceolata</i> (Annonaceae) using GC-MS. <i>Semina: Ciências Agrárias</i> , 2015, 36, 4119.	0.3	9
41	Non-target effects of two sunflower seed treatments on <i>Orius insidiosus</i> (Hemiptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 462 10	3.4	38
42	Sublethal effects of insecticide seed treatments on two nearctic lady beetles (Coleoptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 542 10	2.4	47
43	Toxicity of the phenolic extract from jaboticabeira (<i>Myrciaria cauliflora</i> (Mart.) O. Berg) fruit skins on <i>Spodoptera frugiperda</i> . <i>Chilean Journal of Agricultural Research</i> , 2014, 74, 200-204.	1.1	24
44	Toxicity of some insecticides used in maize crop on <i>Trichogramma pretiosum</i> (Hymenoptera,) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 462 10	1.1	14
45	Sublethal effects of chlorantraniliprole and thiamethoxam seed treatments when <i>Lysiphlebus testaceipes</i> feed on sunflower extrafloral nectar. <i>BioControl</i> , 2014, 59, 503-511.	2.0	30
46	Sublethal and transgenerational effects of insecticides in developing <i>Trichogramma galloi</i> (Hymenoptera: Trichogrammatidae). <i>Ecotoxicology</i> , 2014, 23, 1399-1408.	2.4	54
47	Non-target effects of chlorantraniliprole and thiamethoxam on <i>Chrysoperla carnea</i> when employed as sunflower seed treatments. <i>Journal of Pest Science</i> , 2014, 87, 711-719.	3.7	64
48	First record of <i>Aethalion reticulatum</i> (Hemiptera: Aethalionidae) in <i>Vernonia condensata</i> (Asteraceae), a medicinal plant from Brazil. <i>Phytoparasitica</i> , 2013, 41, 611-613.	1.2	8
49	Toxicity and sublethal effects of seven insecticides to eggs of the flower bug <i>Orius insidiosus</i> (Say) (Hemiptera: Anthocoridae). <i>Chemosphere</i> , 2013, 92, 490-496.	8.2	60
50	Enzymatic biomarkers as tools to assess environmental quality: A case study of exposure of the honeybee <i>Apis mellifera</i> to insecticides. <i>Environmental Toxicology and Chemistry</i> , 2013, 32, 2117-2124.	4.3	107
51	Impact of insecticides used to control <i>Spodoptera frugiperda</i> (J.E. Smith) in corn on survival, sex ratio, and reproduction of <i>Trichogramma pretiosum</i> Riley offspring. <i>Chilean Journal of Agricultural Research</i> , 2013, 73, 10-11.	1.1	12
52	Extrato metanólico de farinha de folhas de mandioca como alternativa ao controle da lagarta-do-cartucho e de formigas cortadeiras. <i>Semina: Ciências Agrárias</i> , 2013, 34, 3501.	0.3	4
53	Physiological selectivity of insecticides to adult of <i>Doru luteipes</i> (Scudder, 1876) (Dermaptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 462 10	0.3	4
54	Repelência de produtos fitossanitários usados na cana-de-açúcar e seus efeitos na emergência de <i>Trichogramma galloi</i> . <i>Revista Ciencia Agronomica</i> , 2013, 44, 910-916.	0.3	9

#	ARTICLE	IF	CITATIONS
55	Development of biomarkers of exposure to xenobiotics in the honey bee <i>Apis mellifera</i> : Application to the systemic insecticide thiamethoxam. <i>Ecotoxicology and Environmental Safety</i> , 2012, 82, 22-31.	6.0	123
56	Residual Effect of Pesticides used in Integrated Apple Production on <i>Chrysoperla externa</i> (Hagen) (Neuroptera: Chrysopidae) Larvae. <i>Chilean Journal of Agricultural Research</i> , 2012, 72, 217-223.	1.1	7
57	Bioactivity of compounds from <i>Acmella oleracea</i> against <i>Tuta absoluta</i> (Meyrick) (Lepidoptera: Gelechiidae) and selectivity to two non-target species. <i>Pest Management Science</i> , 2012, 68, 386-393.	3.4	61
58	Toxicidade de acaricidas a ovos e adultos de <i>Ceraeochrysa cubana</i> (Hagen, 1861) (Neuroptera: Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 62	1.5	12
59	Toxicological and ultrastructural analysis of the impact of pesticides used in temperate fruit crops on two populations of <i>Chrysoperla externa</i> (Neuroptera, Chrysopidae). <i>Revista Brasileira De Entomologia</i> , 2011, 55, 411-418.	0.4	6
60	Seletividade de inseticidas utilizados em cultura cafeeira para larvas de <i>Cryptolaemus montrouzieri</i> Mulsant. <i>Ciencia Rural</i> , 2011, 41, 939-946.	0.5	3
61	Análise de sobrevivência aplicada ao desenvolvimento do pulgão <i>Aphis gossypii</i> Glover, 1877 (Hemiptera: Tj ETQq1 1 0.784314 rgBT Agrarias, 2011, 32, 1327-1334.	0.3	0
62	Extrato de <i>Coffea racemosa</i> como alternativa no controle do bicho-mineiro do cafeeiro. <i>Ciencia E Agrotecnologia</i> , 2011, 35, 250-258.	1.5	2
63	Seletividade fisiológica de inseticidas em duas espécies de crisopídeos. <i>Pesquisa Agropecuaria Brasileira</i> , 2010, 45, 1253-1258.	0.9	17
64	Efeitos de fungicidas sobre os aspectos biológicos de <i>Aphis gossypii</i> Glover, 1877 (Hemiptera: Aphididae) em plantas de pepino. <i>Ciencia E Agrotecnologia</i> , 2010, 34, 1431-1438.	1.5	1
65	Efeito de frações técnicas sobre parâmetros biológicos e nutricionais de <i>Spodoptera frugiperda</i> (Lepidoptera: Noctuidae). <i>Ciencia E Agrotecnologia</i> , 2010, 34, 1417-1424.	1.5	6
66	Selectivity of Pesticides used in Integrated Apple Production to the Lacewing, <i>Chrysoperla externa</i> . <i>Journal of Insect Science</i> , 2010, 10, 1-20.	1.5	11
67	Toxicidade de produtos fitossanitários utilizados em citros para <i>Apis mellifera</i> . <i>Ciencia Rural</i> , 2009, 39, 955-961.	0.5	15
68	Enzimas digestivas do bicho-mineiro do cafeeiro <i>Leucoptera coffeella</i> (Guérin-Méneville & Perrottet,) Tj ETQq0 0,0 rgBT /Overlock 10 Tf 50 62	1.5	12
69	Seletividade de inseticidas a <i>Orius insidiosus</i> . <i>Bragantia</i> , 2007, 66, 433-439.	1.3	5
70	Bioatividade do <i>Bacillus thuringiensis</i> var. <i>kurstaki</i> (Berliner, 1915) para adultos de <i>Apis mellifera</i> Linnaeus, 1758 (Hymenoptera: Apidae). <i>Ciencia E Agrotecnologia</i> , 2007, 31, 279-289.	1.5	13
71	Toxicidade de produtos fitossanitários para adultos de <i>Orius insidiosus</i> (Say) (Hemiptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 62	1.3	1
72	Efeito de produtos fitossanitários utilizados em cafeeiros sobre pupas e adultos de <i>Chrysoperla externa</i> (Hagen, 1861) (Neuroptera: Chrysopidae). <i>Ciencia Rural</i> , 2006, 36, 8-14.	0.5	10

#	ARTICLE	IF	CITATIONS
73	Seletividade de inseticidas usados na cultura da macieira a duas populações de <i>Chrysoperla externa</i> (Hagen, 1861) (Neuroptera: Chrysopidae). <i>Ciencia Rural</i> , 2006, 36, 378-384.	0.5	17
74	Selectivity evaluation of insecticides used to control tomato pests to <i>Trichogramma pretiosum</i> . <i>BioControl</i> , 2006, 51, 769-778.	2.0	27
75	Produtos naturais e sintéticos no controle de <i>Leucoptera coffeella</i> (Guérin-Méneville & Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 307 Td) (<i>Agrotecnologia</i> , 2006, 30, 892-899.	1.5	9
76	Silicon and acibenzolar-S-methyl as resistance inducers in cucumber, against the whitefly <i>Bemisia tabaci</i> (Gennadius) (Hemiptera: Aleyrodidae) biotype B. <i>Neotropical Entomology</i> , 2005, 34, 429-433.	1.2	100
77	Toxicidade de inseticidas utilizados na cultura do tomateiro a <i>Trichogramma pretiosum</i> . <i>Pesquisa Agropecuaria Brasileira</i> , 2005, 40, 203-210.	0.9	22
78	Toxicidade de produtos fitossanitários utilizados na cultura do cafeeiro a larvas de <i>Chrysoperla externa</i> (Hagen) (Neuroptera: Chrysopidae) e efeitos sobre as fases subseqüentes do desenvolvimento do predador. <i>Neotropical Entomology</i> , 2005, 34, 951-959.	1.2	21
79	Silicon influence on the tritrophic interaction: wheat plants, the greenbug <i>Schizaphis graminum</i> (Rondani) (Hemiptera: Aphididae), and its natural enemies, <i>Chrysoperla externa</i> (Hagen) (Neuroptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 307 Td) (<i>Agrotecnologia</i> , 2003, 27, 261-270.	1.2	60
80	Efeito residual de novos inseticidas utilizados na cultura do tomateiro sobre <i>Trichogramma pretiosum</i> Riley, 1879 (Hymenoptera: Trichogrammatidae). <i>Acta Scientiarum - Agronomy</i> , 2004, 26, 231.	0.6	9
81	Seletividade de inseticidas utilizados na cultura dos citros para ovos e larvas de <i>Chrysoperla externa</i> (Hagen) (Neuroptera: Chrysopidae). <i>Neotropical Entomology</i> , 2004, 33, 639-646.	1.2	19
82	Seletividade de seis inseticidas utilizados em citros a pupas e adultos de <i>Chrysoperla externa</i> (Hagen) (Neuroptera: Chrysopidae). <i>Neotropical Entomology</i> , 2004, 33, 359.	1.2	16
83	Residual action of insecticides to larvae of <i>Chrysoperla externa</i> (Hagen, 1861) (Neuroptera: Tj ETQq1 1 0.784314 rgBT /Overlock 10 Tf 50 307 Td) (<i>Agrotecnologia</i> , 2003, 27, 261-270.	1.5	11
84	Bioatividade de produtos fitossanitários utilizados na cultura do tomateiro (<i>Lycopersicon</i>) Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 307 Td) (<i>Agrotecnologia</i> , 2003, 27, 261-270.	1.5	10
85	Avaliação de seletividade de produtos fitossanitários utilizados na cultura do crisântemo a adultos de <i>Orius insidiosus</i> (Say, 1832) (Hemiptera: Anthocoridae) em laboratório. <i>Ciencia E Agrotecnologia</i> , 2003, 27, 971-977.	1.5	4
86	Effect of sodium silicate application on the resistance of wheat plants to the green-aphids <i>Schizaphis graminum</i> (Rond.) (Hemiptera: Aphididae). <i>Neotropical Entomology</i> , 2003, 32, 659-663.	1.2	66
87	Efeitos de inseticidas usados na cultura do algodoeiro sobre <i>Chrysoperla externa</i> (Hagen) (Neuroptera: Chrysopidae). <i>Neotropical Entomology</i> , 2003, 32, 699-706.	1.2	12
88	First report of <i>Aethalion reticulatum</i> (Linnaeus, 1767) (Hemiptera: Aethalionidae) infesting plants of <i>Coffea arabica</i> (Linnaeus, 1753) (Rubiaceae). <i>Coffee Science</i> , 0, 16, 1-5.	0.5	2
89	URSOLIC ACID AND CIS-TILIROSIDE PRODUCED BY <i>Merremia tomentosa</i> AFFECT OVIPOSITION OF <i>Leucoptera coffeella</i> ON COFFEE PLANTS. <i>Quimica Nova</i> , 0, , .	0.3	2