

JÃ¼rgen Ruland

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6406087/publications.pdf>

Version: 2024-02-01

161
papers

22,471
citations

11651

70
h-index

8630

146
g-index

164
all docs

164
docs citations

164
times ranked

31512
citing authors

#	ARTICLE	IF	CITATIONS
1	MondoA drives malignancy in B-ALL through enhanced adaptation to metabolic stress. <i>Blood</i> , 2022, 139, 1184-1197.	1.4	7
2	Platelet Surface Protein Expression and Reactivity upon TRAP Stimulation after BNT162b2 Vaccination. <i>Thrombosis and Haemostasis</i> , 2022, 122, 1706-1711.	3.4	9
3	MALT1 protease function in regulatory T cells induces MYC activity to promote mitochondrial function and cellular expansion. <i>European Journal of Immunology</i> , 2022, 52, 85-95.	2.9	4
4	Autophagy in mesenchymal progenitors protects mice against bone marrow failure after severe intermittent stress. <i>Blood</i> , 2022, 139, 690-703.	1.4	8
5	Dynamics of spike-and nucleocapsid specific immunity during long-term follow-up and vaccination of SARS-CoV-2 convalescents. <i>Nature Communications</i> , 2022, 13, 153.	12.8	45
6	Circulating Tumor DNA Profiling of a Diffuse Large B Cell Lymphoma Patient with Secondary Acute Myeloid Leukemia. <i>Cancers</i> , 2022, 14, 1371.	3.7	3
7	The molecular ontogeny of follicular lymphoma: gene mutations succeeding the <i>BCL2</i> translocation define common precursor cells. <i>British Journal of Haematology</i> , 2022, 196, 1381-1387.	2.5	5
8	Mass cytometry of platelet-rich plasma: a new approach to analyze platelet surface expression and reactivity. <i>Platelets</i> , 2022, 33, 841-848.	2.3	3
9	Comparative Study of the Role of Interepithelial Mucosal Mast Cells in the Context of Intestinal Adenoma-Carcinoma Progression. <i>Cancers</i> , 2022, 14, 2248.	3.7	3
10	Phosphatidylinositol 3-Kinase (PI3K) Orchestrates <i>Aspergillus fumigatus</i> -Induced Eosinophil Activation Independently of Canonical Toll-Like Receptor (TLR)/C-Type-Lectin Receptor (CLR) Signaling. <i>MBio</i> , 2022, 13, .	4.1	2
11	Cytotoxic FCER1G+ innate-like T cells: new potential for tumour immunotherapy. <i>Signal Transduction and Targeted Therapy</i> , 2022, 7, .	17.1	6
12	Synergy of MALT1 and mTOR inhibition in DLBCL. <i>Blood</i> , 2021, 137, 724-725.	1.4	1
13	Mucosal-Associated Invariant T (MAIT) Cells Are Highly Activated and Functionally Impaired in COVID-19 Patients. <i>Viruses</i> , 2021, 13, 241.	3.3	31
14	ABO subgroup incompatibility with severe hemolysis after consecutive allogeneic stem cell transplantations. <i>EJHaem</i> , 2021, 2, 280-284.	1.0	0
15	S-Layer From <i>Lactobacillus brevis</i> Modulates Antigen-Presenting Cell Functions via the Mincle-Syk-Card9 Axis. <i>Frontiers in Immunology</i> , 2021, 12, 602067.	4.8	19
16	Developmental partitioning of SYK and ZAP70 prevents autoimmunity and cancer. <i>Molecular Cell</i> , 2021, 81, 2094-2111.e9.	9.7	17
17	The Chemokine CX3CL1 Improves Trastuzumab Efficacy in HER2 Low-Expressing Cancer <i>In Vitro</i> and <i>In Vivo</i> . <i>Cancer Immunology Research</i> , 2021, 9, 779-789.	3.4	10
18	Targeted PI3K/AKT-hyperactivation induces cell death in chronic lymphocytic leukemia. <i>Nature Communications</i> , 2021, 12, 3526.	12.8	34

#	ARTICLE	IF	CITATIONS
19	Integrated genomic analyses of cutaneous T-cell lymphomas reveal the molecular bases for disease heterogeneity. <i>Blood</i> , 2021, 138, 1225-1236.	1.4	49
20	Pathological RANK signaling in B cells drives autoimmunity and chronic lymphocytic leukemia. <i>Journal of Experimental Medicine</i> , 2021, 218, .	8.5	11
21	XIAP restrains TNF-driven intestinal inflammation and dysbiosis by promoting innate immune responses of Paneth and dendritic cells. <i>Science Immunology</i> , 2021, 6, eabf7235.	11.9	17
22	Keratinocyte-intrinsic BCL10/MALT1 activity initiates and amplifies psoriasiform skin inflammation. <i>Science Immunology</i> , 2021, 6, eabi4425.	11.9	5
23	TRAF6 prevents fatal inflammation by homeostatic suppression of MALT1 protease. <i>Science Immunology</i> , 2021, 6, eabh2095.	11.9	17
24	B-cell lymphoma/leukaemia 10 and angiotensin II-induced kidney injury. <i>Cardiovascular Research</i> , 2020, 116, 1059-1070.	3.8	12
25	AKT-dependent NOTCH3 activation drives tumor progression in a model of mesenchymal colorectal cancer. <i>Journal of Experimental Medicine</i> , 2020, 217, .	8.5	48
26	MCL-1 gains occur with high frequency in lung adenocarcinoma and can be targeted therapeutically. <i>Nature Communications</i> , 2020, 11, 4527.	12.8	32
27	Physiological and Pathological Functions of CARD9 Signaling in the Innate Immune System. <i>Current Topics in Microbiology and Immunology</i> , 2020, 429, 177-203.	1.1	15
28	Classification and Nomenclature of Metacaspases and Paracaspases: No More Confusion with Caspases. <i>Molecular Cell</i> , 2020, 77, 927-929.	9.7	71
29	Efficient Tissue Clearing and Multi-Organ Volumetric Imaging Enable Quantitative Visualization of Sparse Immune Cell Populations During Inflammation. <i>Frontiers in Immunology</i> , 2020, 11, 599495.	4.8	12
30	Guidelines for the use of flow cytometry and cell sorting in immunological studies (second edition). <i>European Journal of Immunology</i> , 2019, 49, 1457-1973.	2.9	766
31	RIG-I activation is critical for responsiveness to checkpoint blockade. <i>Science Immunology</i> , 2019, 4, .	11.9	80
32	Colon Cancer: Epithelial Notch Signaling Recruits Neutrophils to Drive Metastasis. <i>Cancer Cell</i> , 2019, 36, 213-214.	16.8	23
33	Bcl10-controlled Malt1 paracaspase activity is key for the immune suppressive function of regulatory T cells. <i>Nature Communications</i> , 2019, 10, 2352.	12.8	68
34	CARD9 Signaling in Intestinal Immune Homeostasis and Oncogenesis. <i>Frontiers in Immunology</i> , 2019, 10, 419.	4.8	23
35	PD-1 Tumor Suppressor Signaling in T Cell Lymphomas. <i>Trends in Immunology</i> , 2019, 40, 403-414.	6.8	24
36	The CARD9-Associated C-Type Lectin, Mincle, Recognizes La Crosse Virus (LACV) but Plays a Limited Role in Early Antiviral Responses against LACV. <i>Viruses</i> , 2019, 11, 303.	3.3	29

#	ARTICLE	IF	CITATIONS
37	Glycosylation of HIV Env Impacts IgG Subtype Responses to Vaccination. <i>Viruses</i> , 2019, 11, 153.	3.3	15
38	The uric acid crystal receptor Clec12A potentiates type I interferon responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2019, 116, 18544-18549.	7.1	31
39	CARD6/BCL-10/MALT1 signalling in protective and pathological immunity. <i>Nature Reviews Immunology</i> , 2019, 19, 118-134.	22.7	137
40	Foxp1 controls mature B cell survival and the development of follicular and B-1 B cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2018, 115, 3120-3125.	7.1	38
41	Dynamic landscape of pancreatic carcinogenesis reveals early molecular networks of malignancy. <i>Gut</i> , 2018, 67, 146-156.	12.1	43
42	Tumor Necrosis Factor-Mediated Survival of CD169 ⁺ Cells Promotes Immune Activation during Vesicular Stomatitis Virus Infection. <i>Journal of Virology</i> , 2018, 92, .	3.4	16
43	Somatic alterations compromised molecular diagnosis of DOCK8 hyper-IgE syndrome caused by a novel intronic splice site mutation. <i>Scientific Reports</i> , 2018, 8, 16719.	3.3	5
44	The fungal peptide toxin Candidalysin activates the NLRP3 inflammasome and causes cytolysis in mononuclear phagocytes. <i>Nature Communications</i> , 2018, 9, 4260.	12.8	181
45	MALT1 (Mucosa-Associated Lymphoid Tissue Translocation Gene 1). , 2018, , 2924-2933.		0
46	RIG-I/MAVS and STING signaling promote gut integrity during irradiation- and immune-mediated tissue injury. <i>Science Translational Medicine</i> , 2017, 9, .	12.4	114
47	Antibody blockade of CLEC12A delays EAE onset and attenuates disease severity by impairing myeloid cell CNS infiltration and restoring positive immunity. <i>Scientific Reports</i> , 2017, 7, 2707.	3.3	29
48	Card9-dependent IL1 β regulates IL22 production from group 3 innate lymphoid cells and promotes colitis-associated cancer. <i>European Journal of Immunology</i> , 2017, 47, 1342-1353.	2.9	54
49	Card9 controls Dectin1-induced T cell cytotoxicity and tumor growth in mice. <i>European Journal of Immunology</i> , 2017, 47, 872-879.	2.9	24
50	Guidelines for the use of flow cytometry and cell sorting in immunological studies [*] . <i>European Journal of Immunology</i> , 2017, 47, 1584-1797.	2.9	505
51	AR-V7 in Peripheral Whole Blood of Patients with Castration-resistant Prostate Cancer: Association with Treatment-specific Outcome Under Abiraterone and Enzalutamide. <i>European Urology</i> , 2017, 72, 828-834.	1.9	86
52	The target landscape of clinical kinase drugs. <i>Science</i> , 2017, 358, .	12.6	609
53	PD-1 is a haploinsufficient suppressor of T cell lymphomagenesis. <i>Nature</i> , 2017, 552, 121-125.	27.8	199
54	The Inflammasome Drives GSDMD-Independent Secondary Pyroptosis and IL-1 Release in the Absence of Caspase-1 Protease Activity. <i>Cell Reports</i> , 2017, 21, 3846-3859.	6.4	202

#	ARTICLE	IF	CITATIONS
55	RIPK3 Restricts Myeloid Leukemogenesis by Promoting Cell Death and Differentiation of Leukemia Initiating Cells. <i>Cancer Cell</i> , 2016, 30, 75-91.	16.8	144
56	Vav Proteins Are Key Regulators of Card9 Signaling for Innate Antifungal Immunity. <i>Cell Reports</i> , 2016, 17, 2572-2583.	6.4	66
57	Neutrophil-specific deletion of the CARD9 gene expression regulator suppresses autoantibody-induced inflammation in vivo. <i>Nature Communications</i> , 2016, 7, 11004.	12.8	62
58	Mutations in the Histone Modifier PRDM6 Are Associated with Isolated Nonsyndromic Patent Ductus Arteriosus. <i>American Journal of Human Genetics</i> , 2016, 98, 1082-1091.	6.2	29
59	K + Efflux-Independent NLRP3 Inflammasome Activation by Small Molecules Targeting Mitochondria. <i>Immunity</i> , 2016, 45, 761-773.	14.3	364
60	Epigenomic Profiling of Human CD4+ T Cells Supports a Linear Differentiation Model and Highlights Molecular Regulators of Memory Development. <i>Immunity</i> , 2016, 45, 1148-1161.	14.3	174
61	Alternative splicing of MALT1 controls signalling and activation of CD4+ T cells. <i>Nature Communications</i> , 2016, 7, 11292.	12.8	94
62	An innate antiviral pathway acting before interferons at epithelial surfaces. <i>Nature Immunology</i> , 2016, 17, 150-158.	14.5	59
63	Pathogenic Fungi Regulate Immunity by Inducing Neutrophilic Myeloid-Derived Suppressor Cells. <i>Cell Host and Microbe</i> , 2015, 17, 507-514.	11.0	99
64	Lymphomagenic CARD11/BCL10/MALT1 signaling drives malignant B-cell proliferation via cooperative NF- κ B and JNK activation. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E7230-8.	7.1	66
65	CARD9 Promotes Sex-Biased Colon Tumors in the APCmin Mouse Model. <i>Cancer Immunology Research</i> , 2015, 3, 721-726.	3.4	14
66	A respiratory chain controlled signal transduction cascade in the mitochondrial intermembrane space mediates hydrogen peroxide signaling. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2015, 112, E5679-88.	7.1	58
67	Uncoupling Malt1 Threshold Function from Paracaspase Activity Results in Destructive Autoimmune Inflammation. <i>Cell Reports</i> , 2014, 9, 1292-1305.	6.4	133
68	Premature Terminal Differentiation Protects from Deregulated Lymphocyte Activation by ITK-Syk. <i>Journal of Immunology</i> , 2014, 192, 1024-1033.	0.8	10
69	<i>Helicobacter pylori</i> -Induced IL-1 β Secretion in Innate Immune Cells Is Regulated by the NLRP3 Inflammasome and Requires the Cag Pathogenicity Island. <i>Journal of Immunology</i> , 2014, 193, 3566-3576.	0.8	113
70	Detection of NF- κ B Pathway Activation in T Helper Cells. <i>Methods in Molecular Biology</i> , 2014, 1193, 69-83.	0.9	0
71	Immune sensing by activating and inhibitory C-type lectin receptors. <i>Laboratoriums Medizin</i> , 2014, 38, 291-297.	0.6	0
72	Inflammasome: Putting the Pieces Together. <i>Cell</i> , 2014, 156, 1127-1129.	28.9	32

#	ARTICLE	IF	CITATIONS
73	Clec12a Is an Inhibitory Receptor for Uric Acid Crystals that Regulates Inflammation in Response to Cell Death. <i>Immunity</i> , 2014, 40, 389-399.	14.3	158
74	Rad50-CARD9 interactions link cytosolic DNA sensing to IL-1 β production. <i>Nature Immunology</i> , 2014, 15, 538-545.	14.5	132
75	Cleavage of roquin and regnase-1 by the paracaspase MALT1 releases their cooperatively repressed targets to promote TH17 differentiation. <i>Nature Immunology</i> , 2014, 15, 1079-1089.	14.5	238
76	Bcl10 Mediates Angiotensin II-Induced Cardiac Damage and Electrical Remodeling. <i>Hypertension</i> , 2014, 64, 1032-1039.	2.7	21
77	The CARD11-BCL10-MALT1 (CBM) signalosome complex: Stepping into the limelight of human primary immunodeficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2014, 134, 276-284.	2.9	133
78	B-cell Expansion and Lymphomagenesis Induced by Chronic CD40 Signaling Is Strictly Dependent on CD19. <i>Cancer Research</i> , 2014, 74, 4318-4328.	0.9	13
79	IKK β Promotes Intestinal Tumorigenesis by Limiting Recruitment of M1-like Polarized Myeloid Cells. <i>Cell Reports</i> , 2014, 7, 1914-1925.	6.4	22
80	XIAP Restricts TNF- and RIP3-Dependent Cell Death and Inflammasome Activation. <i>Cell Reports</i> , 2014, 7, 1796-1808.	6.4	210
81	A8.25...CARD9 mediates autoantibody-induced autoimmune diseases by linking the SYK tyrosine kinase to CHEMOKINE production. <i>Annals of the Rheumatic Diseases</i> , 2014, 73, A86.1-A86.	0.9	0
82	GP130 activation induces myeloma and collaborates with MYC. <i>Journal of Clinical Investigation</i> , 2014, 124, 5263-5274.	8.2	34
83	A Mouse Model for XLP-2 Disease Uncovers a Critical Function for IL-1 β and TNF in Driving Hyper-Inflammation. <i>Blood</i> , 2014, 124, 1403-1403.	1.4	0
84	The mycobacterial cord factor adjuvant analogue trehalose-6,6'-dibehenate (TDB) activates the Nlrp3 inflammasome. <i>Immunobiology</i> , 2013, 218, 664-673.	1.9	62
85	Structural Analysis of Phenothiazine Derivatives as Allosteric Inhibitors of the MALT1 Paracaspase. <i>Angewandte Chemie - International Edition</i> , 2013, 52, 10384-10387.	13.8	70
86	Kinases conquer the inflammasomes. <i>Nature Immunology</i> , 2013, 14, 1207-1208.	14.5	17
87	Whole-exome sequencing links caspase recruitment domain11 (CARD11) inactivation to severe combined immunodeficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 131, 1376-1383.e3.	2.9	127
88	Protein Kinase C- δ -Dependent Activation of NF- κ B in Stromal Cells Is Indispensable for the Survival of Chronic Lymphocytic Leukemia B Cells In Vivo. <i>Cancer Cell</i> , 2013, 23, 77-92.	16.8	131
89	Interferon- β Production via Dectin-1-Syk-IRF5 Signaling in Dendritic Cells Is Crucial for Immunity to <i>C. Albicans</i> . <i>Immunity</i> , 2013, 38, 1176-1186.	14.3	158
90	Caspase recruitment domain-containing protein 9 signaling in innate immunity and inflammation. <i>Trends in Immunology</i> , 2013, 34, 243-250.	6.8	103

#	ARTICLE	IF	CITATIONS
91	A homozygous mucosa-associated lymphoid tissue 1 (MALT1) mutation in a family with combined immunodeficiency. <i>Journal of Allergy and Clinical Immunology</i> , 2013, 132, 151-158.	2.9	124
92	The Nlrp3 inflammasome regulates acute graft-versus-host disease. <i>Journal of Experimental Medicine</i> , 2013, 210, 1899-1910.	8.5	201
93	TGF- β 2 Signalling Is Required for CD4+ T Cell Homeostasis But Dispensable for Regulatory T Cell Function. <i>PLoS Biology</i> , 2013, 11, e1001674.	5.6	85
94	Strukturelle Analyse von Phenothiazin- ϵ -Derivaten als allosterische Inhibitoren der MALT1- ϵ -Paracaspase. <i>Angewandte Chemie</i> , 2013, 125, 10575-10579.	2.0	0
95	Immunobiology of C-Type Lectin Receptors. <i>Else-Kröner-Fresenius-Symposia</i> , 2013, , 11-14.	0.1	0
96	Prdm6 Is Essential for Cardiovascular Development In Vivo. <i>PLoS ONE</i> , 2013, 8, e81833.	2.5	15
97	Experimental Cerebral Malaria Develops Independently of Caspase Recruitment Domain-Containing Protein 9 Signaling. <i>Infection and Immunity</i> , 2012, 80, 1274-1279.	2.2	9
98	The NF- κ B Signaling Protein Bcl10 Regulates Actin Dynamics by Controlling AP1 and OCRL-Bearing Vesicles. <i>Developmental Cell</i> , 2012, 23, 954-967.	7.0	74
99	The Ubiquitin Ligase XIAP Recruits LUBAC for NOD2 Signaling in Inflammation and Innate Immunity. <i>Molecular Cell</i> , 2012, 46, 746-758.	9.7	336
100	Syk Kinase-Coupled C-type Lectin Receptors Engage Protein Kinase C- δ to Elicit Card9 Adaptor-Mediated Innate Immunity. <i>Immunity</i> , 2012, 36, 32-42.	14.3	249
101	Bcl10 Links Saturated Fat Overnutrition with Hepatocellular NF- κ B Activation and Insulin Resistance. <i>Cell Reports</i> , 2012, 1, 444-452.	6.4	43
102	RIG-I detects infection with live <i>Listeria</i> by sensing secreted bacterial nucleic acids. <i>EMBO Journal</i> , 2012, 31, 4153-4164.	7.8	153
103	From virus to inflammation: Mechanisms of RIG-I-induced IL-1 β production. <i>European Journal of Cell Biology</i> , 2012, 91, 59-64.	3.6	36
104	Activation of the NLRP3 inflammasome by <i>Mycobacterium tuberculosis</i> is uncoupled from susceptibility to active tuberculosis. <i>European Journal of Immunology</i> , 2012, 42, 374-384.	2.9	150
105	The NF- κ B regulator MALT1 determines the encephalitogenic potential of Th17 cells. <i>Journal of Clinical Investigation</i> , 2012, 122, 4698-4709.	8.2	106
106	Cks1 Is Required for Tumor Cell Proliferation but Not Sufficient to Induce Hematopoietic Malignancies. <i>PLoS ONE</i> , 2012, 7, e37433.	2.5	14
107	Return to homeostasis: downregulation of NF- κ B responses. <i>Nature Immunology</i> , 2011, 12, 709-714.	14.5	303
108	Restoration of Pattern Recognition Receptor Costimulation to Treat Chromoblastomycosis, a Chronic Fungal Infection of the Skin. <i>Cell Host and Microbe</i> , 2011, 9, 436-443.	11.0	146

#	ARTICLE	IF	CITATIONS
109	Caspase-8: Clipping off RIG-I Signaling. <i>Immunity</i> , 2011, 34, 283-285.	14.3	3
110	SYK kinase signaling and the NLRP3 inflammasome in antifungal immunity. <i>Journal of Molecular Medicine</i> , 2010, 88, 745-752.	3.9	20
111	ITAM Receptor Signaling and the NLRP3 Inflammasome in Antifungal Immunity. <i>Journal of Clinical Immunology</i> , 2010, 30, 496-501.	3.8	11
112	câ€Rel phenocopies PKCÎ, but not Bclâ€10 in regulating CD8⁺ Tâ€cell activation <i>versus</i> tolerance. <i>European Journal of Immunology</i> , 2010, 40, 867-877.	2.9	9
113	Recognition of RNA virus by RIG-I results in activation of CARD9 and inflammasome signaling for interleukin 1Î² production. <i>Nature Immunology</i> , 2010, 11, 63-69.	14.5	477
114	The SYK tyrosine kinase: a crucial player in diverse biological functions. <i>Nature Reviews Immunology</i> , 2010, 10, 387-402.	22.7	1,100
115	The fusion kinase ITK-SYK mimics a T cell receptor signal and drives oncogenesis in conditional mouse models of peripheral T cell lymphoma. <i>Journal of Experimental Medicine</i> , 2010, 207, 1031-1044.	8.5	134
116	Cutting Edge: Mincle Is Essential for Recognition and Adjuvanticity of the Mycobacterial Cord Factor and its Synthetic Analog Trehalose-Dibehenate. <i>Journal of Immunology</i> , 2010, 184, 2756-2760.	0.8	434
117	<i>Schistosoma</i> <i>mansoni</i> triggers Dectin-2, which activates the Nlrp3 inflammasome and alters adaptive immune responses. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2010, 107, 20459-20464.	7.1	233
118	The adaptor molecule CARD9 is essential for tuberculosis control. <i>Journal of Experimental Medicine</i> , 2010, 207, 777-792.	8.5	193
119	The CARMA3-Bcl10-MALT1 Signalosome Promotes Angiotensin II-dependent Vascular Inflammation and Atherogenesis. <i>Journal of Biological Chemistry</i> , 2010, 285, 25880-25884.	3.4	68
120	A Homozygous <i>CARD9</i> Mutation in a Family with Susceptibility to Fungal Infections. <i>New England Journal of Medicine</i> , 2009, 361, 1727-1735.	27.0	733
121	Differential requirement of MALT1 for BAFF-induced outcomes in B cell subsets. <i>Journal of Experimental Medicine</i> , 2009, 206, 2671-2683.	8.5	58
122	A20 Negatively Regulates T Cell Receptor Signaling to NF-Î³B by Cleaving Malt1 Ubiquitin Chains. <i>Journal of Immunology</i> , 2009, 182, 7718-7728.	0.8	222
123	Dectin-2 is a Syk-coupled pattern recognition receptor crucial for Th17 responses to fungal infection. <i>Journal of Experimental Medicine</i> , 2009, 206, 2037-2051.	8.5	411
124	Inhibition of MALT1 protease activity is selectively toxic for activated B cellâ€like diffuse large B cell lymphoma cells. <i>Journal of Experimental Medicine</i> , 2009, 206, 2313-2320.	8.5	195
125	The IFN regulatory factor 7â€dependent type I IFN response is not essential for early resistance against murine cytomegalovirus infection. <i>European Journal of Immunology</i> , 2009, 39, 1007-1018.	2.9	37
126	Syk kinase signalling couples to the Nlrp3 inflammasome for anti-fungal host defence. <i>Nature</i> , 2009, 459, 433-436.	27.8	799

#	ARTICLE	IF	CITATIONS
127	Adjuvanticity of a synthetic cord factor analogue for subunit <i>Mycobacterium tuberculosis</i> vaccination requires FcR γ -Syk-Card9-dependent innate immune activation. <i>Journal of Experimental Medicine</i> , 2009, 206, 89-97.	8.5	290
128	CARD9 Signaling in the Innate Immune Response. <i>Annals of the New York Academy of Sciences</i> , 2008, 1143, 35-44.	3.8	88
129	5 ϵ -triphosphate-siRNA: turning gene silencing and Rig-I activation against melanoma. <i>Nature Medicine</i> , 2008, 14, 1256-1263.	30.7	353
130	Decreased Pathology and Prolonged Survival of Human DC-SIGN Transgenic Mice during Mycobacterial Infection. <i>Journal of Immunology</i> , 2008, 180, 6836-6845.	0.8	80
131	Constitutive CD40 signaling in B cells selectively activates the noncanonical NF- κ B pathway and promotes lymphomagenesis. <i>Journal of Experimental Medicine</i> , 2008, 205, 1317-1329.	8.5	117
132	Multiple ITAM-coupled NK-cell receptors engage the Bcl10/Malt1 complex via Carma1 for NF- κ B and MAPK activation to selectively control cytokine production. <i>Blood</i> , 2008, 112, 2421-2428.	1.4	95
133	Signaling crosstalk in DLBCL. <i>Blood</i> , 2008, 111, 3304-3304.	1.4	0
134	Bcl10 and Malt1 control lysophosphatidic acid-induced NF- κ B activation and cytokine production. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 134-138.	7.1	95
135	Bcl10/Malt1 Signaling Is Essential for TCR-Induced NF- κ B Activation in Thymocytes but Dispensable for Positive or Negative Selection. <i>Journal of Immunology</i> , 2007, 178, 953-960.	0.8	24
136	Bcl10 Controls TCR- and Fc γ R-Induced Actin Polymerization. <i>Journal of Immunology</i> , 2007, 178, 4373-4384.	0.8	45
137	Caspase-8 and c-FLIPL Associate in Lipid Rafts with NF- κ B Adaptors during T Cell Activation. <i>Journal of Biological Chemistry</i> , 2007, 282, 19365-19374.	3.4	68
138	CARMA3/Bcl10/MALT1-dependent NF- κ B activation mediates angiotensin II-responsive inflammatory signaling in nonimmune cells. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2007, 104, 139-144.	7.1	170
139	Aberrant NF- κ B signaling in lymphoma: mechanisms, consequences, and therapeutic implications. <i>Blood</i> , 2007, 109, 2700-2707.	1.4	376
140	Syk- and CARD9-dependent coupling of innate immunity to the induction of T helper cells that produce interleukin 17. <i>Nature Immunology</i> , 2007, 8, 630-638.	14.5	1,070
141	MALT1 directs B cell receptor-induced canonical nuclear factor- κ B signaling selectively to the c-Rel subunit. <i>Nature Immunology</i> , 2007, 8, 984-991.	14.5	78
142	Malt1 ubiquitination triggers NF- κ B signaling upon T-cell activation. <i>EMBO Journal</i> , 2007, 26, 4634-4645.	7.8	189
143	Essential Role for I κ B Kinase β in Remodeling Carma1-Bcl10-Malt1 Complexes upon T Cell Activation. <i>Molecular Cell</i> , 2006, 23, 13-23.	9.7	117
144	Inflammatory signal transduction from the Fc μ RI to NF- κ B. <i>Immunobiology</i> , 2006, 211, 815-820.	1.9	70

#	ARTICLE	IF	CITATIONS
145	Perspectives from the Front Lines of Tobacco Control. <i>Journal of Health Care for the Poor and Underserved</i> , 2006, 17, 124-142.	0.8	4
146	Card9 controls a non-TLR signalling pathway for innate anti-fungal immunity. <i>Nature</i> , 2006, 442, 651-656.	27.8	780
147	The Bcl10-Malt1 complex segregates FcµRI-mediated nuclear factor ðB activation and cytokine production from mast cell degranulation. <i>Journal of Experimental Medicine</i> , 2006, 203, 337-347.	8.5	121
148	A Systems-Based Intervention to Promote Smoking as a Vital Sign in Patients Served by Community Health Centers. <i>American Journal of Medical Quality</i> , 2006, 21, 169-177.	0.5	9
149	Transducing signals from antigen receptors to nuclear factor kappaB. <i>Immunological Reviews</i> , 2003, 193, 93-100.	6.0	113
150	Modified apoptotic molecule (BID) reduces hepatitis C virus infection in mice with chimeric human livers. <i>Nature Biotechnology</i> , 2003, 21, 519-525.	17.5	58
151	From antigen to activation: specific signal transduction pathways linking antigen receptors to NF-ðB. <i>Seminars in Immunology</i> , 2003, 15, 177-183.	5.6	46
152	Differential Requirement for Malt1 in T and B Cell Antigen Receptor Signaling. <i>Immunity</i> , 2003, 19, 749-758.	14.3	363
153	Protein Kinase C-associated Kinase (PKK) Mediates Bcl10-independent NF-ðB Activation Induced by Phorbol Ester. <i>Journal of Biological Chemistry</i> , 2002, 277, 31871-31876.	3.4	39
154	Bcl10 Is a Positive Regulator of Antigen Receptor-Induced Activation of NF-ðB and Neural Tube Closure. <i>Cell</i> , 2001, 104, 33-42.	28.9	524
155	p53 Accumulation, defective cell proliferation, and early embryonic lethality in mice lacking tsg101. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 1859-1864.	7.1	136
156	A TSG101/MDM2 regulatory loop modulates MDM2 degradation and MDM2/p53 feedback control. <i>Proceedings of the National Academy of Sciences of the United States of America</i> , 2001, 98, 1619-1624.	7.1	155
157	Akt Is Activated in Response to an Apoptotic Signal. <i>Journal of Biological Chemistry</i> , 2001, 276, 30461-30466.	3.4	89
158	Bimp1, a MAGUK Family Member Linking Protein Kinase C Activation to Bcl10-mediated NF-ðB Induction. <i>Journal of Biological Chemistry</i> , 2001, 276, 30589-30597.	3.4	167
159	Decreased UDP-GlcNAc levels abrogate proliferation control in EMeg32-deficient cells. <i>EMBO Journal</i> , 2000, 19, 5092-5104.	7.8	140
160	Negative Regulation of PKB/Akt-Dependent Cell Survival by the Tumor Suppressor PTEN. <i>Cell</i> , 1998, 95, 29-39.	28.9	2,269
161	Bcl10. <i>The AFCS-nature Molecule Pages</i> , 0, , .	0.2	0