

# Antonio Colecchia

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6407755/publications.pdf>

Version: 2024-02-01

161  
papers

7,072  
citations

53794

45  
h-index

64796

79  
g-index

165  
all docs

165  
docs citations

165  
times ranked

8884  
citing authors

#	ARTICLE	IF	CITATIONS
1	Size and location of spontaneous portosystemic shunts predict the risk of decompensation in cirrhotic patients. <i>Digestive and Liver Disease</i> , 2022, 54, 103-110.	0.9	22
2	Validation of a standardized CT protocol for the evaluation of varices and porto-systemic shunts in cirrhotic patients. <i>European Journal of Radiology</i> , 2022, 147, 110010.	2.6	13
3	Segmental Distribution of Hepatocellular Carcinoma in Cirrhotic Livers. <i>Diagnostics</i> , 2022, 12, 834.	2.6	6
4	Assessment of liver stiffness measurement and ultrasound findings change during inotuzumab ozogamicin cycles for relapsed or refractory acute lymphoblastic leukemia. <i>Cancer Medicine</i> , 2022, 11, 618-629.	2.8	3
5	Sarcopenia Predicts Major Complications after Resection for Primary Hepatocellular Carcinoma in Compensated Cirrhosis. <i>Cancers</i> , 2022, 14, 1935.	3.7	14
6	Distinguishing features between patients with acute diverticulitis and diverticular bleeding: Results from the REMAD registry. <i>Digestive and Liver Disease</i> , 2021, 53, 202-209.	0.9	5
7	Gut microbiota signatures and clinical manifestations in celiac disease children at onset: a pilot study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2021, 36, 446-454.	2.8	37
8	Clinical impact of sarcopenia assessment in patients with liver cirrhosis. <i>Expert Review of Gastroenterology and Hepatology</i> , 2021, 15, 377-388.	3.0	15
9	Imaging Software-Based Sarcopenia Assessment in Gastroenterology: Evolution and Clinical Meaning. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2021, 2021, 1-7.	1.9	8
10	Liver and Spleen Stiffness in Vascular Liver Disease. , 2021, , 235-255.		0
11	A Nomogram-Based Prognostic Model for Advanced Hepatocellular Carcinoma Patients Treated with Sorafenib: A Multicenter Study. <i>Cancers</i> , 2021, 13, 2677.	3.7	6
12	Prognostic Value of the Albumin-Bilirubin Grade for the Prediction of Post-Hepatectomy Liver Failure: A Systematic Review and Meta-Analysis. <i>Journal of Clinical Medicine</i> , 2021, 10, 2011.	2.4	16
13	The role of liver and spleen elastography in advanced chronic liver disease. <i>Minerva Gastroenterology</i> , 2021, 67, 151-163.	0.5	4
14	Elastography: where are we now?. <i>Minerva Gastroenterology</i> , 2021, 67, .	0.5	4
15	Risk of hepatocellular carcinoma after HCV eradication: Determining the role of portal hypertension by measuring spleen stiffness. <i>JHEP Reports</i> , 2021, 3, 100289.	4.9	12
16	Comparison of prognostic models in advanced hepatocellular carcinoma patients undergoing Sorafenib: A multicenter study.. <i>Digestive and Liver Disease</i> , 2021, 53, 1011-1019.	0.9	7
17	Antibiotic prophylaxis in patients with cirrhosis: Current evidence for clinical practice. <i>World Journal of Hepatology</i> , 2021, 13, 840-852.	2.0	1
18	Clinical Presentation of Celiac Disease and Diagnosis Accuracy in a Single-Center European Pediatric Cohort over 10 Years. <i>Nutrients</i> , 2021, 13, 4131.	4.1	0

#	ARTICLE	IF	CITATIONS
19	A novel spleenâ€dedicated stiffness measurement by FibroScanÂ® improves the screening of highâ€risk oesophageal varices. <i>Liver International</i> , 2020, 40, 175-185.	3.9	60
20	Liver fibrosis by FibroScan <sup>Â®</sup> independently of established cardiovascular risk parameters associates with macrovascular and microvascular complications in patients with type 2 diabetes. <i>Liver International</i> , 2020, 40, 347-354.	3.9	59
21	Screening for non-alcoholic fatty liver disease using liver stiffness measurement and its association with chronic kidney disease and cardiovascular complications in patients with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2020, 46, 296-303.	2.9	47
22	NAFLD fibrosis score (NFS) can be used in outpatient services to identify chronic vascular complications besides advanced liver fibrosis in type 2 diabetes. <i>Journal of Diabetes and Its Complications</i> , 2020, 34, 107684.	2.3	11
23	Spleen Stiffness Measurements Predict the Risk of Hepatic Decompensation After Direct-Acting Antivirals in HCV Cirrhotic Patients. <i>Ultraschall in Der Medizin</i> , 2020, , .	1.5	15
24	Clinical impact of sarcopenia assessment in patients with hepatocellular carcinoma undergoing treatments. <i>Journal of Gastroenterology</i> , 2020, 55, 927-943.	5.1	70
25	Is Ultrasound Elastography Useful in Predicting Clinically Relevant Pancreatic Fistula After Pancreatic Resection?. <i>Pancreas</i> , 2020, 49, 1342-1347.	1.1	4
26	Probiotics, Prebiotics and Other Dietary Supplements for Gut Microbiota Modulation in Celiac Disease Patients. <i>Nutrients</i> , 2020, 12, 2674.	4.1	47
27	Clinical outcomes after treatment with direct-acting antivirals: not all concern hepatocellular carcinoma risk. <i>Hepatobiliary Surgery and Nutrition</i> , 2020, 9, 505-507.	1.5	3
28	Spleen stiffness measurement for assessing the response to ð²-blockers therapy for high-risk esophageal varices patients. <i>Hepatology International</i> , 2020, 14, 850-857.	4.2	41
29	<i>PNPLA3</i> gene variant and chronic kidney disease in type 2 diabetic patients with NAFLD: Clinical and experimental findings. <i>Liver International</i> , 2020, 40, 1130-1141.	3.9	33
30	Imaging in Hepatic Veno-Occlusive Disease/Sinusoidal Obstruction Syndrome. <i>Biology of Blood and Marrow Transplantation</i> , 2020, 26, 1770-1779.	2.0	26
31	Diagnosis and Treatment of VOD/SOS After Allogeneic Hematopoietic Stem Cell Transplantation. <i>Frontiers in Immunology</i> , 2020, 11, 489.	4.8	90
32	Pancreatic ultrasound elastography is not useful to predict the risk of pancreatic fistulas after pancreatic resection. <i>Updates in Surgery</i> , 2020, 72, 1081-1087.	2.0	4
33	The Onset of de novo Hepatocellular Carcinoma after Liver Transplantation can be both of Donor and Recipient origin. A Case Report. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 24, 387-389.	0.9	7
34	Adverse Food Reaction and Functional Gastrointestinal Disorders: Role of the Dietetic Approach. <i>Journal of Gastrointestinal and Liver Diseases</i> , 2020, 24, 319-327.	0.9	11
35	Non-invasive tests for the prediction of primary hepatocellular carcinoma. <i>World Journal of Gastroenterology</i> , 2020, 26, 3326-3343.	3.3	28
36	Sound Conclusions: How Splenic Elastography May Decrease the Need for Endoscopic Variceal Surveillance. <i>Digestive Diseases and Sciences</i> , 2019, 64, 2381-2383.	2.3	0

#	ARTICLE	IF	CITATIONS
37	Liver Stiffness Measurement Allows Early Diagnosis of Venous-Obstructive Disease/Sinusoidal Obstruction Syndrome in Adult Patients Who Undergo Hematopoietic Stem Cell Transplantation: Results from a Monocentric Prospective Study. <i>Biology of Blood and Marrow Transplantation</i> , 2019, 25, 995-1003.	2.0	56
38	Reply to correspondence concerning: "Role of liver and spleen stiffness in predicting the recurrence of hepatocellular carcinoma after resection". <i>Journal of Hepatology</i> , 2019, 70, 809-810.	3.7	2
39	The concept of therapeutic hierarchy for patients with hepatocellular carcinoma: A multicenter cohort study. <i>Liver International</i> , 2019, 39, 1478-1489.	3.9	41
40	Indocyanine green retention test predict the risk of portal hypertension-related events after direct-acting antiviral therapy in compensated advanced chronic liver disease patients. <i>Digestive and Liver Disease</i> , 2019, 51, e55.	0.9	0
41	The risk of hepatic decompensation is reduced, but not abolished after direct-acting antivirals: the role of spleen stiffness measurement. <i>Digestive and Liver Disease</i> , 2019, 51, e64.	0.9	0
42	Role of imaging techniques in liver veno-occlusive disease diagnosis: recent advances and literature review. <i>Expert Review of Gastroenterology and Hepatology</i> , 2019, 13, 463-484.	3.0	34
43	Liver and Spleen Stiffness Measurements for Assessment of Portal Hypertension Severity in Patients with Budd Chiari Syndrome. <i>Canadian Journal of Gastroenterology and Hepatology</i> , 2019, 2019, 1-6.	1.9	22
44	Association between PNPLA3rs738409 polymorphism decreased kidney function in postmenopausal type 2 diabetic women with or without non-alcoholic fatty liver disease. <i>Diabetes and Metabolism</i> , 2019, 45, 480-487.	2.9	36
45	Prediction of posthepatectomy liver failure: Role of SSM and LSPS. <i>Journal of Surgical Oncology</i> , 2019, 119, 400-401.	1.7	10
46	"Are the Expanded Baveno VI Criteria really safe to screen compensated cirrhotic patients for high-risk varices?". <i>Digestive and Liver Disease</i> , 2019, 51, 456-457.	0.9	12
47	Association between non-alcoholic fatty liver disease and bone turnover biomarkers in post-menopausal women with type 2 diabetes. <i>Diabetes and Metabolism</i> , 2019, 45, 347-355.	2.9	47
48	Role of liver and spleen stiffness in predicting the recurrence of hepatocellular carcinoma after resection. <i>Journal of Hepatology</i> , 2019, 70, 440-448.	3.7	126
49	Vascular and Parenchymal Alterations of the Liver and Liver Surveillance in Patients Who Received Inotuzumab Ozogamicin As the Standard of Care for Relapse/Refractory Acute Lymphoblastic Leukemia. <i>Blood</i> , 2019, 134, 1343-1343.	1.4	1
50	Hepatocellular carcinoma risk assessment by the measurement of liver stiffness variations in HCV cirrhotics treated with direct acting antivirals. <i>Digestive and Liver Disease</i> , 2018, 50, 573-579.	0.9	56
51	Persistent Fever and Abdominal Pain in a Young Woman With Budd-Chiari Syndrome. <i>Gastroenterology</i> , 2018, 154, 495-497.	1.3	5
52	Utility of Tumor Burden Score to Stratify Prognosis of Patients with Hepatocellular Cancer: Results of 4759 Cases from ITA.LI.CA Study Group. <i>Journal of Gastrointestinal Surgery</i> , 2018, 22, 859-871.	1.7	38
53	A combined model based on spleen stiffness measurement and Baveno VI criteria to rule out high-risk varices in advanced chronic liver disease. <i>Journal of Hepatology</i> , 2018, 69, 308-317.	3.7	142
54	Spleen Stiffness by Ultrasound Elastography. , 2018, , 113-137.		7

#	ARTICLE	IF	CITATIONS
55	Patients with advanced hepatocellular carcinoma need a personalized management: A lesson from clinical practice. <i>Hepatology</i> , 2018, 67, 1784-1796.	7.3	93
56	Restaging Patients With Hepatocellular Carcinoma Before Additional Treatment Decisions: A Multicenter Cohort Study. <i>Hepatology</i> , 2018, 68, 1232-1244.	7.3	26
57	Spleen stiffness mirrors changes in portal hypertension after successful interferon-free therapy in chronic-hepatitis C virus patients. <i>World Journal of Hepatology</i> , 2018, 10, 731-742.	2.0	24
58	Transient Elastography Anticipates the Diagnosis of VOD/SOS after Adult Allogeneic Stem Cell Transplant: Results from a Prospective Study. <i>Blood</i> , 2018, 132, 2098-2098.	1.4	0
59	Adding Liver Stiffness Measurement to the Routine Evaluation of Hepatocellular Carcinoma Resectability Can Optimize Clinical Outcome. <i>Ultraschall in Der Medizin</i> , 2017, 38, 515-522.	1.5	3
60	A meta-analysis of single HCV-untreated arm of studies evaluating outcomes after curative treatments of HCV-related hepatocellular carcinoma. <i>Liver International</i> , 2017, 37, 1157-1166.	3.9	70
61	Primary biliary cholangitis—primary sclerosing cholangitis in an evolving overlap syndrome: A case report. <i>Gastroenterology &amp; Hepatology</i> , 2017, 40, 669-671.	0.5	8
62	Hepatic decompensation is the major driver of death in HCV-infected cirrhotic patients with successfully treated early hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2017, 67, 65-71.	3.7	83
63	Gut microbiota, metabolome and immune signatures in patients with uncomplicated diverticular disease. <i>Gut</i> , 2017, 66, 1252-1261.	12.1	138
64	Ductal stones recurrence after extracorporeal shock wave lithotripsy for difficult common bile duct stones: Predictive factors. <i>Digestive and Liver Disease</i> , 2017, 49, 1128-1132.	0.9	2
65	Liver stiffness and serum fibrosis biomarker variations after DAAs treatment: Predictive role in HCC development in cirrhotic patients. <i>Digestive and Liver Disease</i> , 2017, 49, e39.	0.9	0
66	Spleen stiffness measurement: A useful prognostic tool in HCV patients treated with DAAs regimens. <i>Digestive and Liver Disease</i> , 2017, 49, e40-e41.	0.9	0
67	Differences in liver stiffness values obtained with new ultrasound elastography machines and Fibroscan: A comparative study. <i>Digestive and Liver Disease</i> , 2017, 49, 802-808.	0.9	51
68	Usefulness of liver stiffness measurement in predicting hepatic veno-occlusive disease development in patients who undergo HSCT. <i>Bone Marrow Transplantation</i> , 2017, 52, 494-497.	2.4	34
69	Hepatocellular carcinoma recurrence in patients with curative resection or ablation: impact of HCV eradication does not depend on the use of interferon. <i>Alimentary Pharmacology and Therapeutics</i> , 2017, 45, 160-168.	3.7	70
70	The evolutionary scenario of hepatocellular carcinoma in Italy: an update. <i>Liver International</i> , 2017, 37, 259-270.	3.9	67
71	Relationship between indocyanine green retention test, decompensation and survival in patients with Child-Pugh A cirrhosis and portal hypertension. <i>Liver International</i> , 2016, 36, 1313-1321.	3.9	29
72	Su1942 Mucosal Immune System and Its Interaction With Microbiota in Patients With Diverticular Disease. <i>Gastroenterology</i> , 2016, 150, S595.	1.3	0

#	ARTICLE	IF	CITATIONS
73	MRI Patterns in a Case of 6-Thioguanine-Related Hepatic Sinusoidal Obstruction Syndrome. <i>American Journal of Gastroenterology</i> , 2016, 111, 767.	0.4	7
74	Are Noninvasive Methods Clinically Useful in Advanced, Decompensated Liver Cirrhosis When "Les Jeux Sont Faits". <i>Radiology</i> , 2016, 278, 304-306.	7.3	2
75	Gut Microbiota and Celiac Disease. <i>Digestive Diseases and Sciences</i> , 2016, 61, 1461-1472.	2.3	115
76	Hepatic venous pressure gradient in the preoperative assessment of patients with resectable hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2016, 64, 79-86.	3.7	83
77	Pathophysiology and Therapeutic Strategies for Symptomatic Uncomplicated Diverticular Disease of the Colon. <i>Digestive Diseases and Sciences</i> , 2016, 61, 673-683.	2.3	25
78	Liver and spleen stiffness and other noninvasive methods to assess portal hypertension in cirrhotic patients. <i>European Journal of Gastroenterology and Hepatology</i> , 2015, 27, 992-1001.	1.6	51
79	Ischaemia-modified albumin: a marker of bacterial infection in hospitalized patients with cirrhosis. <i>Liver International</i> , 2015, 35, 2425-2432.	3.9	20
80	Reply to Letter. <i>Annals of Surgery</i> , 2015, 261, e105-e106.	4.2	1
81	Non-invasive diagnostic approach to non-alcoholic fatty liver disease: current evidence and future perspectives. <i>Expert Review of Gastroenterology and Hepatology</i> , 2015, 9, 1039-1053.	3.0	13
82	Transient Elastography (FibroScan) Is Not Correlated With Liver Fibrosis but With Cholestasis in Patients With Long-Term Home Parenteral Nutrition. <i>Journal of Parenteral and Enteral Nutrition</i> , 2015, 39, 719-724.	2.6	51
83	Risk Factors for Gallstone Formation During Weight Loss. <i>Clinical Gastroenterology and Hepatology</i> , 2015, 13, 613.	4.4	8
84	Dysbiosis in Celiac Disease Patients With Persistent Symptoms on Gluten-Free Diet: A Condition Similar to that Present in Irritable Bowel Syndrome Patients?. <i>American Journal of Gastroenterology</i> , 2015, 110, 598.	0.4	11
85	Gut microbiota and metabolic syndrome. <i>World Journal of Gastroenterology</i> , 2014, 20, 16079.	3.3	405
86	Prognostic factors for hepatocellular carcinoma recurrence. <i>World Journal of Gastroenterology</i> , 2014, 20, 5935.	3.3	143
87	Indocyanine green retention test as a noninvasive marker of portal hypertension and esophageal varices in compensated liver cirrhosis. <i>Hepatology</i> , 2014, 59, 643-650.	7.3	91
88	An explorative data-analysis to support the choice between hepatic resection and radiofrequency ablation in the treatment of hepatocellular carcinoma. <i>Digestive and Liver Disease</i> , 2014, 46, 257-263.	0.9	43
89	Spleen stiffness measurement can predict clinical complications in compensated HCV-related cirrhosis: A prospective study. <i>Journal of Hepatology</i> , 2014, 60, 1158-1164.	3.7	123
90	Italian consensus conference for colonic diverticulosis and diverticular disease. <i>United European Gastroenterology Journal</i> , 2014, 2, 413-442.	3.8	141

#	ARTICLE	IF	CITATIONS
91	Cost-effectiveness of hepatic resection versus percutaneous radiofrequency ablation for early hepatocellular carcinoma. <i>Journal of Hepatology</i> , 2013, 59, 300-307.	3.7	323
92	A new point-of-care portable immunosensor for non-invasive assessment of oro-ileal transit time by oral fluid tauroursodeoxycholate measurement after its oral load. <i>Journal of Pharmaceutical and Biomedical Analysis</i> , 2013, 81-82, 1-7.	2.8	1
93	Review article: the diagnosis of non-alcoholic fatty liver disease – availability and accuracy of non-invasive methods. <i>Alimentary Pharmacology and Therapeutics</i> , 2013, 37, 392-400.	3.7	156
94	Letter: FibroTest for staging fibrosis in non-alcoholic fatty liver disease – authors’ reply. <i>Alimentary Pharmacology and Therapeutics</i> , 2013, 37, 656-657.	3.7	6
95	Focal nodular hyperplasia of the liver in children after hematopoietic stem cell transplantation. <i>Pediatric Transplantation</i> , 2013, 17, 479-486.	1.0	16
96	Benign Hepatic Nodular Lesions After Treatment for Childhood Cancer. <i>Journal of Pediatric Gastroenterology and Nutrition</i> , 2013, 56, 151-155.	1.8	16
97	Long-term leukocyte natural $\alpha$ -interferon and ribavirin treatment in hepatitis C virus recurrence after liver transplantation. <i>World Journal of Gastroenterology</i> , 2013, 19, 5278.	3.3	3
98	Value of Transient Elastography Measured With Fibroscan in Predicting the Outcome of Hepatic Resection for Hepatocellular Carcinoma. <i>Annals of Surgery</i> , 2012, 256, 706-713.	4.2	142
99	Noninvasive Parameters for Predicting Esophageal Varices in Children: Their Sequential Use Provides the Best Accuracy. <i>Gastroenterology</i> , 2012, 142, e32.	1.3	3
100	Measurement of Spleen Stiffness to Evaluate Portal Hypertension and the Presence of Esophageal Varices in Patients With HCV-Related Cirrhosis. <i>Gastroenterology</i> , 2012, 143, 646-654.	1.3	440
101	Relationship between hepatic haemodynamics assessed by Doppler ultrasound and liver stiffness. <i>Digestive and Liver Disease</i> , 2012, 44, 154-159.	0.9	18
102	Long-Term Treatment With Natural Alpha-IFN in Hepatitis C Recurrence After OLT. <i>Gastroenterology</i> , 2011, 140, S-901.	1.3	0
103	Coeliac disease and autoimmune hepatitis: Gluten-free diet can influence liver disease outcome. <i>Digestive and Liver Disease</i> , 2011, 43, 247.	0.9	7
104	Non-invasive methods can predict oesophageal varices in patients with biliary atresia after a Kasai procedure. <i>Digestive and Liver Disease</i> , 2011, 43, 659-663.	0.9	41
105	Indocyanine Green Clearance as a Marker of Decompensation and Clinically Significant Portal Hypertension in Patients With Liver Cirrhosis. <i>Gastroenterology</i> , 2011, 140, S-958.	1.3	1
106	Pre-operative liver biopsy in cirrhotic patients with early hepatocellular carcinoma represents a safe and accurate diagnostic tool for tumour grading assessment. <i>Journal of Hepatology</i> , 2011, 54, 300-305.	3.7	58
107	Plasma antioxidant enzymes and clastogenic factors as possible biomarkers of colorectal cancer risk. <i>Mutation Research - Fundamental and Molecular Mechanisms of Mutagenesis</i> , 2011, 714, 88-92.	1.0	23
108	Gut Microbiota and Its Pathophysiology in Disease Paradigms. <i>Digestive Diseases</i> , 2011, 29, 518-524.	1.9	50



#	ARTICLE	IF	CITATIONS
109	Focal nodular hyperplasia of the liver after intensive treatment for pediatric cancer: is hematopoietic stem cell transplantation a risk factor?. <i>European Journal of Pediatrics</i> , 2011, 170, 807-812.	2.7	20
110	Percutaneous liver biopsy in the clinical management of hepatocellular carcinoma: Back to the future. <i>Hepatology</i> , 2011, 53, 2147-2147.	7.3	0
111	Autoimmune liver diseases in a paediatric population with coeliac disease " a 10-year single-centre experience. <i>Alimentary Pharmacology and Therapeutics</i> , 2010, 31, 253-260.	3.7	42
112	Natural history of gallstone disease: Expectant management or active treatment? Results from a population-based cohort study. <i>Journal of Gastroenterology and Hepatology (Australia)</i> , 2010, 25, 719-724.	2.8	130
113	Development and application of a simple and powerful tool for nutrition and lifestyle education for the Italian general population by general practitioners and family paediatricians. <i>Mediterranean Journal of Nutrition and Metabolism</i> , 2009, 2, 139-144.	0.5	2
114	Body weight, lifestyle, dietary habits and gastroesophageal reflux disease. <i>World Journal of Gastroenterology</i> , 2009, 15, 1690.	3.3	138
115	Mesalazine and Rifaximin in Symptomatic Uncomplicated Diverticular Disease. <i>American Journal of Gastroenterology</i> , 2009, 104, 532-532.	0.4	3
116	Development and application of a simple and powerful tool for nutrition and lifestyle education for the Italian general population by general practitioners and family paediatricians. <i>Mediterranean Journal of Nutrition and Metabolism</i> , 2009, 2, 139-144.	0.5	6
117	Methodology and Indications of $H_2$ Breath Testing in Gastrointestinal Diseases: the Rome Consensus Conference. <i>Alimentary Pharmacology and Therapeutics</i> , 2009, 29, 1-49.	3.7	320
118	Natural History of Small Gallbladder Polyps Is Benign: Evidence From a Clinical and Pathogenetic Study. <i>American Journal of Gastroenterology</i> , 2009, 104, 624-629.	0.4	32
119	Bacterial flora, gas and antibiotics. <i>Digestive and Liver Disease Supplements</i> , 2009, 3, 54-57.	0.2	1
120	C-11 Acetate Does Not Enhance Usefulness of F-18 FDG PET/CT in Differentiating Between Focal Nodular Hyperplasia and Hepatic Adenoma. <i>Clinical Nuclear Medicine</i> , 2009, 34, 659-665.	1.3	21
121	Natural History of Small Gallbladder Polyps Is Benign. <i>American Journal of Gastroenterology</i> , 2009, 104, 624-629.	0.4	7
122	Clinical trial: peginterferon alfa $_{2b}$ and ribavirin for the treatment of genotype $_{1}$ hepatitis C recurrence after liver transplantation. <i>Alimentary Pharmacology and Therapeutics</i> , 2008, 28, 450-457.	3.7	39
123	Transjugular intrahepatic portosystemic shunt: A case report of rescue management of unrestrainable variceal bleeding in a pregnant woman. <i>Digestive and Liver Disease</i> , 2008, 40, 387-390.	0.9	29
124	Incidence of gallstone disease in Italy: Results from a multicenter, population-based Italian study (the Tj ETQq0 0 0,rgBT /Overlock 10 Tf	3.3	151
125	Clinical Efficacy and Effectiveness of Ursodeoxycholic Acid in Cholestatic Liver Diseases. <i>Current Clinical Pharmacology</i> , 2007, 2, 155-177.	0.6	49
126	Biliary symptoms, gallbladder motility, and cholecystectomy. <i>Hepatology</i> , 2007, 45, 259-260.	7.3	0



#	ARTICLE	IF	CITATIONS
127	Clinical trial: modulation of human placental multidrug resistance proteins in cholestasis of pregnancy by ursodeoxycholic acid. <i>Alimentary Pharmacology and Therapeutics</i> , 2007, 26, 1139-1146.	3.7	41
128	Efficacy of long term cyclic administration of the poorly absorbed antibiotic Rifaximin in symptomatic, uncomplicated colonic diverticular disease. <i>World Journal of Gastroenterology</i> , 2007, 13, 264.	3.3	91
129	Management of Hepatic Encephalopathy: Focus on Antibiotic Therapy. <i>Digestion</i> , 2006, 73, 94-101.	2.3	45
130	Systemic lupus erythematosus following virological response to peginterferon alfa-2b in a transplanted patient with chronic hepatitis C recurrence. <i>World Journal of Gastroenterology</i> , 2006, 12, 4253.	3.3	15
131	Is It Possible to Predict the Clinical Course of Gallstone Disease? Usefulness of Gallbladder Motility Evaluation in a Clinical Setting. <i>American Journal of Gastroenterology</i> , 2006, 101, 2576-2581.	0.4	25
132	Ursodeoxycholic acid improves gastrointestinal motility defects in gallstone patients. <i>World Journal of Gastroenterology</i> , 2006, 12, 5336.	3.3	17
133	Hepatocellular carcinoma prevention: A worldwide emergence between the opulence of developed countries and the economic constraints of developing nations. <i>World Journal of Gastroenterology</i> , 2006, 12, 7239.	3.3	74
134	Higher doses of peginterferon alpha-2b administered twice weekly improve sustained virological response in difficult-to-treat patients with chronic hepatitis C: results of a pilot randomized study. <i>Journal of Viral Hepatitis</i> , 2005, 12, 536-542.	2.0	13
135	Measurement of hepatic functional mass by means of <sup>13</sup> C-methacetin and <sup>13</sup> C-phenylalanine breath tests in chronic liver disease: Comparison with Child-Pugh score and serum bile acid levels. <i>World Journal of Gastroenterology</i> , 2005, 11, 142.	3.3	51
136	Interferon plus ribavirin and interferon alone in preventing hepatocellular carcinoma: A prospective study on patients with HCV related cirrhosis. <i>World Journal of Gastroenterology</i> , 2004, 10, 3099.	3.3	38
137	Hepatic steatosis in obese patients: clinical aspects and prognostic significance. <i>Obesity Reviews</i> , 2004, 5, 27-42.	6.5	263
138	Safety of interferon $\hat{1}^2$ treatment for chronic HCV hepatitis. <i>World Journal of Gastroenterology</i> , 2004, 10, 12.	3.3	48
139	Six years follow-up in primary biliary cirrhosis patients: Evaluation of standard vs high UDCA dose on liver biochemistry, Mayo score and liver histology. <i>Gastroenterology</i> , 2003, 124, A712.	1.3	0
140	Interferon and interferon plus ribavirine in hepatocellular carcinoma prevention: A prospective study on patients with HCV related cirrhosis. <i>Gastroenterology</i> , 2003, 124, A703.	1.3	0
141	Measurements of gallbladder motor function by ultrasonography: towards standardization. <i>Digestive and Liver Disease</i> , 2003, 35, 56-61.	0.9	29
142	Ten year incidence of HCV infection in northern Italy and frequency of spontaneous viral clearance. <i>Gut</i> , 2003, 52, 1030-1034.	12.1	59
143	Diverticular disease of the colon: New perspectives in symptom development and treatment. <i>World Journal of Gastroenterology</i> , 2003, 9, 1385.	3.3	51
144	Gastric autoimmune disorders in patients with chronic hepatitis C before, during and after interferon-alpha therapy. <i>World Journal of Gastroenterology</i> , 2003, 9, 1487.	3.3	29

#	ARTICLE	IF	CITATIONS
145	Long-term alpha interferon and lamivudine combination therapy in non-responder patients with anti-HBe-positive chronic hepatitis B: Results of an open, controlled trial. <i>World Journal of Gastroenterology</i> , 2003, 9, 1491.	3.3	21
146	Improved liver tests and greater biliary enrichment with high dose ursodeoxycholic acid in early stage primary biliary cirrhosis. <i>Digestive and Liver Disease</i> , 2002, 34, 523-527.	0.9	17
147	Ten-year incidence of HCV infection in northern Italy and frequency of spontaneous viral clearance. <i>Journal of Hepatology</i> , 2002, 36, 119.	3.7	1
148	Incidence and natural history of HCV infection in Northern Italy: Results of an epidemiological study. <i>Gastroenterology</i> , 2001, 120, A366.	1.3	0
149	Review: low caloric intake and gall-bladder motor function. <i>Alimentary Pharmacology and Therapeutics</i> , 2000, 14, 51-53.	3.7	37
150	Incidence and natural history of HCV infection: Results of an epidemiological study. <i>Gastroenterology</i> , 2000, 118, A952-A953.	1.3	0
151	Orocecal transit time in gallstone patients and in obese patients before and after very low calorie diet. <i>Gastroenterology</i> , 2000, 118, A1497.	1.3	0
152	Does gallbladder motility relate to biliary symptom frequency in cholesterol gallstone patients?. <i>Gastroenterology</i> , 2000, 118, A1002.	1.3	0
153	Efficacy and safety of long term treatment of chronic hepatitis B with IFNA plus lamivudine versus IFNA alone. <i>Gastroenterology</i> , 2000, 118, A937.	1.3	1
154	Changes in biliary lipid secretion and cholic acid kinetics induced by diet and diet + simvastatin in obese subjects. <i>Gastroenterology</i> , 2000, 118, A927.	1.3	0
155	Standards for diagnosis gastrointestinal motility disorders. Section: ultrasonography position statement from the Gruppo Italiano di Studio Motilità Apparato Digerente (GISMAD). <i>Digestive and Liver Disease</i> , 2000, 32, 160-172.	0.9	29
156	Sluggish Small Bowel Motility Is Involved in Determining Increased Biliary Deoxycholic Acid in Cholesterol Gallstone Patients. <i>American Journal of Gastroenterology</i> , 1999, 94, 2453-2459.	0.4	25
157	Clinical manifestations of gallstone disease: Evidence from the multicenter Italian study on cholelithiasis (MICOL). <i>Hepatology</i> , 1999, 30, 839-846.	7.3	84
158	Gallbladder motility and gallstone formation in obese patients following very low calorie diets. Use it (fat) to lose it (well). <i>International Journal of Obesity</i> , 1998, 22, 592-600.	3.4	71
159	Endoscopic Ultrasonography in the Diagnosis of Gastrointestinal Amyloid Deposits: Clinical Case Report. <i>Endoscopy</i> , 1995, 27, 132-134.	1.8	13
160	Natural history of hepatic haemangiomas: clinical and ultrasound study.. <i>Gut</i> , 1991, 32, 677-680.	12.1	190
161	Non-invasive tests for the prediction of post-hepatectomy liver failure in the elderly. <i>Hepatoma Research</i> , 0, 2020, .	1.5	3