

Carl van Walraven

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6410262/publications.pdf>

Version: 2024-02-01

153
papers

10,112
citations

66315

42
h-index

36008

97
g-index

156
all docs

156
docs citations

156
times ranked

12548
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 1 | A Modification of the Elixhauser Comorbidity Measures Into a Point System for Hospital Death Using Administrative Data. <i>Medical Care</i> , 2009, 47, 626-633. | 1.1 | 1,573 |
| 2 | Derivation and validation of an index to predict early death or unplanned readmission after discharge from hospital to the community. <i>Cmaj</i> , 2010, 182, 551-557. | 0.9 | 726 |
| 3 | Oral Anticoagulants vs Aspirin in Nonvalvular Atrial Fibrillation. <i>JAMA - Journal of the American Medical Association</i> , 2002, 288, 2441. | 3.8 | 632 |
| 4 | Proportion of hospital readmissions deemed avoidable: a systematic review. <i>Cmaj</i> , 2011, 183, E391-E402. | 0.9 | 556 |
| 5 | Effect of Study Setting on Anticoagulation Control. <i>Chest</i> , 2006, 129, 1155-1166. | 0.4 | 453 |
| 6 | The association between continuity of care and outcomes: a systematic and critical review. <i>Journal of Evaluation in Clinical Practice</i> , 2010, 16, 947-956. | 0.9 | 427 |
| 7 | Time-dependent bias was common in survival analyses published in leading clinical journals. <i>Journal of Clinical Epidemiology</i> , 2004, 57, 672-682. | 2.4 | 312 |
| 8 | Effect of Age on Stroke Prevention Therapy in Patients With Atrial Fibrillation. <i>Stroke</i> , 2009, 40, 1410-1416. | 1.0 | 306 |
| 9 | Do We Know What Inappropriate Laboratory Utilization Is?. <i>JAMA - Journal of the American Medical Association</i> , 1998, 280, 550. | 3.8 | 305 |
| 10 | Effect of discharge summary availability during post-discharge visits on hospital readmission. <i>Journal of General Internal Medicine</i> , 2002, 17, 186-192. | 1.3 | 262 |
| 11 | Association of Frailty and 1-Year Postoperative Mortality Following Major Elective Noncardiac Surgery. <i>JAMA Surgery</i> , 2016, 151, 538. | 2.2 | 233 |
| 12 | Continuity of care and patient outcomes after hospital discharge. <i>Journal of General Internal Medicine</i> , 2004, 19, 624-631. | 1.3 | 191 |
| 13 | The Effect of Hospital Occupancy on Emergency Department Length of Stay and Patient Disposition. <i>Academic Emergency Medicine</i> , 2003, 10, 127-133. | 0.8 | 186 |
| 14 | A Clinical Prediction Rule to Identify Patients With Atrial Fibrillation and a Low Risk for Stroke While Taking Aspirin. <i>Archives of Internal Medicine</i> , 2003, 163, 936. | 4.3 | 185 |
| 15 | Administrative database research has unique characteristics that can risk biased results. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 126-131. | 2.4 | 178 |
| 16 | Incidence of potentially avoidable urgent readmissions and their relation to all-cause urgent readmissions. <i>Cmaj</i> , 2011, 183, E1067-E1072. | 0.9 | 145 |
| 17 | A meta-analysis of hospital 30-day avoidable readmission rates. <i>Journal of Evaluation in Clinical Practice</i> , 2012, 18, 1211-1218. | 0.9 | 144 |
| 18 | Administrative database research infrequently used validated diagnostic or procedural codes. <i>Journal of Clinical Epidemiology</i> , 2011, 64, 1054-1059. | 2.4 | 131 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Frailty as a Predictor of Death or New Disability After Surgery. <i>Annals of Surgery</i> , 2020, 271, 283-289. | 2.1 | 131 |
| 20 | Effect of Population-Based Interventions on Laboratory Utilization. <i>JAMA - Journal of the American Medical Association</i> , 1998, 280, 2028. | 3.8 | 116 |
| 21 | Population-based Study of Repeat Laboratory Testing. <i>Clinical Chemistry</i> , 2003, 49, 1997-2005. | 1.5 | 109 |
| 22 | Association of Blood Donor Age and Sex With Recipient Survival After Red Blood Cell Transfusion. <i>JAMA Internal Medicine</i> , 2016, 176, 1307. | 2.6 | 109 |
| 23 | Survival Trends in ESRD Patients Compared With the General Population in the United States. <i>American Journal of Kidney Diseases</i> , 2014, 63, 491-499. | 2.1 | 107 |
| 24 | The Surgical Site Infection Risk Score (SSIRS): A Model to Predict the Risk of Surgical Site Infections. <i>PLoS ONE</i> , 2013, 8, e67167. | 1.1 | 102 |
| 25 | Competing risk bias was common in Kaplan-Meier risk estimates published in prominent medical journals. <i>Journal of Clinical Epidemiology</i> , 2016, 69, 170-173.e8. | 2.4 | 97 |
| 26 | External validation of the Hospital Frailty Risk Score and comparison with the Hospital-patient One-year Mortality Risk Score to predict outcomes in elderly hospitalised patients: a retrospective cohort study. <i>BMJ Quality and Safety</i> , 2019, 28, 284-288. | 1.8 | 85 |
| 27 | The Kaiser Permanente inpatient risk adjustment methodology was valid in an external patient population. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 798-803. | 2.4 | 80 |
| 28 | Burden of Potentially Avoidable Anticoagulant-Associated Hemorrhagic and Thromboembolic Events in the Elderly. <i>Chest</i> , 2007, 131, 1508-1515. | 0.4 | 72 |
| 29 | Effect of Blood Donor Characteristics on Transfusion Outcomes: A Systematic Review and Meta-Analysis. <i>Transfusion Medicine Reviews</i> , 2016, 30, 69-80. | 0.9 | 71 |
| 30 | Prevalence of information gaps in the emergency department and the effect on patient outcomes. <i>Cmaj</i> , 2003, 169, 1023-8. | 0.9 | 70 |
| 31 | Derivation and Validation of a Generalizable Preoperative Frailty Index Using Population-based Health Administrative Data. <i>Annals of Surgery</i> , 2019, 270, 102-108. | 2.1 | 69 |
| 32 | Quantifying the impact of survivor treatment bias in observational studies. <i>Journal of Evaluation in Clinical Practice</i> , 2006, 12, 601-612. | 0.9 | 68 |
| 33 | External validation of the Hospital-patient One-year Mortality Risk (HOMR) model for predicting death within 1 year after hospital admission. <i>Cmaj</i> , 2015, 187, 725-733. | 0.9 | 63 |
| 34 | Dissemination of discharge summaries. Not reaching follow-up physicians. <i>Canadian Family Physician</i> , 2002, 48, 737-42. | 0.1 | 61 |
| 35 | The independent association of provider and information continuity on outcomes after hospital discharge: Implications for hospitalists. <i>Journal of Hospital Medicine</i> , 2010, 5, 398-405. | 0.7 | 57 |
| 36 | Association of Diagnostic Radiation Exposure and Second Abdominal-Pelvic Malignancies After Testicular Cancer. <i>Journal of Clinical Oncology</i> , 2011, 29, 2883-2888. | 0.8 | 57 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 37 | Information exchange among physicians caring for the same patient in the community. <i>Cmaj</i> , 2008, 179, 1013-1018. | 0.9 | 56 |
| 38 | Incidence, follow-up, and outcomes of incidental abdominal aortic aneurysms. <i>Journal of Vascular Surgery</i> , 2010, 52, 282-289.e2. | 0.6 | 56 |
| 39 | Incidence and Contributors to Potential Drug-Drug Interactions in Hospitalized Patients. <i>Journal of Clinical Pharmacology</i> , 2011, 51, 1043-1050. | 1.0 | 56 |
| 40 | Research pointers: Risk of subsequent thromboembolism for patients with pre-eclampsia. <i>BMJ: British Medical Journal</i> , 2003, 326, 791-792. | 2.4 | 51 |
| 41 | Predicting potential survival benefit of renal transplantation in patients with chronic kidney disease. <i>Cmaj</i> , 2010, 182, 666-672. | 0.9 | 49 |
| 42 | How far is the sternal angle from the mid-right atrium?. <i>Journal of General Internal Medicine</i> , 2002, 17, 861-865. | 1.3 | 45 |
| 43 | LACE+ index: extension of a validated index to predict early death or urgent readmission after hospital discharge using administrative data. <i>Open Medicine</i> , 2012, 6, e80-90. | 1.5 | 45 |
| 44 | A prospective cohort study found that provider and information continuity was low after patient discharge from hospital. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1000-1010. | 2.4 | 43 |
| 45 | Use of Preoperative Magnetic Resonance Imaging for Breast Cancer. <i>JAMA Oncology</i> , 2015, 1, 1238. | 3.4 | 43 |
| 46 | Quality gaps identified through mortality review. <i>BMJ Quality and Safety</i> , 2017, 26, 141-149. | 1.8 | 43 |
| 47 | PREHAB study: a protocol for a prospective randomised clinical trial of exercise therapy for people living with frailty having cancer surgery. <i>BMJ Open</i> , 2018, 8, e022057. | 0.8 | 38 |
| 48 | The Hospital-patient One-year Mortality Risk score accurately predicted long-term death risk in hospitalized patients. <i>Journal of Clinical Epidemiology</i> , 2014, 67, 1025-1034. | 2.4 | 36 |
| 49 | Frailty and long-term postoperative disability trajectories: a prospective multicentre cohort study. <i>British Journal of Anaesthesia</i> , 2020, 125, 704-711. | 1.5 | 36 |
| 50 | The effect of hospitalization on oral anticoagulation control: A population-based study. <i>Thrombosis Research</i> , 2007, 119, 705-714. | 0.8 | 34 |
| 51 | Association between perioperative beta blocker use and cancer survival following surgical resection. <i>European Journal of Surgical Oncology</i> , 2018, 44, 1164-1169. | 0.5 | 31 |
| 52 | Home-based prehabilitation with exercise to improve postoperative recovery for older adults with frailty having cancer surgery: the PREHAB randomised clinical trial. <i>British Journal of Anaesthesia</i> , 2022, 129, 41-48. | 1.5 | 31 |
| 53 | The usefulness of administrative databases for identifying disease cohorts is increased with a multivariate model. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 1332-1341. | 2.4 | 30 |
| 54 | Individual patient meta-analysis—rewards and challenges. <i>Journal of Clinical Epidemiology</i> , 2010, 63, 235-237. | 2.4 | 29 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Imaging for distant metastases in women with early-stage breast cancer: a population-based cohort study. <i>Cmaj</i> , 2015, 187, E387-E397. | 0.9 | 29 |
| 56 | Effect of Preoperative Geriatric Evaluation on Outcomes After Elective Surgery: A Population-Based Study. <i>Journal of the American Geriatrics Society</i> , 2017, 65, 2665-2672. | 1.3 | 27 |
| 57 | A comparison of methods to correct for misclassification bias from administrative database diagnostic codes. <i>International Journal of Epidemiology</i> , 2018, 47, 605-616. | 0.9 | 25 |
| 58 | Competing risk bias in Kaplan-Meier risk estimates can be corrected. <i>Journal of Clinical Epidemiology</i> , 2016, 70, 101-105. | 2.4 | 24 |
| 59 | Using an interactive voice response system to improve patient safety following hospital discharge. <i>Journal of Evaluation in Clinical Practice</i> , 2007, 13, 346-351. | 0.9 | 23 |
| 60 | Influence of house-staff experience on teaching-hospital mortality: The "July Phenomenon" revisited. <i>Journal of Hospital Medicine</i> , 2011, 6, 389-394. | 0.7 | 23 |
| 61 | Predicting Stroke Risk Based on Health Behaviours: Development of the Stroke Population Risk Tool (SPoRT). <i>PLoS ONE</i> , 2015, 10, e0143342. | 1.1 | 23 |
| 62 | Validation of Administrative Database Codes for Acute Kidney Injury in Kidney Transplant Recipients. <i>Canadian Journal of Kidney Health and Disease</i> , 2016, 3, 108. | 0.6 | 22 |
| 63 | Pediatric tonsillectomy is a resource-intensive procedure: a study of Canadian health administrative data. <i>Canadian Journal of Anaesthesia</i> , 2017, 64, 724-735. | 0.7 | 21 |
| 64 | Migraine headache and risk of self-harm and suicide: A population-based study in Ontario, Canada. <i>Headache</i> , 2016, 56, 132-140. | 1.8 | 20 |
| 65 | Anemia prevalence and incidence and red blood cell transfusion practices in aneurysmal subarachnoid hemorrhage: results of a multicenter cohort study. <i>Critical Care</i> , 2018, 22, 169. | 2.5 | 20 |
| 66 | Derivation and Validation of a Novel Risk Score to Predict Overcorrection of Severe Hyponatremia. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2019, 14, 975-982. | 2.2 | 20 |
| 67 | mHOMR: a feasibility study of an automated system for identifying inpatients having an elevated risk of 1-year mortality. <i>BMJ Quality and Safety</i> , 2019, 28, bmjqs-2018-009285. | 1.8 | 20 |
| 68 | Clinical effects of blood donor characteristics in transfusion recipients: protocol of a framework to study the blood donor-recipient continuum. <i>BMJ Open</i> , 2015, 5, e007412-e007412. | 0.8 | 19 |
| 69 | Addition of time-dependent covariates to a survival model significantly improved predictions for daily risk of hospital death. <i>Journal of Evaluation in Clinical Practice</i> , 2013, 19, 351-357. | 0.9 | 18 |
| 70 | Influence of neighborhood household income on early death or urgent hospital readmission. <i>Journal of Hospital Medicine</i> , 2013, 8, 261-266. | 0.7 | 18 |
| 71 | Long-term survival and resource use in critically ill cardiac surgery patients: a population-based study. <i>Canadian Journal of Anaesthesia</i> , 2018, 65, 985-995. | 0.7 | 18 |
| 72 | The Procedural Index for Mortality Risk (PIMR): an index calculated using administrative data to quantify the independent influence of procedures on risk of hospital death. <i>BMC Health Services Research</i> , 2011, 11, 258. | 0.9 | 17 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 73 | Comparative assessment of two frailty instruments for risk-stratification in elderly surgical patients: study protocol for a prospective cohort study. <i>BMC Anesthesiology</i> , 2016, 16, 111. | 0.7 | 16 |
| 74 | The HOMR-Now! Model Accurately Predicts 1-Year Death Risk for Hospitalized Patients on Admission. <i>American Journal of Medicine</i> , 2017, 130, 991.e9-991.e16. | 0.6 | 16 |
| 75 | Evaluation of a preoperative personalized risk communication tool: a prospective before-and-after study. <i>Canadian Journal of Anaesthesia</i> , 2020, 67, 1749-1760. | 0.7 | 16 |
| 76 | Comparing methods to calculate hospital-specific rates of early death or urgent readmission. <i>Cmaj</i> , 2012, 184, E810-E817. | 0.9 | 15 |
| 77 | The Utility of Unplanned Early Hospital Readmissions as a Health Care Quality Indicator. <i>JAMA Internal Medicine</i> , 2015, 175, 1812. | 2.6 | 15 |
| 78 | Independent influence of negative blood cultures and bloodstream infections on in-hospital mortality. <i>BMC Infectious Diseases</i> , 2014, 14, 36. | 1.3 | 14 |
| 79 | Wait Times for Melanoma Surgery: Is There an Association with Overall Survival?. <i>Annals of Surgical Oncology</i> , 2018, 25, 265-270. | 0.7 | 14 |
| 80 | The influence of incidental abdominal aortic aneurysm monitoring on patient outcomes. <i>Journal of Vascular Surgery</i> , 2011, 54, 1290-1297.e2. | 0.6 | 13 |
| 81 | When projecting required effectiveness of interventions for hospital readmission reduction, the percentage that is potentially avoidable must be considered. <i>Journal of Clinical Epidemiology</i> , 2013, 66, 688-690. | 2.4 | 13 |
| 82 | Development and evaluation of an evidence-based, theory-grounded online Clinical Frailty Scale tutorial. <i>Age and Ageing</i> , 2022, 51, . | 0.7 | 13 |
| 83 | Changes in surrogate outcomes can be translated into clinical outcomes using a Monte Carlo model. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 1306-1315. | 2.4 | 12 |
| 84 | Survival of Men with Prostate Cancer Undergoing Radical Prostatectomy in Ontario. <i>Journal of Urology</i> , 2014, 192, 1385-1389. | 0.2 | 12 |
| 85 | Association of Preoperative Anticholinergic Medication Exposure With Postoperative Healthcare Resource Use and Outcomes. <i>Annals of Surgery</i> , 2019, 270, 1049-1057. | 2.1 | 12 |
| 86 | Criteria for Hyponatremic Overcorrection: Systematic Review and Cohort Study of Emergently Ill Patients. <i>Journal of General Internal Medicine</i> , 2020, 35, 315-321. | 1.3 | 12 |
| 87 | Predicting post-discharge death or readmission: deterioration of model performance in population having multiple admissions per patient. <i>Journal of Evaluation in Clinical Practice</i> , 2013, 19, 1012-1018. | 0.9 | 11 |
| 88 | Subarachnoid hemorrhage admissions retrospectively identified using a prediction model. <i>Neurology</i> , 2016, 87, 1557-1564. | 1.5 | 11 |
| 89 | Improved Correction of Misclassification Bias With Bootstrap Imputation. <i>Medical Care</i> , 2018, 56, e39-e45. | 1.1 | 11 |
| 90 | External validation of the modified LACE+, LACE+, and LACE scores to predict readmission or death after hospital discharge. <i>Journal of Evaluation in Clinical Practice</i> , 2021, 27, 1390-1397. | 0.9 | 11 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 91 | Risk of death or readmission among people discharged from hospital on Fridays. <i>Cmaj</i> , 2002, 166, 1672-3. | 0.9 | 11 |
| 92 | Anticoagulation Control in the Peri-Hospitalization Period. <i>Journal of General Internal Medicine</i> , 2007, 22, 727-735. | 1.3 | 10 |
| 93 | Chronic rhinosinusitis identification in administrative databases and health surveys: A systematic review. <i>Laryngoscope</i> , 2016, 126, 1303-1310. | 1.1 | 10 |
| 94 | Migraineurs were reliably identified using administrative data. <i>Journal of Clinical Epidemiology</i> , 2016, 71, 68-75. | 2.4 | 10 |
| 95 | Venous thromboembolism and transfusion after major abdominopelvic surgery. <i>Surgery</i> , 2019, 166, 1084-1091. | 1.0 | 10 |
| 96 | Effect of Provider Continuity on Test Repetition. <i>Clinical Chemistry</i> , 2006, 52, 2219-2228. | 1.5 | 9 |
| 97 | The TEND (Tomorrow's Expected Number of Discharges) Model Accurately Predicted the Number of Patients Who Were Discharged from the Hospital the Next Day. <i>Journal of Hospital Medicine</i> , 2018, 13, 158-163. | 0.7 | 9 |
| 98 | Enriched administrative data can be used to retrospectively identify all known cases of primary subarachnoid hemorrhage. <i>Journal of Clinical Epidemiology</i> , 2016, 70, 146-154. | 2.4 | 8 |
| 99 | Bootstrap imputation with a disease probability model minimized bias from misclassification due to administrative database codes. <i>Journal of Clinical Epidemiology</i> , 2017, 84, 114-120. | 2.4 | 8 |
| 100 | mHOMR: the acceptability of an automated mortality prediction model for timely identification of patients for palliative care. <i>BMJ Quality and Safety</i> , 2021, 30, 837-840. | 1.8 | 8 |
| 101 | Derivation and validation of a diagnostic score based on case-mix groups to predict 30-day death or urgent readmission. <i>Open Medicine</i> , 2012, 6, e90-e100. | 1.5 | 8 |
| 102 | The effect of a hepatitis serology testing algorithm on laboratory utilization. <i>Journal of Evaluation in Clinical Practice</i> , 2002, 8, 327-332. | 0.9 | 7 |
| 103 | Oral Anticoagulants vs. Aspirin for Stroke Prevention in Patients with Non-Valvular Atrial Fibrillation: The Verdict is in. <i>Journal of Interventional Cardiac Electrophysiology</i> , 2003, 7, 374-378. | 0.9 | 7 |
| 104 | The influence of cholinesterase inhibitor therapy for dementia on risk of cardiac pacemaker insertion: a retrospective, population-based, health administrative databases study in Ontario, Canada. <i>BMC Neurology</i> , 2015, 15, 66. | 0.8 | 7 |
| 105 | Epidemiology and outcomes of bloodstream infections in patients discharged from the emergency department. <i>Canadian Journal of Emergency Medicine</i> , 2015, 17, 27-37. | 0.5 | 7 |
| 106 | Case-Ascertainment Models to Identify Adults with Obstructive Sleep Apnea Using Health Administrative Data: Internal and External Validation. <i>Clinical Epidemiology</i> , 2021, Volume 13, 453-467. | 1.5 | 7 |
| 107 | An hypothesis paper on practice environment and the provision of health care: Could hospital occupancy rates effect quality?. <i>Journal of Quality in Clinical Practice</i> , 2000, 20, 69-74. | 0.5 | 6 |
| 108 | Correlation between serial tests made disease probability estimates erroneous. <i>Journal of Clinical Epidemiology</i> , 2009, 62, 1301-1305. | 2.4 | 6 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 109 | Urgent readmission rates can be used to infer differences in avoidable readmission rates between hospitals. <i>Journal of Clinical Epidemiology</i> , 2012, 65, 1124-1130. | 2.4 | 6 |
| 110 | Trends in prostate biopsy in Ontario, 1992-2014: a cohort study. <i>CMAJ Open</i> , 2016, 4, E698-E705. | 1.1 | 6 |
| 111 | Derivation and Validation of the Surgical Site Infections Risk Model Using Health Administrative Data. <i>Infection Control and Hospital Epidemiology</i> , 2016, 37, 455-465. | 1.0 | 6 |
| 112 | A retrospective assessment of prognostication in 456,685 patients undergoing elective major non-cardiac surgery. <i>Canadian Journal of Anaesthesia</i> , 2017, 64, 908-918. | 0.7 | 6 |
| 113 | mHOMR: a prospective observational study of an automated mortality prediction model to identify patients with unmet palliative needs. <i>BMJ Supportive and Palliative Care</i> , 2021, , bmjcare-2020-002870. | 0.8 | 6 |
| 114 | Derivation of a Predictive Model for Graft Loss Following Acute Kidney Injury in Kidney Transplant Recipients. <i>Canadian Journal of Kidney Health and Disease</i> , 2017, 4, 205435811668822. | 0.6 | 5 |
| 115 | Evaluating the Clinical Effect of Female Blood Donors of Child-Bearing Age on Maternal and Neonatal Outcomes: A Cohort Study. <i>Transfusion Medicine Reviews</i> , 2020, 34, 117-123. | 0.9 | 5 |
| 116 | The Prognostic Value of Serum Zinc Levels in Acutely Hospitalized Patients: a Systematic Review. <i>Biological Trace Element Research</i> , 2021, 199, 4447-4457. | 1.9 | 5 |
| 117 | The Influence of Hospitalist Continuity on the Likelihood of Patient Discharge in General Medicine Patients. <i>Journal of Hospital Medicine</i> , 2018, 13, 692-694. | 0.7 | 5 |
| 118 | The Effect of Transplant Volume and Patient Case Mix on Center Variation in Kidney Transplantation Outcomes. <i>Canadian Journal of Kidney Health and Disease</i> , 2019, 6, 205435811987546. | 0.6 | 4 |
| 119 | The Influence of Inpatient Physician Continuity on Hospital Discharge. <i>Journal of General Internal Medicine</i> , 2019, 34, 1709-1714. | 1.3 | 4 |
| 120 | Factors associated with zinc levels in hospitalized patients: An observational study using routinely collected data. <i>Journal of Trace Elements in Medicine and Biology</i> , 2020, 61, 126540. | 1.5 | 4 |
| 121 | Predicting 1-Year Mortality After Cardiac Surgery Complicated by Prolonged Critical Illness: Derivation and Validation of a Population-Based Risk Model. <i>Journal of Cardiothoracic and Vascular Anesthesia</i> , 2020, 34, 2628-2637. | 0.6 | 4 |
| 122 | Radiographic monitoring of incidental abdominal aortic aneurysms: a retrospective population-based cohort study. <i>Open Medicine</i> , 2011, 5, e67-76. | 1.5 | 4 |
| 123 | Derivation and Validation of a MEDLINE Search Strategy for Research Studies That Use Administrative Data. <i>Health Services Research</i> , 2010, 45, 1836-1845. | 1.0 | 3 |
| 124 | Administrative data measured surgical site infection probability within 30 days of surgery in elderly patients. <i>Journal of Clinical Epidemiology</i> , 2016, 77, 112-117. | 2.4 | 3 |
| 125 | Development and validation of an administrative data algorithm to identify adults who have endoscopic sinus surgery for chronic rhinosinusitis. <i>Journal of Otolaryngology - Head and Neck Surgery</i> , 2017, 46, 38. | 0.9 | 3 |
| 126 | Case Mix, Patterns of Care, and Inpatient Outcomes Among Ontario Kidney Transplant Centers: A Population-Based Study. <i>Canadian Journal of Kidney Health and Disease</i> , 2018, 5, 205435811773005. | 0.6 | 3 |

| # | ARTICLE | IF | CITATIONS |
|-----|--|-----|-----------|
| 127 | Incidence and trends of central line associated pneumothorax using radiograph report text search versus administrative database codes. <i>BMJ Quality and Safety</i> , 2018, 27, 982-988. | 1.8 | 3 |
| 128 | A General Population Utility Valuation Study for Metastatic Epidural Spinal Cord Compression Health States. <i>Spine</i> , 2019, 44, 943-950. | 1.0 | 3 |
| 129 | Derivation and Internal Validation of a Model to Predict the Probability of Severe Acute Respiratory Syndrome Coronavirus-2 Infection in Community People. <i>Journal of General Internal Medicine</i> , 2021, 36, 162-169. | 1.3 | 3 |
| 130 | Accuracy of Administrative Database Algorithms for Hospitalized Pneumonia in Adults: a Systematic Review. <i>Journal of General Internal Medicine</i> , 2021, 36, 683-690. | 1.3 | 3 |
| 131 | Prognosticating with the Hospitalized Patient 1-year Mortality Risk Score Using Information Abstracted from the Medical Record. <i>Journal of Hospital Medicine</i> , 2017, 12, 224-230. | 0.7 | 3 |
| 132 | A novel prevention bundle to reduce incisional infections after radical cystectomy. <i>Urologic Oncology: Seminars and Original Investigations</i> , 2020, 38, 638.e1-638.e6. | 0.8 | 3 |
| 133 | Administrative database code accuracy did not vary notably with changes in disease prevalence. <i>Journal of Clinical Epidemiology</i> , 2016, 79, 86-89. | 2.4 | 2 |
| 134 | Bootstrap imputation minimized misclassification bias when measuring Colles' fracture prevalence and its associations using health administrative data. <i>Journal of Clinical Epidemiology</i> , 2018, 96, 93-100. | 2.4 | 2 |
| 135 | A new angle on aortic neck angulation measurement. <i>Journal of Vascular Surgery</i> , 2019, 70, 756-761.e1. | 0.6 | 2 |
| 136 | Can Text-Search Methods of Pathology Reports Accurately Identify Patients with Rectal Cancer in Large Administrative Databases?. <i>Journal of Pathology Informatics</i> , 2018, 9, 18. | 0.8 | 2 |
| 137 | Association of antibiotic allergy labels with hospital length of stay. <i>Annals of Allergy, Asthma and Immunology</i> , 2022, . . | 0.5 | 2 |
| 138 | Minimizing misclassification bias with a model to identify acetabular fractures using health administrative data. <i>Medicine (United States)</i> , 2021, 100, e28223. | 0.4 | 2 |
| 139 | The effect of participation in a weight loss programme on short-term health resource utilization. <i>Journal of Evaluation in Clinical Practice</i> , 2002, 8, 37-44. | 0.9 | 1 |
| 140 | The Impact of Improved Population Life Expectancy in Survival Trend Analyses of Specific Diseases. <i>Health Services Research</i> , 2016, 51, 1632-1643. | 1.0 | 1 |
| 141 | Back to Bayesian: A strategy to enhance prognostication of metastatic spine disease. <i>International Journal of Clinical Practice</i> , 2019, 73, e13322. | 0.8 | 1 |
| 142 | Protocol for the derivation and external validation of a 30-day mortality risk prediction model for older patients having emergency general surgery (PAUSE score = Probability of mortality Associated) Tj ETQq0 0 OrgBT /Overlock 10 Tf | | |
| 143 | Shape of the association between preoperative hemoglobin level and postoperative outcomes in patients undergoing primary arthroplasty. <i>Canadian Journal of Surgery</i> , 2022, 65, E25-E37. | 0.5 | 1 |
| 144 | Evidence for overuse of cardiovascular healthcare services in high-income countries: protocol for a systematic review and meta-analysis. <i>BMJ Open</i> , 2022, 12, e053920. | 0.8 | 1 |

| # | ARTICLE | IF | CITATIONS |
|-----|---|-----|-----------|
| 145 | Can We Use Administrative Data to Accurately Identify Patients Who Receive a Prostate Biopsy?. JCO Clinical Cancer Informatics, 2018, 2, 1-10. | 1.0 | 0 |
| 146 | The "1-year-death number needed to treat" for comparing the impact of distinct interventions on patient outcomes. Cmaj, 2019, 191, E1242-E1249. | 0.9 | 0 |
| 147 | The Psychometric Properties of a Self-Administered, Open-Source Module for Valuing Metastatic Epidural Spinal Cord Compression Utilities. Pharmacoeconomics - Open, 2019, 3, 197-204. | 0.9 | 0 |
| 148 | Should emergentologists follow up on patients diagnosed with UTI having negative urine cultures? Implications for processing post-discharge laboratory results. Journal of Evaluation in Clinical Practice, 2019, 25, 260-264. | 0.9 | 0 |
| 149 | External validation demonstrated the Ottawa SAH prediction models can identify pSAH using health administrative data. Journal of Clinical Epidemiology, 2020, 126, 122-130. | 2.4 | 0 |
| 150 | Derivation and validation of text search algorithms for renal and adrenal lesion identification in radiology text reports. Canadian Urological Association Journal, 2020, 14, E264-E270. | 0.3 | 0 |
| 151 | Should sodium-glucose cotransporter-2 inhibitors be first-line treatment for patients with type 2 diabetes?. Cmaj, 2020, 192, E375-E376. | 0.9 | 0 |
| 152 | A commentary on the value of hospital data for covid-19 pandemic surveillance and planning. International Journal of Population Data Science, 2020, 5, 1393. | 0.1 | 0 |
| 153 | MON-LB029 The Influence of SGLT-2 Inhibitors and Other Glucose-Lowering Therapies on All-Cause Mortality Risk and Cardiovascular Outcomes in Older Patients with Newly Treated Type 2 Diabetes: A Population-Based Cohort Study. Journal of the Endocrine Society, 2019, 3, . | 0.1 | 0 |