

Allen Nutman

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6412155/publications.pdf>

Version: 2024-02-01

204
papers

16,155
citations

12330

69
h-index

17592

121
g-index

210
all docs

210
docs citations

210
times ranked

5943
citing authors

#	ARTICLE	IF	CITATIONS
1	Remnants of ≈ 3800 Ma crust in the Chinese part of the Sino-Korean craton. <i>Geology</i> , 1992, 20, 339.	4.4	1,283
2	Evidence for life on Earth before 3,800 million years ago. <i>Nature</i> , 1996, 384, 55-59.	27.8	1,188
3	3800 to 2500 Ma crustal evolution in the Anshan area of Liaoning Province, northeastern China. <i>Precambrian Research</i> , 1996, 78, 79-94.	2.7	574
4	Rapid emergence of life shown by discovery of 3,700-million-year-old microbial structures. <i>Nature</i> , 2016, 537, 535-538.	27.8	458
5	The Itsaq Gneiss Complex of southern West Greenland; the world's most extensive record of early crustal evolution (3900-3600 Ma). <i>Precambrian Research</i> , 1996, 78, 1-39.	2.7	450
6	Sm-Nd studies of Archaean metasediments and metavolcanics from West Greenland and their implications for the Earth's early history. <i>Earth and Planetary Science Letters</i> , 1983, 62, 263-272.	4.4	324
7	Constraints on early Earth differentiation from hafnium and neodymium isotopes. <i>Nature</i> , 1996, 379, 624-627.	27.8	316
8	Iron isotopes may reveal the redox conditions of mantle melting from Archaean to Present. <i>Earth and Planetary Science Letters</i> , 2009, 288, 255-267.	4.4	260
9	Multistage late Neoarchaean crustal evolution of the North China Craton, eastern Hebei. <i>Precambrian Research</i> , 2011, 189, 43-65.	2.7	253
10	Nd isotopic evidence for transient, highly depleted mantle reservoirs in the early history of the Earth. <i>Earth and Planetary Science Letters</i> , 1993, 119, 299-317.	4.4	240
11	Coupled ^{142}Nd - ^{143}Nd Isotopic Evidence for Hadean Mantle Dynamics. <i>Science</i> , 2007, 318, 1907-1910.	12.6	215
12	A connection between the Neoproterozoic Dom Feliciano (Brazil/Uruguay) and Gariep (Namibia/South) Tj ETQq0 0 0 rgBT /Overlock 10 T 2005, 139, 195-221.	2.7	212
13	Recognition of ≈ 3850 Ma water-lain sediments in West Greenland and their significance for the early Archaean Earth. <i>Geochimica Et Cosmochimica Acta</i> , 1997, 61, 2475-2484.	3.9	186
14	≈ 3710 and ≈ 3790 Ma volcanic sequences in the Isua (Greenland) supracrustal belt; structural and Nd isotope implications. <i>Chemical Geology</i> , 1997, 141, 271-287.	3.3	186
15	30 million years of Permian volcanism recorded in the Choiyoi igneous province (W Argentina) and their source for younger ash fall deposits in the Paran Basin: SHRIMP Uâ€Pb zircon geochronology evidence. <i>Gondwana Research</i> , 2011, 19, 509-523.	6.0	180
16	Late Archaean terrane accretion in the Godthb region, southern West Greenland. <i>Nature</i> , 1988, 335, 535-538.	27.8	177
17	Meta-igneous (non-gneissic) tonalites and quartz-diorites from an extensive ca. 3800 Ma terrain south of the Isua supracrustal belt, southern West Greenland: constraints on early crust formation. <i>Contributions To Mineralogy and Petrology</i> , 1999, 137, 364-388.	3.1	167
18	In situ Uâ€Pb, O and Hf isotopic compositions of zircon and olivine from Eoarchaean rocks, West Greenland: New insights to making old crust. <i>Geochimica Et Cosmochimica Acta</i> , 2009, 73, 4489-4516.	3.9	166

#	ARTICLE	IF	CITATIONS
19	Stratigraphic and geochemical evidence for the depositional environment of the early archaean isua supracrustal belt, southern west greenland. <i>Precambrian Research</i> , 1984, 25, 365-396.	2.7	164
20	Episodic Paleoproterozoic (~ 2.45 , ~ 1.95 and ~ 1.85 Ga) mafic magmatism and associated high temperature metamorphism in the Daqingshan area, North China Craton: SHRIMP zircon U-Pb dating and whole-rock geochemistry. <i>Precambrian Research</i> , 2013, 224, 71-93.	2.7	159
21	New 1:20,000 scale geological maps, synthesis and history of investigation of the Isua supracrustal belt and adjacent orthogneisses, southern West Greenland: A glimpse of Eoarchaean crust formation and orogeny. <i>Precambrian Research</i> , 2009, 172, 189-211.	2.7	147
22	New pieces to the Archaean terrane jigsaw puzzle in the Nuuk region, southern West Greenland: steps in transforming a simple insight into a complex regional tectonothermal model. <i>Journal of the Geological Society</i> , 2005, 162, 147-162.	2.1	146
23	Multiple 3.8–3.1 Ga tectono-magmatic events in a newly discovered area of ancient rocks (the Tj ETQq1 1 0.784314 rgBT / Overlock 1	2.3	142
24	Early Archaean granulite-facies metamorphism south of Ameralik, West Greenland. <i>Earth and Planetary Science Letters</i> , 1980, 50, 59-74.	4.4	137
25	Evidence for 3650-3600 Ma assembly of the northern end of the Itsaq Gneiss Complex, Greenland: Implication for early Archaean tectonics. <i>Tectonics</i> , 2002, 21, 5-1-5-28.	2.8	135
26	Age of Palaeozoic granites and metamorphism in the Tuvino-Mongolian Massif of the Central Asian Mobile Belt: loss of a Precambrian microcontinent. <i>Precambrian Research</i> , 2001, 110, 143-164.	2.7	130
27	Inventory and assessment of Palaeoarchaean gneiss terrains and detrital zircons in southern West Greenland. <i>Precambrian Research</i> , 2004, 135, 281-314.	2.7	130
28	Evolution and assembly of Archean Gneiss Terranes in the Godthåbsfjord Region, southern west Greenland: Structural, metamorphic, and isotopic evidence. <i>Tectonics</i> , 1989, 8, 573-589.	2.8	127
29	The early Archaean Itsaq Gneiss Complex of southern West Greenland: the importance of field observations in interpreting age and isotopic constraints for early terrestrial evolution. <i>Geochimica Et Cosmochimica Acta</i> , 2000, 64, 3035-3060.	3.9	127
30	Evidence for subduction at 3.8 Ga: Geochemistry of arc-like metabasalts from the southern edge of the Isua Supracrustal Belt. <i>Chemical Geology</i> , 2009, 261, 83-98.	3.3	122
31	West Gondwana amalgamation based on detrital zircon ages from Neoproterozoic Ribeira and Dom Feliciano belts of South America and comparison with coeval sequences from SW Africa. <i>Geological Society Special Publication</i> , 2008, 294, 239-256.	1.3	121
32	SHRIMP U-Pb geochronology and metamorphic history of the Smallefjord sequence, NE Greenland Caledonides. <i>Journal of the Geological Society</i> , 1995, 152, 779-784.	2.1	117
33	Late Mesoproterozoic to early Neoproterozoic history of the East Greenland Caledonides: evidence for Grenvillian orogenesis?. <i>Journal of the Geological Society</i> , 2000, 157, 1215-1225.	2.1	116
34	Chronology and evolution of the Middle Proterozoic Albany-Fraser Orogen, Western Australia. <i>Australian Journal of Earth Sciences</i> , 1995, 42, 481-495.	1.0	113
35	From source migmatites to plutons: tracking the origin of ca. 435 Ma S-type granites in the East Greenland Caledonian orogen. <i>Lithos</i> , 2001, 57, 1-21.	1.4	109
36	The 3.4–3.5 Ga São José do Campestre massif, NE Brazil: remnants of the oldest crust in South America. <i>Precambrian Research</i> , 2004, 130, 113-137.	2.7	108

#	ARTICLE	IF	CITATIONS
37	The aldan shield of siberia, USSR: the age of its archaean components and evidence for widespread reworking in the mid-proterozoic. <i>Precambrian Research</i> , 1992, 54, 195-210.	2.7	106
38	SHRIMP U-Pb zircon geochronology of the Narryer Gneiss Complex, Western Australia. <i>Precambrian Research</i> , 1991, 52, 275-300.	2.7	105
39	Constraints on mantle evolution from 187Os/188Os isotopic compositions of Archean ultramafic rocks from southern West Greenland (3.8 Ga) and Western Australia (3.46 Ga). <i>Geochimica Et Cosmochimica Acta</i> , 2002, 66, 2615-2630.	3.9	105
40	Adjacent terranes with ca. 2715 and 2650Ma high-pressure metamorphic assemblages in the Nuuk region of the North Atlantic Craton, southern West Greenland: Complexities of Neoarchaean collisional orogeny. <i>Precambrian Research</i> , 2007, 155, 159-203.	2.7	105
41	Anatomy of an Early Archean gneiss complex: 3900 to 3600 Ma crustal evolution in southern West Greenland. <i>Geology</i> , 1993, 21, 415.	4.4	104
42	Very early Archean crustal-accretion complexes preserved in the North Atlantic craton. <i>Geology</i> , 1991, 19, 791.	4.4	103
43	Geochronology and isotopic variation of the early Archean Amitsoq gneisses of the Isukasia area, southern West Greenland. <i>Geochimica Et Cosmochimica Acta</i> , 1986, 50, 2173-2183.	3.9	100
44	Early Archean Amitsoq tonalites and granites of the Isukasia area, southern West Greenland: development of the oldest-known sial. <i>Contributions To Mineralogy and Petrology</i> , 1986, 94, 137-148.	3.1	100
45	Late-Archaean tectonics in the Fåringehavn-Tre Brødre area, south of Buksefjorden, southern West Greenland. <i>Journal of the Geological Society</i> , 1987, 144, 369-376.	2.1	99
46	Palaeoproterozoic basement province in the Caledonian fold belt of North-East Greenland. <i>Precambrian Research</i> , 1993, 63, 163-178.	2.7	99
47	Abyssal peridotites >3,800Ma from southern West Greenland: field relationships, petrography, geochronology, whole-rock and mineral chemistry of dunite and harzburgite inclusions in the Itsaq Gneiss Complex. <i>Contributions To Mineralogy and Petrology</i> , 2002, 143, 71-92.	3.1	99
48	The zircon geochronology of the Akilia association and Isua supracrustal belt, West Greenland. <i>Earth and Planetary Science Letters</i> , 1984, 68, 221-228.	4.4	98
49	The late Archean mobile belt through Godthabsfjord, southern West Greenland: a continent-continent collision zone?. <i>Bulletin of the Geological Society of Denmark</i> , 1991, 39, 179-197.	1.1	95
50	Provenance and chemostratigraphy of the Neoproterozoic West Congolian Group in the Democratic Republic of Congo. <i>Journal of African Earth Sciences</i> , 2006, 46, 221-239.	2.0	91
51	Detrital zircon sedimentary provenance ages for the Eoarchaean Isua supracrustal belt southern West Greenland: Juxtaposition of an imbricated ca. 3700Ma juvenile arc against an older complex with 3920-3760Ma components. <i>Precambrian Research</i> , 2009, 172, 212-233.	2.7	91
52	3.96 Ga zircons from an Archean quartzite, Beartooth Mountains, Montana. <i>Geology</i> , 1992, 20, 327.	4.4	86
53	SHRIMP U-Pb monazite dating of 1600-1580 Ma amphibolite facies metamorphism in the southeastern Mt Isa Block, Australia. <i>Australian Journal of Earth Sciences</i> , 2002, 49, 455-465.	1.0	86
54	Complex 3670-3500 Ma Orogenic Episodes Superimposed on Juvenile Crust Accreted between 3850 and 3690 Ma, Itsaq Gneiss Complex, Southern West Greenland. <i>Journal of Geology</i> , 2005, 113, 375-397.	1.4	85

#	ARTICLE	IF	CITATIONS
55	Anatomy of the Early Proterozoic Nagssugtoqidian orogen, West Greenland, explored by reconnaissance SHRIMP U-Pb zircon dating. <i>Geology</i> , 1996, 24, 515.	4.4	83
56	Devonian to Carboniferous collision in the Greenland Caledonides: U-Pb zircon and Sm-Nd ages of high-pressure and ultrahigh-pressure metamorphism. <i>Contributions To Mineralogy and Petrology</i> , 2004, 148, 216-235.	3.1	81
57	Ti-in-zircon thermometry applied to contrasting Archean metamorphic and igneous systems. <i>Chemical Geology</i> , 2008, 247, 323-338.	3.3	81
58	Response of zircon U/Pb isotopes and whole-rock geochemistry to CO ₂ fluid-induced granulite-facies metamorphism, Kabbaldurga, Karnataka, South India. <i>Contributions To Mineralogy and Petrology</i> , 1992, 111, 299-310.	3.1	80
59	Geochronology of Proterozoic basement inliers in the Colombian Andes: tectonic history of remnants of a fragmented Grenville belt. <i>Geological Society Special Publication</i> , 2005, 246, 329-346.	1.3	79
60	Evidence for Neoproterozoic orogenesis and early high temperature Scandian deformation events in the southern East Greenland Caledonides. <i>Geological Magazine</i> , 2003, 140, 309-333.	1.5	78
61	Precambrian zircons from the Florida basement: A Gondwanan connection. <i>Geology</i> , 1994, 22, 119.	4.4	77
62	Caledonian eclogite-facies metamorphism of Early Proterozoic protoliths from the North-East Greenland Eclogite Province. <i>Contributions To Mineralogy and Petrology</i> , 1998, 130, 103-120.	3.1	77
63	Zirconology of the Meeberrie gneiss, Yilgarn Craton, Western Australia: an early Archean migmatite. <i>Precambrian Research</i> , 1996, 78, 165-178.	2.7	76
64	Implications for Rodinia reconstructions for the initiation of Neoproterozoic subduction at ~860Ma on the western margin of the Yangtze Block: Evidence from the Guandaoshan Pluton. <i>Lithos</i> , 2014, 196-197, 67-82.	1.4	75
65	Evidence for multiple Palaeoproterozoic thermal events and magmatism adjacent to the Broken Hill Pb-Zn-Ag orebody, Australia. <i>Precambrian Research</i> , 1998, 90, 203-238.	2.7	74
66	Gondwanan Eoarchean-Neoproterozoic ancient crustal material in Iran and Turkey: zircon U-Pb-Hf isotopic evidence. <i>Canadian Journal of Earth Sciences</i> , 2014, 51, 272-285.	1.3	74
67	U-Pb Zircon Geochronology and Nd Isotopic Signatures of the Pre-Mesozoic Metamorphic Basement of the Eastern Peruvian Andes: Growth and Provenance of a Late Neoproterozoic to Carboniferous Accretionary Orogen on the Northwest Margin of Gondwana. <i>Journal of Geology</i> , 2009, 117, 285-305.	1.4	73
68	The Beja Layered Gabbroic Sequence (Ossa-Morena Zone, Southern Portugal): geochronology and geodynamic implications. <i>Geodinamica Acta</i> , 2007, 20, 139-157.	2.2	72
69	Seawater-like trace element signatures (REE+Y) of Eoarchaeon chemical sedimentary rocks from southern West Greenland, and their corruption during high-grade metamorphism. <i>Contributions To Mineralogy and Petrology</i> , 2008, 155, 229-246.	3.1	71
70	Archean structural evolution in the northwest of the Buksefjorden Region, southern West Greenland. <i>Precambrian Research</i> , 1979, 9, 199-226.	2.7	70
71	Geochronological Systematics on Basement Rocks from the Rio Negro-Juruena Province (Amazonian) Tj ETQq1 1 0,784314 rgBT /Overlo	2.1	70
72	U-Pb zircon ages of Kangmiut dykes and detrital zircons in metasediments in the Palaeoproterozoic Nagssugtoqidian Orogen (West Greenland). <i>Precambrian Research</i> , 1999, 93, 87-104.	2.7	70

#	ARTICLE	IF	CITATIONS
73	SHRIMP U ⁱ -Pb zircon geochronology of Archaean granitoids from the Contendas-Mirante area of the São Francisco Craton, Bahia, Brazil. <i>Precambrian Research</i> , 1993, 63, 179-188.	2.7	69
74	A Chronostratigraphic Division of the Precambrian. , 2012, , 299-392.		69
75	~3,850 Ma tonalites in the Nuuk region, Greenland: geochemistry and their reworking within an Eoarchaean gneiss complex. <i>Contributions To Mineralogy and Petrology</i> , 2007, 154, 385-408.	3.1	68
76	The basement of the Punta del Este Terrane (Uruguay): an African Mesoproterozoic fragment at the eastern border of the South American Río de La Plata craton. <i>International Journal of Earth Sciences</i> , 2011, 100, 289-304.	1.8	68
77	The Itsaq Gneiss Complex of Greenland: Episodic 3900 to 3660 Ma juvenile crust formation and recycling in the 3660 to 3600 Ma Isukasian orogeny. <i>Numerische Mathematik</i> , 2013, 313, 877-911.	1.4	68
78	Early Archean crust in the northern Wyoming province. <i>Precambrian Research</i> , 1998, 91, 295-307.	2.7	67
79	The Nagssugtoqidian orogen in South-East Greenland: Evidence for Paleoproterozoic collision and plate assembly. <i>Numerische Mathematik</i> , 2008, 308, 529-572.	1.4	67
80	On the scarcity of >3900 Ma detrital zircons in ~3500 Ma metasediments. <i>Precambrian Research</i> , 2001, 105, 93-114.	2.7	65
81	Paleo- to Eoarchean crustal evolution in eastern Hebei, North China Craton: New evidence from SHRIMP U ⁱ -Pb dating and in-situ Hf isotopic study of detrital zircons from paragneisses. <i>Journal of Asian Earth Sciences</i> , 2013, 78, 4-17.	2.3	65
82	Palaeoproterozoic thermal events recorded in the ~4.0 Ga Acasta gneiss, Canada: evidence from SHRIMP U-Pb dating of apatite and zircon. <i>Geochimica Et Cosmochimica Acta</i> , 1999, 63, 899-905.	3.9	63
83	~3700Ma pre-metamorphic dolomite formed by microbial mediation in the Isua supracrustal belt (W.) <i>Tj ETQq1,10.784314 rgBT</i>	2.7	62
84	Geochronological constraints on the evolution of the Embu Complex, São Paulo, Brazil. <i>Journal of South American Earth Sciences</i> , 2002, 14, 903-910.	1.4	61
85	Crustal growth and crustal recycling in the Nagssugtoqidian orogen of West Greenland:. <i>Precambrian Research</i> , 1998, 91, 365-381.	2.7	60
86	The tectonic evolution of a Neotethyan (Eocene-Oligocene) island arc (Walash and Tj ETQq0 0 0 rgBT /Overlock 10 Tf 50 222 Td (<sc>l</sc>raqi <sc>Z</sc>agros <sc>S</sc>uture <sc>Z</sc>one. <i>Island Arc</i> , 2013, 22, 104-125.	1.1	60
87	Large-scale crustal structure of the Northwestern Yilgarn Craton, western Australia: Evidence from Nd isotopic data and zircon geochronology. <i>Tectonics</i> , 1993, 12, 971-981.	2.8	59
88	Eoarchean ophiolites? New evidence for the debate on the Isua supracrustal belt, southern West Greenland. <i>Numerische Mathematik</i> , 2010, 310, 826-861.	1.4	59
89	U-Pb Zircon Dating of Ash Fall Deposits from the Paleozoic Paraná Basin of Brazil and Uruguay: A Reevaluation of the Stratigraphic Correlations. <i>Journal of Geology</i> , 2019, 127, 167-182.	1.4	59
90	Palaeoproterozoic and Archaean gneiss complexes in northern Greenland: Palaeoproterozoic terrane assembly in the High Arctic. <i>Precambrian Research</i> , 2008, 161, 419-451.	2.7	57

#	ARTICLE	IF	CITATIONS
91	The iron-rich suite from the Amîtsoq gneisses of southern West Greenland: early Archaean plutonic rocks of mixed crustal and mantle origin. <i>Contributions To Mineralogy and Petrology</i> , 1984, 87, 24-34.	3.1	56
92	Extended history of a 3.5 Ga trondhjemitic gneiss, Wyoming Province, USA: evidence from U–Pb systematics in zircon. <i>Precambrian Research</i> , 1996, 78, 41-52.	2.7	54
93	3850 Ma BIF and mafic inclusions in the early Archaean Itsaq Gneiss Complex around Akilia, southern West Greenland? The difficulties of precise dating of zircon-free protoliths in migmatites. <i>Precambrian Research</i> , 2002, 117, 185-224.	2.7	53
94	Dating of the Ameralik dyke swarms of the Nuuk district, southern West Greenland: mafic intrusion events starting from 3510 Ma. <i>Journal of the Geological Society</i> , 2004, 161, 421-430.	2.1	53
95	Archaean fluid-assisted crustal cannibalism recorded by low $\delta^{18}O$ and negative $\mu Hf(T)$ isotopic signatures of West Greenland granite zircon. <i>Contributions To Mineralogy and Petrology</i> , 2011, 161, 1027-1050.	3.1	53
96	Contribution of SHRIMP U–Pb zircon geochronology to unravelling the evolution of Brazilian Neoproterozoic fold belts. <i>Precambrian Research</i> , 2010, 183, 112-144.	2.7	52
97	The Spongtang Massif in Ladakh, NW Himalaya: An Early Cretaceous record of spontaneous, intra-oceanic subduction initiation in the Neotethys. <i>Gondwana Research</i> , 2018, 63, 226-249.	6.0	52
98	Protoliths of enigmatic Archaean gneisses established from zircon inclusion studies: Case study of the Caozhuang quartzite, E. Hebei, China. <i>Geoscience Frontiers</i> , 2014, 5, 445-455.	8.4	49
99	Setting of the 2560 Ma Qorqut Granite Complex in the Archean crustal evolution of Southern West Greenland. <i>Numerische Mathematik</i> , 2010, 310, 1081-1114.	1.4	48
100	2090–2070 Ma A-type granitoids in Zanhuang Complex: Further evidence on a Paleoproterozoic rift-related tectonic regime in the Trans-North China Orogen. <i>Lithos</i> , 2016, 254-255, 18-35.	1.4	48
101	Chapter 7.2 The Evolution and Tectonic Setting of the Luis Alves Microplate of Southeastern Brazil: An Exotic Terrane during the Assembly of Western Gondwana. <i>Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana</i> , 2009, , 273-291.	0.2	47
102	Review of the oldest (4400–3600 Ma) geological and mineralogical record: Glimpses of the beginning. <i>Episodes</i> , 2001, 24, 93-101.	1.2	47
103	Origin of life from apatite dating?. <i>Nature</i> , 1999, 400, 127-127.	27.8	45
104	SHRIMP U–Pb zircon dating of the exhumation of the Lizard Peridotite and its emplacement over crustal rocks: constraints for tectonic models. <i>Journal of the Geological Society</i> , 2001, 158, 809-820.	2.1	45
105	Chapter 3.3 The Itsaq Gneiss Complex of Southern West Greenland and the Construction of Eoarchaean Crust at Convergent Plate Boundaries. <i>Neoproterozoic-Cambrian Tectonics, Global Change and Evolution: A Focus on South Western Gondwana</i> , 2007, , 187-218.	0.2	45
106	The emergence of the Eoarchaean proto-arc: evolution of a 3700 Ma convergent plate boundary at Isua, southern West Greenland. <i>Geological Society Special Publication</i> , 2015, 389, 113-133.	1.3	45
107	Detachment faulting and bimodal magmatism in the Palaeoproterozoic Willyama Supergroup, south-central Australia: keys to recognition of a multiply deformed Precambrian metamorphic core complex. <i>Journal of the Geological Society</i> , 2004, 161, 55-66.	2.1	44
108	The Mesoarchean Tiejia Shan-Gongchangling potassic granite in the Anshan-Benxi area, North China Craton: Origin by recycling of Paleo- to Eoarchean crust from U-Pb-Nd-Hf-O isotopic studies. <i>Lithos</i> , 2017, 290-291, 116-135.	1.4	44

#	ARTICLE	IF	CITATIONS
109	Polyphase Archean evolution in the Campo Belo metamorphic complex, Southern São Francisco Craton, Brazil: SHRIMP U-Pb zircon evidence. <i>Journal of South American Earth Sciences</i> , 1998, 11, 279-289.	1.4	43
110	Antiquity of the Oceans and Continents. <i>Elements</i> , 2006, 2, 223-227.	0.5	43
111	CONSTRAINING THE AGE OF NEOPROTEROZOIC GLACIATION IN EASTERN BRAZIL: FIRST U-Pb (SHRIMP) DATA OF DETRITAL ZIRCONS. <i>Revista Brasileira De Geociências</i> , 2000, 30, 058-061.	0.1	43
112	Geochemistry of Ce and Nd isotopes and REE abundances in the Am̃tsoq gneisses, West Greenland. <i>Earth and Planetary Science Letters</i> , 1988, 91, 159-169.	4.4	41
113	Two Archean granulite-facies metamorphic events in the Nuuk-Maniitsoq region, southern West Greenland: correlation with the Saglek block, Labrador. <i>Journal of the Geological Society</i> , 1994, 151, 421-424.	2.1	41
114	A ca. 2.60 Ga tectono-thermal event in Western Shandong Province, North China Craton from zircon U-Pb-O isotopic evidence: Plume or convergent plate boundary process. <i>Precambrian Research</i> , 2016, 281, 236-252.	2.7	41
115	A new fragment of the early earth crust: the Aasivik terrane of West Greenland. <i>Precambrian Research</i> , 2001, 105, 115-128.	2.7	40
116	The Itajaí-foreland basin: a tectono-sedimentary record of the Ediacaran period, Southern Brazil. <i>International Journal of Earth Sciences</i> , 2011, 100, 543-569.	1.8	40
117	Mesoarchean collision of Kapisilik terrane 3070Ma juvenile arc rocks and >3600Ma Isukasia terrane continental crust (Greenland). <i>Precambrian Research</i> , 2015, 258, 146-160.	2.7	40
118	Polycyclic evolution of Camboriá Complex migmatites, Santa Catarina, Southern Brazil: integrated Hf isotopic and U-Pb age zircon evidence of episodic reworking of a Mesoarchean juvenile crust. <i>Brazilian Journal of Geology</i> , 2013, 43, 427-443.	0.7	40
119	Earth's oldest mantle fabrics indicate Eoarchean subduction. <i>Nature Communications</i> , 2016, 7, 10665.	12.8	39
120	Eoarchean contrasting ultra-high-pressure to low-pressure metamorphisms (<250 to >2500 °C/10 to 50 kbar) in the 3070 Ma Isukasia terrane, Greenland. <i>Earth and Planetary Science Letters</i> , 2017, 366, 105770.	2.7	39
121	The early Archean Nulliak (supracrustal) assemblage, northern Labrador. <i>Canadian Journal of Earth Sciences</i> , 1989, 26, 2159-2168.	1.3	37
122	The Atuba Complex, Southern South American Platform: Archean Components and Paleoproterozoic to Neoproterozoic Tectonothermal Events. <i>Gondwana Research</i> , 2003, 6, 251-263.	6.0	37
123	SHRIMP U-Pb zircon dating of the host rocks of the Cannington Ag-Pb-Zn deposit, southeastern Mt Isa Block, Australia. <i>Australian Journal of Earth Sciences</i> , 2003, 50, 295-309.	1.0	36
124	Granites and granites in the East Greenland Caledonides. <i>Lithos</i> , 2008, 83, 227-249.		36
125	SHRIMP U-Pb, 207Pb/206Pb zircon dating, and Nd isotopic signature of the Umburanas greenstone belt, northern São Francisco craton, Brazil. <i>Journal of South American Earth Sciences</i> , 2003, 15, 775-785.	1.4	35
126	Continental origin of the Gubaoquan eclogite and implications for evolution of the Beishan Orogen, Central Asian Orogenic Belt, NW China. <i>Lithos</i> , 2017, 294-295, 20-38.	1.4	34

#	ARTICLE	IF	CITATIONS
127	Comment on "Zircon Thermometer Reveals Minimum Melting Conditions on Earliest Earth" II. <i>Science</i> , 2006, 311, 779b-779b.	12.6	33
128	2635Ma amphibolite facies gold mineralisation near a terrane boundary (suture?) on Storö, Nuuk region, southern West Greenland. <i>Precambrian Research</i> , 2007, 159, 19-32.	2.7	31
129	The Watonga Formation and Tacking Point Gabbro, Port Macquarie, Australia: Insights into crustal growth mechanisms on the eastern margin of Gondwana. <i>Gondwana Research</i> , 2015, 28, 133-151.	6.0	31
130	Fifty years of the Eoarchean and the case for evolving uniformitarianism. <i>Precambrian Research</i> , 2021, 367, 106442.	2.7	31
131	Cross-examining Earth's oldest stromatolites: Seeing through the effects of heterogeneous deformation, metamorphism and metasomatism affecting Isua (Greenland) 3700 Ma sedimentary rocks. <i>Precambrian Research</i> , 2019, 331, 105347.	2.7	30
132	Geochronology of granitic and supracrustal rocks from the northern part of the East Greenland Caledonides: ion microprobe U-Pb zircon ages. <i>Geological Survey of Denmark and Greenland Bulletin</i> , 0, 184, 31-48.	0.0	30
133	Age, petrogenesis and metamorphism of the syn-collisional Præven Igneous Complex, West Greenland. <i>Contributions To Mineralogy and Petrology</i> , 2005, 149, 541-555.	3.1	29
134	The complex age of orthogneiss protoliths exemplified by the Eoarchean Itsaq Gneiss Complex (Greenland): SHRIMP and old rocks. <i>Precambrian Research</i> , 2010, 183, 25-43.	2.7	29
135	Apatite recrystallisation during prograde metamorphism, Cooma, southeast Australia: implications for using an apatite-graphite association as a biotracer in ancient metasedimentary rocks. <i>Australian Journal of Earth Sciences</i> , 2007, 54, 1023-1032.	1.0	28
136	The whole rock Sm-Nd age for the 2825 Ma Ikkattoq gneisses (Greenland) is 800 Ma too young: Insights into Archaean TTG petrogenesis. <i>Chemical Geology</i> , 2009, 261, 62-76.	3.3	28
137	Integrated field geological and zircon morphology evidence for ca. 3.8 Ga rocks at Anshan: Comment on "Zircon U-Pb and Hf isotopic constraints on the Early Archean crustal evolution in Anshan of the North China Craton" by Wu et al. [<i>Precambrian Res.</i> 167 (2008) 339-362]. <i>Precambrian Research</i> , 2009, 172, 357-360.	2.7	28
138	Refolded nappes formed during late Archaean terrane assembly, Godthåbsfjord, southern West Greenland. <i>Journal of the Geological Society</i> , 1991, 148, 507-519.	2.1	26
139	Calymmian (1.50-1.45 Ga) magmatic records in Votuverava and Perau sequences, south-southeastern Brazil: Zircon ages and Nd-Sr isotopic geochemistry. <i>Journal of South American Earth Sciences</i> , 2011, 32, 301-308.	1.4	26
140	Proposal for a continent 'Itsaqia' amalgamated at 3.66 Ga and rifted apart from 3.53 Ga: Initiation of a Wilson Cycle near the start of the rock record. <i>Numerische Mathematik</i> , 2015, 315, 509-536.	1.4	26
141	The intra-oceanic Cretaceous (~ 108 Ma) Kata-Rash arc fragment in the Kurdistan segment of Iraqi Zagros suture zone: Implications for Neotethys evolution and closure. <i>Lithos</i> , 2016, 260, 154-163.	1.4	25
142	Comment on "A Vestige of Earth's Oldest Ophiolite". <i>Science</i> , 2007, 318, 746-746.	12.6	24
143	Age and depositional setting of the Paleoproterozoic Gantaohé Group in Zanhuang Complex: Constraints from zircon U-Pb ages and Hf isotopes of sandstones and dacite. <i>Precambrian Research</i> , 2016, 286, 59-100.	2.7	23
144	Age and Provenance of the Nindam Formation, Ladakh, NW Himalaya: Evolution of the Intraoceanic Dras Arc Before Collision With India. <i>Tectonics</i> , 2019, 38, 3070-3096.	2.8	23

#	ARTICLE	IF	CITATIONS
145	Middle Carboniferous-Early Triassic eclogite blueschist blocks within a serpentinite mélange at Port Macquarie, eastern Australia: Implications for the evolution of Gondwana's eastern margin. <i>Gondwana Research</i> , 2013, 24, 1038-1050.	6.0	22
146	Overview of the tectonic evolution of the Iraqi Zagros thrust zone: Sixty million years of Neotethyan ocean subduction. <i>Journal of Geodynamics</i> , 2019, 129, 162-177.	1.6	22
147	Zircon U-Pb ages and Lu-Hf isotope compositions from clastic rocks in the Hutuo Group: Further constraints on Paleoproterozoic tectonic evolution of the Trans-North China Orogen. <i>Precambrian Research</i> , 2017, 303, 291-314.	2.7	21
148	A granitic inclusion suite within igneous zircons from a 3.81 Ga tonalite (W. Greenland): Restrictions for Hadean crustal evolution studies using detrital zircons. <i>Chemical Geology</i> , 2009, 261, 77-82.	3.3	20
149	Tracing Archaean terranes under Greenland's Icecap: U-Th-Pb-Hf isotopic study of zircons from melt-water rivers in the Isua area. <i>Precambrian Research</i> , 2014, 255, 900-921.	2.7	20
150	Exotic island arc Paleozoic terranes on the eastern margin of Gondwana: Geochemical whole rock and zircon U-Pb-Hf isotope evidence from Barry Station, New South Wales, Australia. <i>Lithos</i> , 2017, 286-287, 125-150.	1.4	19
151	SHRIMP U-Pb zircon geochronology of the late Archaean Ruinneset syenite, Skjoldungen alkaline province, southeast Greenland. <i>Geochimica Et Cosmochimica Acta</i> , 1994, 58, 3515-3518.	3.9	18
152	3806Ma Isua rhyolites and dacites affected by low temperature Eoarchaeon surficial alteration: Earth's earliest weathering. <i>Precambrian Research</i> , 2015, 268, 323-338.	2.7	18
153	Archean basement components and metamorphic overprints of the Rangnim Massif in the northern part of the Korean Peninsula and tectonic implications for the Sino-Korean Craton. <i>Precambrian Research</i> , 2020, 344, 105735.	2.7	18
154	Evidence for Mesoproterozoic basement in the Carolina Terrane and speculations on its origin. , 1996, , 207-217.		17
155	Discussion on SHRIMP U-Pb zircon dating of the exhumation of the Lizard Peridotite and its emplacement over crustal rocks: constraints for tectonic models. <i>Journal of the Geological Society</i> , 2003, 160, 331-335.	2.1	17
156	Petrogenesis and tectonic implications of the iron-rich tholeiitic basalts in the Hutuo Group of the Wutai Mountains, Central Trans-North China Orogen. <i>Precambrian Research</i> , 2015, 271, 225-242.	2.7	17
157	Seeing through the magnetite: Reassessing Eoarchean atmosphere composition from Isua (Greenland) 3.7 Ga banded iron formations. <i>Geoscience Frontiers</i> , 2017, 8, 1233-1240.	8.4	17
158	Neoproterozoic magmatism in the Suwannee Terrane: Implications for terrane correlation. , 1996, , 257-268.		16
159	Eoarchaeon crustal growth in West Greenland (Itsaq Gneiss Complex) and in northeastern China (Anshan area): review and synthesis. <i>Geological Society Special Publication</i> , 2009, 318, 127-154.	1.3	16
160	The significance of Upper Jurassic felsic volcanic rocks within the incipient, intraoceanic Dras Arc, Ladakh, NW Himalaya. <i>Gondwana Research</i> , 2021, 90, 199-219.	6.0	16
161	Xenon compositions of magmatic zircons in 3.64 and 3.81 Ga meta-granitoids from Greenland: a search for extinct ²⁴⁴ Pu in ancient terrestrial rocks. <i>Earth and Planetary Science Letters</i> , 2003, 207, 69-82.	4.4	15
162	Polyorogenic history of the East Greenland Caledonides. , 2008, , 55-72.		15

#	ARTICLE	IF	CITATIONS
163	Inception and early evolution of the Ordovician Macquarie Arc of Eastern Gondwana margin: Zircon U-Pb-Hf evidence from the Molong Volcanic Belt, Lachlan Orogen. <i>Lithos</i> , 2019, 326-327, 513-528.	1.4	15
164	Isua (Greenland) ~3700 Ma meta-serpentinite olivine Mg# and $\delta^{18}O$ signatures show connection between the early mantle and hydrosphere: Geodynamic implications. <i>Precambrian Research</i> , 2021, 361, 106249.	2.7	15
165	New U-Pb SHRIMP zircon ages for pre-variscan orthogneisses from Portugal and their bearing on the evolution of the Ossa-Morena tectonic zone. <i>Anais Da Academia Brasileira De Ciencias</i> , 2006, 78, 133-149.	0.8	15
166	U-Pb-Hf-REE-Ti zircon and REE garnet geochemistry of the Cambrian Attunga eclogite, New England Orogen, Australia: Implications for continental growth along eastern Gondwana. <i>Tectonics</i> , 2017, 36, 1580-1613.	2.8	14
167	Halogens in serpentinites from the Isua supracrustal belt, Greenland: An Eoarchean seawater signature and biomass proxy?. <i>Geochimica Et Cosmochimica Acta</i> , 2019, 262, 31-59.	3.9	14
168	Late Jurassic Changmar Complex from the Shyok ophiolite, NW Himalaya: a prelude to the Ladakh Arc. <i>Geological Magazine</i> , 2021, 158, 239-260.	1.5	13
169	Origins of high $\delta^{18}O$ in 3.7-3.6 Ga crust: A zircon and garnet record in Isua clastic metasedimentary rocks. <i>Chemical Geology</i> , 2020, 537, 119474.	3.3	12
170	Cryogenian U-Pb (SHRIMP I) zircon ages of anorthosites from the upper sequences of Niquelândia and Barro Alto Complexes, Central Brazil. <i>Revista Brasileira De Geociências</i> , 2007, 37, 70-75.	0.1	12
171	Anatomy of an Early Archean gneiss complex: 3900 to 3600 Ma crustal evolution in southern West Greenland: Comment and Reply. <i>Geology</i> , 1994, 22, 571.	4.4	11
172	Archaean crust near Broken Hill?. <i>Australian Journal of Earth Sciences</i> , 1998, 45, 687-694.	1.0	10
173	A Jurassic Granite from Southern Georgia, U.S.A.: Silicic, Extension-Related Magmatism along the Southeastern Coastal Plain. <i>Journal of Geology</i> , 1999, 107, 375-384.	1.4	10
174	Waves and weathering at 3.7 Ga: Geological evidence for an equitable terrestrial climate under the faint early Sun. <i>Australian Journal of Earth Sciences</i> , 2012, 59, 167-176.	1.0	10
175	The 3.9-3.6 Ga Itsaq Gneiss Complex of Greenland. , 2019, , 375-399.		9
176	Two-stage corona growth during Precambrian granulite facies metamorphism of Smitbson Bjerge, north-west Greenland. <i>Journal of Metamorphic Geology</i> , 1984, 2, 237-247.	3.4	8
177	Radiogenic, nucleogenic and fissiogenic noble gas compositions in early Archaean magmatic zircons from Greenland. <i>Geochemical Journal</i> , 2004, 38, 265-269.	1.0	8
178	$^{40}Ar/^{39}Ar$ hornblende and biotite geochronology of the Bulfat Igneous Complex, Zagros Suture Zone, NE Iraq: New insights on complexities of Paleogene arc magmatism during closure of the Neotethys Ocean. <i>Lithos</i> , 2016, 266-267, 406-413.	1.4	8
179	The Pushtashan juvenile suprasubduction zone assemblage of Kurdistan (northeastern Iraq): A Cretaceous (Cenomanian) Neo-Tethys missing link. <i>Geoscience Frontiers</i> , 2017, 8, 1073-1087.	8.4	8
180	Reconstruction of a 3700 Ma transgressive marine environment from Isua (Greenland): Sedimentology, stratigraphy and geochemical signatures. <i>Lithos</i> , 2019, 346-347, 105164.	1.4	8

#	ARTICLE	IF	CITATIONS
181	The Mesoarchean Amikoq Layered Complex of SW Greenland: Part 1. Constraints on the evolution from igneous, metasomatic and metamorphic amphiboles. <i>Mineralogical Magazine</i> , 2020, 84, 662-690.	1.4	8
182	In support of rare relict ~ 3700 Ma stromatolites from Isua (Greenland). <i>Earth and Planetary Science Letters</i> , 2021, 562, 116850.	4.4	6
183	A idade e natureza da Fonte do Granito do Moinho, Faixa Ribeira, Sudeste do Estado de São Paulo. <i>Geologia USP - Serie Cientifica</i> , 2004, 4, 91-100.	0.3	6
184	Lachlan Orogen, Eastern Australia: Triangle Formation Records the Late Ordovician Arrival of the Macquarie Arc Terrane at the Margin of Eastern Gondwana. <i>Tectonics</i> , 2019, 38, 3373-3393.	2.8	5
185	Structural restoration of an Eo-Mesoarchean (3.8–2.9 Ga) terrane, Eastern China, dissected by the Tanlu fault zone. <i>Journal of Structural Geology</i> , 2022, 161, 104629.	2.3	4
186	Timing of late Neoproterozoic to late Paleoproterozoic events in the North China Craton: SHRIMP U–Pb dating and LA-ICP-MS Hf isotope analysis of zircons from magmatic and metamorphic rocks in the Santuying area, eastern Hebei. <i>Gondwana Research</i> , 2019, 76, 348-372.	6.0	3
187	What is underneath the juvenile Ordovician Macquarie Arc (eastern Australia)? A question resolved using Silurian intrusions to sample the lower crust. <i>Gondwana Research</i> , 2020, 81, 362-377.	6.0	3
188	Provenance of Tanjero and Red Bed clastic sedimentary rocks revealed by detrital zircon SHRIMP dating, Kurdistan region, NE Iraq: Constraints on ocean closure and unroofing of Neo-Tethyan allochthons. <i>Journal of African Earth Sciences</i> , 2020, 172, 103981.	2.0	3
189	Late Neoproterozoic granites in the Qixingtai region, western Shandong: Further evidence for the recycling of early Neoproterozoic juvenile crust in the North China Craton. <i>Geological Journal</i> , 2020, 55, 6462-6486.	1.3	3
190	The Mesoarchean Amikoq Layered Complex of SW Greenland: Part 2. Geochemical evidence for high-Mg noritic plutonism through crustal assimilation. <i>Mineralogical Magazine</i> , 0, , 1-25.	1.4	3
191	Geodynamic environment of the ~ 3800 Ma Outer Arc Group, Isua (Greenland). <i>Numerische Mathematik</i> , 2021, 321, 643-679.	1.4	3
192	Reassessing the chronostratigraphy and tempo of climate change in the Lower-Middle Permian of the southern Sydney Basin, Australia: Integrating evidence from U–Pb zircon geochronology and biostratigraphy. <i>Lithos</i> , 2022, 410-411, 106570.	1.4	3
193	The Ataneq Fault and Mid-Proterozoic Retrograde Metamorphism of Early Archaean Tonalites of the Isukasia Area, Southern West Greenland: Reactions, Fluid Compositions and Implications for Regional Studies. , 1989, , 151-170.		2
194	The Eoarchean legacy of Isua (Greenland) worth preserving for future generations. <i>Earth-Science Reviews</i> , 2019, 198, 102923.	9.1	2
195	The early Eocene (48 Ma) Qaladeza trondhjemite formed by wet partial remelting of mafic crust in the arc-related Bulfat Igneous Complex (Kurdistan, Iraq): constraints on the timing of Neotethys closure. <i>Arabian Journal of Geosciences</i> , 2022, 15, 1.	1.3	2
196	Comment on "Tectonics of the Isua Supracrustal Belt 1: Constraints of a Polydeformed Metamorphic Terrane" by A. Ramírez-Salazar et al. and "Tectonics of the Isua Supracrustal Belt 2: Microstructures Reveal Distributed Strain in the Absence of Major Fault Structures" by J. Zuo et al.. <i>Tectonics</i> , 2022, 41, .	2.8	2
197	Isua Supracrustal Belt, West Greenland: Geochronology. , 2014, , 1-4.		1
198	The Archean Victoria Fjord terrane of northernmost Greenland and geodynamic interpretation of Precambrian crust in and surrounding the Arctic Ocean. <i>Journal of Geodynamics</i> , 2019, 129, 3-23.	1.6	1

#	ARTICLE	IF	CITATIONS
199	Eoarchean Life From the Isua Supracrustal Belt (Greenland). , 2019, , 965-983.		1
200	Jurassicâ€Cretaceous arc magmatism along the Shyokâ€Bangong Suture from NW Himalaya: Formation of the peri-Gondwana basement to the Ladakh Arc. Journal of the Geological Society, 0, , jgs2021-035.	2.1	1
201	Raman and ion microscopic imagery of graphitic inclusions in apatite from older than 3830 Ma Akilia supracrustal rocks, west Greenland: COMMENT and REPLY: COMMENT. Geology, 2007, 35, e169-e169.	4.4	0
202	Early Permian strike-slip basin formation and felsic volcanism in the Manning Group, southern New England Orogen, eastern Australia. Australian Journal of Earth Sciences, 2019, 66, 625-643.	1.0	0
203	Seeking Earthâ€™s oldest geological record: an unexpected discovery of well-preserved 3834â€™Ma metatonalite. Australian Journal of Earth Sciences, 2022, 69, 188-199.	1.0	0
204	Isua Supracrustal Belt, West Greenland: Geochronology. Encyclopedia of Earth Sciences Series, 2015, , 354-357.	0.1	0