
Piero Ruggenenti

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6412221/publications.pdf Version: 2024-02-01



#	Article	IF	CITATIONS
1	Preventing Microalbuminuria in Type 2 Diabetes. New England Journal of Medicine, 2004, 351, 1941-1951.	27.0	952
2	Renoprotective properties of ACE-inhibition in non-diabetic nephropathies with non-nephrotic proteinuria. Lancet, The, 1999, 354, 359-364.	13.7	800
3	Nephropathy in Patients with Type 2 Diabetes. New England Journal of Medicine, 2002, 346, 1145-1151.	27.0	537
4	Fatty kidney: emerging role of ectopic lipid in obesity-related renal disease. Lancet Diabetes and Endocrinology,the, 2014, 2, 417-426.	11.4	355
5	Proteinuria as a modifiable risk factor for the progression of non-diabetic renal disease. Kidney International, 2001, 60, 1131-1140.	5.2	334
6	Dynamics of complement activation in aHUS and how to monitor eculizumab therapy. Blood, 2014, 124, 1715-1726.	1.4	288
7	Anti-Phospholipase A2 Receptor Antibody Titer Predicts Post-Rituximab Outcome of Membranous Nephropathy. Journal of the American Society of Nephrology: JASN, 2015, 26, 2545-2558.	6.1	280
8	Glomerular Hyperfiltration and Renal Disease Progression in Type 2 Diabetes. Diabetes Care, 2012, 35, 2061-2068.	8.6	259
9	Safety and efficacy of long-acting somatostatin treatment in autosomal-dominant polycystic kidney disease. Kidney International, 2005, 68, 206-216.	5.2	239
10	Mechanisms and Treatment of CKD. Journal of the American Society of Nephrology: JASN, 2012, 23, 1917-1928.	6.1	225
11	Effect of longacting somatostatin analogue on kidney and cyst growth in autosomal dominant polycystic kidney disease (ALADIN): a randomised, placebo-controlled, multicentre trial. Lancet, The, 2013, 382, 1485-1495.	13.7	218
12	ACE Inhibitors to Prevent End-Stage Renal Disease. Journal of the American Society of Nephrology: JASN, 2001, 12, 2832-2837.	6.1	185
13	Iohexol plasma clearance for measuring glomerular filtration rate in clinical practice and research: a review. Part 1: How to measure glomerular filtration rate with iohexol?. CKJ: Clinical Kidney Journal, 2016, 9, 682-699.	2.9	169
14	Non-proteinuric pathways in loss of renal function in patients with type 2 diabetes. Lancet Diabetes and Endocrinology,the, 2015, 3, 382-391.	11.4	168
15	Sirolimus Therapy to Halt the Progression of ADPKD. Journal of the American Society of Nephrology: JASN, 2010, 21, 1031-1040.	6.1	157
16	Mycophenolate mofetil versus azathioprine for prevention of acute rejection in renal transplantation (MYSS): a randomised trial. Lancet, The, 2004, 364, 503-512.	13.7	155
17	lohexol plasma clearance for measuring glomerular filtration rate in clinical practice and research: a review. Part 2: Why to measure glomerular filtration rate with iohexol?. CKJ: Clinical Kidney Journal, 2016, 9, 700-704.	2.9	150
18	Reducing Polycystic Liver Volume in ADPKD. Clinical Journal of the American Society of Nephrology: CJASN, 2010, 5, 783-789.	4.5	126

PIERO RUGGENENTI

#	Article	IF	CITATIONS
19	The pathophysiology and management of thrombotic thrombocytopenic purpura. European Journal of Haematology, 1996, 56, 191-207.	2.2	108
20	Multicentre prospective validation of a urinary peptidome-based classifier for the diagnosis of type 2 diabetic nephropathy. Nephrology Dialysis Transplantation, 2014, 29, 1563-1570.	0.7	106
21	Mycophenolate Mofetil versus Azathioprine for Prevention of Chronic Allograft Dysfunction in Renal Transplantation. Journal of the American Society of Nephrology: JASN, 2007, 18, 1973-1985.	6.1	102
22	Effects of Manidipine and Delapril in Hypertensive Patients With Type 2 Diabetes Mellitus. Hypertension, 2011, 58, 776-783.	2.7	86
23	In Kidney Transplant Patients, Alemtuzumab but Not Basiliximab/Low-Dose Rabbit Anti-Thymocyte Globulin Induces B Cell Depletion and Regeneration, Which Associates with a High Incidence of De Novo Donor-Specific Anti-HLA Antibody Development. Journal of Immunology, 2013, 191, 2818-2828.	0.8	75
24	The Role of Protein Traffic in the Progression of Renal Diseases. Annual Review of Medicine, 2000, 51, 315-327.	12.2	65
25	Glomerular hyperfiltration. Nature Reviews Nephrology, 2022, 18, 435-451.	9.6	60
26	Paricalcitol for Secondary Hyperparathyroidism in Renal Transplantation. Journal of the American Society of Nephrology: JASN, 2015, 26, 1205-1214.	6.1	51
27	Long-term Effects of Octreotide on Liver Volume in Patients WithÂPolycystic Kidney and Liver Disease. Clinical Gastroenterology and Hepatology, 2016, 14, 1022-1030.e4.	4.4	45
28	C5 Convertase Blockade in Membranoproliferative Glomerulonephritis: A Single-Arm Clinical Trial. American Journal of Kidney Diseases, 2019, 74, 224-238.	1.9	45
29	SARS-CoV-2 Spike Protein 1 Activates Microvascular Endothelial Cells and Complement System Leading to Platelet Aggregation. Frontiers in Immunology, 2022, 13, 827146.	4.8	45
30	Basiliximab Combined with Low-Dose Rabbit Anti-Human Thymocyte Globulin: A Possible Further Step toward Effective and Minimally Toxic T Cell–Targeted Therapy in Kidney Transplantation. Clinical Journal of the American Society of Nephrology: CJASN, 2006, 1, 546-554.	4.5	44
31	Octreotide-LAR in later-stage autosomal dominant polycystic kidney disease (ALADIN 2): A randomized, double-blind, placebo-controlled, multicenter trial. PLoS Medicine, 2019, 16, e1002777.	8.4	42
32	Developing Regulatory-compliant Electronic Case Report Forms for Clinical Trials: Experience with The Demand Trial. Journal of the American Medical Informatics Association: JAMIA, 2009, 16, 404-408.	4.4	38
33	Effect on blood pressure of combined inhibition of endothelin-converting enzyme and neutral endopeptidase with daglutril in patients with type 2 diabetes who have albuminuria: a randomised, crossover, double-blind, placebo-controlled trial. Lancet Diabetes and Endocrinology,the, 2013, 1, 19-27.	11.4	37
34	Effect of Sirolimus on Disease Progression in Patients with Autosomal Dominant Polycystic Kidney Disease and CKD Stages 3b-4. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 785-794.	4.5	35
35	ACE and SGLT2 inhibitors: the future for non-diabetic and diabetic proteinuric renal disease. Current Opinion in Pharmacology, 2017, 33, 34-40.	3.5	28
36	Eculizumab in patients with severe coronavirus disease 2019 (COVID-19) requiring continuous positive airway pressure ventilator support: Retrospective cohort study. PLoS ONE, 2021, 16, e0261113.	2.5	25

PIERO RUGGENENTI

#	Article	IF	CITATIONS
37	Moderate salt restriction with or without paricalcitol in type 2 diabetes and losartan-resistant macroalbuminuria (PROCEED): a randomised, double-blind, placebo-controlled, crossover trial. Lancet Diabetes and Endocrinology,the, 2018, 6, 27-40.	11.4	24
38	Combined neprilysin and RAS inhibition for the failing heart: straining the kidney to help the heart?. European Journal of Heart Failure, 2015, 17, 468-471.	7.1	19
39	Latest treatment strategies for membranous nephropathy. Expert Opinion on Pharmacotherapy, 2007, 8, 3159-3171.	1.8	18
40	Rituximab for membranous nephropathy and immune disease: less might be enough. Nature Clinical Practice Nephrology, 2009, 5, 76-77.	2.0	18
41	Effects of Sevelamer Carbonate in Patients With CKD and Proteinuria: The ANSWER Randomized Trial. American Journal of Kidney Diseases, 2019, 74, 338-350.	1.9	17
42	Effects of valsartan, benazepril and their combination in overt nephropathy of type 2 diabetes: A prospective, randomized, controlled trial. Diabetes, Obesity and Metabolism, 2019, 21, 1177-1190.	4.4	14
43	Left ventricular dysfunction in ADPKD and effects of octreotide-LAR: A cross-sectional and longitudinal substudy of the ALADIN trial. International Journal of Cardiology, 2019, 275, 145-151.	1.7	13
44	Long-term kidney and systemic effects of calorie restriction in overweight or obese type 2 diabetic patients (C.Re.S.O. 2 randomized controlled trial). Diabetes Research and Clinical Practice, 2022, 185, 109804.	2.8	10
45	Perioperative Minimal Induction Therapy: A Further Step toward More Effective Immunosuppression in Transplantation, 2012, 2012, 1-7.	0.5	9
46	Mycophenolate mofetil versus azathioprine in kidney transplant recipients on steroid-free, low-dose cyclosporine immunosuppression (ATHENA): A pragmatic randomized trial. PLoS Medicine, 2021, 18, e1003668.	8.4	8
47	Refractory focal segmental glomerulosclerosis in the adult: complete and sustained remissions of two episodes of nephrotic syndrome after a single dose of rituximab. BMJ Case Reports, 2014, 2014, bcr2014205507-bcr2014205507.	0.5	8
48	Dual renin–angiotensin system blockade for nephroprotection. Nephrologie Et Therapeutique, 2017, 13, S43-S45.	0.5	7
49	Preventing microalbuminuria with benazepril, valsartan, and benazepril–valsartan combination therapy in diabetic patients with high-normal albuminuria: A prospective, randomized, open-label, blinded endpoint (PROBE) study. PLoS Medicine, 2021, 18, e1003691.	8.4	7
50	Ramipril and Cardiovascular Outcomes in Patients on Maintenance Hemodialysis. Clinical Journal of the American Society of Nephrology: CJASN, 2021, 16, 575-587.	4.5	6
51	Nephrotic-range proteinuria in type 2 diabetes: Effects of empagliflozin on kidney disease progression and clinical outcomes. EClinicalMedicine, 2022, 43, 101240.	7.1	6
52	Case Report: Tackling Complement Hyperactivation With Eculizumab in Atypical Hemolytic Uremic Syndrome Triggered by COVID-19. Frontiers in Pharmacology, 2022, 13, 842473.	3.5	6
53	Low-Dose RATG with or without Basiliximab in Renal Transplantation: A Matched-Cohort Observational Study. American Journal of Nephrology, 2015, 41, 16-27.	3.1	4
54	Morphofunctional Effects of C5 Convertase Blockade in Immune Complex-Mediated Membranoproliferative Glomerulonephritis: Report of Two Cases with Evidence of Terminal Complement Activation. Nephron, 2020, 144, 195-203.	1.8	4

PIERO RUGGENENTI

#	Article	IF	CITATIONS
55	Preimplantation Histological Score Associates with 6-Month GFR in Recipients of Perfused, Older Kidney Grafts: Results from a Pilot Study. Nephron, 2021, 145, 137-149.	1.8	3
56	What blood-pressure level provides greatest renoprotection in patients with diabetic nephropathy and hypertension?. Nature Clinical Practice Nephrology, 2006, 2, 250-251.	2.0	2
57	SaOOO6INCREASED PRE-GLOMERULAR RESISTANCE AND KIDNEY HYPOPERFUSION MAY SUSTAIN ACCELERATED GFR DECLINE IN HYPERTENSIVE, TYPE 2 DIABETICS WITH NORMAL AND HIGH NORMAL ALBUMINURIA. Nephrology Dialysis Transplantation, 2018, 33, i317-i317.	0.7	2
58	Case Report: Effects of Anti-SARS-CoV-2 Convalescent Antibodies Obtained With Double Filtration Plasmapheresis. Frontiers in Immunology, 2021, 12, 711915.	4.8	2
59	Glomerular resistances predict long-term GFR decline in type 2 diabetic patients without overt nephropathy: a longitudinal subgroup analysis of the DEMAND trial. Acta Diabetologica, 2022, 59, 309-317.	2.5	2
60	Dreaming of normoglycaemia with fewer diet restrictions. Lancet Diabetes and Endocrinology,the, 2014, 2, 350-351.	11.4	1
61	MO106: Circulating Neutrophil Count is Associated with Severity of Chronic Kidney Disease. Nephrology Dialysis Transplantation, 2022, 37.	0.7	0