

Sirin Apiyasawat

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6413157/publications.pdf>

Version: 2024-02-01

41
papers

569
citations

567281

15
h-index

642732

23
g-index

45
all docs

45
docs citations

45
times ranked

669
citing authors

#	ARTICLE	IF	CITATIONS
1	Transvenous Lead Extraction (TLE) Procedure: Experience from a Tertiary Care Center in Thailand. Indian Pacing and Electrophysiology Journal, 2022, , .	0.6	1
2	Effect of ElectroMagnetic interference from SmartPHONE on cardiac ImplaNtable electronic device (EMIâ€PHONE study). Journal of Arrhythmia, 2022, 38, 778-782.	1.2	6
3	Mortality risk and temporal patterns of atrial fibrillation in the nationwide registry. Journal of Arrhythmia, 2021, 37, 1434-1442.	1.2	3
4	Adherence to Anticoagulant Guideline for Atrial Fibrillation Improves Outcomes in Asian Population. Stroke, 2020, 51, 1772-1780.	2.0	19
5	Rate and Reasons for the Use of Oral Anticoagulants in Patients with Non-Valvular Atrial Fibrillation and a CHAâ„DSâ„-VASc Score of 0 in Thailand: The COOL-AF Registry. Journal of the Medical Association of Thailand = Chotmaihet Thangphaet, 2020, 103, 987-995.	0.1	1
6	Factors associated with low health-related quality of life among younger and older Thai patients with non-valvular atrial fibrillation. Quality of Life Research, 2019, 28, 2091-2098.	3.1	4
7	CHA2DS2-VASc scores predict mortality after hospitalization for atrial fibrillation. International Journal of Cardiology, 2015, 185, 293-296.	1.7	17
8	Fragmented QRS as a Predictor of Appropriate Implantable Cardioverter-defibrillator Therapy. Indian Pacing and Electrophysiology Journal, 2014, 14, 4-11.	0.6	6
9	Correlation of Echocardiographic Left Atrial Abnormality With Myocardial Ischemia During Myocardial Perfusion Assessment in Patients With Left Bundle Branch Block. American Journal of Cardiology, 2013, 112, 660-663.	1.6	1
10	Correlation of Echocardiographic Left Atrial Abnormality With Myocardial Ischemia During Myocardial Perfusion Assessment in the Presence of Known Left Ventricular Hypertrophy. American Journal of Cardiology, 2013, 112, 416-419.	1.6	3
11	Association of statin therapy with ventricular arrhythmias among patients with acute coronary syndrome. Heart Asia, 2013, 5, 39-41.	1.1	5
12	Usefulness of Diastolic Time Measured on Electrocardiogram to Improve Sensitivity and Specificity of Exercise Tolerance Tests. American Journal of Cardiology, 2012, 109, 174-179.	1.6	3
13	Electrocardiographic Detection of Emphysema. American Journal of Cardiology, 2011, 107, 1090-1092.	1.6	33
14	Formulaic quantification of echocardiographic left atrial volume. Journal of Electrocardiology, 2009, 42, 258-264.	0.9	3
15	Is the Presence of Mitral Annular Calcification Associated with Poor Left Atrial Function?. Echocardiography, 2009, 26, 877-884.	0.9	10
16	Prospective assessment of cardiovascular events in patients with partial and advanced interatrial conduction delay: A preliminary observation. International Journal of Cardiology, 2009, 135, 124-125.	1.7	1
17	The Association of Atrial Tachyarrhythmias with Isolated Atrial Amyloid Disease: Preliminary Observations in Autopsied Heart Specimens. Cardiology, 2009, 113, 132-137.	1.4	23
18	Differences in Treadmill Exercise Tolerance Parameters Between Patients With Partial and Advanced Interatrial Depolarization Abnormality. American Journal of Cardiology, 2008, 102, 866-870.	1.6	0

#	ARTICLE	IF	CITATIONS
19	Differences in Echocardiographic Indices Between Patients With Partial and Advanced Interatrial Conduction Delay. <i>The American Heart Hospital Journal</i> , 2008, 6, 42-47.	0.2	1
20	High prevalence of widened P waves among pediatric patients in 2 separate hospitals. <i>Journal of Electrocardiology</i> , 2008, 41, 63-67.	0.9	3
21	Higher Prevalence of Cardiovascular Events Among Patients With Abnormal Atrial Depolarization and Coronary Artery Disease at 18 Months' Post-Exercise Tolerance Testing. <i>The American Heart Hospital Journal</i> , 2007, 5, 236-240.	0.2	2
22	Prospective evaluation of atrial tachyarrhythmias in patients with interatrial block. <i>International Journal of Cardiology</i> , 2007, 118, 332-337.	1.7	17
23	Limited utility of interatrial block in predicting ischemia on coronary angiography in patients with suboptimal exercise performance. <i>International Journal of Cardiology</i> , 2007, 119, 334-338.	1.7	0
24	Interatrial Block: A Novel Risk Factor for Embolic Stroke?. <i>Annals of Noninvasive Electrocardiology</i> , 2007, 12, 15-20.	1.1	63
25	Potential Factors That Affect Electrocardiographic Progression of Interatrial Block. <i>Annals of Noninvasive Electrocardiology</i> , 2007, 12, 21-26.	1.1	25
26	Association of P-Wave Duration, Dispersion, and Terminal Force in Relation to P-Wave Axis among Outpatients. <i>Annals of Noninvasive Electrocardiology</i> , 2007, 12, 210-215.	1.1	5
27	Frequency of Interatrial Block in Patients With Sinus Rhythm Hospitalized for Stroke and Comparison to Those Without Interatrial Block. <i>American Journal of Cardiology</i> , 2007, 99, 49-52.	1.6	44
28	Angiographic Localization of Potential Culprit Coronary Arteries in Patients With Interatrial Block Following a Positive Exercise Tolerance Test. <i>American Journal of Cardiology</i> , 2007, 99, 58-61.	1.6	19
29	Association of Atrial Fibrillation in Patients With Interatrial Block Over Prospectively Followed Controls With Comparable Echocardiographic Parameters. <i>American Journal of Cardiology</i> , 2007, 99, 390-392.	1.6	25
30	Association of Myocardial Ischemia and Coronary Angiographic Lesions With Increased Left Atrial Dimension During Exercise Tolerance Tests Among Patients Without Known Coronary Heart Disease. <i>American Journal of Cardiology</i> , 2007, 99, 1187-1192.	1.6	8
31	Quantitative Estimation of Left Atrial Linear Dimension on a Transthoracic Echocardiogram Using an Electrocardiographic Formulaic Assessment. <i>American Journal of Cardiology</i> , 2007, 100, 894-898.	1.6	8
32	Optimal P-Wave Duration for Bedside Diagnosis of Interatrial Block. <i>Annals of Noninvasive Electrocardiology</i> , 2006, 11, 259-262.	1.1	15
33	Association of Duke Prognostic Treadmill Scores With Change in P-Wave Duration During Exercise Tolerance Tests in Patients With Interatrial Block and Coronary Heart Disease. <i>American Journal of Cardiology</i> , 2006, 98, 786-788.	1.6	13
34	Specific electrocardiographic markers of P-wave morphology in interatrial block. <i>Journal of Electrocardiology</i> , 2006, 39, 380-384.	0.9	16
35	Potential Clinical Correlates and Risk Factors for Interatrial Block. <i>Cardiology</i> , 2006, 105, 213-218.	1.4	30
36	Correlation of Left Atrial Size With P-Wave Duration in Interatrial Block. <i>Chest</i> , 2005, 128, 2615-2618.	0.8	69

#	ARTICLE	IF	CITATIONS
37	Evidence supporting a new rate threshold for multifocal atrial tachycardia. <i>Clinical Cardiology</i> , 2005, 28, 561-563.	1.8	14
38	Interatrial block during exercise tolerance tests as an additional parameter for the diagnosis of ischemic heart disease. <i>Journal of Electrocardiology</i> , 2005, 38, 150-153.	0.9	11
39	Cisplatin Induced Localized Aortic Thrombus. <i>Echocardiography</i> , 2003, 20, 199-200.	0.9	22
40	Determinants of progression of aortic stenosis in patients aged ≥ 40 years. <i>American Journal of Cardiology</i> , 2002, 89, 350-352.	1.6	19
41	Biventricular Thrombi. <i>Echocardiography</i> , 2001, 18, 619-620.	0.9	1