Wendy E Hoy

List of Publications by Year in descending order

Source: https://exaly.com/author-pdf/6417553/publications.pdf

Version: 2024-02-01

282 papers

11,900 citations

52 h-index 98 g-index

290 all docs

290 docs citations

times ranked

290

8622 citing authors

#	Article	IF	CITATIONS
1	Glomerular number and size in autopsy kidneys: The relationship to birth weight. Kidney International, 2003, 63, 2113-2122.	5.2	647
2	Effect of fetal and child health on kidney development and long-term risk of hypertension and kidney disease. Lancet, The, 2013, 382, 273-283.	13.7	440
3	Human nephron number: implications for health and disease. Pediatric Nephrology, 2011, 26, 1529-1533.	1.7	405
4	Biomarkers in chronic kidney disease: a review. Kidney International, 2011, 80, 806-821.	5.2	347
5	Cyclosporine in patients with steroid-resistant membranous nephropathy: A randomized trial. Kidney International, 2001, 59, 1484-1490.	5.2	306
6	A stereological study of glomerular number and volume: Preliminary findings in a multiracial study of kidneys at autopsy. Kidney International, 2003, 63, S31-S37.	5.2	295
7	A new dimension to the Barker hypothesis: Low birthweight and susceptibility to renal disease. Kidney International, 1999, 56, 1072-1077.	5.2	284
8	Nephron Number, Hypertension, Renal Disease, and Renal Failure. Journal of the American Society of Nephrology: JASN, 2005, 16, 2557-2564.	6.1	276
9	A randomized trial of cyclosporine in patients with steroid-resistant focal segmental glomerulosclerosis. Kidney International, 1999, 56, 2220-2226.	5.2	267
10	Accelerated Maturation and Abnormal Morphology in the Preterm Neonatal Kidney. Journal of the American Society of Nephrology: JASN, 2011, 22, 1365-1374.	6.1	267
11	Hypertension, glomerular number, and birth weight in African Americans and white subjects in the southeastern United States. Kidney International, 2006, 69, 671-678.	5.2	250
12	Reduced nephron number and glomerulomegaly in Australian Aborigines: A group at high risk for renal disease and hypertension. Kidney International, 2006, 70, 104-110.	5.2	227
13	Captopril reduces the risk of nephropathy in IDDM patients with microalbuminuria. Diabetologia, 1996, 39, 587-593.	6.3	212
14	Predictors of the progression of renal insufficiency in patients with insulin-dependent diabetes and overt diabetic nephropathy. Kidney International, 1996, 50, 1651-1658.	5.2	194
15	The multidimensional nature of renal disease: Rates and associations of albuminuria in an Australian Aboriginal community. Kidney International, 1998, 54, 1296-1304.	5.2	187
16	Renal Injury Associated with Intravenous Pyelography in Nondiabetic and Diabetic Patients. Annals of Internal Medicine, 1978, 89, 51.	3.9	171
17	Nephron number, glomerular volume, renal disease and hypertension. Current Opinion in Nephrology and Hypertension, 2008, 17, 258-265.	2.0	169
18	Post-streptococcal glomerulonephritis is a strong risk factor for chronic kidney disease in later life. Kidney International, 2012, 81, 1026-1032.	5.2	147

#	Article	IF	CITATIONS
19	Regional variation in the incidence of endâ€stage renal disease in Indigenous Australians. Medical Journal of Australia, 2001, 175, 24-27.	1.7	138
20	Waist circumference, body mass index, hip circumference and waist-to-hip ratio as predictors of cardiovascular disease in Aboriginal people. European Journal of Clinical Nutrition, 2004, 58, 888-893.	2.9	129
21	Glomerular number and size variability and risk for kidney disease. Current Opinion in Nephrology and Hypertension, 2011, 20, 7-15.	2.0	126
22	Childhood postâ€streptococcal glomerulonephritis as a risk factor for chronic renal disease in later life. Medical Journal of Australia, 2001, 174, 492-496.	1.7	119
23	A Common RET Variant Is Associated with Reduced Newborn Kidney Size and Function. Journal of the American Society of Nephrology: JASN, 2008, 19, 2027-2034.	6.1	118
24	An epidemic of renal failure among Australian Aboriginals. Medical Journal of Australia, 1998, 168, 537-541.	1.7	115
25	Low birth weight and reduced renal volume in aboriginal children. American Journal of Kidney Diseases, 2001, 37, 915-920.	1.9	112
26	Associations of Glomerular Number and Birth Weight With Clinicopathological Features of African Americans and Whites. American Journal of Kidney Diseases, 2008, 52, 18-28.	1.9	106
27	Assessment of renal functional maturation and injury in preterm neonates during the first month of life. American Journal of Physiology - Renal Physiology, 2014, 307, F149-F158.	2.7	100
28	Determinants of Glomerular Volume in Different Cortical Zones of the Human Kidney. Journal of the American Society of Nephrology: JASN, 2005, 16, 3102-3109.	6.1	98
29	Is the Framingham coronary heart disease absolute risk function applicable to Aboriginal people?. Medical Journal of Australia, 2005, 182, 66-69.	1.7	91
30	Low birthweight and renal disease in Australian aborigines. Lancet, The, 1998, 352, 1826-1827.	13.7	87
31	The natural history of renal disease in Australian Aborigines. Part 2. Albuminuria predicts natural death and renal failure. Kidney International, 2001, 60, 249-256.	5.2	86
32	Taming the chronic kidney disease epidemic: a global view of surveillance efforts. Kidney International, 2014, 86, 246-250.	5.2	84
33	Setting up chronic disease programs: perspectives from Aboriginal Australia. Ethnicity and Disease, 2006, 16, S2-73-8.	2.3	83
34	Exploring the pathways leading from disadvantage to end-stage renal disease for Indigenous Australians. Social Science and Medicine, 2004, 58, 767-785.	3.8	82
35	Kidney volume, blood pressure, and albuminuria: findings in an Australian aboriginal community. American Journal of Kidney Diseases, 2004, 43, 254-259.	1.9	78
36	Reducing premature death and renal failure in Australian Aboriginals. Medical Journal of Australia, 2000, 172, 473-479.	1.7	77

#	Article	IF	CITATIONS
37	Renal function and cardiovascular risk markers in a remote Australian Aboriginal community. Nephrology Dialysis Transplantation, 2003, 18, 1555-1561.	0.7	77
38	Hypertension, glomerular hypertrophy and nephrosclerosis: the effect of race. Nephrology Dialysis Transplantation, 2014, 29, 1399-1409.	0.7	77
39	A health profile of adults in a Northern Territory Aboriginal community, with an emphasis on preventable morbidities. Australian and New Zealand Journal of Public Health, 1997, 21, 121-126.	1.8	76
40	The early development of the kidney and implications for future health. Journal of Developmental Origins of Health and Disease, 2010, 1, 216-233.	1.4	70
41	mTOR-mediated podocyte hypertrophy regulates glomerular integrity in mice and humans. JCI Insight, 2019, 4, .	5.0	69
42	The natural history of renal disease in Australian Aborigines. Part 1. Changes in albuminuria and glomerular filtration rate over time. Kidney International, 2001, 60, 243-248.	5.2	68
43	Glomerular size and glomerulosclerosis in Australian Aborigines. American Journal of Kidney Diseases, 2000, 36, 481-489.	1.9	64
44	Delayed referral to a nephrologist: outcomes among patients who survive at least one year on dialysis. Medical Journal of Australia, 2002, 177, 135-138.	1.7	63
45	Podocyte Number in Children and Adults. Journal of the American Society of Nephrology: JASN, 2015, 26, 2277-2288.	6.1	61
46	Albuminuria: Marker or target in indigenous populations. Kidney International, 2004, 66, S25-S31.	5.2	60
47	Repeated ethanol exposure during late gestation decreases nephron endowment in fetal sheep. American Journal of Physiology - Regulatory Integrative and Comparative Physiology, 2008, 295, R568-R574.	1.8	58
48	New insights on glomerular hyperfiltration: a Japanese autopsy study. JCI Insight, 2017, 2, .	5.0	57
49	Reduction in natural death and renal failure from a systematic screening and treatment program in an Australian Aboriginal community. Kidney International, 2003, 63, S66-S73.	5.2	56
50	Renal Transplantation for Indigenous Australians: Identifying the Barriers to Equitable Access. Ethnicity and Health, 2003, 8, 111-119.	2.5	56
51	Human podocyte depletion in association with older age and hypertension. American Journal of Physiology - Renal Physiology, 2016, 310, F656-F668.	2.7	55
52	Deficiency of T and B Lymphocytes in Uremic Subjects and Partial Improvement with Maintenance Hemodialysis. Nephron, 1978, 20, 182-188.	1.8	54
53	Nonmelanoma skin carcinoma in Albuquerque, New Mexico: Experience of a major health care provider., 1996, 77, 2489-2495.		54
54	Estimating the Total Incidence of Kidney Failure in Australia Including Individuals Who Are Not Treated by Dialysis or Transplantation. American Journal of Kidney Diseases, 2013, 61, 413-419.	1.9	54

#	Article	IF	CITATIONS
55	The prevalence and epidemiology of genetic renal disease amongst adults with chronic kidney disease in Australia. Orphanet Journal of Rare Diseases, 2014, 9, 98.	2.7	54
56	Renal disease in Australian Aboriginals. Medical Journal of Australia, 1996, 165, 126-127.	1.7	53
57	Body size measurements as predictors of type 2 diabetes in Aboriginal people. International Journal of Obesity, 2004, 28, 1580-1584.	3.4	52
58	Renal biopsy findings among Indigenous Australians: a nationwide review. Kidney International, 2012, 82, 1321-1331.	5.2	52
59	Considerable international variation exists in blood pressure control and antihypertensive prescriptionÂpatterns in chronic kidney disease. Kidney International, 2019, 96, 983-994.	5.2	51
60	Epidemic Renal Disease of Unknown Etiology in the Zuni Indians. American Journal of Kidney Diseases, 1987, 9, 485-496.	1.9	50
61	Chronic kidney disease mortality trends in selected Central America countries, 1997–2013: clues to an epidemic of chronic interstitial nephritis of agricultural communities. Journal of Epidemiology and Community Health, 2018, 72, 280-286.	3.7	49
62	Glomerular size and glomerulosclerosis: Relationships to disease categories, glomerular solidification, and ischemic obsolescence. American Journal of Kidney Diseases, 2002, 39, 679-688.	1.9	48
63	The association between birthweight and current blood pressure: a crossâ€sectional study in an Australian Aboriginal community. Medical Journal of Australia, 2003, 179, 532-535.	1.7	47
64	C-reactive protein, cardiovascular risk, and renal disease in a remote Australian Aboriginal community. Clinical Science, 2004, 106, 121-128.	4.3	46
65	Eosinophilia in Maintenance Hemodialysis Patients. Journal of Dialysis, 1979, 3, 73-87.	0.4	44
66	Social disadvantage and variation in the incidence of endâ€stage renal disease in Australian capital cities. Australian and New Zealand Journal of Public Health, 2001, 25, 322-326.	1.8	44
67	CKD in Aboriginal Australians. American Journal of Kidney Diseases, 2010, 56, 983-993.	1.9	44
68	International Network of Chronic Kidney Disease cohort studies (iNET-CKD): a global network of chronic kidney disease cohorts. BMC Nephrology, 2016, 17, 121.	1.8	44
69	Quantifying the excess risk for proteinuria, hypertension and diabetes in Australian Aborigines: comparison of profiles in three remote communities in the Northern Territory with those in the AusDiab study. Australian and New Zealand Journal of Public Health, 2007, 31, 177-183.	1.8	43
70	A comparison of nephron number, glomerular volume and kidney weight in Senegalese Africans and African Americans. Nephrology Dialysis Transplantation, 2010, 25, 1514-1520.	0.7	42
71	STUDIES ON CYTOPHILIC ANTIBODIES. The Australian Journal of Experimental Biology and Medical Science, 1969, 47, 525-539.	0.7	41
72	End-stage renal disease in indigenous Australians: a disease of disadvantage. Ethnicity and Disease, 2002, 12, 373-8.	2.3	41

#	Article	lF	Citations
73	Accurate Assessment of Kidney Function in Indigenous Australians: The Estimated GFR Study. American Journal of Kidney Diseases, 2012, 60, 680-682.	1.9	40
74	Validation of selfâ€reported cigarette smoking in a remote Australian Aboriginal community. Australian and New Zealand Journal of Public Health, 2003, 27, 57-60.	1.8	39
75	A chronic disease outreach program for Aboriginal communities. Kidney International, 2005, 68, S76-S82.	5.2	38
76	Carotid intima-media thickness, cardiovascular risk factors and albuminuria in a remote Australian Aboriginal community. Atherosclerosis, 2004, 177, 423-431.	0.8	37
77	Nephron number and individual glomerular volumes in male Caucasian and African American subjects. Nephrology Dialysis Transplantation, 2009, 24, 2428-2433.	0.7	37
78	Birthweight and natural deaths in a remote Australian Aboriginal community. Medical Journal of Australia, 2010, 192, 14-19.	1.7	37
79	Distribution of Volumes of Individual Glomeruli in Kidneys at Autopsy: Association with Physical and Clinical Characteristics and with Ethnic Group. American Journal of Nephrology, 2011, 33, 15-20.	3.1	37
80	Mesangial Proliferative Glomerulonephritis in Southwestern American Indians. American Journal of Kidney Diseases, 1993, 21, 486-496.	1.9	36
81	Renal pathology, glomerular number and volume in a West African urban community. Nephrology Dialysis Transplantation, 2008, 23, 2576-2585.	0.7	36
82	Patterns of mortality in Indigenous adults in the Northern Territory, 1998–2003: are people living in more remote areas worse off?. Medical Journal of Australia, 2009, 190, 307-311.	1.7	36
83	APOL1 Risk Alleles Are Associated with Exaggerated Age-Related Changes in Glomerular Number and Volume in African-American Adults. Journal of the American Society of Nephrology: JASN, 2015, 26, 3179-3189.	6.1	36
84	Anthropometric measurements of Australian Aboriginal adults living in remote areas: Comparison with nationally representative findings. American Journal of Human Biology, 2008, 20, 317-324.	1.6	35
85	Kidney disease in Aboriginal Australians: a perspective from the Northern Territory. CKJ: Clinical Kidney Journal, 2014, 7, 524-530.	2.9	35
86	Hypertension, dyslipidemia, body mass index, diabetes and smoking status in Aboriginal Australians in a remote community. Ethnicity and Disease, 2003, 13, 324-30.	2.3	35
87	Birth Weight and Stages of CKD: A Case-Control Study in an Australian Population. American Journal of Kidney Diseases, 2008, 52, 1070-1078.	1.9	34
88	Incidence of type 2 diabetes in Aboriginal Australians: an 11-year prospective cohort study. BMC Public Health, 2010, 10, 487.	2.9	34
89	An expanded nationwide view of chronic kidney disease in Aboriginal Australians. Nephrology, 2016, 21, 916-922.	1.6	34
90	CKD.QLD: establishment of a chronic kidney disease [CKD] registry in Queensland, Australia. BMC Nephrology, 2017, 18, 189.	1.8	34

#	Article	IF	CITATIONS
91	Is Serological Evidence of Infection with Syphilis a Contraindication to Kidney Donation? Case Report and Review of the Literature. Journal of Urology, 1987, 138, 1226-1227.	0.4	33
92	A collaborative, individual-level analysis compared longitudinal outcomes across the International Network of Chronic Kidney Disease (iNETCKD) cohorts. Kidney International, 2019, 96, 1217-1233.	5.2	33
93	Glomerulomegaly in Australian Aborigines. Nephrology, 1998, 4, S46-S53.	1.6	32
94	Association between diabetes and coronary heart disease in Aboriginal people: are women disadvantaged?. Medical Journal of Australia, 2004, 180, 508-511.	1.7	32
95	Applicability of the glomerular size distribution coefficient in assessing human glomerular volume: the Weibel and Gomez method revisited. Journal of Anatomy, 2007, 210, 578-582.	1.5	32
96	High Baseline Levels of Tumor Necrosis Factor Receptor 1 Are Associated With Progression of Kidney Disease in Indigenous Australians With Diabetes: The eGFR Follow-up Study. Diabetes Care, 2018, 41, 739-747.	8.6	32
97	Does nephron number matter in the development of kidney disease?. Ethnicity and Disease, 2006, 16, S2-40-5.	2.3	32
98	Albuminuria as a marker of the risk of developing type 2 diabetes in non-diabetic Aboriginal Australians. International Journal of Epidemiology, 2006, 35, 1331-1335.	1.9	31
99	Study Protocol - Accurate assessment of kidney function in Indigenous Australians: aims and methods of the eGFR Study. BMC Public Health, 2010, 10, 80.	2.9	31
100	Transmission of strongyloidiasis by kidney transplant? Disseminated strongyloidiasis in both recipients of kidney allografts from a single cadaver donor. JAMA - Journal of the American Medical Association, 1981, 246, 1937-1939.	7.4	31
101	Albuminuria and incident coronary heart disease in Australian Aboriginal people. Kidney International, 2005, 68, 1289-1293.	5.2	30
102	How Many Glomerular Profiles Must Be Measured to Obtain Reliable Estimates of Mean Glomerular Areas in Human Renal Biopsies?. Journal of the American Society of Nephrology: JASN, 2006, 17, 556-563.	6.1	30
103	C-reactive protein and the risk of developing type 2 diabetes in Aboriginal Australians. Diabetes Research and Clinical Practice, 2007, 76, 37-43.	2.8	30
104	"Closing the gap―by 2030: aspiration versus reality in Indigenous health. Medical Journal of Australia, 2009, 190, 542-544.	1.7	30
105	Towards a definition of glomerulomegaly: clinical-pathological and methodological considerations. Nephrology Dialysis Transplantation, 2011, 26, 2202-2208.	0.7	30
106	Biopsy-based estimation of total nephron number in Japanese living kidney donors. Clinical and Experimental Nephrology, 2019, 23, 629-637.	1.6	30
107	Urban disadvantage and delayed nephrology referral in Australia. Health and Place, 2003, 9, 175-182.	3.3	29
108	Relationships between birthweight and biomarkers of chronic disease in childhood: Aboriginal Birth Cohort Study 1987–2001. Paediatric and Perinatal Epidemiology, 2009, 23, 548-556.	1.7	29

#	Article	IF	Citations
109	Chronic disease profiles in remote Aboriginal settings and implications for health services planning. Australian and New Zealand Journal of Public Health, 2010, 34, 11-18.	1.8	29
110	Design and Implementation of Therapeutic Ultrasound Generating Circuit for Dental Tissue Formation and Tooth-Root Healing. IEEE Transactions on Biomedical Circuits and Systems, 2010, 4, 49-61.	4.0	29
111	Associations between age, body size and nephron number with individual glomerular volumes in urban West African males. Nephrology Dialysis Transplantation, 2009, 24, 1500-1506.	0.7	28
112	Clinical outcomes associated with changes in a chronic disease treatment program in an Australian Aboriginal community. Medical Journal of Australia, 2005, 183, 305-309.	1.7	28
113	Endâ€stage renal disease in the Northern Territory: current and future treatment costs. Medical Journal of Australia, 2002, 176, 461-465.	1.7	27
114	PHYSICAL AND BIOCHEMICAL PREDICTORS OF DEATH IN AN AUSTRALIAN ABORIGINAL COHORT. Clinical and Experimental Pharmacology and Physiology, 1999, 26, 618-621.	1.9	26
115	Disorders of Glucose Regulation in Adults and Birth Weight: Results from the Australian Diabetes, Obesity and Lifestyle (AusDiab) Study. Diabetes Care, 2008, 31, 159-164.	8.6	26
116	CKD.QLD: chronic kidney disease surveillance and research in Queensland, Australia. Nephrology Dialysis Transplantation, 2012, 27, iii139-iii145.	0.7	26
117	Secondary Prevention of Renal and Cardiovascular Disease. Journal of the American Society of Nephrology: JASN, 2003, 14, S178-S185.	6.1	25
118	The influence of birthweight, past poststreptococcal glomerulonephritis and current body mass index on levels of albuminuria in young adults: the multideterminant model of renal disease in a remote Australian Aboriginal population with high rates of renal disease and renal failure. Nephrology Dialysis Transplantation, 2016, 31, 971-977.	0.7	25
119	Cost-effectiveness analysis of a kidney and cardiovascular disease treatment program in an Australian Aboriginal population. Advances in Chronic Kidney Disease, 2005, 12, 22-31.	1.4	24
120	Equitable Expanded Carrier Screening Needs Indigenous Clinical and Population Genomic Data. American Journal of Human Genetics, 2020, 107, 175-182.	6.2	24
121	Prediction of cardiovascular disease risk using waist circumference among Aboriginals in a remote Australian community. BMC Public Health, 2015, 15, 57.	2.9	23
122	Progression of Kidney Disease in Indigenous Australians: The eGFR Follow-up Study. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 993-1004.	4.5	23
123	Delayed-type Hypersensitivity in Mice after Skin and Tumour Allografts and Tumour Isografts. Nature, 1969, 222, 1001-1003.	27.8	22
124	Protein Catabolism During the Postoperative Course After Renal Transplantation. American Journal of Kidney Diseases, 1985, 5, 186-190.	1.9	22
125	Renal disease in Australian Aborigines. Nephrology Dialysis Transplantation, 2000, 15, 1293-1297.	0.7	22
126	Adverse Health Outcomes Associated With Fetal Alcohol Exposure: A Systematic Review Focused on Cardio–Renal Outcomes. Journal of Studies on Alcohol and Drugs, 2019, 80, 515-523.	1.0	22

#	Article	IF	Citations
127	Kidney and related chronic disease profiles and risk factors in three remote Australian Aboriginal communities. Advances in Chronic Kidney Disease, 2005, 12, 64-70.	1.4	21
128	Biomarkers and the role of mast cells as facilitators of inflammation and fibrosis in chronic kidney disease. Translational Andrology and Urology, 2019, 8, S175-S183.	1.4	21
129	The Barker hypothesis confirmed: association of low birth weight with all-cause natural deaths in young adult life in a remote Australian Aboriginal community. Journal of Developmental Origins of Health and Disease, 2019, 10, 55-62.	1.4	21
130	Cirrhosis and death after jejunoileal shunt for obesity. The American Journal of Digestive Diseases, 1974, 19, 759-765.	0.9	20
131	MARKERS FOR CARDIOVASCULAR AND RENAL MORBIDITY: EXPECTATIONS FOR AN INTERVENTION PROGRAMME IN AN AUSTRALIAN ABORIGINAL COMMUNITY. Clinical and Experimental Pharmacology and Physiology, 1996, 23, s33-s37.	1.9	20
132	Indigenous mortality in remote Queensland, Australia. Australian and New Zealand Journal of Public Health, 2007, 31, 422-427.	1.8	20
133	The p53Pro72Arg Polymorphism is Associated with Albuminuria among Aboriginal Australians. Journal of the American Society of Nephrology: JASN, 2002, 13, 677-683.	6.1	20
134	Urinary findings and renal function in adult Navajo Indians and associations with type 2 diabetes. American Journal of Kidney Diseases, 1996, 28, 339-349.	1.9	19
135	Stemming the tide: reducing cardiovascular disease and renal failure in Australian Aborigines*. Australian and New Zealand Journal of Medicine, 1999, 29, 480-483.	0.5	19
136	Câ€reactive protein: an independent predictor of cardiovascular disease in Aboriginal Australians. Australian and New Zealand Journal of Public Health, 2010, 34, S25-S29.	1.8	19
137	Getting better at chronic care in remote communities: study protocol for a pragmatic cluster randomised controlled of community based management. BMC Public Health, 2012, 12, 1017.	2.9	19
138	APOL1 Risk Alleles Are Associated With More Severe Arteriosclerosis in Renal Resistance Vessels With Aging and Hypertension. Kidney International Reports, 2016, 1, 10-23.	0.8	19
139	Body mass index and mortality in Aboriginal Australians in the Northern Territory. Australian and New Zealand Journal of Public Health, 2002, 26, 305-310.	1.8	18
140	Population distribution of high sensitivity C-reactive protein values in Aboriginal Australians: A comparison with other populations. Clinical Biochemistry, 2006, 39, 277-281.	1.9	18
141	Design-based stereological methods for estimating numbers of glomerular podocytes. Annals of Anatomy, 2014, 196, 48-56.	1.9	18
142	Periodontal disease and chronic kidney disease among Aboriginal adults; an RCT. BMC Nephrology, 2015, 16, 181.	1.8	18
143	Low birthweight increases risk for cardiovascular disease hospitalisations in a remote Indigenous Australian community – a prospective cohort study. Australian and New Zealand Journal of Public Health, 2016, 40, S102-S106.	1.8	18
144	Is the Framingham coronary heart disease absolute risk function applicable to Aboriginal people?. Medical Journal of Australia, 2005, 182, 66-9.	1.7	18

#	Article	IF	Citations
145	XAD-4 resin hemoperfusion for digitoxic patients with renal failure. Kidney International, 1983, 23, 79-82.	5.2	17
146	The Influence of Glucocorticoid Dose on Protein Catabolism After Renal Transplantation. American Journal of the Medical Sciences, 1986, 291, 241-247.	1.1	17
147	Proteinuria is associated with persistence of antibody to streptococcal M protein in Aboriginal Australians. Epidemiology and Infection, 1999, 122, 67-75.	2.1	17
148	Chronic Kidney Disease Management – What Can We Learn from South African and Australian Efforts?. Blood Purification, 2006, 24, 115-122.	1.8	17
149	A comparison of pathomolecular markers of fibrosis and morphology in kidney from autopsies of African Americans and whites. Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin, 2007, 450, 41-50.	2.8	17
150	Predictive Value of Nephelometric and High-Performance Liquid Chromatography Assays of Urine Albumin for Mortality in a High-Risk Aboriginal Population. American Journal of Kidney Diseases, 2008, 52, 672-682.	1.9	17
151	Comparison of creatinine and cystatin C based eGFR in the estimation of glomerular filtration rate in Indigenous Australians: The eGFR Study. Clinical Biochemistry, 2017, 50, 301-308.	1.9	17
152	Spectrum (characteristics) of patients with chronic kidney disease (CKD) with increasing age in a major metropolitan renal service. BMC Nephrology, 2017, 18, 372.	1.8	16
153	New Genetic Loci Associated With Chronic Kidney Disease in an Indigenous Australian Population. Frontiers in Genetics, 2019, 10, 330.	2.3	16
154	Epidemiology, molecular, and genetic methodologies to evaluate causes ofÂCKDuÂaroundÂthe world: report of the Working GroupÂfrom the ISN InternationalÂConsortium ofÂCollaborators onÂCKDu. Kidney International, 2019, 96, 1254-1260.	5. 2	16
155	Altered Patterns of Posttransplant Urinary Tract Infections Associated With Perioperative Antibiotics and Curtailed Catheterization. American Journal of Kidney Diseases, 1985, 6, 212-216.	1.9	15
156	Treatment of Australian Aboriginals with end-stage renal disease in the top end of the Northern Territory: 1978?93. Nephrology, 1995, 1, 307-313.	1.6	15
157	Body Mass Index in Aboriginal Australians in remote communities. Australian and New Zealand Journal of Public Health, 2000, 24, 570-575.	1.8	15
158	CKD Screening and Surveillance in Australia: Past, Present, and Future. Kidney International Reports, 2018, 3, 36-46.	0.8	15
159	BMI and its association with death and the initiation of renal replacement therapy (RRT) in a cohort of patients with chronic kidney disease (CKD). BMC Nephrology, 2019, 20, 329.	1.8	15
160	Chronic kidney disease and socio-economic status: a cross sectional study. Ethnicity and Health, 2020, 25, 93-109.	2.5	15
161	The multideterminant model of renal disease in a remote Australian Aboriginal population in the context of early life risk factors: lower birth weight, childhood post-streptococcal glomerulonephritis, and current body mass index influence levels of albumi. Clinical Nephrology, 2015. 83 (2015), 75-81.	0.7	15
162	ESTIMATING TOTAL GLOMERULAR NUMBER IN HUMAN KIDNEYS WITH A PHYSICAL DISECTOR/FRACTIONATOR COMBINATION. Image Analysis and Stereology, 2000, 19, 105.	0.9	15

#	Article	IF	Citations
163	Familial aggregation of albuminuria and arterial hypertension in an Aboriginal Australian community and the contribution of variants in ACE and TP53. BMC Nephrology, 2016, 17, 183.	1.8	14
164	APOL1 Risk Variants Independently Associated With Early Cardiovascular Disease Death. Kidney International Reports, 2018, 3, 89-98.	0.8	14
165	Resin Hemoperfusion for Treatment of a Massive Meprobamate Overdose. Annals of Internal Medicine, 1980, 93, 455.	3.9	13
166	Waist circumference values equivalent to body mass index points for predicting absolute cardiovascular disease risks among adults in an Aboriginal community: a prospective cohort study. BMJ Open, 2015, 5, e009185-e009185.	1.9	13
167	Heterogeneity in patterns of progression of chronic kidney disease. Internal Medicine Journal, 2021, 51, 220-228.	0.8	13
168	Adenine overload induces ferroptosis in human primary proximal tubular epithelial cells. Cell Death and Disease, 2022, 13, 104.	6. 3	13
169	Promoting Plant-Based Therapies for Chronic Kidney Disease. Journal of Evidence-based Integrative Medicine, 2022, 27, 2515690X2210796.	2.6	13
170	Use of a medical center's computerized health care database for notifiable disease surveillance American Journal of Public Health, 1991, 81, 637-639.	2.7	12
171	Screening for renal disease and other chronic diseases in Aboriginal adults and preliminary experience of a medical intervention program. Nephrology, 1998, 4, S90-S95.	1.6	12
172	Quantifying the Excess Risk of Type 2 Diabetes by Body Habitus Measurements Among Australian Aborigines Living in Remote Areas. Diabetes Care, 2008, 31, 585-586.	8.6	12
173	Status of chronic kidney disease prevention programs: International Federation of Kidney Foundation Members 2005/2007. Kidney International, 2008, 74, 1516-1525.	5.2	12
174	The increasing rates of acute interstitial nephritis in Australia: a single centre case series. BMC Nephrology, 2017, 18, 329.	1.8	12
175	Progressive Nephron Loss in Aging Kidneys: Clinical–Structural Associations Investigated by Two Anatomical Methods. Anatomical Record, 2020, 303, 2526-2536.	1.4	12
176	Blood Pressure in Navajo Indians and Its Association With Type 2 Diabetes and Renal and Cardiovascular Disease. American Journal of Hypertension, 1994, 7, 321-328.	2.0	11
177	RENAL DISEASE AS A METAPHOR: TOWARDS A MORE INTEGRATED VIEW OF ABORIGINAL HEALTH. Clinical and Experimental Pharmacology and Physiology, 1998, 25, 1038-1042.	1.9	11
178	The associations of anthropometric measurements with subsequent gestational diabetes in Aboriginal women. Obesity Research and Clinical Practice, 2015, 9, 499-506.	1.8	11
179	Transformation of mortality in a remote Australian Aboriginal community: a retrospective observational study. BMJ Open, 2017, 7, e016094.	1.9	11
180	Chronic Kidney Disease, Queensland (CKD.QLD) Registry: Management of CKD With Telenephrology. Kidney International Reports, 2018, 3, 1336-1343.	0.8	11

#	Article	IF	Citations
181	An update on chronic kidney disease in Aboriginal Australians. Clinical Nephrology, 2020, 93, 124-128.	0.7	11
182	Renal disease and the environment: lessons from Aboriginal Australia*. Nephrology, 2001, 6, 19-24.	1.6	10
183	Renal-related deaths in Indigenous people in Queensland, Australia. Nephrology, 2007, 12, 514-519.	1.6	10
184	Lifetime risk of developing coronary heart disease in Aboriginal Australians: a cohort study. BMJ Open, 2013, 3, e002308.	1.9	10
185	The Association between HbA1c and Cardiovascular Disease Markers in a Remote Indigenous Australian Community with and without Diagnosed Diabetes. Journal of Diabetes Research, 2016, 2016, 1-8.	2.3	10
186	Resting heart rate, physiological stress and disadvantage in Aboriginal and Torres Strait Islander Australians: analysis from a cross-sectional study. BMC Cardiovascular Disorders, 2016, 16, 36.	1.7	10
187	Body mass index and waist circumference as predictors of all-cause mortality in an Aboriginal Australian community. Obesity Research and Clinical Practice, 2017, 11, 19-26.	1.8	10
188	Chronic kidney disease, Queensland: Profile of patients with chronic kidney disease from regional Queensland, Australia: A registry report. Nephrology, 2019, 24, 1257-1264.	1.6	10
189	Unsafe drinking water quality in remote Western Australian Aboriginal communities. Geographical Research, 2019, 57, 178-188.	1.8	10
190	Podocyte endowment and the impact of adult body size on kidney health. American Journal of Physiology - Renal Physiology, 2021, 321, F322-F334.	2.7	10
191	Predicting Absolute Risk of Type 2 Diabetes Using Age and Waist Circumference Values in an Aboriginal Australian Community. PLoS ONE, 2015, 10, e0123788.	2.5	10
192	Homocysteine, renal disease and cardiovascular disease in a remote Australian Aboriginal community. Internal Medicine Journal, 2005, 35, 289-294.	0.8	9
193	Clearance of Meprobamate by Hemoperfusion Over Columns of Charcoal and Amberlite Resin. Artificial Organs, 2008, 2, 395-397.	1.9	9
194	Remaining lifetime risk for developing end stage renal disease among Australian Aboriginal people with diabetes. Diabetes Research and Clinical Practice, 2014, 103, e24-e26.	2.8	9
195	Kidney disease in hepatitis B surface antigen-positive children: experience from a centre in south-west Nigeria and a review of the Nigerian literature. Paediatrics and International Child Health, 2018, 38, 16-22.	1.0	9
196	Blood pressure management in hypertensive people with non-dialysis chronic kidney disease in Queensland, Australia. BMC Nephrology, 2019, 20, 348.	1.8	9
197	Development of a Biomarker Panel to Distinguish Risk of Progressive Chronic Kidney Disease. Biomedicines, 2020, 8, 606.	3.2	9
198	The Ckd. Qld fabRy Epidemiology (aCQuiRE) study protocol: identifying the prevalence of Fabry disease amongst patients with kidney disease in Queensland, Australia. BMC Nephrology, 2020, 21, 58.	1.8	9

#	Article	IF	CITATIONS
199	Dermal vascular IgA deposits in IgA nephropathy secondary to alcohol abuse. Journal of Cutaneous Pathology, 1990, 17, 193-196.	1.3	8
200	Alcohol abuse-related mesangial glomerulonephritis: immunoelectron microscopy Journal of Histochemistry and Cytochemistry, 1990, 38, 699-702.	2.5	8
201	Digoxin Removal from a Patient with Renal Failure by Hemoperfusion with Amberlite XADâ€4 Resin. Artificial Organs, 1979, 3, 124-126.	1.9	8
202	The predictive value of albuminuria for renal and nonrenal natural deaths over 14 years follow-up in a remote aboriginal community. CKJ: Clinical Kidney Journal, 2012, 5, 519-525.	2.9	8
203	A protocol for the identification and validation of novel genetic causes of kidney disease. BMC Nephrology, 2015, 16, 152.	1.8	8
204	Low birth weight and large adult waist circumference increase the risk of cardiovascular disease in remote indigenous Australians $\hat{a} \in \mathbb{Z}^n$ An 18 year cohort study. International Journal of Cardiology, 2015, 186, 273-275.	1.7	8
205	The association between Câ€reactive protein levels and the risk for chronic kidney disease hospitalizations in adults of a remote Indigenous Australian community – A prospective cohort study. Nephrology, 2017, 22, 699-705.	1.6	8
206	Underlying Histopathology Determines Response to Oxidative Stress in Cultured Human Primary Proximal Tubular Epithelial Cells. International Journal of Molecular Sciences, 2020, 21, 560.	4.1	8
207	Research, information and consent for the Australian Health Survey: a separate standard for Indigenous people?. Medical Journal of Australia, 2011, 194, 509-510.	1.7	7
208	Diabetes and Lifetime Risk of ESRD in High-Risk Remote-Dwelling Australian Aboriginal People: A 20-Year Cohort Study. American Journal of Kidney Diseases, 2013, 62, 845-846.	1.9	7
209	Decreasing rates of natural deaths in a remote Australian Aboriginal community, 1996–2010. Australian and New Zealand Journal of Public Health, 2013, 37, 365-370.	1.8	7
210	Trends in health status and chronic disease risk factors over 10–14 years in a remote Australian community: a matched pair study. Australian and New Zealand Journal of Public Health, 2014, 38, 73-77.	1.8	7
211	Anthropometric predictors of gestational hypertensive disorders in a remote aboriginal community: a nested case–control study. BMC Research Notes, 2014, 7, 122.	1.4	7
212	Tracking patients with advanced kidney disease in the last 12 months of life. Journal of Renal Care, 2018, 44, 115-122.	1.2	7
213	The Kidney Supportive Care programme: characteristics of patients referred to a new model of care. BMJ Supportive and Palliative Care, 2018, , bmjspcare-2018-001630.	1.6	7
214	Frequency and Consequences of Acute Kidney Injury in Patients With CKD: A Registry Study in Queensland Australia. Kidney Medicine, 2019, 1, 180-190.	2.0	7
215	Renal disease, the metabolic syndrome, and cardiovascular disease. Ethnicity and Disease, 2006, 16, S2-46-51.	2.3	7
216	The prevalence of Fabry disease in a statewide chronic kidney disease cohort – Outcomes of the aCQuiRE (Ckd.Qld fabRy Epidemiology) study. BMC Nephrology, 2022, 23, 169.	1.8	7

#	Article	IF	CITATIONS
217	Hemodialysis Treatment of Methanol Intoxication. Artificial Organs, 1983, 7, 479-487.	1.9	6
218	Towards an epidemiologic definition of renal disease: Rates and associations of albuminuria in a high-risk Australian Aboriginal community. Nephrology, 1998, 4, S59-S65.	1.6	6
219	Renal ultrasound findings in an Australian Aboriginal population with high rates of renal disease. Nephrology, 2005, 10, 358-361.	1.6	6
220	Body mass index in an Australian population with chronic kidney disease. BMC Nephrology, 2018, 19, 209.	1.8	6
221	Heavy metal imaging in fibrotic human kidney tissue using the synchrotron X-ray fluorescence microprobe. Translational Andrology and Urology, 2019, 8, S184-S191.	1.4	6
222	Renal dysfunction is already evident within the first month of life in Australian Indigenous infants born preterm. Kidney International, 2019, 96, 1205-1216.	5.2	6
223	Is hyperfiltration associated with higher urine albumin-to-creatinine ratio at follow up among Indigenous Australians? The eGFR follow-up study. Journal of Diabetes and Its Complications, 2019, 33, 343-349.	2.3	6
224	Oral health of aboriginal people with kidney disease living in Central Australia. BMC Oral Health, 2021, 21, 50.	2.3	6
225	Interfaces between cardiovascular and kidney disease among Aboriginal Australians. Advances in Chronic Kidney Disease, 2005, 12, 39-48.	1.4	5
226	Chronic disease care in remote Aboriginal Australia has been transformed. BMJ, The, 2013, 347, f6127-f6127.	6.0	5
227	Evidence for improved patient management through electronic patient records at a Central Australian Aboriginal Health Service. Australian and New Zealand Journal of Public Health, 2014, 38, 154-159.	1.8	5
228	Absence of APOL1 risk alleles in a remote living Australian Aboriginal group with high rates of CKD, hypertension, diabetes, and cardiovascular disease. Kidney International, 2017, 91, 990.	5.2	5
229	Health service utilisation during the last year of life: a prospective, longitudinal study of the pathways of patients with chronic kidney disease stages 3-5. BMC Palliative Care, 2018, 17, 57.	1.8	5
230	Utilization and Costs of Health Care in a Kidney Supportive Care Program. Journal of Palliative Care, 2020, 35, 176-184.	1.0	5
231	Baseline liver function tests and full blood count indices and their association with progression of chronic kidney disease and renal outcomes in Aboriginal and Torres Strait Islander people: the eGFR follow- up study. BMC Nephrology, 2020, 21, 523.	1.8	5
232	Renal Disease Epidemiology: An Underdeveloped Discipline. American Journal of Kidney Diseases, 1988, 12, 454-457.	1.9	4
233	Research, information and consent for the Australian Health Survey: a separate standard for Indigenous people?. Medical Journal of Australia, 2011, 195, 158-159.	1.7	4
234	Nephron Hypertrophy and Glomerulosclerosis in Normal Donor Kidneys. Clinical Journal of the American Society of Nephrology: CJASN, 2014, 9, 1832-1834.	4.5	4

#	Article	IF	Citations
235	A profile of sales audits of a remote Aboriginal community's general store: 1992 and 2011. Australian and New Zealand Journal of Public Health, 2014, 38, 94.	1.8	4
236	Nephron loss in the ageing kidney â€" it's more than you think. Nature Reviews Nephrology, 2016, 12, 585-586.	9.6	4
237	Birthweight and the Prevalence, Progression, and Incidence of CKD in a Multideterminant Model in a High-Risk Australian Aboriginal Community. Kidney International Reports, 2021, 6, 2782-2793.	0.8	4
238	RENAL GLOMERULAR NUMBER AND SIZE IN AUSTRALIAN ABORIGINES, AFRICAN AMERICANS AND WHITE POPULATIONS FROM THE SAME LOCATIONS: A PRELIMINARY REPORT. Image Analysis and Stereology, 2001, 20, 153.	0.9	4
239	Pharmacogenomic analysis of a genetically distinct Indigenous population. Pharmacogenomics Journal, 2021, , .	2.0	4
240	The genomic landscape of blood groups in Indigenous Australians in remote communities. Transfusion, 2022, , .	1.6	4
241	Cardiovascular risk among urban Aboriginal people. Medical Journal of Australia, 2003, 179, 557-557.	1.7	3
242	The correlates of urinary albumin to creatinine ratio (ACR) in a high risk Australian aboriginal community. BMC Nephrology, 2013, 14, 176.	1.8	3
243	Age-dependent decline of association between obesity and coronary heart disease: a cohort study in a remote Australian Aboriginal community. BMJ Open, 2013, 3, e004042.	1.9	3
244	Adding Measures of Body Composition to the CKD-EPI GFR Estimating Equation in Indigenous Australians: The eGFR Study. American Journal of Kidney Diseases, 2015, 65, 632-634.	1.9	3
245	Kidney Disease Among Aboriginal and Torres Strait Islander People in Australia. , 2017, , 167-180.		3
246	Trajectories of eGFR decline over a four year period in an Indigenous Australian population at high risk of CKD-the eGFR follow up study. Clinical Biochemistry, 2018, 53, 58-64.	1.9	3
247	A randomised controlled trial of potential for pharmacologic prevention of new-onset albuminuria, hypertension and diabetes in a remote Aboriginal Australian community, 2008–2013. Contemporary Clinical Trials Communications, 2019, 14, 100323.	1.1	3
248	Performance of cardiovascular risk prediction equations in Indigenous Australians. Heart, 2020, 106, 1252-1260.	2.9	3
249	Impact of cardiovascular events on mortality and progression of renal dysfunction in a Queensland CKD cohort. Nephrology, 2020, 25, 839-844.	1.6	3
250	Lymphocyte Subpopulations in Maintenance Hemodialysis Patients. Journal of Dialysis, 1978, 2, 1-15.	0.4	2
251	Ad Libitum Alcohol Ingestion Does Not Induce Renal IgA Deposition in Mice. Alcoholism: Clinical and Experimental Research, 1990, 14, 184-186.	2.4	2
252	Timing of nephrology referral: a study of its effects on the likelihood of transplantation and impact on mortality. Nephrology, 2002, 7, S29-S32.	1.6	2

#	Article	IF	CITATIONS
253	Reproducibility of Urinary Albumin Assays by Immunonephelometry After Long-term Storage at â^'70°C. American Journal of Kidney Diseases, 2011, 58, 685-687.	1.9	2
254	Exclusion of Indigenous youth from important parts of the Australian Health Survey. Lancet, The, 2012, 379, 1101-1102.	13.7	2
255	Corresponding waist circumference and body mass index values based on 10-year absolute type 2 diabetes risk in an Australian Aboriginal community: TableÂ1. BMJ Open Diabetes Research and Care, 2015, 3, e000127.	2.8	2
256	Prematurity, Low Birth Weight, and CKD., 2017,, 229-249.		2
257	Case definitions and approaches for surveillance of chronic kidney disease in agricultural communities in Central America: policy implications. Kidney International, 2018, 93, 284-287.	5. 2	2
258	Protocol and establishment of a Queensland renal biopsy registry in Australia. BMC Nephrology, 2020, 21, 320.	1.8	2
259	Lessons learned from a periodontal intervention to reduce progression of chronic kidney disease among Aboriginal Australians. BMC Research Notes, 2020, 13, 483.	1.4	2
260	Analysis of the F2LR3 (PAR4) Single Nucleotide Polymorphism (rs773902) in an Indigenous Australian Population. Frontiers in Genetics, 2020, 11, 432.	2.3	2
261	An Australian Chronic Kidney Disease Biobank to Support Future Research. Open Journal of Bioresources, 2019, 6, .	1.5	2
262	Genetic research in Indigenous health: significant progress, substantial challenges. Medical Journal of Australia, 2012, 197, 382-383.	1.7	2
263	Deletions in VANGL1 are a risk factor for antibody-mediated kidney disease. Cell Reports Medicine, 2021, 2, 100475.	6.5	2
264	Guest editorial: Some population perspectives on chronic kidney disease. Advances in Chronic Kidney Disease, 2005, 12, 3-4.	1.4	1
265	Variation in Human Nephron Number and Association with Disease. , 2016, , 167-175.		1
266	Five enablers to deliver safe water and effective sewage treatment to remote Indigenous communities in Australia. Rural and Remote Health, 2021, 21, 6565.	0.5	1
267	Identification of factors associated with high-cost use of inpatient care in chronic kidney disease: a registry study. BMJ Open, 2021, 11, e049755.	1.9	1
268	The CKD.QLD data linkage framework: chronic kidney disease and health services utilisation in Queensland, Australia. F1000Research, 0, 10, 1107.	1.6	1
269	Kidney failure, CKD progression and mortality after nephrectomy. International Urology and Nephrology, 2022, 54, 2239-2245.	1.4	1
270	Lymphocytf Populations in Maintenance Hemodialysis Patients - Reassessment and Analysis of B Cell Subtypes. Clinical and Experimental Dialysis and Apheresis, 1981, 5, 335-347.	0.1	0

#	Article	IF	CITATIONS
271	Recovery of Native Renal Function After an Unsuccessful Kidney Transplant. American Journal of Kidney Diseases, 1982, 1, 367-370.	1.9	0
272	Amikacin Is Not Removed By XADâ€4 Hemoperfusion. Artificial Organs, 1982, 6, 207-208.	1.9	0
273	Reply. Internal Medicine Journal, 2005, 35, 642-643.	0.8	0
274	Is the Framingham coronary heart disease absolute risk function applicable to Aboriginal people?. Medical Journal of Australia, 2005, 182, 597-598.	1.7	0
275	Clinical outcomes associated with changes in a chronic disease treatment program in an Australian Aboriginal community. Medical Journal of Australia, 2006, 185, 180-181.	1.7	O
276	Patterns of mortality in Indigenous adults in the Northern Territory, 1998–2003. Medical Journal of Australia, 2009, 191, 581-582.	1.7	0
277	The Author Replies:. Kidney International, 2013, 83, 762.	5.2	0
278	Corrections to "Renal biopsy findings among Indigenous Australians: a nationwide review". Kidney International, 2013, 83, 1208.	5.2	0
279	Lifetime risk of hospital diagnosed chronic obstructive pulmonary disease in remote Aboriginal people: a cohort study. Australian and New Zealand Journal of Public Health, 2014, 38, 340-343.	1.8	O
280	Followâ€up reply to Dr Paul Lawton's "A response to an expanded nationwide view of chronic kidney disease in Aboriginal Australians, Nephrology, 21 (2016), 916–922― Nephrology, 2017, 22, 574-574.	1.6	0
281	Hospital Readmission Prediction using Discriminative patterns. , 2020, , .		0
282	A health profile of adults in a Northern Territory Aboriginal community, with an emphasis on preventable morbidities. Australian and New Zealand Journal of Public Health, 1977, 21, 121-126.	1.8	0