

Wendy E Hoy

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6417553/publications.pdf>

Version: 2024-02-01

282
papers

11,900
citations

34105

52
h-index

34986

98
g-index

290
all docs

290
docs citations

290
times ranked

8622
citing authors

#	ARTICLE	IF	CITATIONS
1	Kidney failure, CKD progression and mortality after nephrectomy. <i>International Urology and Nephrology</i> , 2022, 54, 2239-2245.	1.4	1
2	Adenine overload induces ferroptosis in human primary proximal tubular epithelial cells. <i>Cell Death and Disease</i> , 2022, 13, 104.	6.3	13
3	Promoting Plant-Based Therapies for Chronic Kidney Disease. <i>Journal of Evidence-based Integrative Medicine</i> , 2022, 27, 2515690X2210796.	2.6	13
4	The genomic landscape of blood groups in Indigenous Australians in remote communities. <i>Transfusion</i> , 2022, , .	1.6	4
5	The prevalence of Fabry disease in a statewide chronic kidney disease cohort “ Outcomes of the aCQuiRE (Ckd.Qld fabRy Epidemiology) study. <i>BMC Nephrology</i> , 2022, 23, 169.	1.8	7
6	Heterogeneity in patterns of progression of chronic kidney disease. <i>Internal Medicine Journal</i> , 2021, 51, 220-228.	0.8	13
7	Oral health of aboriginal people with kidney disease living in Central Australia. <i>BMC Oral Health</i> , 2021, 21, 50.	2.3	6
8	Five enablers to deliver safe water and effective sewage treatment to remote Indigenous communities in Australia. <i>Rural and Remote Health</i> , 2021, 21, 6565.	0.5	1
9	Birthweight and the Prevalence, Progression, and Incidence of CKD in a Multideterminant Model in a High-Risk Australian Aboriginal Community. <i>Kidney International Reports</i> , 2021, 6, 2782-2793.	0.8	4
10	Identification of factors associated with high-cost use of inpatient care in chronic kidney disease: a registry study. <i>BMJ Open</i> , 2021, 11, e049755.	1.9	1
11	Podocyte endowment and the impact of adult body size on kidney health. <i>American Journal of Physiology - Renal Physiology</i> , 2021, 321, F322-F334.	2.7	10
12	Pharmacogenomic analysis of a genetically distinct Indigenous population. <i>Pharmacogenomics Journal</i> , 2021, , .	2.0	4
13	Deletions in VANGL1 are a risk factor for antibody-mediated kidney disease. <i>Cell Reports Medicine</i> , 2021, 2, 100475.	6.5	2
14	Chronic kidney disease and socio-economic status: a cross sectional study. <i>Ethnicity and Health</i> , 2020, 25, 93-109.	2.5	15
15	Utilization and Costs of Health Care in a Kidney Supportive Care Program. <i>Journal of Palliative Care</i> , 2020, 35, 176-184.	1.0	5
16	Progressive Nephron Loss in Aging Kidneys: Clinical“Structural Associations Investigated by Two Anatomical Methods. <i>Anatomical Record</i> , 2020, 303, 2526-2536.	1.4	12
17	Baseline liver function tests and full blood count indices and their association with progression of chronic kidney disease and renal outcomes in Aboriginal and Torres Strait Islander people: the eGFR follow- up study. <i>BMC Nephrology</i> , 2020, 21, 523.	1.8	5
18	Protocol and establishment of a Queensland renal biopsy registry in Australia. <i>BMC Nephrology</i> , 2020, 21, 320.	1.8	2

#	ARTICLE	IF	CITATIONS
19	Equitable Expanded Carrier Screening Needs Indigenous Clinical and Population Genomic Data. <i>American Journal of Human Genetics</i> , 2020, 107, 175-182.	6.2	24
20	Lessons learned from a periodontal intervention to reduce progression of chronic kidney disease among Aboriginal Australians. <i>BMC Research Notes</i> , 2020, 13, 483.	1.4	2
21	Performance of cardiovascular risk prediction equations in Indigenous Australians. <i>Heart</i> , 2020, 106, 1252-1260.	2.9	3
22	Development of a Biomarker Panel to Distinguish Risk of Progressive Chronic Kidney Disease. <i>Biomedicines</i> , 2020, 8, 606.	3.2	9
23	Analysis of the F2LR3 (PAR4) Single Nucleotide Polymorphism (rs773902) in an Indigenous Australian Population. <i>Frontiers in Genetics</i> , 2020, 11, 432.	2.3	2
24	Impact of cardiovascular events on mortality and progression of renal dysfunction in a Queensland CKD cohort. <i>Nephrology</i> , 2020, 25, 839-844.	1.6	3
25	The Ckd. Qld fabRy Epidemiology (aCQuiRE) study protocol: identifying the prevalence of Fabry disease amongst patients with kidney disease in Queensland, Australia. <i>BMC Nephrology</i> , 2020, 21, 58.	1.8	9
26	Underlying Histopathology Determines Response to Oxidative Stress in Cultured Human Primary Proximal Tubular Epithelial Cells. <i>International Journal of Molecular Sciences</i> , 2020, 21, 560.	4.1	8
27	An update on chronic kidney disease in Aboriginal Australians. <i>Clinical Nephrology</i> , 2020, 93, 124-128.	0.7	11
28	Hospital Readmission Prediction using Discriminative patterns. , 2020, , .		0
29	Heavy metal imaging in fibrotic human kidney tissue using the synchrotron X-ray fluorescence microprobe. <i>Translational Andrology and Urology</i> , 2019, 8, S184-S191.	1.4	6
30	Considerable international variation exists in blood pressure control and antihypertensive prescription patterns in chronic kidney disease. <i>Kidney International</i> , 2019, 96, 983-994.	5.2	51
31	Adverse Health Outcomes Associated With Fetal Alcohol Exposure: A Systematic Review Focused on Cardio-Renal Outcomes. <i>Journal of Studies on Alcohol and Drugs</i> , 2019, 80, 515-523.	1.0	22
32	Renal dysfunction is already evident within the first month of life in Australian Indigenous infants born preterm. <i>Kidney International</i> , 2019, 96, 1205-1216.	5.2	6
33	BMI and its association with death and the initiation of renal replacement therapy (RRT) in a cohort of patients with chronic kidney disease (CKD). <i>BMC Nephrology</i> , 2019, 20, 329.	1.8	15
34	A collaborative, individual-level analysis compared longitudinal outcomes across the International Network of Chronic Kidney Disease (iNETCKD) cohorts. <i>Kidney International</i> , 2019, 96, 1217-1233.	5.2	33
35	Blood pressure management in hypertensive people with non-dialysis chronic kidney disease in Queensland, Australia. <i>BMC Nephrology</i> , 2019, 20, 348.	1.8	9
36	Frequency and Consequences of Acute Kidney Injury in Patients With CKD: A Registry Study in Queensland Australia. <i>Kidney Medicine</i> , 2019, 1, 180-190.	2.0	7

#	ARTICLE	IF	CITATIONS
37	Chronic kidney disease, Queensland: Profile of patients with chronic kidney disease from regional Queensland, Australia: A registry report. <i>Nephrology</i> , 2019, 24, 1257-1264.	1.6	10
38	Biomarkers and the role of mast cells as facilitators of inflammation and fibrosis in chronic kidney disease. <i>Translational Andrology and Urology</i> , 2019, 8, S175-S183.	1.4	21
39	New Genetic Loci Associated With Chronic Kidney Disease in an Indigenous Australian Population. <i>Frontiers in Genetics</i> , 2019, 10, 330.	2.3	16
40	Is hyperfiltration associated with higher urine albumin-to-creatinine ratio at follow up among Indigenous Australians? The eGFR follow-up study. <i>Journal of Diabetes and Its Complications</i> , 2019, 33, 343-349.	2.3	6
41	A randomised controlled trial of potential for pharmacologic prevention of new-onset albuminuria, hypertension and diabetes in a remote Aboriginal Australian community, 2008-2013. <i>Contemporary Clinical Trials Communications</i> , 2019, 14, 100323.	1.1	3
42	Epidemiology, molecular, and genetic methodologies to evaluate causes of CKD around the world: report of the Working Group from the ISN International Consortium of Collaborators on CKD. <i>Kidney International</i> , 2019, 96, 1254-1260.	5.2	16
43	Unsafe drinking water quality in remote Western Australian Aboriginal communities. <i>Geographical Research</i> , 2019, 57, 178-188.	1.8	10
44	Biopsy-based estimation of total nephron number in Japanese living kidney donors. <i>Clinical and Experimental Nephrology</i> , 2019, 23, 629-637.	1.6	30
45	The Barker hypothesis confirmed: association of low birth weight with all-cause natural deaths in young adult life in a remote Australian Aboriginal community. <i>Journal of Developmental Origins of Health and Disease</i> , 2019, 10, 55-62.	1.4	21
46	mTOR-mediated podocyte hypertrophy regulates glomerular integrity in mice and humans. <i>JCI Insight</i> , 2019, 4, .	5.0	69
47	An Australian Chronic Kidney Disease Biobank to Support Future Research. <i>Open Journal of Bioresources</i> , 2019, 6, .	1.5	2
48	Tracking patients with advanced kidney disease in the last 12 months of life. <i>Journal of Renal Care</i> , 2018, 44, 115-122.	1.2	7
49	Chronic kidney disease mortality trends in selected Central America countries, 1997-2013: clues to an epidemic of chronic interstitial nephritis of agricultural communities. <i>Journal of Epidemiology and Community Health</i> , 2018, 72, 280-286.	3.7	49
50	Case definitions and approaches for surveillance of chronic kidney disease in agricultural communities in Central America: policy implications. <i>Kidney International</i> , 2018, 93, 284-287.	5.2	2
51	High Baseline Levels of Tumor Necrosis Factor Receptor 1 Are Associated With Progression of Kidney Disease in Indigenous Australians With Diabetes: The eGFR Follow-up Study. <i>Diabetes Care</i> , 2018, 41, 739-747.	8.6	32
52	Health service utilisation during the last year of life: a prospective, longitudinal study of the pathways of patients with chronic kidney disease stages 3-5. <i>BMC Palliative Care</i> , 2018, 17, 57.	1.8	5
53	Trajectories of eGFR decline over a four year period in an Indigenous Australian population at high risk of CKD-the eGFR follow up study. <i>Clinical Biochemistry</i> , 2018, 53, 58-64.	1.9	3
54	Kidney disease in hepatitis B surface antigen-positive children: experience from a centre in south-west Nigeria and a review of the Nigerian literature. <i>Paediatrics and International Child Health</i> , 2018, 38, 16-22.	1.0	9

#	ARTICLE	IF	CITATIONS
55	APOL1 Risk Variants Independently Associated With Early Cardiovascular Disease Death. <i>Kidney International Reports</i> , 2018, 3, 89-98.	0.8	14
56	CKD Screening and Surveillance in Australia: Past, Present, and Future. <i>Kidney International Reports</i> , 2018, 3, 36-46.	0.8	15
57	The Kidney Supportive Care programme: characteristics of patients referred to a new model of care. <i>BMJ Supportive and Palliative Care</i> , 2018, , bmjpspcare-2018-001630.	1.6	7
58	Chronic Kidney Disease, Queensland (CKD.QLD) Registry: Management of CKD With Telenephrology. <i>Kidney International Reports</i> , 2018, 3, 1336-1343.	0.8	11
59	Body mass index in an Australian population with chronic kidney disease. <i>BMC Nephrology</i> , 2018, 19, 209.	1.8	6
60	The association between C-reactive protein levels and the risk for chronic kidney disease hospitalizations in adults of a remote Indigenous Australian community – A prospective cohort study. <i>Nephrology</i> , 2017, 22, 699-705.	1.6	8
61	Absence of APOL1 risk alleles in a remote living Australian Aboriginal group with high rates of CKD, hypertension, diabetes, and cardiovascular disease. <i>Kidney International</i> , 2017, 91, 990.	5.2	5
62	Comparison of creatinine and cystatin C based eGFR in the estimation of glomerular filtration rate in Indigenous Australians: The eGFR Study. <i>Clinical Biochemistry</i> , 2017, 50, 301-308.	1.9	17
63	Kidney Disease Among Aboriginal and Torres Strait Islander People in Australia. , 2017, , 167-180.		3
64	Prematurity, Low Birth Weight, and CKD. , 2017, , 229-249.		2
65	Follow-up reply to Dr Paul Lawton's response to an expanded nationwide view of chronic kidney disease in Aboriginal Australians, <i>Nephrology</i> , 21 (2016), 916–922. <i>Nephrology</i> , 2017, 22, 574-574.	1.6	0
66	CKD.QLD: establishment of a chronic kidney disease [CKD] registry in Queensland, Australia. <i>BMC Nephrology</i> , 2017, 18, 189.	1.8	34
67	Body mass index and waist circumference as predictors of all-cause mortality in an Aboriginal Australian community. <i>Obesity Research and Clinical Practice</i> , 2017, 11, 19-26.	1.8	10
68	Transformation of mortality in a remote Australian Aboriginal community: a retrospective observational study. <i>BMJ Open</i> , 2017, 7, e016094.	1.9	11
69	The increasing rates of acute interstitial nephritis in Australia: a single centre case series. <i>BMC Nephrology</i> , 2017, 18, 329.	1.8	12
70	Spectrum (characteristics) of patients with chronic kidney disease (CKD) with increasing age in a major metropolitan renal service. <i>BMC Nephrology</i> , 2017, 18, 372.	1.8	16
71	New insights on glomerular hyperfiltration: a Japanese autopsy study. <i>JCI Insight</i> , 2017, 2, .	5.0	57
72	The Association between HbA1c and Cardiovascular Disease Markers in a Remote Indigenous Australian Community with and without Diagnosed Diabetes. <i>Journal of Diabetes Research</i> , 2016, 2016, 1-8.	2.3	10

#	ARTICLE	IF	CITATIONS
73	Variation in Human Nephron Number and Association with Disease. , 2016, , 167-175.		1
74	Human podocyte depletion in association with older age and hypertension. American Journal of Physiology - Renal Physiology, 2016, 310, F656-F668.	2.7	55
75	Progression of Kidney Disease in Indigenous Australians: The eGFR Follow-up Study. Clinical Journal of the American Society of Nephrology: CJASN, 2016, 11, 993-1004.	4.5	23
76	Low birthweight increases risk for cardiovascular disease hospitalisations in a remote Indigenous Australian community – a prospective cohort study. Australian and New Zealand Journal of Public Health, 2016, 40, S102-S106.	1.8	18
77	An expanded nationwide view of chronic kidney disease in Aboriginal Australians. Nephrology, 2016, 21, 916-922.	1.6	34
78	Nephron loss in the ageing kidney – it's more than you think. Nature Reviews Nephrology, 2016, 12, 585-586.	9.6	4
79	International Network of Chronic Kidney Disease cohort studies (iNET-CKD): a global network of chronic kidney disease cohorts. BMC Nephrology, 2016, 17, 121.	1.8	44
80	Familial aggregation of albuminuria and arterial hypertension in an Aboriginal Australian community and the contribution of variants in ACE and TP53. BMC Nephrology, 2016, 17, 183.	1.8	14
81	Resting heart rate, physiological stress and disadvantage in Aboriginal and Torres Strait Islander Australians: analysis from a cross-sectional study. BMC Cardiovascular Disorders, 2016, 16, 36.	1.7	10
82	APOL1 Risk Alleles Are Associated With More Severe Arteriosclerosis in Renal Resistance Vessels With Aging and Hypertension. Kidney International Reports, 2016, 1, 10-23.	0.8	19
83	The influence of birthweight, past poststreptococcal glomerulonephritis and current body mass index on levels of albuminuria in young adults: the multideterminant model of renal disease in a remote Australian Aboriginal population with high rates of renal disease and renal failure. Nephrology Dialysis Transplantation, 2016, 31, 971-977.	0.7	25
84	Corresponding waist circumference and body mass index values based on 10-year absolute type 2 diabetes risk in an Australian Aboriginal community: Table A1. BMJ Open Diabetes Research and Care, 2015, 3, e000127.	2.8	2
85	A protocol for the identification and validation of novel genetic causes of kidney disease. BMC Nephrology, 2015, 16, 152.	1.8	8
86	Periodontal disease and chronic kidney disease among Aboriginal adults; an RCT. BMC Nephrology, 2015, 16, 181.	1.8	18
87	Waist circumference values equivalent to body mass index points for predicting absolute cardiovascular disease risks among adults in an Aboriginal community: a prospective cohort study. BMJ Open, 2015, 5, e009185-e009185.	1.9	13
88	Low birth weight and large adult waist circumference increase the risk of cardiovascular disease in remote indigenous Australians – An 18year cohort study. International Journal of Cardiology, 2015, 186, 273-275.	1.7	8
89	Adding Measures of Body Composition to the CKD-EPI GFR Estimating Equation in Indigenous Australians: The eGFR Study. American Journal of Kidney Diseases, 2015, 65, 632-634.	1.9	3
90	Prediction of cardiovascular disease risk using waist circumference among Aboriginals in a remote Australian community. BMC Public Health, 2015, 15, 57.	2.9	23

#	ARTICLE	IF	CITATIONS
91	Podocyte Number in Children and Adults. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 2277-2288.	6.1	61
92	The associations of anthropometric measurements with subsequent gestational diabetes in Aboriginal women. <i>Obesity Research and Clinical Practice</i> , 2015, 9, 499-506.	1.8	11
93	APOL1 Risk Alleles Are Associated with Exaggerated Age-Related Changes in Glomerular Number and Volume in African-American Adults. <i>Journal of the American Society of Nephrology: JASN</i> , 2015, 26, 3179-3189.	6.1	36
94	Predicting Absolute Risk of Type 2 Diabetes Using Age and Waist Circumference Values in an Aboriginal Australian Community. <i>PLoS ONE</i> , 2015, 10, e0123788.	2.5	10
95	The multideterminant model of renal disease in a remote Australian Aboriginal population in the context of early life risk factors: lower birth weight, childhood post-streptococcal glomerulonephritis, and current body mass index influence levels of albumin. <i>Clinical Nephrology</i> , 2015, 83 (2015), 75-81.	0.7	15
96	Nephron Hypertrophy and Glomerulosclerosis in Normal Donor Kidneys. <i>Clinical Journal of the American Society of Nephrology: CJASN</i> , 2014, 9, 1832-1834.	4.5	4
97	Kidney disease in Aboriginal Australians: a perspective from the Northern Territory. <i>CKJ: Clinical Kidney Journal</i> , 2014, 7, 524-530.	2.9	35
98	A profile of sales audits of a remote Aboriginal community's general store: 1992 and 2011. <i>Australian and New Zealand Journal of Public Health</i> , 2014, 38, 94.	1.8	4
99	Lifetime risk of hospital diagnosed chronic obstructive pulmonary disease in remote Aboriginal people: a cohort study. <i>Australian and New Zealand Journal of Public Health</i> , 2014, 38, 340-343.	1.8	0
100	Trends in health status and chronic disease risk factors over 10-14 years in a remote Australian community: a matched pair study. <i>Australian and New Zealand Journal of Public Health</i> , 2014, 38, 73-77.	1.8	7
101	The prevalence and epidemiology of genetic renal disease amongst adults with chronic kidney disease in Australia. <i>Orphanet Journal of Rare Diseases</i> , 2014, 9, 98.	2.7	54
102	Remaining lifetime risk for developing end stage renal disease among Australian Aboriginal people with diabetes. <i>Diabetes Research and Clinical Practice</i> , 2014, 103, e24-e26.	2.8	9
103	Evidence for improved patient management through electronic patient records at a Central Australian Aboriginal Health Service. <i>Australian and New Zealand Journal of Public Health</i> , 2014, 38, 154-159.	1.8	5
104	Assessment of renal functional maturation and injury in preterm neonates during the first month of life. <i>American Journal of Physiology - Renal Physiology</i> , 2014, 307, F149-F158.	2.7	100
105	Hypertension, glomerular hypertrophy and nephrosclerosis: the effect of race. <i>Nephrology Dialysis Transplantation</i> , 2014, 29, 1399-1409.	0.7	77
106	Anthropometric predictors of gestational hypertensive disorders in a remote aboriginal community: a nested case-control study. <i>BMC Research Notes</i> , 2014, 7, 122.	1.4	7
107	Design-based stereological methods for estimating numbers of glomerular podocytes. <i>Annals of Anatomy</i> , 2014, 196, 48-56.	1.9	18
108	Taming the chronic kidney disease epidemic: a global view of surveillance efforts. <i>Kidney International</i> , 2014, 86, 246-250.	5.2	84

#	ARTICLE	IF	CITATIONS
109	Estimating the Total Incidence of Kidney Failure in Australia Including Individuals Who Are Not Treated by Dialysis or Transplantation. <i>American Journal of Kidney Diseases</i> , 2013, 61, 413-419.	1.9	54
110	The correlates of urinary albumin to creatinine ratio (ACR) in a high risk Australian aboriginal community. <i>BMC Nephrology</i> , 2013, 14, 176.	1.8	3
111	Diabetes and Lifetime Risk of ESRD in High-Risk Remote-Dwelling Australian Aboriginal People: A 20-Year Cohort Study. <i>American Journal of Kidney Diseases</i> , 2013, 62, 845-846.	1.9	7
112	Effect of fetal and child health on kidney development and long-term risk of hypertension and kidney disease. <i>Lancet, The</i> , 2013, 382, 273-283.	13.7	440
113	Lifetime risk of developing coronary heart disease in Aboriginal Australians: a cohort study. <i>BMJ Open</i> , 2013, 3, e002308.	1.9	10
114	Age-dependent decline of association between obesity and coronary heart disease: a cohort study in a remote Australian Aboriginal community. <i>BMJ Open</i> , 2013, 3, e004042.	1.9	3
115	Decreasing rates of natural deaths in a remote Australian Aboriginal community, 1996-2010. <i>Australian and New Zealand Journal of Public Health</i> , 2013, 37, 365-370.	1.8	7
116	The Author Replies:. <i>Kidney International</i> , 2013, 83, 762.	5.2	0
117	Corrections to "Renal biopsy findings among Indigenous Australians: a nationwide review". <i>Kidney International</i> , 2013, 83, 1208.	5.2	0
118	Chronic disease care in remote Aboriginal Australia has been transformed. <i>BMJ, The</i> , 2013, 347, f6127-f6127.	6.0	5
119	The predictive value of albuminuria for renal and nonrenal natural deaths over 14 years follow-up in a remote aboriginal community. <i>CKJ: Clinical Kidney Journal</i> , 2012, 5, 519-525.	2.9	8
120	Post-streptococcal glomerulonephritis is a strong risk factor for chronic kidney disease in later life. <i>Kidney International</i> , 2012, 81, 1026-1032.	5.2	147
121	Renal biopsy findings among Indigenous Australians: a nationwide review. <i>Kidney International</i> , 2012, 82, 1321-1331.	5.2	52
122	CKD.QLD: chronic kidney disease surveillance and research in Queensland, Australia. <i>Nephrology Dialysis Transplantation</i> , 2012, 27, iii139-iii145.	0.7	26
123	Exclusion of Indigenous youth from important parts of the Australian Health Survey. <i>Lancet, The</i> , 2012, 379, 1101-1102.	13.7	2
124	Accurate Assessment of Kidney Function in Indigenous Australians: The Estimated GFR Study. <i>American Journal of Kidney Diseases</i> , 2012, 60, 680-682.	1.9	40
125	Getting better at chronic care in remote communities: study protocol for a pragmatic cluster randomised controlled of community based management. <i>BMC Public Health</i> , 2012, 12, 1017.	2.9	19
126	Genetic research in Indigenous health: significant progress, substantial challenges. <i>Medical Journal of Australia</i> , 2012, 197, 382-383.	1.7	2

#	ARTICLE	IF	CITATIONS
127	Research, information and consent for the Australian Health Survey: a separate standard for Indigenous people?. Medical Journal of Australia, 2011, 195, 158-159.	1.7	4
128	Research, information and consent for the Australian Health Survey: a separate standard for Indigenous people?. Medical Journal of Australia, 2011, 194, 509-510.	1.7	7
129	Glomerular number and size variability and risk for kidney disease. Current Opinion in Nephrology and Hypertension, 2011, 20, 7-15.	2.0	126
130	Reproducibility of Urinary Albumin Assays by Immunonephelometry After Long-term Storage at 70°C. American Journal of Kidney Diseases, 2011, 58, 685-687.	1.9	2
131	Biomarkers in chronic kidney disease: a review. Kidney International, 2011, 80, 806-821.	5.2	347
132	Human nephron number: implications for health and disease. Pediatric Nephrology, 2011, 26, 1529-1533.	1.7	405
133	Accelerated Maturation and Abnormal Morphology in the Preterm Neonatal Kidney. Journal of the American Society of Nephrology: JASN, 2011, 22, 1365-1374.	6.1	267
134	Towards a definition of glomerulomegaly: clinical-pathological and methodological considerations. Nephrology Dialysis Transplantation, 2011, 26, 2202-2208.	0.7	30
135	Distribution of Volumes of Individual Glomeruli in Kidneys at Autopsy: Association with Physical and Clinical Characteristics and with Ethnic Group. American Journal of Nephrology, 2011, 33, 15-20.	3.1	37
136	CKD in Aboriginal Australians. American Journal of Kidney Diseases, 2010, 56, 983-993.	1.9	44
137	Incidence of type 2 diabetes in Aboriginal Australians: an 11-year prospective cohort study. BMC Public Health, 2010, 10, 487.	2.9	34
138	Study Protocol - Accurate assessment of kidney function in Indigenous Australians: aims and methods of the eGFR Study. BMC Public Health, 2010, 10, 80.	2.9	31
139	Chronic disease profiles in remote Aboriginal settings and implications for health services planning. Australian and New Zealand Journal of Public Health, 2010, 34, 11-18.	1.8	29
140	C-reactive protein: an independent predictor of cardiovascular disease in Aboriginal Australians. Australian and New Zealand Journal of Public Health, 2010, 34, S25-S29.	1.8	19
141	Birthweight and natural deaths in a remote Australian Aboriginal community. Medical Journal of Australia, 2010, 192, 14-19.	1.7	37
142	The early development of the kidney and implications for future health. Journal of Developmental Origins of Health and Disease, 2010, 1, 216-233.	1.4	70
143	A comparison of nephron number, glomerular volume and kidney weight in Senegalese Africans and African Americans. Nephrology Dialysis Transplantation, 2010, 25, 1514-1520.	0.7	42
144	Design and Implementation of Therapeutic Ultrasound Generating Circuit for Dental Tissue Formation and Tooth-Root Healing. IEEE Transactions on Biomedical Circuits and Systems, 2010, 4, 49-61.	4.0	29

#	ARTICLE	IF	CITATIONS
145	Patterns of mortality in Indigenous adults in the Northern Territory, 1998–2003. <i>Medical Journal of Australia</i> , 2009, 191, 581-582.	1.7	0
146	Patterns of mortality in Indigenous adults in the Northern Territory, 1998–2003: are people living in more remote areas worse off?. <i>Medical Journal of Australia</i> , 2009, 190, 307-311.	1.7	36
147	“Closing the gap” by 2030: aspiration versus reality in Indigenous health. <i>Medical Journal of Australia</i> , 2009, 190, 542-544.	1.7	30
148	Nephron number and individual glomerular volumes in male Caucasian and African American subjects. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 2428-2433.	0.7	37
149	Associations between age, body size and nephron number with individual glomerular volumes in urban West African males. <i>Nephrology Dialysis Transplantation</i> , 2009, 24, 1500-1506.	0.7	28
150	Relationships between birthweight and biomarkers of chronic disease in childhood: Aboriginal Birth Cohort Study 1987–2001. <i>Paediatric and Perinatal Epidemiology</i> , 2009, 23, 548-556.	1.7	29
151	Anthropometric measurements of Australian Aboriginal adults living in remote areas: Comparison with nationally representative findings. <i>American Journal of Human Biology</i> , 2008, 20, 317-324.	1.6	35
152	Predictive Value of Nephelometric and High-Performance Liquid Chromatography Assays of Urine Albumin for Mortality in a High-Risk Aboriginal Population. <i>American Journal of Kidney Diseases</i> , 2008, 52, 672-682.	1.9	17
153	Birth Weight and Stages of CKD: A Case-Control Study in an Australian Population. <i>American Journal of Kidney Diseases</i> , 2008, 52, 1070-1078.	1.9	34
154	Associations of Glomerular Number and Birth Weight With Clinicopathological Features of African Americans and Whites. <i>American Journal of Kidney Diseases</i> , 2008, 52, 18-28.	1.9	106
155	Clearance of Meprobamate by Hemoperfusion Over Columns of Charcoal and Amberlite Resin. <i>Artificial Organs</i> , 2008, 2, 395-397.	1.9	9
156	Disorders of Glucose Regulation in Adults and Birth Weight: Results from the Australian Diabetes, Obesity and Lifestyle (AusDiab) Study. <i>Diabetes Care</i> , 2008, 31, 159-164.	8.6	26
157	A Common RET Variant Is Associated with Reduced Newborn Kidney Size and Function. <i>Journal of the American Society of Nephrology: JASN</i> , 2008, 19, 2027-2034.	6.1	118
158	Renal pathology, glomerular number and volume in a West African urban community. <i>Nephrology Dialysis Transplantation</i> , 2008, 23, 2576-2585.	0.7	36
159	Quantifying the Excess Risk of Type 2 Diabetes by Body Habitus Measurements Among Australian Aborigines Living in Remote Areas. <i>Diabetes Care</i> , 2008, 31, 585-586.	8.6	12
160	Repeated ethanol exposure during late gestation decreases nephron endowment in fetal sheep. <i>American Journal of Physiology - Regulatory Integrative and Comparative Physiology</i> , 2008, 295, R568-R574.	1.8	58
161	Status of chronic kidney disease prevention programs: International Federation of Kidney Foundation Members 2005/2007. <i>Kidney International</i> , 2008, 74, 1516-1525.	5.2	12
162	Nephron number, glomerular volume, renal disease and hypertension. <i>Current Opinion in Nephrology and Hypertension</i> , 2008, 17, 258-265.	2.0	169

#	ARTICLE	IF	CITATIONS
163	C-reactive protein and the risk of developing type 2 diabetes in Aboriginal Australians. <i>Diabetes Research and Clinical Practice</i> , 2007, 76, 37-43.	2.8	30
164	Quantifying the excess risk for proteinuria, hypertension and diabetes in Australian Aborigines: comparison of profiles in three remote communities in the Northern Territory with those in the AusDiab study. <i>Australian and New Zealand Journal of Public Health</i> , 2007, 31, 177-183.	1.8	43
165	Indigenous mortality in remote Queensland, Australia. <i>Australian and New Zealand Journal of Public Health</i> , 2007, 31, 422-427.	1.8	20
166	Renal-related deaths in Indigenous people in Queensland, Australia. <i>Nephrology</i> , 2007, 12, 514-519.	1.6	10
167	Applicability of the glomerular size distribution coefficient in assessing human glomerular volume: the Weibel and Gomez method revisited. <i>Journal of Anatomy</i> , 2007, 210, 578-582.	1.5	32
168	A comparison of pathomolecular markers of fibrosis and morphology in kidney from autopsies of African Americans and whites. <i>Virchows Archiv Fur Pathologische Anatomie Und Physiologie Und Fur Klinische Medizin</i> , 2007, 450, 41-50.	2.8	17
169	Clinical outcomes associated with changes in a chronic disease treatment program in an Australian Aboriginal community. <i>Medical Journal of Australia</i> , 2006, 185, 180-181.	1.7	0
170	Hypertension, glomerular number, and birth weight in African Americans and white subjects in the southeastern United States. <i>Kidney International</i> , 2006, 69, 671-678.	5.2	250
171	Reduced nephron number and glomerulomegaly in Australian Aborigines: A group at high risk for renal disease and hypertension. <i>Kidney International</i> , 2006, 70, 104-110.	5.2	227
172	Population distribution of high sensitivity C-reactive protein values in Aboriginal Australians: A comparison with other populations. <i>Clinical Biochemistry</i> , 2006, 39, 277-281.	1.9	18
173	Chronic Kidney Disease Management – What Can We Learn from South African and Australian Efforts?. <i>Blood Purification</i> , 2006, 24, 115-122.	1.8	17
174	Albuminuria as a marker of the risk of developing type 2 diabetes in non-diabetic Aboriginal Australians. <i>International Journal of Epidemiology</i> , 2006, 35, 1331-1335.	1.9	31
175	How Many Glomerular Profiles Must Be Measured to Obtain Reliable Estimates of Mean Glomerular Areas in Human Renal Biopsies?. <i>Journal of the American Society of Nephrology: JASN</i> , 2006, 17, 556-563.	6.1	30
176	Does nephron number matter in the development of kidney disease?. <i>Ethnicity and Disease</i> , 2006, 16, S2-40-5.	2.3	32
177	Renal disease, the metabolic syndrome, and cardiovascular disease. <i>Ethnicity and Disease</i> , 2006, 16, S2-46-51.	2.3	7
178	Setting up chronic disease programs: perspectives from Aboriginal Australia. <i>Ethnicity and Disease</i> , 2006, 16, S2-73-8.	2.3	83
179	Albuminuria and incident coronary heart disease in Australian Aboriginal people. <i>Kidney International</i> , 2005, 68, 1289-1293.	5.2	30
180	Renal ultrasound findings in an Australian Aboriginal population with high rates of renal disease. <i>Nephrology</i> , 2005, 10, 358-361.	1.6	6

#	ARTICLE	IF	CITATIONS
181	Homocysteine, renal disease and cardiovascular disease in a remote Australian Aboriginal community. <i>Internal Medicine Journal</i> , 2005, 35, 289-294.	0.8	9
182	Reply. <i>Internal Medicine Journal</i> , 2005, 35, 642-643.	0.8	0
183	Is the Framingham coronary heart disease absolute risk function applicable to Aboriginal people?. <i>Medical Journal of Australia</i> , 2005, 182, 66-69.	1.7	91
184	Is the Framingham coronary heart disease absolute risk function applicable to Aboriginal people?. <i>Medical Journal of Australia</i> , 2005, 182, 597-598.	1.7	0
185	Nephron Number, Hypertension, Renal Disease, and Renal Failure. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 2557-2564.	6.1	276
186	Determinants of Glomerular Volume in Different Cortical Zones of the Human Kidney. <i>Journal of the American Society of Nephrology: JASN</i> , 2005, 16, 3102-3109.	6.1	98
187	A chronic disease outreach program for Aboriginal communities. <i>Kidney International</i> , 2005, 68, S76-S82.	5.2	38
188	Kidney and related chronic disease profiles and risk factors in three remote Australian Aboriginal communities. <i>Advances in Chronic Kidney Disease</i> , 2005, 12, 64-70.	1.4	21
189	Cost-effectiveness analysis of a kidney and cardiovascular disease treatment program in an Australian Aboriginal population. <i>Advances in Chronic Kidney Disease</i> , 2005, 12, 22-31.	1.4	24
190	Guest editorial: Some population perspectives on chronic kidney disease. <i>Advances in Chronic Kidney Disease</i> , 2005, 12, 3-4.	1.4	1
191	Interfaces between cardiovascular and kidney disease among Aboriginal Australians. <i>Advances in Chronic Kidney Disease</i> , 2005, 12, 39-48.	1.4	5
192	Clinical outcomes associated with changes in a chronic disease treatment program in an Australian Aboriginal community. <i>Medical Journal of Australia</i> , 2005, 183, 305-309.	1.7	28
193	Is the Framingham coronary heart disease absolute risk function applicable to Aboriginal people?. <i>Medical Journal of Australia</i> , 2005, 182, 66-9.	1.7	18
194	Association between diabetes and coronary heart disease in Aboriginal people: are women disadvantaged?. <i>Medical Journal of Australia</i> , 2004, 180, 508-511.	1.7	32
195	Albuminuria: Marker or target in indigenous populations. <i>Kidney International</i> , 2004, 66, S25-S31.	5.2	60
196	Waist circumference, body mass index, hip circumference and waist-to-hip ratio as predictors of cardiovascular disease in Aboriginal people. <i>European Journal of Clinical Nutrition</i> , 2004, 58, 888-893.	2.9	129
197	Body size measurements as predictors of type 2 diabetes in Aboriginal people. <i>International Journal of Obesity</i> , 2004, 28, 1580-1584.	3.4	52
198	Exploring the pathways leading from disadvantage to end-stage renal disease for Indigenous Australians. <i>Social Science and Medicine</i> , 2004, 58, 767-785.	3.8	82

#	ARTICLE	IF	CITATIONS
199	Kidney volume, blood pressure, and albuminuria: findings in an Australian aboriginal community. <i>American Journal of Kidney Diseases</i> , 2004, 43, 254-259.	1.9	78
200	Carotid intima-media thickness, cardiovascular risk factors and albuminuria in a remote Australian Aboriginal community. <i>Atherosclerosis</i> , 2004, 177, 423-431.	0.8	37
201	C-reactive protein, cardiovascular risk, and renal disease in a remote Australian Aboriginal community. <i>Clinical Science</i> , 2004, 106, 121-128.	4.3	46
202	Urban disadvantage and delayed nephrology referral in Australia. <i>Health and Place</i> , 2003, 9, 175-182.	3.3	29
203	Glomerular number and size in autopsy kidneys: The relationship to birth weight. <i>Kidney International</i> , 2003, 63, 2113-2122.	5.2	647
204	Reduction in natural death and renal failure from a systematic screening and treatment program in an Australian Aboriginal community. <i>Kidney International</i> , 2003, 63, S66-S73.	5.2	56
205	A stereological study of glomerular number and volume: Preliminary findings in a multiracial study of kidneys at autopsy. <i>Kidney International</i> , 2003, 63, S31-S37.	5.2	295
206	Validation of self-reported cigarette smoking in a remote Australian Aboriginal community. <i>Australian and New Zealand Journal of Public Health</i> , 2003, 27, 57-60.	1.8	39
207	Secondary Prevention of Renal and Cardiovascular Disease. <i>Journal of the American Society of Nephrology: JASN</i> , 2003, 14, S178-S185.	6.1	25
208	Renal Transplantation for Indigenous Australians: Identifying the Barriers to Equitable Access. <i>Ethnicity and Health</i> , 2003, 8, 111-119.	2.5	56
209	Renal function and cardiovascular risk markers in a remote Australian Aboriginal community. <i>Nephrology Dialysis Transplantation</i> , 2003, 18, 1555-1561.	0.7	77
210	The association between birthweight and current blood pressure: a cross-sectional study in an Australian Aboriginal community. <i>Medical Journal of Australia</i> , 2003, 179, 532-535.	1.7	47
211	Cardiovascular risk among urban Aboriginal people. <i>Medical Journal of Australia</i> , 2003, 179, 557-557.	1.7	3
212	Hypertension, dyslipidemia, body mass index, diabetes and smoking status in Aboriginal Australians in a remote community. <i>Ethnicity and Disease</i> , 2003, 13, 324-30.	2.3	35
213	End-stage renal disease in the Northern Territory: current and future treatment costs. <i>Medical Journal of Australia</i> , 2002, 176, 461-465.	1.7	27
214	Delayed referral to a nephrologist: outcomes among patients who survive at least one year on dialysis. <i>Medical Journal of Australia</i> , 2002, 177, 135-138.	1.7	63
215	Glomerular size and glomerulosclerosis: Relationships to disease categories, glomerular solidification, and ischemic obsolescence. <i>American Journal of Kidney Diseases</i> , 2002, 39, 679-688.	1.9	48
216	Timing of nephrology referral: a study of its effects on the likelihood of transplantation and impact on mortality. <i>Nephrology</i> , 2002, 7, S29-S32.	1.6	2

#	ARTICLE	IF	CITATIONS
217	Body mass index and mortality in Aboriginal Australians in the Northern Territory. Australian and New Zealand Journal of Public Health, 2002, 26, 305-310.	1.8	18
218	The p53Pro72Arg Polymorphism is Associated with Albuminuria among Aboriginal Australians. Journal of the American Society of Nephrology: JASN, 2002, 13, 677-683.	6.1	20
219	End-stage renal disease in indigenous Australians: a disease of disadvantage. Ethnicity and Disease, 2002, 12, 373-8.	2.3	41
220	Low birth weight and reduced renal volume in aboriginal children. American Journal of Kidney Diseases, 2001, 37, 915-920.	1.9	112
221	Childhood poststreptococcal glomerulonephritis as a risk factor for chronic renal disease in later life. Medical Journal of Australia, 2001, 174, 492-496.	1.7	119
222	Regional variation in the incidence of end-stage renal disease in Indigenous Australians. Medical Journal of Australia, 2001, 175, 24-27.	1.7	138
223	The natural history of renal disease in Australian Aborigines. Part 1. Changes in albuminuria and glomerular filtration rate over time. Kidney International, 2001, 60, 243-248.	5.2	68
224	The natural history of renal disease in Australian Aborigines. Part 2. Albuminuria predicts natural death and renal failure. Kidney International, 2001, 60, 249-256.	5.2	86
225	Cyclosporine in patients with steroid-resistant membranous nephropathy: A randomized trial. Kidney International, 2001, 59, 1484-1490.	5.2	306
226	Renal disease and the environment: lessons from Aboriginal Australia*. Nephrology, 2001, 6, 19-24.	1.6	10
227	Social disadvantage and variation in the incidence of end-stage renal disease in Australian capital cities. Australian and New Zealand Journal of Public Health, 2001, 25, 322-326.	1.8	44
228	RENAL GLOMERULAR NUMBER AND SIZE IN AUSTRALIAN ABORIGINES, AFRICAN AMERICANS AND WHITE POPULATIONS FROM THE SAME LOCATIONS: A PRELIMINARY REPORT. Image Analysis and Stereology, 2001, 20, 153.	0.9	4
229	Body Mass Index in Aboriginal Australians in remote communities. Australian and New Zealand Journal of Public Health, 2000, 24, 570-575.	1.8	15
230	Reducing premature death and renal failure in Australian Aborigines. Medical Journal of Australia, 2000, 172, 473-479.	1.7	77
231	Renal disease in Australian Aborigines. Nephrology Dialysis Transplantation, 2000, 15, 1293-1297.	0.7	22
232	Glomerular size and glomerulosclerosis in Australian Aborigines. American Journal of Kidney Diseases, 2000, 36, 481-489.	1.9	64
233	ESTIMATING TOTAL GLOMERULAR NUMBER IN HUMAN KIDNEYS WITH A PHYSICAL DISECTOR/FRACTIONATOR COMBINATION. Image Analysis and Stereology, 2000, 19, 105.	0.9	15
234	PHYSICAL AND BIOCHEMICAL PREDICTORS OF DEATH IN AN AUSTRALIAN ABORIGINAL COHORT. Clinical and Experimental Pharmacology and Physiology, 1999, 26, 618-621.	1.9	26

#	ARTICLE	IF	CITATIONS
235	A new dimension to the Barker hypothesis: Low birthweight and susceptibility to renal disease. <i>Kidney International</i> , 1999, 56, 1072-1077.	5.2	284
236	A randomized trial of cyclosporine in patients with steroid-resistant focal segmental glomerulosclerosis. <i>Kidney International</i> , 1999, 56, 2220-2226.	5.2	267
237	Stemming the tide: reducing cardiovascular disease and renal failure in Australian Aborigines*. <i>Australian and New Zealand Journal of Medicine</i> , 1999, 29, 480-483.	0.5	19
238	Proteinuria is associated with persistence of antibody to streptococcal M protein in Aboriginal Australians. <i>Epidemiology and Infection</i> , 1999, 122, 67-75.	2.1	17
239	Glomerulomegaly in Australian Aborigines. <i>Nephrology</i> , 1998, 4, S46-S53.	1.6	32
240	Towards an epidemiologic definition of renal disease: Rates and associations of albuminuria in a high-risk Australian Aboriginal community. <i>Nephrology</i> , 1998, 4, S59-S65.	1.6	6
241	Screening for renal disease and other chronic diseases in Aboriginal adults and preliminary experience of a medical intervention program. <i>Nephrology</i> , 1998, 4, S90-S95.	1.6	12
242	RENAL DISEASE AS A METAPHOR: TOWARDS A MORE INTEGRATED VIEW OF ABORIGINAL HEALTH. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1998, 25, 1038-1042.	1.9	11
243	The multidimensional nature of renal disease: Rates and associations of albuminuria in an Australian Aboriginal community. <i>Kidney International</i> , 1998, 54, 1296-1304.	5.2	187
244	Low birthweight and renal disease in Australian aborigines. <i>Lancet, The</i> , 1998, 352, 1826-1827.	13.7	87
245	An epidemic of renal failure among Australian Aborigines. <i>Medical Journal of Australia</i> , 1998, 168, 537-541.	1.7	115
246	A health profile of adults in a Northern Territory Aboriginal community, with an emphasis on preventable morbidities. <i>Australian and New Zealand Journal of Public Health</i> , 1997, 21, 121-126.	1.8	76
247	Urinary findings and renal function in adult Navajo Indians and associations with type 2 diabetes. <i>American Journal of Kidney Diseases</i> , 1996, 28, 339-349.	1.9	19
248	Renal disease in Australian Aborigines. <i>Medical Journal of Australia</i> , 1996, 165, 126-127.	1.7	53
249	Nonmelanoma skin carcinoma in Albuquerque, New Mexico: Experience of a major health care provider. , 1996, 77, 2489-2495.		54
250	Captopril reduces the risk of nephropathy in IDDM patients with microalbuminuria. <i>Diabetologia</i> , 1996, 39, 587-593.	6.3	212
251	Predictors of the progression of renal insufficiency in patients with insulin-dependent diabetes and overt diabetic nephropathy. <i>Kidney International</i> , 1996, 50, 1651-1658.	5.2	194
252	MARKERS FOR CARDIOVASCULAR AND RENAL MORBIDITY: EXPECTATIONS FOR AN INTERVENTION PROGRAMME IN AN AUSTRALIAN ABORIGINAL COMMUNITY. <i>Clinical and Experimental Pharmacology and Physiology</i> , 1996, 23, s33-s37.	1.9	20

#	ARTICLE	IF	CITATIONS
253	Treatment of Australian Aboriginals with end-stage renal disease in the top end of the Northern Territory: 1978-1993. <i>Nephrology</i> , 1995, 1, 307-313.	1.6	15
254	Blood Pressure in Navajo Indians and Its Association With Type 2 Diabetes and Renal and Cardiovascular Disease. <i>American Journal of Hypertension</i> , 1994, 7, 321-328.	2.0	11
255	Mesangial Proliferative Glomerulonephritis in Southwestern American Indians. <i>American Journal of Kidney Diseases</i> , 1993, 21, 486-496.	1.9	36
256	Use of a medical center's computerized health care database for notifiable disease surveillance.. <i>American Journal of Public Health</i> , 1991, 81, 637-639.	2.7	12
257	Ad Libitum Alcohol Ingestion Does Not Induce Renal IgA Deposition in Mice. <i>Alcoholism: Clinical and Experimental Research</i> , 1990, 14, 184-186.	2.4	2
258	Dermal vascular IgA deposits in IgA nephropathy secondary to alcohol abuse. <i>Journal of Cutaneous Pathology</i> , 1990, 17, 193-196.	1.3	8
259	Alcohol abuse-related mesangial glomerulonephritis: immunoelectron microscopy.. <i>Journal of Histochemistry and Cytochemistry</i> , 1990, 38, 699-702.	2.5	8
260	Renal Disease Epidemiology: An Underdeveloped Discipline. <i>American Journal of Kidney Diseases</i> , 1988, 12, 454-457.	1.9	4
261	Is Serological Evidence of Infection with Syphilis a Contraindication to Kidney Donation? Case Report and Review of the Literature. <i>Journal of Urology</i> , 1987, 138, 1226-1227.	0.4	33
262	Epidemic Renal Disease of Unknown Etiology in the Zuni Indians. <i>American Journal of Kidney Diseases</i> , 1987, 9, 485-496.	1.9	50
263	The Influence of Glucocorticoid Dose on Protein Catabolism After Renal Transplantation. <i>American Journal of the Medical Sciences</i> , 1986, 291, 241-247.	1.1	17
264	Altered Patterns of Posttransplant Urinary Tract Infections Associated With Perioperative Antibiotics and Curtailed Catheterization. <i>American Journal of Kidney Diseases</i> , 1985, 6, 212-216.	1.9	15
265	Protein Catabolism During the Postoperative Course After Renal Transplantation. <i>American Journal of Kidney Diseases</i> , 1985, 5, 186-190.	1.9	22
266	XAD-4 resin hemoperfusion for digitoxic patients with renal failure. <i>Kidney International</i> , 1983, 23, 79-82.	5.2	17
267	Hemodialysis Treatment of Methanol Intoxication. <i>Artificial Organs</i> , 1983, 7, 479-487.	1.9	6
268	Recovery of Native Renal Function After an Unsuccessful Kidney Transplant. <i>American Journal of Kidney Diseases</i> , 1982, 1, 367-370.	1.9	0
269	Amikacin Is Not Removed By XAD-4 Hemoperfusion. <i>Artificial Organs</i> , 1982, 6, 207-208.	1.9	0
270	Lymphocyte Populations in Maintenance Hemodialysis Patients - Reassessment and Analysis of B Cell Subtypes. <i>Clinical and Experimental Dialysis and Apheresis</i> , 1981, 5, 335-347.	0.1	0

#	ARTICLE	IF	CITATIONS
271	Transmission of strongyloidiasis by kidney transplant? Disseminated strongyloidiasis in both recipients of kidney allografts from a single cadaver donor. JAMA - Journal of the American Medical Association, 1981, 246, 1937-1939.	7.4	31
272	Resin Hemoperfusion for Treatment of a Massive Meprobamate Overdose. Annals of Internal Medicine, 1980, 93, 455.	3.9	13
273	Eosinophilia in Maintenance Hemodialysis Patients. Journal of Dialysis, 1979, 3, 73-87.	0.4	44
274	Digoxin Removal from a Patient with Renal Failure by Hemoperfusion with Amberlite XAD Resin. Artificial Organs, 1979, 3, 124-126.	1.9	8
275	Lymphocyte Subpopulations in Maintenance Hemodialysis Patients. Journal of Dialysis, 1978, 2, 1-15.	0.4	2
276	Deficiency of T and B Lymphocytes in Uremic Subjects and Partial Improvement with Maintenance Hemodialysis. Nephron, 1978, 20, 182-188.	1.8	54
277	Renal Injury Associated with Intravenous Pyelography in Nondiabetic and Diabetic Patients. Annals of Internal Medicine, 1978, 89, 51.	3.9	171
278	A health profile of adults in a Northern Territory Aboriginal community, with an emphasis on preventable morbidities. Australian and New Zealand Journal of Public Health, 1977, 21, 121-126.	1.8	0
279	Cirrhosis and death after jejunioileal shunt for obesity. The American Journal of Digestive Diseases, 1974, 19, 759-765.	0.9	20
280	STUDIES ON CYTOPHILIC ANTIBODIES. The Australian Journal of Experimental Biology and Medical Science, 1969, 47, 525-539.	0.7	41
281	Delayed-type Hypersensitivity in Mice after Skin and Tumour Allografts and Tumour Isografts. Nature, 1969, 222, 1001-1003.	27.8	22
282	The CKD.QLD data linkage framework: chronic kidney disease and health services utilisation in Queensland, Australia. F1000Research, 0, 10, 1107.	1.6	1