

# Chiao-Wen Lin

## List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6418293/publications.pdf>

Version: 2024-02-01

121  
papers

3,433  
citations

147801

31  
h-index

189892

50  
g-index

122  
all docs

122  
docs citations

122  
times ranked

4825  
citing authors

#	ARTICLE	IF	CITATIONS
1	Quercetin inhibition of tumor invasion via suppressing PKC $\hat{A}$ /ERK/AP-1-dependent matrix metalloproteinase-9 activation in breast carcinoma cells. <i>Carcinogenesis</i> , 2008, 29, 1807-1815.	2.8	200
2	The urokinase-type plasminogen activator (uPA) system as a biomarker and therapeutic target in human malignancies. <i>Expert Opinion on Therapeutic Targets</i> , 2016, 20, 551-566.	3.4	121
3	Kaempferol Reduces Matrix Metalloproteinase-2 Expression by Down-Regulating ERK1/2 and the Activator Protein-1 Signaling Pathways in Oral Cancer Cells. <i>PLoS ONE</i> , 2013, 8, e80883.	2.5	108
4	Exome Sequencing of Oral Squamous Cell Carcinoma Reveals Molecular Subgroups and Novel Therapeutic Opportunities. <i>Theranostics</i> , 2017, 7, 1088-1099.	10.0	101
5	Melatonin suppresses <scp>TPA</scp>-induced metastasis by downregulating matrix metalloproteinase $\hat{9}$ expression through <scp>JNK</scp>/<scp>SP</scp>- signaling in nasopharyngeal carcinoma. <i>Journal of Pineal Research</i> , 2016, 61, 479-492.	7.4	95
6	Nobiletin inhibits human osteosarcoma cells metastasis by blocking ERK and JNK-mediated MMPs expression. <i>Oncotarget</i> , 2016, 7, 35208-35223.	1.8	82
7	Matrix metalloproteinase-2 as a target for head and neck cancer therapy. <i>Expert Opinion on Therapeutic Targets</i> , 2013, 17, 203-216.	3.4	76
8	Prostaglandin E2/EP1 Signaling Pathway Enhances Intercellular Adhesion Molecule 1 (ICAM-1) Expression and Cell Motility in Oral Cancer Cells. <i>Journal of Biological Chemistry</i> , 2010, 285, 29808-29816.	3.4	72
9	Melatonin inhibits TPA-induced oral cancer cell migration by suppressing matrix metalloproteinase-9 activation through the histone acetylation. <i>Oncotarget</i> , 2016, 7, 21952-21967.	1.8	71
10	TIMP-3 as a therapeutic target for cancer. <i>Therapeutic Advances in Medical Oncology</i> , 2019, 11, 175883591986424.	3.2	68
11	Impact of RECK gene polymorphisms and environmental factors on oral cancer susceptibility and clinicopathologic characteristics in Taiwan. <i>Carcinogenesis</i> , 2011, 32, 1063-1068.	2.8	59
12	Lipocalin 2 prevents oral cancer metastasis through carbonic anhydrase IX inhibition and is associated with favourable prognosis. <i>Carcinogenesis</i> , 2016, 37, 712-722.	2.8	56
13	Effects of NFKB1 and NFKBIA Gene Polymorphisms on Susceptibility to Environmental Factors and the Clinicopathologic Development of Oral Cancer. <i>PLoS ONE</i> , 2012, 7, e35078.	2.5	54
14	The Antimetastatic Effects of Resveratrol on Hepatocellular Carcinoma through the Downregulation of a Metastasis-Associated Protease by SP-1 Modulation. <i>PLoS ONE</i> , 2013, 8, e56661.	2.5	52
15	Pterostilbene induce autophagy on human oral cancer cells through modulation of Akt and mitogen-activated protein kinase pathway. <i>Oral Oncology</i> , 2015, 51, 593-601.	1.5	52
16	Resveratrol suppresses <scp>TPA</scp>-induced matrix metalloproteinase $\hat{9}$ expression through the inhibition of <scp>MAPK</scp> pathways in oral cancer cells. <i>Journal of Oral Pathology and Medicine</i> , 2015, 44, 699-706.	2.7	52
17	Cathepsin B Expression and the Correlation with Clinical Aspects of Oral Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2016, 11, e0152165.	2.5	52
18	Loss of TIMP3 by promoter methylation of Sp1 binding site promotes oral cancer metastasis. <i>Cell Death and Disease</i> , 2019, 10, 793.	6.3	51

#	ARTICLE	IF	CITATIONS
19	New insights into molecular and cellular mechanisms of zoledronate in human osteosarcoma. , 2020, 214, 107611.		50
20	WISP-1, a novel angiogenic regulator of the CCN family, promotes oral squamous cell carcinoma angiogenesis through VEGF-A expression. <i>Oncotarget</i> , 2015, 6, 4239-4252.	1.8	50
21	Melatonin attenuates osteosarcoma cell invasion by suppression of Cxcl12 chemokine ligand 24 through inhibition of the c-Jun N-terminal kinase pathway. <i>Journal of Pineal Research</i> , 2018, 65, e12507.	7.4	46
22	Pharmacodynamic considerations in the use of matrix metalloproteinase inhibitors in cancer treatment. <i>Expert Opinion on Drug Metabolism and Toxicology</i> , 2016, 12, 191-200.	3.3	45
23	A novel melatonin-regulated lncRNA suppresses TPA-induced oral cancer cell motility through replenishing PRUNE2 expression. <i>Journal of Pineal Research</i> , 2021, 71, e12760.	7.4	45
24	The CCN Family Proteins: Modulators of Bone Development and Novel Targets in Bone-Associated Tumors. <i>BioMed Research International</i> , 2014, 2014, 1-11.	1.9	44
25	Pterostilbene suppresses oral cancer cell invasion by inhibiting MMP-2 expression. <i>Expert Opinion on Therapeutic Targets</i> , 2014, 18, 1109-1120.	3.4	43
26	Effects of miR-34b/miR-892a Upregulation and Inhibition of ABCB1/ABCB4 on Melatonin-Induced Apoptosis in VCR-Resistant Oral Cancer Cells. <i>Molecular Therapy - Nucleic Acids</i> , 2020, 19, 877-889.	5.1	43
27	Zoledronate blocks geranylgeranylation not farnesylation to suppress human osteosarcoma U2OS cells metastasis by EMT via Rho A activation and FAK-inhibited JNK and p38 pathways. <i>Oncotarget</i> , 2016, 7, 9742-9758.	1.8	41
28	Inhibition of cathepsin S confers sensitivity to methyl protodioscin in oral cancer cells via activation of p38 MAPK/JNK signaling pathways. <i>Scientific Reports</i> , 2017, 7, 45039.	3.3	39
29	Carbonic anhydrase IX overexpression regulates the migration and progression in oral squamous cell carcinoma. <i>Tumor Biology</i> , 2015, 36, 9517-9524.	1.8	37
30	Overexpression of carbonic anhydrase IX induces cell motility by activating matrix metalloproteinase-9 in human oral squamous cell carcinoma cells. <i>Oncotarget</i> , 2017, 8, 83088-83099.	1.8	36
31	Role of lipocalin 2 and its complex with matrix metalloproteinase-9 in oral cancer. <i>Oral Diseases</i> , 2012, 18, 734-740.	3.0	35
32	Erianin Induces Apoptosis and Autophagy in Oral Squamous Cell Carcinoma Cells. <i>The American Journal of Chinese Medicine</i> , 2020, 48, 183-200.	3.8	35
33	The Potential of Chinese Herbal Medicines in the Treatment of Cervical Cancer. <i>Integrative Cancer Therapies</i> , 2019, 18, 153473541986169.	2.0	33
34	Melatonin as a potential inhibitory agent in head and neck cancer. <i>Oncotarget</i> , 2017, 8, 90545-90556.	1.8	33
35	Dehydroandrographolide, an iNOS inhibitor, extracted from <i>Andrographis paniculata</i> (Burm.f.) Nees, induces autophagy in human oral cancer cells. <i>Oncotarget</i> , 2015, 6, 30831-30849.	1.8	31
36	Polymorphisms and Plasma Levels of Tissue Inhibitor of Metalloproteinase-3. <i>Medicine (United States)</i> , 2015, 94, e2092.	1.0	31

#	ARTICLE	IF	CITATIONS
37	CD44 Gene Polymorphisms and Environmental Factors on Oral Cancer Susceptibility in Taiwan. PLoS ONE, 2014, 9, e93692.	2.5	31
38	MMP-11 promoted the oral cancer migration and FAK/Src activation. Oncotarget, 2017, 8, 32783-32793.	1.8	30
39	Impact of Interleukin-18 Polymorphisms -607A/C and -137G/C on Oral Cancer Occurrence and Clinical Progression. PLoS ONE, 2013, 8, e83572.	2.5	29
40	Glabridin induces apoptosis and cell cycle arrest in oral cancer cells through the JNK1/2 signaling pathway. Environmental Toxicology, 2018, 33, 679-685.	4.0	29
41	Antibacterial activity of viable and heat-killed probiotic strains against oral pathogens. Letters in Applied Microbiology, 2020, 70, 310-317.	2.2	29
42	ADAMTS14 Gene Polymorphism and Environmental Risk in the Development of Oral Cancer. PLoS ONE, 2016, 11, e0159585.	2.5	29
43	Combined effect of genetic polymorphisms of AURKA and environmental factors on oral cancer development in Taiwan. PLoS ONE, 2017, 12, e0171583.	2.5	29
44	Geraniin inhibits oral cancer cell migration by suppressing matrix metalloproteinase-2 activation through the FAK/Src and ERK pathways. Environmental Toxicology, 2019, 34, 1085-1093.	4.0	28
45	Hispolon suppresses migration and invasion of human nasopharyngeal carcinoma cells by inhibiting the urokinase-plasminogen activator through modulation of the Akt signaling pathway. Environmental Toxicology, 2017, 32, 645-655.	4.0	27
46	Impact of CCL4 gene polymorphisms and environmental factors on oral cancer development and clinical characteristics. Oncotarget, 2017, 8, 31424-31434.	1.8	27
47	Dual Targeting of the p38 MAPK-HO-1 Axis and cIAP1/XIAP by Demethoxycurcumin Triggers Caspase-Mediated Apoptotic Cell Death in Oral Squamous Cell Carcinoma Cells. Cancers, 2020, 12, 703.	3.7	26
48	Functional genetic variant in the Kozak sequence of WW domain-containing oxidoreductase (WWOX) gene is associated with oral cancer risk. Oncotarget, 2016, 7, 69384-69396.	1.8	26
49	<i>Rubus idaeus</i> extract suppresses migration and invasion of human oral cancer by inhibiting MMP-2 through modulation of the Erk1/2 signaling pathway. Environmental Toxicology, 2017, 32, 1037-1046.	4.0	25
50	Plasma levels of the tissue inhibitor matrix metalloproteinase-3 as a potential biomarker in oral cancer progression. International Journal of Medical Sciences, 2017, 14, 37-44.	2.5	25
51	Salvianolic acid A suppresses MMP-2 expression and restrains cancer cell invasion through ERK signaling in human nasopharyngeal carcinoma. Journal of Ethnopharmacology, 2020, 252, 112601.	4.1	25
52	Combined Effects of ICAM-1 Single-Nucleotide Polymorphisms and Environmental Carcinogens on Oral Cancer Susceptibility and Clinicopathologic Development. PLoS ONE, 2013, 8, e72940.	2.5	24
53	A functional variant at the miRNA binding site in HMGB1 gene is associated with risk of oral squamous cell carcinoma. Oncotarget, 2017, 8, 34630-34642.	1.8	24
54	antharidic acid induces apoptosis of human leukemic HL60 cells via Jun N-terminal kinase-regulated caspase-8/9/3 activation pathway. Environmental Toxicology, 2018, 33, 514-522.	4.0	23

#	ARTICLE	IF	CITATIONS
55	Pathological and therapeutic aspects of matrix metalloproteinases: implications in childhood leukemia. <i>Cancer and Metastasis Reviews</i> , 2019, 38, 829-837.	5.9	23
56	The potential remedy of melatonin on osteoarthritis. <i>Journal of Pineal Research</i> , 2021, 71, e12762.	7.4	23
57	Selaginella tamariscina extract suppresses TPA-induced invasion and metastasis through inhibition of MMP-9 in human nasopharyngeal carcinoma HONE-1 cells. <i>BMC Complementary and Alternative Medicine</i> , 2013, 13, 234.	3.7	22
58	High Level of Plasma Matrix Metalloproteinase-11 Is Associated with Clinicopathological Characteristics in Patients with Oral Squamous Cell Carcinoma. <i>PLoS ONE</i> , 2014, 9, e113129.	2.5	22
59	Epigallocatechin gallate inhibits migration of human nasopharyngeal carcinoma cells by repressing MMP-2 expression. <i>Journal of Cellular Physiology</i> , 2019, 234, 20915-20924.	4.1	22
60	New insights into antimetastatic signaling pathways of melatonin in skeletomuscular sarcoma of childhood and adolescence. <i>Cancer and Metastasis Reviews</i> , 2020, 39, 303-320.	5.9	22
61	Association of matrix metalloproteinase-11 polymorphisms with susceptibility and clinicopathologic characteristics for oral squamous cell carcinoma. <i>Head and Neck</i> , 2015, 37, 1425-1431.	2.0	21
62	Duchesnea indica extract attenuates oral cancer cells metastatic potential through the inhibition of the matrix metalloproteinase-2 activity by down-regulating the MEK/ERK pathway. <i>Phytomedicine</i> , 2019, 63, 152960.	5.3	21
63	IGF2BP2 Polymorphisms Are Associated with Clinical Characteristics and Development of Oral Cancer. <i>International Journal of Molecular Sciences</i> , 2020, 21, 5662.	4.1	21
64	<i>Rubus idaeus</i> Inhibits Migration and Invasion of Human Nasopharyngeal Carcinoma Cells by Suppression of MMP-2 through Modulation of the ERK1/2 Pathway. <i>The American Journal of Chinese Medicine</i> , 2017, 45, 1557-1572.	3.8	20
65	Mutational signatures and mutagenic impacts associated with betel quid chewing in oral squamous cell carcinoma. <i>Human Genetics</i> , 2019, 138, 1379-1389.	3.8	20
66	Licochalcone A induces apoptotic cell death via JNK/p38 activation in human nasopharyngeal carcinoma cells. <i>Environmental Toxicology</i> , 2019, 34, 853-860.	4.0	20
67	CCN3 promotes epithelial-mesenchymal transition in prostate cancer via FAK/Akt/HIF-1 $\alpha$ -induced twist expression. <i>Oncotarget</i> , 2017, 8, 74506-74518.	1.8	20
68	Functional FGFR4 Gly388Arg polymorphism contributes to oral squamous cell carcinoma susceptibility. <i>Oncotarget</i> , 2017, 8, 96225-96238.	1.8	19
69	Impact of VEGF-C Gene Polymorphisms and Environmental Factors on Oral Cancer Susceptibility in Taiwan. <i>PLoS ONE</i> , 2013, 8, e60283.	2.5	18
70	Inhibitory effects of <i>Leucaena leucocephala</i> on the metastasis and invasion of human oral cancer cells. <i>Environmental Toxicology</i> , 2017, 32, 1765-1774.	4.0	18
71	Associations of genetic variations of the endothelial nitric oxide synthase gene and environmental carcinogens with oral cancer susceptibility and development. <i>Nitric Oxide - Biology and Chemistry</i> , 2018, 79, 1-7.	2.7	17
72	Antimetastatic effects of <i>Eclipta prostrata</i> extract on oral cancer cells. <i>Environmental Toxicology</i> , 2018, 33, 923-930.	4.0	17

#	ARTICLE	IF	CITATIONS
73	Combined Impacts of Genetic Variants of Long Non-Coding RNA MALAT1 and the Environmental Carcinogen on the Susceptibility to and Progression of Oral Squamous Cell Carcinoma. <i>Frontiers in Oncology</i> , 2021, 11, 684941.	2.8	17
74	Increased expression of carbonic anhydrase IX in oral submucous fibrosis and oral squamous cell carcinoma. <i>Clinical Chemistry and Laboratory Medicine</i> , 2014, 52, 1367-77.	2.3	16
75	Interactions between Environmental Factors and Melatonin Receptor Type 1A Polymorphism in Relation to Oral Cancer Susceptibility and Clinicopathologic Development. <i>PLoS ONE</i> , 2015, 10, e0121677.	2.5	16
76	Carbonic Anhydrase III Promotes Cell Migration and Epithelialâ€Mesenchymal Transition in Oral Squamous Cell Carcinoma. <i>Cells</i> , 2020, 9, 704.	4.1	16
77	Antimetastatic effects of <i>Rheum palmatum</i> L. extract on oral cancer cells. <i>Environmental Toxicology</i> , 2017, 32, 2287-2294.	4.0	15
78	Genetic Variants of lncRNA GAS5 Are Associated with the Clinicopathologic Development of Oral Cancer. <i>Journal of Personalized Medicine</i> , 2021, 11, 348.	2.5	15
79	Dihydromyricetin suppresses cell metastasis in human osteosarcoma through SP-1- and NF- $\kappa$ B-modulated urokinase plasminogen activator inhibition. <i>Phytomedicine</i> , 2021, 90, 153642.	5.3	15
80	FLLL32 Triggers Caspase-Mediated Apoptotic Cell Death in Human Oral Cancer Cells by Regulating the p38 Pathway. <i>International Journal of Molecular Sciences</i> , 2021, 22, 11860.	4.1	15
81	Curcumin analog HOâ€3867 triggers apoptotic pathways through activating JNK1/2 signalling in human oral squamous cell carcinoma cells. <i>Journal of Cellular and Molecular Medicine</i> , 2022, 26, 2273-2284.	3.6	15
82	PG2, a botanically derived drug extracted from <i>Astragalus membranaceus</i> , promotes proliferation and immunosuppression of umbilical cord-derived mesenchymal stem cells. <i>Journal of Ethnopharmacology</i> , 2017, 207, 184-191.	4.1	14
83	High Level of Plasma EGFL6 Is Associated with Clinicopathological Characteristics in Patients with Oral Squamous Cell Carcinoma. <i>International Journal of Medical Sciences</i> , 2017, 14, 419-424.	2.5	14
84	Lozenges with probiotic strains enhance oral immune response and health. <i>Oral Diseases</i> , 2022, 28, 1723-1732.	3.0	14
85	Nicosamide Suppresses Migration and Invasion of Human Osteosarcoma Cells by Repressing TGFBI Expression via the ERK Signaling Pathway. <i>International Journal of Molecular Sciences</i> , 2022, 23, 484.	4.1	14
86	Curcumin analog, GO-Y078, induces HO-1 transactivation-mediated apoptotic cell death of oral cancer cells by triggering MAPK pathways and AP-1 DNA-binding activity. <i>Expert Opinion on Therapeutic Targets</i> , 2022, 26, 375-388.	3.4	14
87	Sulforaphane suppresses oral cancer cell migration by regulating cathepsin S expression. <i>Oncotarget</i> , 2018, 9, 17564-17575.	1.8	13
88	Increased apoptosis and peripheral blood mononuclear cell suppression of bone marrow mesenchymal stem cells in severe aplastic anemia. <i>Pediatric Blood and Cancer</i> , 2018, 65, e27247.	1.5	13
89	Association of LINC00673 Genetic Variants with Progression of Oral Cancer. <i>Journal of Personalized Medicine</i> , 2021, 11, 468.	2.5	13
90	Lipocalin-2 Inhibits Osteosarcoma Cell Metastasis by Suppressing MET Expression via the MEKâ€ERK Pathway. <i>Cancers</i> , 2021, 13, 3181.	3.7	11

#	ARTICLE	IF	CITATIONS
91	Magnolol Triggers Caspase-Mediated Apoptotic Cell Death in Human Oral Cancer Cells through JNK1/2 and p38 Pathways. <i>Biomedicines</i> , 2021, 9, 1295.	3.2	11
92	Decreased Cytoplasmic Expression of ADAMTS14 Is Correlated with Reduced Survival Rates in Oral Squamous Cell Carcinoma Patients. <i>Diagnostics</i> , 2020, 10, 122.	2.6	10
93	Arctiin Inhibits Cervical Cancer Cell Migration and Invasion through Suppression of S100A4 Expression via PI3K/Akt Pathway. <i>Pharmaceutics</i> , 2022, 14, 365.	4.5	10
94	Expression of myeloid zinc finger 1 and the correlation to clinical aspects of oral squamous cell carcinoma. <i>Tumor Biology</i> , 2015, 36, 7099-7105.	1.8	9
95	Plasma Levels of Endothelial Cell-Specific Molecule-1 as a Potential Biomarker of Oral Cancer Progression. <i>International Journal of Medical Sciences</i> , 2017, 14, 1094-1100.	2.5	9
96	Functional Genetic Variant of Long Pentraxin 3 Gene Is Associated With Clinical Aspects of Oral Cancer in Male Patients. <i>Frontiers in Oncology</i> , 2019, 9, 581.	2.8	9
97	Oral submucous fibrosis stimulates invasion and epithelialâ€mesenchymal transition in oral squamous cell carcinoma by activating MMPâ€2 and IGFâ€R. <i>Journal of Cellular and Molecular Medicine</i> , 2021, 25, 9814-9825.	3.6	9
98	Effect of Periodontitis and Scaling and Root Planing on Risk of Pharyngeal Cancer: A Nested Caseâ€Control Study. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8.	2.6	9
99	Dihydromyricetin inhibits cancer cell migration and matrix metalloproteinasesâ€2 expression in human nasopharyngeal carcinoma through extracellular signalâ€regulated kinase signaling pathway. <i>Environmental Toxicology</i> , 2022, 37, 1244-1253.	4.0	9
100	Tricetin Suppresses Migration and Presenilin-1 Expression of Nasopharyngeal Carcinoma through Akt/GSK-3Î² Pathway. <i>The American Journal of Chinese Medicine</i> , 2020, 48, 1203-1220.	3.8	8
101	<i>Dioscorea nipponica</i> Makino suppresses TPAâ€induced migration and invasion through inhibition of matrix metalloproteinaseâ€9 in human cervical cancer cells. <i>Environmental Toxicology</i> , 2020, 35, 1194-1201.	4.0	8
102	TRIM21 Polymorphisms are associated with Susceptibility and Clinical Status of Oral Squamous Cell Carcinoma patients. <i>International Journal of Medical Sciences</i> , 2021, 18, 2997-3003.	2.5	8
103	Impact of the food grade heat-killed probiotic and postbiotic oral lozenges in oral hygiene. <i>Aging</i> , 2022, 14, 2221-2238.	3.1	8
104	Modulating the ERK1/2â€MMP1 Axis through Corosolic Acid Inhibits Metastasis of Human Oral Squamous Cell Carcinoma Cells. <i>International Journal of Molecular Sciences</i> , 2021, 22, 8641.	4.1	7
105	Functional variant of CHI3L1 gene is associated with neck metastasis in oral cancer. <i>Clinical Oral Investigations</i> , 2019, 23, 2685-2694.	3.0	6
106	Morusin Suppresses Cancer Cell Invasion and MMP-2 Expression through ERK Signaling in Human Nasopharyngeal Carcinoma. <i>Molecules</i> , 2020, 25, 4851.	3.8	6
107	Cantharidic acid induces apoptosis in human nasopharyngeal carcinoma cells through p38â€mediated upregulation of caspase activation. <i>Environmental Toxicology</i> , 2020, 35, 619-627.	4.0	5
108	Effect of MACC1 Genetic Polymorphisms and Environmental Risk Factors in the Occurrence of Oral Squamous Cell Carcinoma. <i>Journal of Personalized Medicine</i> , 2021, 11, 490.	2.5	5



#	ARTICLE	IF	CITATIONS
109	Combinations of SERPINB5 gene polymorphisms and environmental factors are associated with oral cancer risks. PLoS ONE, 2017, 12, e0163369.	2.5	5
110	The Inhibitory Effects of Terminalia catappa L. Extract on the Migration and Invasion of Human Glioblastoma Multiforme Cells. Pharmaceuticals, 2021, 14, 1183.	3.8	5
111	The impact of ALDH7A1 variants in oral cancer development and prognosis. Aging, 2022, 14, 4556-4571.	3.1	5
112	Ten-year retrospective study on mandibular fractures in central Taiwan. Journal of International Medical Research, 2020, 48, 030006052091505.	1.0	4
113	The impact of Aurora kinase A genetic polymorphisms on cervical cancer progression and clinicopathologic characteristics. International Journal of Medical Sciences, 2021, 18, 2457-2465.	2.5	4
114	Deoxyshikonin Mediates Heme Oxygenase-1 Induction and Apoptotic Response via p38 Signaling in Tongue Cancer Cell Lines. International Journal of Molecular Sciences, 2022, 23, 7115.	4.1	4
115	Repression of metastasis-associated protein 2 for inhibiting metastasis of human oral cancer cells by promoting the p38 expression. Journal of Oral Pathology and Medicine, 2019, 48, 959-966.	2.7	3
116	Gambogic Acid Induces HO-1 Expression and Cell Apoptosis through p38 Signaling in Oral Squamous Cell Carcinoma. The American Journal of Chinese Medicine, 2022, 50, 1663-1679.	3.8	3
117	Impact of SRY-Box Transcription Factor 11 Gene Polymorphisms on Oral Cancer Risk and Clinicopathologic Characteristics. International Journal of Molecular Sciences, 2020, 21, 4468.	4.1	2
118	Risk of Mortality and Readmission among Patients with Pelvic Fracture and Urinary Tract Infection: A Population-Based Cohort Study. International Journal of Environmental Research and Public Health, 2021, 18, 4868.	2.6	1
119	Leptin 2548 G/A polymorphisms are associated to clinical progression of oral cancer and sensitive to oral tumorization in nonsmoking population. Journal of Cellular Biochemistry, 2019, 120, 15145-15156.	2.6	0
120	Risk of Pneumonia in Pediatric Patients Following Minor Chest Trauma: A Population-Based Retrospective Cohort Study. International Journal of Environmental Research and Public Health, 2021, 18, 4690.	2.6	0
121	Combined impacts of histamine receptor H1 gene polymorphisms and an environmental carcinogen on the susceptibility to and progression of oral squamous cell carcinoma. Aging, 2022, 14, .	3.1	0