

Stynke Castelein

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6424359/publications.pdf>

Version: 2024-02-01

64
papers

1,975
citations

304743

22
h-index

254184

43
g-index

68
all docs

68
docs citations

68
times ranked

2310
citing authors

#	ARTICLE	IF	CITATIONS
1	Two subdomains of negative symptoms in psychotic disorders: Established and confirmed in two large cohorts. <i>Journal of Psychiatric Research</i> , 2013, 47, 718-725.	3.1	169
2	What are the effects of antipsychotics on sexual dysfunctions and endocrine functioning?. <i>Psychoneuroendocrinology</i> , 2003, 28, 109-123.	2.7	165
3	Predominant Role of the 9-Hydroxy Metabolite of Risperidone in Elevating Blood Prolactin Levels. <i>American Journal of Psychiatry</i> , 2005, 162, 1010-1012.	7.2	163
4	The effectiveness of peer support groups in psychosis: a randomized controlled trial. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 64-72.	4.5	139
5	The Facts About Sexual (Dys)function in Schizophrenia: An Overview of Clinically Relevant Findings. <i>Schizophrenia Bulletin</i> , 2015, 41, 674-686.	4.3	130
6	A Randomized Open-Label Study of the Impact of Quetiapine Versus Risperidone on Sexual Functioning. <i>Journal of Clinical Psychopharmacology</i> , 2004, 24, 56-61.	1.4	117
7	Are sexual side effects of prolactin-raising antipsychotics reducible to serum prolactin?. <i>Psychoneuroendocrinology</i> , 2008, 33, 711-717.	2.7	78
8	Dreams and disappointments regarding nursing: Student nurses' reasons for attrition and retention. A qualitative study design. <i>Nurse Education Today</i> , 2017, 54, 28-36.	3.3	77
9	Neurobiological Divergence of the Positive and Negative Schizophrenia Subtypes Identified on a New Factor Structure of Psychopathology Using Non-negative Factorization: An International Machine Learning Study. <i>Biological Psychiatry</i> , 2020, 87, 282-293.	1.3	68
10	A Randomized Open-Label Comparison of the Impact of Olanzapine Versus Risperidone on Sexual Functioning. <i>Journal of Sex and Marital Therapy</i> , 2006, 32, 315-326.	1.5	66
11	Metacognitive training for schizophrenia spectrum patients: a meta-analysis on outcome studies. <i>Psychological Medicine</i> , 2016, 46, 47-57.	4.5	63
12	Creating a Supportive Environment: Peer Support Groups for Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2015, 41, 1211-1213.	4.3	46
13	Measuring Empowerment Among People With Psychotic Disorders: A Comparison of Three Instruments. <i>Psychiatric Services</i> , 2008, 59, 1338-1342.	2.0	44
14	The effect of mind-body and aerobic exercise on negative symptoms in schizophrenia: A meta-analysis. <i>Psychiatry Research</i> , 2019, 279, 295-305.	3.3	41
15	Hatha yoga for acute, chronic and/or treatment-resistant mood and anxiety disorders: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0204925.	2.5	40
16	Nursing students' changing orientation and attitudes towards nursing during education: A two year longitudinal study. <i>Nurse Education Today</i> , 2017, 48, 19-24.	3.3	38
17	Personal Recovery in People With a Psychotic Disorder: A Systematic Review and Meta-Analysis of Associated Factors. <i>Frontiers in Psychiatry</i> , 2021, 12, 622628.	2.6	38
18	Differential stigmatizing attitudes of healthcare professionals towards psychiatry and patients with mental health problems: something to worry about? A pilot study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 299-306.	3.1	37

#	ARTICLE	IF	CITATIONS
19	Confirmatory Factor Analysis and Differential Relationships of the Two Subdomains of Negative Symptoms in Chronically Ill Psychotic Patients. <i>PLoS ONE</i> , 2016, 11, e0149785.	2.5	31
20	A Systematic Review of Instruments to Measure Sexual Functioning in Patients Using Antipsychotics. <i>Journal of Sex Research</i> , 2014, 51, 383-389.	2.5	26
21	Suicide in Recent Onset Psychosis Revisited: Significant Reduction of Suicide Rate over the Last Two Decades – A Replication Study of a Dutch Incidence Cohort. <i>PLoS ONE</i> , 2015, 10, e0129263.	2.5	26
22	Towards a comprehensive routine outcome monitoring program for people with psychotic disorders: The Pharmacotherapy Monitoring and Outcome Survey (PHAMOUS). <i>Schizophrenia Research</i> , 2018, 197, 281-287.	2.0	26
23	The Antipsychotics and Sexual Functioning Questionnaire (ASFQ): Preliminary evidence for reliability and validity. <i>Schizophrenia Research</i> , 2013, 150, 410-415.	2.0	23
24	Systematic review of self-management in patients with schizophrenia: psychometric assessment of tools, levels of self-management and associated factors. <i>Journal of Advanced Nursing</i> , 2016, 72, 2598-2611.	3.3	23
25	Economic Aspects of Peer Support Groups for Psychosis. <i>Community Mental Health Journal</i> , 2011, 47, 99-105.	2.0	22
26	Predicting factors of positive orientation and attitudes towards nursing: A quantitative cross-sectional study. <i>Nurse Education Today</i> , 2016, 40, 111-117.	3.3	20
27	Long-term course of negative symptom subdomains and relationship with outcome in patients with a psychotic disorder. <i>Schizophrenia Research</i> , 2018, 193, 173-181.	2.0	16
28	Measuring personal recovery in people with a psychotic disorder based on CHIME: A comparison of three validated measures. <i>International Journal of Mental Health Nursing</i> , 2020, 29, 808-819.	3.8	16
29	Do routine outcome monitoring results translate to clinical practice? A cross-sectional study in patients with a psychotic disorder. <i>BMC Psychiatry</i> , 2016, 16, 107.	2.6	14
30	Clinical, societal and personal recovery in schizophrenia spectrum disorders across time: states and annual transitions. <i>British Journal of Psychiatry</i> , 2021, 219, 401-408.	2.8	13
31	Exploring the use of Routine Outcome Monitoring in the treatment of patients with a psychotic disorder. <i>European Psychiatry</i> , 2017, 42, 89-94.	0.2	12
32	Facilitating Recovery of Daily Functioning in People With a Severe Mental Illness Who Need Longer-Term Intensive Psychiatric Services: Results From a Cluster Randomized Controlled Trial on Cognitive Adaptation Training Delivered by Nurses. <i>Schizophrenia Bulletin</i> , 2020, 46, 1259-1268.	4.3	12
33	The development and evaluation of a computerized decision aid for the treatment of psychotic disorders. <i>BMC Psychiatry</i> , 2018, 18, 163.	2.6	11
34	Peer support and skills training through an eating club for people with psychotic disorders: A feasibility study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2019, 64, 80-86.	1.2	11
35	The Psychosis Recent Onset Groningen Survey (PROGR-S): Defining Dimensions and Improving Outcomes in Early Psychosis. <i>PLoS ONE</i> , 2014, 9, e113521.	2.5	11
36	Oral health experiences and needs among young adults after a first-episode psychosis : a phenomenological study. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2018, 25, 475-485.	2.1	10

#	ARTICLE	IF	CITATIONS
37	The association of cannabis use with quality of life and psychosocial functioning in psychosis. <i>Schizophrenia Research</i> , 2021, 228, 229-234.	2.0	10
38	Guided Peer Support Groups for Schizophrenia: A Nursing Intervention. <i>Psychiatric Services</i> , 2008, 59, 326-326.	2.0	9
39	The resource group method in severe mental illness: study protocol for a randomized controlled trial and a qualitative multiple case study. <i>International Journal of Mental Health Systems</i> , 2019, 13, 15.	2.7	9
40	Expressive deficits and amotivation as mediators of the associations between cognitive problems and functional outcomes: Results from two independent cohorts. <i>Schizophrenia Research</i> , 2020, 218, 283-291.	2.0	9
41	Effectiveness of Resource Groups for Improving Empowerment, Quality of Life, and Functioning of People With Severe Mental Illness. <i>JAMA Psychiatry</i> , 2021, 78, 1309.	11.0	9
42	Negative association between a history of obstetric complications and the number of neurological soft signs in first-episode schizophrenic disorder. <i>Psychiatry Research</i> , 2007, 149, 273-277.	3.3	8
43	Letter to the Editor: Should we focus on quality or quantity in meta-analyses?. <i>Psychological Medicine</i> , 2016, 46, 2003-2005.	4.5	8
44	Qualitative analysis of clinicians' perspectives on the use of a computerized decision aid in the treatment of psychotic disorders. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 234.	3.0	8
45	Negative symptoms in schizophrenia: reconsidering evidence and focus in clinical trials. <i>British Journal of Psychiatry</i> , 2021, 219, 359-360.	2.8	8
46	A mindful yoga intervention for young women with major depressive disorder: Design and baseline sample characteristics of a randomized controlled trial. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1820.	2.1	7
47	Oral Health Interventions in Patients with a Mental Health Disorder: A Scoping Review with Critical Appraisal of the Literature. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8113.	2.6	7
48	The psychometric validity of the Montgomery-Åsberg Depression Rating Scale (MADRS) in recent onset schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2021, 228, 373-381.	2.0	5
49	On the relation of white matter brain abnormalities and the asociality symptoms in schizophrenia outpatients – a DTI study. <i>Acta Neurobiologiae Experimentalis</i> , 2021, 81, 80-95.	0.7	5
50	“Please tell me what happened”: A descriptive study on prevalence, disclosure and characteristics of victimization in people with a psychotic disorder. <i>PLoS ONE</i> , 2019, 14, e0219056.	2.5	4
51	Redefining Therapeutic Outcomes of Depression Treatment. <i>Journal for Person-Oriented Research</i> , 2019, 5, 115-122.	0.4	4
52	Barriers and facilitators to implementation of cognitive adaptation training in long-term inpatient facilities for people diagnosed with severe mental illness: A nursing perspective. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2022, 29, 568-577.	2.1	4
53	Care needs and care consumption in psychosis: a 4-year longitudinal analysis of guideline concordant care. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, .	3.9	3
54	Risk factors and oral health-related quality of life: A case-control comparison between patients after a first-episode psychosis and people from general population. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2022, , .	2.1	3

#	ARTICLE	IF	CITATIONS
55	Satisfaction with social connectedness as a predictor for positive and negative symptoms of psychosis: A PHAMOUS study. <i>Schizophrenia Research</i> , 2021, 238, 121-127.	2.0	2
56	Longitudinal assessments of therapeutic alliance predict work performance in vocational rehabilitation for persons with schizophrenia. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 915-928.	2.5	1
57	Evaluation of an Adaptive Implementation Program for Cognitive Adaptation Training for People With Severe Mental Illness: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17412.	1.0	1
58	Gender differences in characteristics of violent and sexual victimization in patients with psychosis: a cross-sectional study. <i>BMC Psychiatry</i> , 2021, 21, 541.	2.6	1
59	The specific phenotype of depression in recent onset schizophrenia spectrum disorders: A symptom profile and network comparison to recent onset major depressive disorder without psychotic features. <i>Schizophrenia Research</i> , 2022, 240, 52-60.	2.0	1
60	Measuring discrimination experienced by people with a mental illness: replication of the short-form DISCUS in six world regions. <i>Psychological Medicine</i> , 2023, 53, 3963-3973.	4.5	1
61	Response to email of editor-in-chief: JPMâ€19â€0163 titled Oral health experiences and needs amongst young adults after a first episode psychosis. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020, 27, 99-100.	2.1	0
62	Psychische stoornissen. , 2020, , 147-170.		0
63	Herstel bevorderen bij mensen met ernstige psychische aandoeningen met behulp van resourcegroepen: Bevindingen uit de pilot Samen voor Herstel. , 2021, 30, 22-33.		0
64	An outpatient clinic for integrative mental health: Patient and treatment characteristics and health outcomes based on patient reported routine outcome monitoring data. <i>European Psychiatry</i> , 2021, 64, S388-S389.	0.2	0