

Stynke Castelein

List of Publications by Year in descending order

Source: <https://exaly.com/author-pdf/6424359/publications.pdf>

Version: 2024-02-01

64
papers

1,975
citations

304743

22
h-index

254184

43
g-index

68
all docs

68
docs citations

68
times ranked

2310
citing authors

| # | ARTICLE | IF | CITATIONS |
|----|---|------|-----------|
| 1 | Measuring discrimination experienced by people with a mental illness: replication of the short-form DISCUS in six world regions. <i>Psychological Medicine</i> , 2023, 53, 3963-3973. | 4.5 | 1 |
| 2 | The specific phenotype of depression in recent onset schizophrenia spectrum disorders: A symptom profile and network comparison to recent onset major depressive disorder without psychotic features. <i>Schizophrenia Research</i> , 2022, 240, 52-60. | 2.0 | 1 |
| 3 | Barriers and facilitators to implementation of cognitive adaptation training in long-term inpatient facilities for people diagnosed with severe mental illness: A nursing perspective. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2022, 29, 568-577. | 2.1 | 4 |
| 4 | Risk factors and oral health-related quality of life: A case-control comparison between patients after a first episode psychosis and people from general population. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2022, . . | 2.1 | 3 |
| 5 | The association of cannabis use with quality of life and psychosocial functioning in psychosis. <i>Schizophrenia Research</i> , 2021, 228, 229-234. | 2.0 | 10 |
| 6 | The psychometric validity of the Montgomery-Åsberg Depression Rating Scale (MADRS) in recent onset schizophrenia spectrum disorders. <i>Schizophrenia Research</i> , 2021, 228, 373-381. | 2.0 | 5 |
| 7 | Personal Recovery in People With a Psychotic Disorder: A Systematic Review and Meta-Analysis of Associated Factors. <i>Frontiers in Psychiatry</i> , 2021, 12, 622628. | 2.6 | 38 |
| 8 | Longitudinal assessments of therapeutic alliance predict work performance in vocational rehabilitation for persons with schizophrenia. <i>Psychology and Psychotherapy: Theory, Research and Practice</i> , 2021, 94, 915-928. | 2.5 | 1 |
| 9 | Clinical, societal and personal recovery in schizophrenia spectrum disorders across time: states and annual transitions. <i>British Journal of Psychiatry</i> , 2021, 219, 401-408. | 2.8 | 13 |
| 10 | Negative symptoms in schizophrenia: reconsidering evidence and focus in clinical trials. <i>British Journal of Psychiatry</i> , 2021, 219, 359-360. | 2.8 | 8 |
| 11 | Oral Health Interventions in Patients with a Mental Health Disorder: A Scoping Review with Critical Appraisal of the Literature. <i>International Journal of Environmental Research and Public Health</i> , 2021, 18, 8113. | 2.6 | 7 |
| 12 | On the relation of white matter brain abnormalities and the asociality symptoms in schizophrenia outpatients – a DTI study. <i>Acta Neurobiologiae Experimentalis</i> , 2021, 81, 80-95. | 0.7 | 5 |
| 13 | Effectiveness of Resource Groups for Improving Empowerment, Quality of Life, and Functioning of People With Severe Mental Illness. <i>JAMA Psychiatry</i> , 2021, 78, 1309. | 11.0 | 9 |
| 14 | Satisfaction with social connectedness as a predictor for positive and negative symptoms of psychosis: A PHAMOUS study. <i>Schizophrenia Research</i> , 2021, 238, 121-127. | 2.0 | 2 |
| 15 | Gender differences in characteristics of violent and sexual victimization in patients with psychosis: a cross-sectional study. <i>BMC Psychiatry</i> , 2021, 21, 541. | 2.6 | 1 |
| 16 | Care needs and care consumption in psychosis: a 4-year longitudinal analysis of guideline concordant care. <i>Epidemiology and Psychiatric Sciences</i> , 2021, 30, . | 3.9 | 3 |
| 17 | Herstel bevorderen bij mensen met ernstige psychische aandoeningen met behulp van resourcegroepen: Bevindingen uit de pilot Samen voor Herstel. , 2021, 30, 22-33. | | 0 |
| 18 | An outpatient clinic for integrative mental health: Patient and treatment characteristics and health outcomes based on patient reported routine outcome monitoring data. <i>European Psychiatry</i> , 2021, 64, S388-S389. | 0.2 | 0 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 19 | Neurobiological Divergence of the Positive and Negative Schizophrenia Subtypes Identified on a New Factor Structure of Psychopathology Using Non-negative Factorization: An International Machine Learning Study. <i>Biological Psychiatry</i> , 2020, 87, 282-293. | 1.3 | 68 |
| 20 | Response to email of editor-in-chief: JPMâ€”19â€”0163 titled Oral health experiences and needs amongst young adults after a first episode psychosis. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2020, 27, 99-100. | 2.1 | 0 |
| 21 | Qualitative analysis of cliniciansâ€™ perspectives on the use of a computerized decision aid in the treatment of psychotic disorders. <i>BMC Medical Informatics and Decision Making</i> , 2020, 20, 234. | 3.0 | 8 |
| 22 | Facilitating Recovery of Daily Functioning in People With a Severe Mental Illness Who Need Longer-Term Intensive Psychiatric Services: Results From a Cluster Randomized Controlled Trial on Cognitive Adaptation Training Delivered by Nurses. <i>Schizophrenia Bulletin</i> , 2020, 46, 1259-1268. | 4.3 | 12 |
| 23 | Measuring personal recovery in people with a psychotic disorder based on CHIME: A comparison of three validated measures. <i>International Journal of Mental Health Nursing</i> , 2020, 29, 808-819. | 3.8 | 16 |
| 24 | A mindful yoga intervention for young women with major depressive disorder: Design and baseline sample characteristics of a randomized controlled trial. <i>International Journal of Methods in Psychiatric Research</i> , 2020, 29, e1820. | 2.1 | 7 |
| 25 | Expressive deficits and amotivation as mediators of the associations between cognitive problems and functional outcomes: Results from two independent cohorts. <i>Schizophrenia Research</i> , 2020, 218, 283-291. | 2.0 | 9 |
| 26 | Psychische stoornissen. , 2020, , 147-170. | | 0 |
| 27 | Evaluation of an Adaptive Implementation Program for Cognitive Adaptation Training for People With Severe Mental Illness: Protocol for a Randomized Controlled Trial. <i>JMIR Research Protocols</i> , 2020, 9, e17412. | 1.0 | 1 |
| 28 | â€œPlease tell me what happenedâ€” A descriptive study on prevalence, disclosure and characteristics of victimization in people with a psychotic disorder. <i>PLoS ONE</i> , 2019, 14, e0219056. | 2.5 | 4 |
| 29 | The effect of mind-body and aerobic exercise on negative symptoms in schizophrenia: A meta-analysis. <i>Psychiatry Research</i> , 2019, 279, 295-305. | 3.3 | 41 |
| 30 | Peer support and skills training through an eating club for people with psychotic disorders: A feasibility study. <i>Journal of Behavior Therapy and Experimental Psychiatry</i> , 2019, 64, 80-86. | 1.2 | 11 |
| 31 | The resource group method in severe mental illness: study protocol for a randomized controlled trial and a qualitative multiple case study. <i>International Journal of Mental Health Systems</i> , 2019, 13, 15. | 2.7 | 9 |
| 32 | Redefining Therapeutic Outcomes of Depression Treatment. <i>Journal for Person-Oriented Research</i> , 2019, 5, 115-122. | 0.4 | 4 |
| 33 | Towards a comprehensive routine outcome monitoring program for people with psychotic disorders: The Pharmacotherapy Monitoring and Outcome Survey (PHAMOUS). <i>Schizophrenia Research</i> , 2018, 197, 281-287. | 2.0 | 26 |
| 34 | Long-term course of negative symptom subdomains and relationship with outcome in patients with a psychotic disorder. <i>Schizophrenia Research</i> , 2018, 193, 173-181. | 2.0 | 16 |
| 35 | Hatha yoga for acute, chronic and/or treatment-resistant mood and anxiety disorders: A systematic review and meta-analysis. <i>PLoS ONE</i> , 2018, 13, e0204925. | 2.5 | 40 |
| 36 | Oral health experiences and needs among young adults after a firstâ€”episode psychosis : a phenomenological study. <i>Journal of Psychiatric and Mental Health Nursing</i> , 2018, 25, 475-485. | 2.1 | 10 |

| # | ARTICLE | IF | CITATIONS |
|----|--|-----|-----------|
| 37 | The development and evaluation of a computerized decision aid for the treatment of psychotic disorders. <i>BMC Psychiatry</i> , 2018, 18, 163. | 2.6 | 11 |
| 38 | Exploring the use of Routine Outcome Monitoring in the treatment of patients with a psychotic disorder. <i>European Psychiatry</i> , 2017, 42, 89-94. | 0.2 | 12 |
| 39 | Dreams and disappointments regarding nursing: Student nurses' reasons for attrition and retention. A qualitative study design. <i>Nurse Education Today</i> , 2017, 54, 28-36. | 3.3 | 77 |
| 40 | Nursing students' changing orientation and attitudes towards nursing during education: A two year longitudinal study. <i>Nurse Education Today</i> , 2017, 48, 19-24. | 3.3 | 38 |
| 41 | Confirmatory Factor Analysis and Differential Relationships of the Two Subdomains of Negative Symptoms in Chronically Ill Psychotic Patients. <i>PLoS ONE</i> , 2016, 11, e0149785. | 2.5 | 31 |
| 42 | Systematic review of self-management in patients with schizophrenia: psychometric assessment of tools, levels of self-management and associated factors. <i>Journal of Advanced Nursing</i> , 2016, 72, 2598-2611. | 3.3 | 23 |
| 43 | Letter to the Editor: Should we focus on quality or quantity in meta-analyses?. <i>Psychological Medicine</i> , 2016, 46, 2003-2005. | 4.5 | 8 |
| 44 | Metacognitive training for schizophrenia spectrum patients: a meta-analysis on outcome studies. <i>Psychological Medicine</i> , 2016, 46, 47-57. | 4.5 | 63 |
| 45 | Predicting factors of positive orientation and attitudes towards nursing: A quantitative cross-sectional study. <i>Nurse Education Today</i> , 2016, 40, 111-117. | 3.3 | 20 |
| 46 | Do routine outcome monitoring results translate to clinical practice? A cross-sectional study in patients with a psychotic disorder. <i>BMC Psychiatry</i> , 2016, 16, 107. | 2.6 | 14 |
| 47 | Suicide in Recent Onset Psychosis Revisited: Significant Reduction of Suicide Rate over the Last Two Decades – A Replication Study of a Dutch Incidence Cohort. <i>PLoS ONE</i> , 2015, 10, e0129263. | 2.5 | 26 |
| 48 | The Facts About Sexual (Dys)function in Schizophrenia: An Overview of Clinically Relevant Findings. <i>Schizophrenia Bulletin</i> , 2015, 41, 674-686. | 4.3 | 130 |
| 49 | Creating a Supportive Environment: Peer Support Groups for Psychotic Disorders. <i>Schizophrenia Bulletin</i> , 2015, 41, 1211-1213. | 4.3 | 46 |
| 50 | Differential stigmatizing attitudes of healthcare professionals towards psychiatry and patients with mental health problems: something to worry about? A pilot study. <i>Social Psychiatry and Psychiatric Epidemiology</i> , 2015, 50, 299-306. | 3.1 | 37 |
| 51 | A Systematic Review of Instruments to Measure Sexual Functioning in Patients Using Antipsychotics. <i>Journal of Sex Research</i> , 2014, 51, 383-389. | 2.5 | 26 |
| 52 | The Psychosis Recent Onset Groningen Survey (PROGR-S): Defining Dimensions and Improving Outcomes in Early Psychosis. <i>PLoS ONE</i> , 2014, 9, e113521. | 2.5 | 11 |
| 53 | The Antipsychotics and Sexual Functioning Questionnaire (ASFQ): Preliminary evidence for reliability and validity. <i>Schizophrenia Research</i> , 2013, 150, 410-415. | 2.0 | 23 |
| 54 | Two subdomains of negative symptoms in psychotic disorders: Established and confirmed in two large cohorts. <i>Journal of Psychiatric Research</i> , 2013, 47, 718-725. | 3.1 | 169 |

| # | ARTICLE | IF | CITATIONS |
|----|---|-----|-----------|
| 55 | Economic Aspects of Peer Support Groups for Psychosis. <i>Community Mental Health Journal</i> , 2011, 47, 99-105. | 2.0 | 22 |
| 56 | The effectiveness of peer support groups in psychosis: a randomized controlled trial. <i>Acta Psychiatrica Scandinavica</i> , 2008, 118, 64-72. | 4.5 | 139 |
| 57 | Are sexual side effects of prolactin-raising antipsychotics reducible to serum prolactin?. <i>Psychoneuroendocrinology</i> , 2008, 33, 711-717. | 2.7 | 78 |
| 58 | Measuring Empowerment Among People With Psychotic Disorders: A Comparison of Three Instruments. <i>Psychiatric Services</i> , 2008, 59, 1338-1342. | 2.0 | 44 |
| 59 | Guided Peer Support Groups for Schizophrenia: A Nursing Intervention. <i>Psychiatric Services</i> , 2008, 59, 326-326. | 2.0 | 9 |
| 60 | Negative association between a history of obstetric complications and the number of neurological soft signs in first-episode schizophrenic disorder. <i>Psychiatry Research</i> , 2007, 149, 273-277. | 3.3 | 8 |
| 61 | A Randomized Open-Label Comparison of the Impact of Olanzapine Versus Risperidone on Sexual Functioning. <i>Journal of Sex and Marital Therapy</i> , 2006, 32, 315-326. | 1.5 | 66 |
| 62 | Predominant Role of the 9-Hydroxy Metabolite of Risperidone in Elevating Blood Prolactin Levels. <i>American Journal of Psychiatry</i> , 2005, 162, 1010-1012. | 7.2 | 163 |
| 63 | A Randomized Open-Label Study of the Impact of Quetiapine Versus Risperidone on Sexual Functioning. <i>Journal of Clinical Psychopharmacology</i> , 2004, 24, 56-61. | 1.4 | 117 |
| 64 | What are the effects of antipsychotics on sexual dysfunctions and endocrine functioning?. <i>Psychoneuroendocrinology</i> , 2003, 28, 109-123. | 2.7 | 165 |